

GenCore version 5.1.6
Copyright (c) 1993 - 2004 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 26, 2004, 15:30:32 ; Search time 50.5 Seconds
(without alignments)
44.760 Million cell updates/sec

Title: US-09-668-314C-70
Perfect score: 8
Sequence: 1 EVKMDAEF 8

Scoring table: OLIGO
Gapop 60.0 , Gapext 60.0

Searched: 1586107 seqs, 282547505 residues

Word size : 0

Total number of hits satisfying chosen parameters: 1586107

Minimum DB seq length: 0
Maximum DB seq length: 20000000000

Post-processing: Listing first 1000 summaries

Database : A_Geneseq_29Jan04:*
1: geneseqp1980s:*
2: geneseqp1990s:*
3: geneseqp2000s:*
4: geneseqp2001s:*
5: geneseqp2002s:*
6: geneseqp2003as:*
7: geneseqp2003bs:*
8: geneseqp2004s:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	DB	ID	Description
1	8	100.0	8	3	AA94772	Aay94772 Beta-secr
2	8	100.0	8	4	AAU07230	Aau07230 Human bet
3	8	100.0	8	4	AAE10660	Aae10660 Human Asp
4	8	100.0	8	4	AAE06902	Aae06902 Human amy
5	8	100.0	8	4	AAE02612	Aae02612 Human Asp
6	8	100.0	8	4	AAU06635	Aau06635 Synthetic
7	8	100.0	8	4	AAU06631	Aau06631 Beta secr
8	8	100.0	8	5	ABB78621	Abb78621 APP Swedi
9	8	100.0	9	2	AAW82083	Aaw82083 Fluorogen

10	8	100.0	9	3	AAy87949	Aay87949	Mammalian
11	8	100.0	9	3	AAB07873	Aab07873	A peptide
12	8	100.0	9	5	ABU60430	Abu60430	Protease
13	8	100.0	9	7	ADC26556	Adc26556	Beta-secr
14	8	100.0	10	2	AAR22054	Aar22054	Peptide P
15	8	100.0	10	2	AAR24261	Aar24261	Human amy
16	8	100.0	10	2	AAW82440	Aaw82440	Human amy
17	8	100.0	10	3	AAy69703	Aay69703	Beta-APP
18	8	100.0	10	4	AAU07227	Aau07227	Human bet
19	8	100.0	10	4	AAE10654	Aae10654	Human wil
20	8	100.0	10	4	AAE06899	Aae06899	Human amy
21	8	100.0	10	4	AAB46208	Aab46208	Human APP
22	8	100.0	10	4	AAB46207	Aab46207	Human APP
23	8	100.0	10	4	AAB46209	Aab46209	Human APP
24	8	100.0	10	4	AAB61336	Aab61336	Sythetic
25	8	100.0	10	4	AAE02606	Aae02606	Human wil
26	8	100.0	10	4	AAB66574	Aab66574	Synthetic
27	8	100.0	10	4	AAG62668	Aag62668	Beta-shee
28	8	100.0	10	4	AAU06628	Aau06628	Asp2 reco
29	8	100.0	10	5	ABB06426	Abb06426	Human APP
30	8	100.0	10	5	ABG78375	Abg78375	Human bet
31	8	100.0	10	5	ABB78615	Abb78615	Beta-secr
32	8	100.0	10	5	AAU99490	Aau99490	Peptide #
33	8	100.0	10	5	ABG30940	Abg30940	Nogo/BACE
34	8	100.0	10	6	ABG76103	Abg76103	Amyloid p
35	8	100.0	10	6	ABR61933	Abr61933	Human APP
36	8	100.0	10	6	ADA74819	Ada74819	Human amy
37	8	100.0	10	7	ADB75175	Adb75175	Amyloid b
38	8	100.0	11	4	AAB97468	Aab97468	Asp2 subs
39	8	100.0	11	4	AAB75144	Aab75144	Asp 1 sub
40	8	100.0	11	4	AAB75143	Aab75143	APP beta-
41	8	100.0	12	4	AAB74931	Aab74931	Beta-amyl
42	8	100.0	12	5	ABB08997	Abb08997	Amyloid p
43	8	100.0	12	5	AAE16657	Aae16657	APP subst
44	8	100.0	12	5	AAU74831	Aau74831	Synthetic
45	8	100.0	12	5	ABB07592	Abb07592	Biotinyla
46	8	100.0	12	6	ABP97969	Abp97969	A synthet
47	8	100.0	12	6	AAO26795	Aao26795	Beta-secr
48	8	100.0	12	7	ADC29717	Adc29717	Synthetic
49	8	100.0	12	7	ADD80763	Add80763	Synthetic
50	8	100.0	13	2	AAW70869	Aaw70869	Beta-amyl
51	8	100.0	13	5	AAM50891	Aam50891	Fluoresce
52	8	100.0	13	6	ABP57078	Abp57078	Synthetic
53	8	100.0	13	6	ABP71462	Abp71462	Beta-secr
54	8	100.0	13	6	AAO16443	Aao16443	Beta-secr
55	8	100.0	13	6	ABP71263	Abp71263	Synthetic
56	8	100.0	13	6	ABR44371	Abr44371	Synthetic
57	8	100.0	13	6	ABP58369	Abp58369	Synthetic
58	8	100.0	13	6	ABG75934	Abg75934	Synthetic
59	8	100.0	13	6	ABP71624	Abp71624	Beta-secr
60	8	100.0	13	6	AAE35994	Aae35994	APP subst
61	8	100.0	13	6	ABR42269	Abr42269	Amyloid p
62	8	100.0	13	6	ABR82366	Abr82366	Synthetic
63	8	100.0	13	6	ABR56252	Abr56252	Amyloid P
64	8	100.0	13	6	ABR62012	Abr62012	Amino aci
65	8	100.0	13	6	ABR61881	Abr61881	Beta-secr
66	8	100.0	13	7	ADB75166	Adb75166	Human amy

67	8	100.0	13	7	ABR56173
68	8	100.0	13	7	ADC10525
69	8	100.0	15	4	AAU07234
70	8	100.0	15	4	AAE10669
71	8	100.0	15	4	AAE06906
72	8	100.0	16	3	AAB06315
73	8	100.0	16	3	AAB06317
74	8	100.0	18	4	AAE00608
75	8	100.0	19	2	AAR14135
76	8	100.0	20	3	AAV69713
77	8	100.0	21	2	AAW82188
78	8	100.0	21	4	AAG73206
79	8	100.0	23	4	AAB97473
80	8	100.0	23	4	AAB75147
81	8	100.0	33	2	AAW98002
82	8	100.0	39	3	AAV69717
83	8	100.0	45	2	AAW26392
84	8	100.0	45	2	AAW26512
85	8	100.0	45	2	AAW42977
86	8	100.0	45	2	AAW44748
87	8	100.0	52	6	ABP97925
88	8	100.0	52	6	ABP97924
89	8	100.0	52	6	ADA90299
90	8	100.0	53	2	AAR55695
91	8	100.0	53	2	AAR55697
92	8	100.0	53	2	AAR55696
93	8	100.0	53	2	AAR64168
94	8	100.0	54	3	AAB32126
95	8	100.0	57	3	AAB10910
96	8	100.0	58	2	AAR58937
97	8	100.0	59	2	AAW05375
98	8	100.0	59	2	AAW70863
99	8	100.0	59	4	AAB84425
100	8	100.0	59	7	ADB75160
101	8	100.0	60	3	AAV69701
102	8	100.0	63	2	AAW26391
103	8	100.0	63	2	AAW26511
104	8	100.0	63	2	AAW42976
105	8	100.0	63	2	AAW42975
106	8	100.0	63	2	AAW44746
107	8	100.0	63	2	AAW44747
108	8	100.0	63	7	ADB33534
109	8	100.0	63	7	ADB33537
110	8	100.0	64	5	ABB81320
111	8	100.0	67	2	AAW71377
112	8	100.0	82	5	AAU80960
113	8	100.0	82	5	ABG94280
114	8	100.0	82	5	ABG80592
115	8	100.0	93	4	ABG19083
116	8	100.0	103	2	AAR74697
117	8	100.0	103	2	AAW51317
118	8	100.0	103	2	AAW89372
119	8	100.0	103	3	AAV56103
120	8	100.0	103	4	AAE12509
121	8	100.0	103	5	ABG71002
122	8	100.0	103	5	ABB05150
123	8	100.0	103	6	ABG73457

Abr56173	Amyloid p
Adc10525	Synthetic
Aau07234	Human bet
Aae10669	Quenched
Aae06906	Human Asp
Aab06315	Human bet
Aab06317	Human bet
Aae00608	Beta-amyl
Aar14135	Brain-der
Aay69713	Beta-APP
Aaw82188	Fluorogen
Aag73206	Protease
Aab97473	Asp2 subs
Aab75147	Asp 1 sub
Aaw98002	Amyloid p
Aay69717	Beta-APP
Aaw26392	Amyloid p
Aaw26512	Amyloid p
Aaw42977	Deletion
Aaw44748	APP-REP 7
Abp97925	Amino aci
Abp97924	Amino aci
Ada90299	Abeta ami
Aar55695	Sequence
Aar55697	Sequence
Aar55696	Sequence
Aar64168	Variant b
Aab32126	Amyloid-b
Aab10910	Human amy
Aar58937	Amyloid p
Aaw05375	Amyloid p
Aaw70863	Beta-amyl
Aab84425	Partial s
Adb75160	Human bet
Aay69701	Beta-amyl
Aaw26391	Amyloid p
Aaw26511	Amyloid p
Aaw42976	Beta-amyl
Aaw42975	Beta-amyl
Aaw44746	APP-REP 7
Aaw44747	APP-REP 7
Adb33534	APP regio
Adb33537	APP regio
Abb81320	Amyloid p
Aaw71377	Peptide d
Aau80960	Human amy
Abg94280	Amyloid b
Abg80592	Human amy
Abg19083	Novel hum
Aar74697	Beta-amyl
Aaw51317	Natural b
Aaw89372	Beta-amyl
Aay56103	Beta amyl
Aae12509	Beta-amyl
Abg71002	Amyloid p
Abb05150	Beta amyl
Abg73457	Amyloid p

124	8	100.0	104	2	AAW51100	Aaw51100	Amino aci
125	8	100.0	112	2	AAR93556	Aar93556	Familial
126	8	100.0	115	2	AAW97999	Aaw97999	London-FA
127	8	100.0	117	2	AAW51102	Aaw51102	Flag-amy1
128	8	100.0	162	1	AAP83151	Aap83151	Deduced s
129	8	100.0	162	2	AAR10023	Aar10023	Beta-amy1
130	8	100.0	162	2	AAR37863	Aar37863	Deduced f
131	8	100.0	249	2	AAR65798	Aar65798	Beta-amy1
132	8	100.0	264	1	AAP90609	Aap90609	Sequence
133	8	100.0	264	1	AAP90497	Aap90497	Protein s
134	8	100.0	416	5	ABB81212	Abb81212	Human amy
135	8	100.0	487	2	AAW26394	Aaw26394	Amyloid p
136	8	100.0	487	2	AAW26510	Aaw26510	Amyloid p
137	8	100.0	487	2	AAW42979	Aaw42979	Amyloid p
138	8	100.0	487	2	AAW44745	Aaw44745	APP-REP 7
139	8	100.0	492	2	AAR45229	Aar45229	APP-REP 7
140	8	100.0	492	2	AAW26393	Aaw26393	Amyloid p
141	8	100.0	492	2	AAW26509	Aaw26509	Amyloid p
142	8	100.0	492	2	AAW42978	Aaw42978	Amyloid p
143	8	100.0	492	2	AAW44744	Aaw44744	APP-REP 7
144	8	100.0	534	6	ABB99605	Abb99605	Amino aci
145	8	100.0	537	2	AAR40114	Aar40114	APP-HCV-E
146	8	100.0	596	2	AAR65797	Aar65797	Beta-amy1
147	8	100.0	627	3	AAB10955	Aab10955	SEAP/huma
148	8	100.0	651	2	AAR65796	Aar65796	Beta-amy1
149	8	100.0	656	2	AAR58935	Aar58935	Amyloid p
150	8	100.0	670	2	AAR65795	Aar65795	APP751 be
151	8	100.0	676	2	AAR58936	Aar58936	Amyloid p
152	8	100.0	695	1	AAP81692	Aap81692	Sequence
153	8	100.0	695	2	AAR05166	Aar05166	Sequence
154	8	100.0	695	2	AAR14046	Aar14046	Amyloid p
155	8	100.0	695	2	AAR26338	Aar26338	APP695. 3
156	8	100.0	695	2	AAR58923	Aar58923	Mouse amy
157	8	100.0	695	2	AAR58920	Aar58920	Amyloid p
158	8	100.0	695	2	AAW19481	Aaw19481	APP695 mu
159	8	100.0	695	2	AAW19484	Aaw19484	APP695 mu
160	8	100.0	695	2	AAW19498	Aaw19498	APP695 mu
161	8	100.0	695	2	AAW19495	Aaw19495	APP695 mu
162	8	100.0	695	2	AAY20233	Aay20233	Human bet
163	8	100.0	695	2	AAY49690	Aay49690	Human bet
164	8	100.0	695	2	AAY07221	Aay07221	Amyloid p
165	8	100.0	695	3	AAY88434	Aay88434	Human APP
166	8	100.0	695	3	AAY88436	Aay88436	Human APP
167	8	100.0	695	3	AAY44705	Aay44705	Human bet
168	8	100.0	695	4	AAU07207	Aau07207	Human bet
169	8	100.0	695	4	AAE10632	Aae10632	Human wil
170	8	100.0	695	4	AAE10634	Aae10634	Human amy
171	8	100.0	695	4	AAE06864	Aae06864	Human amy
172	8	100.0	695	4	AAE06862	Aae06862	Human wil
173	8	100.0	695	4	AAE02584	Aae02584	Human amy
174	8	100.0	695	4	AAE02586	Aae02586	Human amy
175	8	100.0	695	4	AAE03420	Aae03420	Human amy
176	8	100.0	695	4	AAU06608	Aau06608	Human Amy
177	8	100.0	695	4	AAU06606	Aau06606	Human Amy
178	8	100.0	695	5	ABB78595	Abb78595	Human APP
179	8	100.0	695	5	ABB78593	Abb78593	Human APP
180	8	100.0	695	5	AAG68315	Aag68315	Human amy

181	8	100.0	695	5	ABG32721	Abg32721	Human	amy
182	8	100.0	695	6	ABP97918	Abp97918	Amino	aci
183	8	100.0	695	6	ABB99604	Abb99604	Amino	aci
184	8	100.0	695	7	ADB87311	Adb87311	Human	amy
185	8	100.0	695	7	ADB33519	Adb33519	Human	APP
186	8	100.0	695	7	ADC65997	Adc65997	Human	APP
187	8	100.0	697	3	AAY88430	Aay88430	Human	APP
188	8	100.0	697	3	AAY88428	Aay88428	Human	APP
189	8	100.0	697	4	AAU07208	Aau07208	Human	bet
190	8	100.0	697	4	AAU07210	Aau07210	Human	bet
191	8	100.0	697	4	AAE10635	Aae10635	Human	amy
192	8	100.0	697	4	AAE10637	Aae10637	Human	amy
193	8	100.0	697	4	AAE06867	Aae06867	Human	amy
194	8	100.0	697	4	AAE06865	Aae06865	Human	amy
195	8	100.0	697	4	AAE02589	Aae02589	Human	amy
196	8	100.0	697	4	AAE02587	Aae02587	Human	amy
197	8	100.0	697	4	AAU06609	Aau06609	Human	Amy
198	8	100.0	697	4	AAU06611	Aau06611	Human	Amy
199	8	100.0	697	5	ABB78596	Abb78596	Human	APP
200	8	100.0	697	5	ABB78598	Abb78598	Human	APP
201	8	100.0	733	6	ABR43271	Abr43271	Human	neu
202	8	100.0	740	7	ADB87314	Adb87314	Human	amy
203	8	100.0	740	7	ADB87312	Adb87312	Human	amy
204	8	100.0	751	1	AAP83150	Aap83150	Amino	aci
205	8	100.0	751	1	AAP94776	Aap94776	Novel	amy
206	8	100.0	751	2	AAR05718	Aar05718	NAP-2	gen
207	8	100.0	751	2	AAR10022	Aar10022	Beta-amy1	
208	8	100.0	751	2	AAR20328	Aar20328	Sequence	
209	8	100.0	751	2	AAR37862	Aar37862	Beta-amy1	
210	8	100.0	751	2	AAW19486	Aaw19486	APP751	mu
211	8	100.0	751	2	AAW19483	Aaw19483	APP751	mu
212	8	100.0	751	2	AAW19496	Aaw19496	APP751	mu
213	8	100.0	751	2	AAW19499	Aaw19499	APP751	mu
214	8	100.0	751	2	AAY08615	Aay08615	Human	bet
215	8	100.0	751	2	AAY08605	Aay08605	Human	bet
216	8	100.0	751	4	AAE10649	Aae10649	Human	amy
217	8	100.0	751	4	AAE06894	Aae06894	Human	amy
218	8	100.0	751	4	AAE02601	Aae02601	Human	amy
219	8	100.0	751	4	AAU06623	Aau06623	Human	par
220	8	100.0	751	5	ABB78610	Abb78610	Human	APP
221	8	100.0	751	5	AAG68316	Aag68316	Human	amy
222	8	100.0	751	5	ABG32722	Abg32722	Human	amy
223	8	100.0	751	5	AAO18050	Aao18050	Amyloid	p
224	8	100.0	753	4	AAU07224	Aau07224	Human	bet
225	8	100.0	753	4	AAE10651	Aae10651	Human	amy
226	8	100.0	753	4	AAE06896	Aae06896	Human	amy
227	8	100.0	753	4	AAE02603	Aae02603	Human	amy
228	8	100.0	753	4	AAU06625	Aau06625	Human	Amy
229	8	100.0	753	5	ABB78612	Abb78612	Human	APP
230	8	100.0	754	2	AAR26339	Aar26339	APP751.	3
231	8	100.0	754	2	AAW96210	Aaw96210	Amyloid	p
232	8	100.0	768	5	AAU80959	Aau80959	Human	amy
233	8	100.0	770	1	AAP94775	Aap94775	Novel	amy
234	8	100.0	770	2	AAR05717	Aar05717	NAP gene	
235	8	100.0	770	2	AAR26340	Aar26340	APP770.	3
236	8	100.0	770	2	AAR41546	Aar41546	Mutated	A
237	8	100.0	770	2	AAR63442	Aar63442	Amyloid	p

238	8	100.0	770	2	AAR62505	Aar62505	Amyloid p
239	8	100.0	770	2	AAW19485	Aaw19485	APP770 mu
240	8	100.0	770	2	AAW19482	Aaw19482	APP770 mu
241	8	100.0	770	2	AAW19497	Aaw19497	APP770 mu
242	8	100.0	770	2	AAW19500	Aaw19500	APP770 mu
243	8	100.0	770	2	AAW40130	Aaw40130	Human APP
244	8	100.0	770	2	AAW97996	Aaw97996	Human amy
245	8	100.0	770	4	AAE11762	Aae11762	Human amy
246	8	100.0	770	4	AAE10648	Aae10648	Human amy
247	8	100.0	770	4	AAE06913	Aae06913	Human amy
248	8	100.0	770	4	AAE06893	Aae06893	Human amy
249	8	100.0	770	4	AAE02600	Aae02600	Human amy
250	8	100.0	770	4	AAU06622	Aau06622	Human par
251	8	100.0	770	5	ABG94279	Abg94279	Amyloid b
252	8	100.0	770	5	ABB78609	Abb78609	Human APP
253	8	100.0	770	5	ABG76936	Abg76936	Humanised
254	8	100.0	770	5	AAG68317	Aag68317	Human amy
255	8	100.0	770	5	ABB78008	Abb78008	Amino aci
256	8	100.0	770	5	ABG80591	Abg80591	Human amy
257	8	100.0	770	5	ABG32723	Abg32723	Human amy
258	8	100.0	770	6	ABP72693	Abp72693	Human amy
259	8	100.0	770	6	ABR43902	Abr43902	Beta-amyl
260	8	100.0	770	6	ABP97885	Abp97885	Amino aci
261	8	100.0	770	6	ABR61931	Abr61931	Human amy
262	8	100.0	772	4	AAU07223	Aau07223	Human bet
263	8	100.0	772	4	AAE10650	Aae10650	Human amy
264	8	100.0	772	4	AAE06895	Aae06895	Human amy
265	8	100.0	772	4	AAE02602	Aae02602	Human amy
266	8	100.0	772	4	AAU06624	Aau06624	Human Amy
267	8	100.0	772	4	ABG19086	Abg19086	Novel hum
268	8	100.0	772	5	ABB78611	Abb78611	Human APP
269	8	100.0	777	4	ABG19089	Abg19089	Novel hum
270	8	100.0	783	7	ADB33513	Adb33513	Human APP
271	8	100.0	783	7	ADB33505	Adb33505	Human APP
272	8	100.0	798	4	ABG19088	Abg19088	Novel hum
273	8	100.0	941	7	ADB33509	Adb33509	Human APP
274	8	100.0	941	7	ADB33517	Adb33517	Human APP
275	8	100.0	1024	5	AAU75873	Aau75873	APP-LacI
276	7	87.5	7	5	AAE19124	Aae19124	Beta-secr
277	7	87.5	7	6	ABG75988	Abg75988	Amyloid p
278	7	87.5	9	7	ADE36577	Ade36577	APP epito
279	7	87.5	10	4	AAB46210	Aab46210	Human APP
280	7	87.5	10	4	AAB46206	Aab46206	Human APP
281	7	87.5	18	2	AAR75696	Aar75696	Unspecifi
282	7	87.5	32	2	AAW04400	Aaw04400	Mouse amy
283	7	87.5	48	4	AAB37523	Aab37523	Amyloid p
284	6	75.0	6	5	AAU78525	Aau78525	Beta amyl
285	6	75.0	10	4	AAB46211	Aab46211	Human APP
286	6	75.0	10	4	AAB46205	Aab46205	Human APP
287	6	75.0	50	4	AAG65957	Aag65957	Human A4
288	6	75.0	70	4	AAE09373	Aae09373	Human wil
289	6	75.0	70	4	AAU05015	Aau05015	Human amy
290	5	62.5	5	2	AAR37864	Aar37864	Beta-amyl
291	5	62.5	5	2	AAW08216	Aaw08216	Wild type
292	5	62.5	5	2	AAW61150	Aaw61150	Wild-type
293	5	62.5	5	2	AAV08608	Aay08608	Human NSE
294	5	62.5	5	2	AAV33750	Aay33750	Wild type

295	5	62.5	5	4	AAB47260	Aab47260	Wild type
296	5	62.5	5	5	ABB06579	Abb06579	Amyloid p
297	5	62.5	5	5	ABB06534	Abb06534	Beta-secr
298	5	62.5	8	2	AAR42401	Aar42401	Peptide r
299	5	62.5	9	2	AAW82084	Aaw82084	Fluorogen
300	5	62.5	9	5	ABU60431	Abu60431	Protease
301	5	62.5	10	2	AAR24262	Aar24262	Human amy
302	5	62.5	10	2	AAR24266	Aar24266	Human amy
303	5	62.5	10	3	AAy69704	Aay69704	Beta-APP
304	5	62.5	10	3	AAy69708	Aay69708	Beta-APP
305	5	62.5	10	4	AAB46212	Aab46212	Human APP
306	5	62.5	10	7	ADC26572	Adc26572	Beta-secr
307	5	62.5	14	7	ADC99878	Adc99878	Murine Am
308	5	62.5	15	2	AAW05384	Aaw05384	Human amy
309	5	62.5	20	3	AAy69716	Aay69716	Beta-APP
310	5	62.5	21	2	AAW82189	Aaw82189	Fluorogen
311	5	62.5	21	2	AAy30942	Aay30942	Human sec
312	5	62.5	21	4	AAG73207	Aag73207	Protease
313	5	62.5	43	1	AAP96371	Aap96371	Region of
314	5	62.5	51	2	AAW53984	Aaw53984	Human ALZ
315	5	62.5	53	3	AAy87944	Aay87944	Mammalian
316	5	62.5	53	6	ABU08708	Abu08708	Amyloid b
317	5	62.5	53	7	ADB61450	Adb61450	Amyloid b
318	5	62.5	58	4	ABB39754	Abb39754	Peptide #
319	5	62.5	58	4	AAM33336	Aam33336	Peptide #
320	5	62.5	58	4	AAM73119	Aam73119	Human bon
321	5	62.5	58	4	AAM60474	Aam60474	Human bra
322	5	62.5	58	4	ABG54835	Abg54835	Human liv
323	5	62.5	58	5	ABG42965	Abg42965	Human pep
324	5	62.5	71	5	AAU72571	Aau72571	Arabidops
325	5	62.5	79	2	AAW53981	Aaw53981	Human ALZ
326	5	62.5	81	3	AAy99757	Aay99757	Rice PI m
327	5	62.5	90	3	AAG47531	Aag47531	Arabidops
328	5	62.5	92	4	AAM96144	Aam96144	Human rep
329	5	62.5	92	4	AAU22838	Aau22838	Human pro
330	5	62.5	93	5	AAU72561	Aau72561	Arabidops
331	5	62.5	100	2	AAR10024	Aar10024	Beta-amyl
332	5	62.5	100	2	AAR37866	Aar37866	Full-leng
333	5	62.5	100	3	AAB13015	Aab13015	Human amy
334	5	62.5	100	5	AAE14377	Aae14377	Amyloid p
335	5	62.5	100	5	AAE14376	Aae14376	Amyloid p
336	5	62.5	100	5	AAE14372	Aae14372	Amyloid p
337	5	62.5	100	5	AAE14373	Aae14373	Amyloid p
338	5	62.5	100	5	AAE14375	Aae14375	Amyloid p
339	5	62.5	100	5	AAE14371	Aae14371	Amyloid p
340	5	62.5	100	5	AAE14374	Aae14374	Amyloid p
341	5	62.5	100	6	ABP97921	Abp97921	Amino aci
342	5	62.5	108	5	AAE14382	Aae14382	Gamma-sec
343	5	62.5	108	5	AAE14383	Aae14383	Gamma-sec
344	5	62.5	108	5	AAE14384	Aae14384	Gamma-sec
345	5	62.5	108	5	AAE14385	Aae14385	Gamma-sec
346	5	62.5	108	5	AAE14379	Aae14379	Gamma-sec
347	5	62.5	108	5	AAE14380	Aae14380	Gamma-sec
348	5	62.5	108	5	AAE14381	Aae14381	Gamma-sec
349	5	62.5	108	6	ABP97923	Abp97923	Amino aci
350	5	62.5	117	3	AAG55580	Aag55580	Arabidops
351	5	62.5	124	3	AAG47471	Aag47471	Arabidops

352	5	62.5	130	2	AAY21691	Aay21691 Expressed
353	5	62.5	132	2	AAR65290	Aar65290 Rat beta
354	5	62.5	132	2	AAR65291	Aar65291 Human bet
355	5	62.5	141	3	AAG47530	Aag47530 Arabidops
356	5	62.5	146	3	AAG29954	Aag29954 Arabidops
357	5	62.5	150	5	AAU72570	Aau72570 Arabidops
358	5	62.5	172	5	AAU72560	Aau72560 Arabidops
359	5	62.5	177	3	AAG19445	Aag19445 Arabidops
360	5	62.5	179	3	AAG24400	Aag24400 Arabidops
361	5	62.5	179	6	ABU02473	Abu02473 S. pneumo
362	5	62.5	186	3	AAG19904	Aag19904 Arabidops
363	5	62.5	187	4	AAU39412	Aau39412 Propionib
364	5	62.5	187	6	ABM35931	Abm35931 Propionib
365	5	62.5	191	3	AAG19210	Aag19210 Arabidops
366	5	62.5	191	3	AAG47470	Aag47470 Arabidops
367	5	62.5	198	3	AAG24399	Aag24399 Arabidops
368	5	62.5	200	3	AAG19209	Aag19209 Arabidops
369	5	62.5	205	3	AAG19208	Aag19208 Arabidops
370	5	62.5	205	5	ABG59975	Abg59975 Human DIT
371	5	62.5	210	3	AAG50589	Aag50589 Arabidops
372	5	62.5	214	3	AAG52181	Aag52181 Arabidops
373	5	62.5	214	3	AAG24398	Aag24398 Arabidops
374	5	62.5	216	4	ABB58081	Abb58081 Drosophil
375	5	62.5	218	2	AAR34483	Aar34483 attP-inte
376	5	62.5	218	2	AAW24387	Aaw24387 Lymantria
377	5	62.5	220	5	AAU78292	Aau78292 Human Pre
378	5	62.5	221	3	AAY99749	Aay99749 Rice PI m
379	5	62.5	232	3	AAG29953	Aag29953 Arabidops
380	5	62.5	233	3	AAG50587	Aag50587 Arabidops
381	5	62.5	239	5	AAE25362	Aae25362 Flea GABA
382	5	62.5	242	3	AAG47469	Aag47469 Arabidops
383	5	62.5	247	2	AAY21690	Aay21690 Mouse CD8
384	5	62.5	251	5	AAU72559	Aau72559 Arabidops
385	5	62.5	257	3	AAG19903	Aag19903 Arabidops
386	5	62.5	261	4	AAB87428	Aab87428 Human gen
387	5	62.5	264	4	ABB61132	Abb61132 Drosophil
388	5	62.5	266	4	ABG06969	Abg06969 Novel hum
389	5	62.5	269	3	AAY94745	Aay94745 Murine CD
390	5	62.5	280	2	AAR52861	Aar52861 Ly-2+Ly-3
391	5	62.5	282	2	AAR49549	Aar49549 Sequence
392	5	62.5	287	3	AAG19902	Aag19902 Arabidops
393	5	62.5	291	3	AAG30091	Aag30091 Arabidops
394	5	62.5	292	3	AAG30090	Aag30090 Arabidops
395	5	62.5	292	5	AAU72529	Aau72529 Arabidops
396	5	62.5	292	6	ABP96848	Abp96848 Arabidops
397	5	62.5	296	5	AAU72497	Aau72497 Arabidops
398	5	62.5	300	4	AAU07094	Aau07094 Human odo
399	5	62.5	317	4	AAG93173	Aag93173 C glutami
400	5	62.5	323	4	ABB67809	Abb67809 Drosophil
401	5	62.5	328	3	AAY94744	Aay94744 Murine CD
402	5	62.5	331	3	AAY94743	Aay94743 Murine CD
403	5	62.5	338	4	ABB60298	Abb60298 Drosophil
404	5	62.5	344	2	AAR20990	Aar20990 Putative
405	5	62.5	344	2	AAR34579	Aar34579 Phage L5
406	5	62.5	377	2	AAY35582	Aay35582 Chlamydia
407	5	62.5	377	7	ADB65035	Adb65035 Human pro
408	5	62.5	378	3	AAY95847	Aay95847 Autoantig

409	5	62.5	395	4	ABB61877	Abb61877	Drosophil
410	5	62.5	396	5	ABB47400	Abb47400	Listeria
411	5	62.5	408	6	ADA34727	Ada34727	Acinetoba
412	5	62.5	409	2	AAy35136	Aay35136	Chlamydia
413	5	62.5	427	3	AAG30089	Aag30089	Arabidops
414	5	62.5	439	3	AAy70767	Aay70767	Scorpion
415	5	62.5	457	7	ADE57487	Ade57487	Rat Prote
416	5	62.5	460	2	AAR49667	Aar49667	Human nuc
417	5	62.5	465	4	ABG20190	Abg20190	Novel hum
418	5	62.5	467	2	AAW81634	Aaw81634	GABA-gate
419	5	62.5	473	2	AAW56451	Aaw56451	UDP-gluc
420	5	62.5	478	6	ABU39792	Abu39792	Protein e
421	5	62.5	482	5	AAE25361	Aae25361	Ctenoceph
422	5	62.5	488	2	AAW69286	Aaw69286	GABA gate
423	5	62.5	488	2	AAW69285	Aaw69285	GABA gate
424	5	62.5	488	3	AAy70768	Aay70768	Centipede
425	5	62.5	488	4	ABB64139	Abb64139	Drosophil
426	5	62.5	489	3	AAy70766	Aay70766	Spider pr
427	5	62.5	496	2	AAW81633	Aaw81633	GABA-gate
428	5	62.5	500	4	AAB69064	Aab69064	A. tumefa
429	5	62.5	522	4	ABB59203	Abb59203	Drosophil
430	5	62.5	544	3	AAG31954	Aag31954	Arabidops
431	5	62.5	561	2	AAW97413	Aaw97413	Lucilia c
432	5	62.5	606	4	ABB65121	Abb65121	Drosophil
433	5	62.5	631	7	ADC94275	Adc94275	E. faeciu
434	5	62.5	635	4	AAE10913	Aae10913	Human gen
435	5	62.5	651	4	ABB62422	Abb62422	Drosophil
436	5	62.5	655	5	ABJ04651	Abj04651	Protein o
437	5	62.5	670	5	ABB81499	Abb81499	Abeta42-H
438	5	62.5	673	5	ABJ04652	Abj04652	Protein o
439	5	62.5	694	3	AAG31953	Aag31953	Arabidops
440	5	62.5	708	3	AAB40853	Aab40853	Human ORF
441	5	62.5	708	5	ABP43583	Abp43583	TRABID pr
442	5	62.5	709	5	ABP41264	Abp41264	Human ova
443	5	62.5	715	6	AAE32908	Aae32908	Nostoc sp
444	5	62.5	743	3	AAG31952	Aag31952	Arabidops
445	5	62.5	800	7	ADC94468	Adc94468	E. faeciu
446	5	62.5	867	6	ABU29843	Abu29843	Protein e
447	5	62.5	882	6	ADA33945	Ada33945	Acinetoba
448	5	62.5	883	6	ABU20458	Abu20458	Protein e
449	5	62.5	909	5	ABB93609	Abb93609	Herbicida
450	5	62.5	1039	4	ABB69116	Abb69116	Drosophil
451	5	62.5	1209	4	ABB59138	Abb59138	Drosophil
452	5	62.5	1221	7	ADC94332	Adc94332	E. faeciu
453	5	62.5	1358	5	ABB80603	Abb80603	Human sbg
454	5	62.5	1381	4	AAU68547	Aau68547	Human nov
455	5	62.5	1425	4	ABB71908	Abb71908	Drosophil
456	5	62.5	1653	5	ABP64747	Abp64747	Human pro
457	5	62.5	2120	6	ABR82074	Abr82074	Human sep
458	5	62.5	2307	4	ABB65433	Abb65433	Drosophil
459	5	62.5	2748	4	ABB58843	Abb58843	Drosophil
460	5	62.5	2960	7	ADE60345	Ade60345	Human Pro
461	5	62.5	3105	5	ABB80604	Abb80604	Human sbg
462	5	62.5	3190	6	AAE36131	Aae36131	Streptomy
463	5	62.5	3192	4	AAE10128	Aae10128	Streptomy
464	4	50.0	4	2	AAR14136	Aar14136	Substrate
465	4	50.0	4	2	AAR22055	Aar22055	Chromogen

466	4	50.0	4	2	AAW82443	Aaw82443	Seq ID 12
467	4	50.0	4	3	AAB22905	Aab22905	b-secreta
468	4	50.0	4	3	AAy87945	Aay87945	Mammalian
469	4	50.0	4	3	AAy94776	Aay94776	Beta-secr
470	4	50.0	4	3	AAy79607	Aay79607	B-secreta
471	4	50.0	4	3	AAB32122	Aab32122	Beta-secr
472	4	50.0	4	5	ABB06544	Abb06544	Amyloid p
473	4	50.0	4	5	ABG94467	Abg94467	Protease
474	4	50.0	4	7	ADB33535	Adb33535	APP beta-
475	4	50.0	4	7	ADC18404	Adc18404	Protease
476	4	50.0	5	3	AAy69702	Aay69702	Beta-APP
477	4	50.0	5	4	AAU07235	Aau07235	Human bet
478	4	50.0	5	4	AAE10667	Aae10667	Human APP
479	4	50.0	5	4	AAE06907	Aae06907	Human Asp
480	4	50.0	5	4	AAU06636	Aau06636	Peptide p
481	4	50.0	5	7	ADB33544	Adb33544	Mutant AP
482	4	50.0	5	7	ADB33553	Adb33553	Mutant AP
483	4	50.0	5	7	ADB33552	Adb33552	Mutant AP
484	4	50.0	6	2	AAR42400	Aar42400	Peptide r
485	4	50.0	6	2	AAW70864	Aaw70864	Beta-amyl
486	4	50.0	6	2	AAW70868	Aaw70868	Beta-amyl
487	4	50.0	6	2	AAW82441	Aaw82441	Human amy
488	4	50.0	6	4	AAB49095	Aab49095	Human amy
489	4	50.0	6	4	AAB46199	Aab46199	Human APP
490	4	50.0	6	6	ABP57524	Abp57524	Peptide #
491	4	50.0	6	7	ADB75165	Adb75165	Human amy
492	4	50.0	6	7	ADB75161	Adb75161	Human amy
493	4	50.0	7	2	AAR42403	Aar42403	Peptide r
494	4	50.0	7	2	AAR42402	Aar42402	Peptide r
495	4	50.0	7	2	AAR74299	Aar74299	Synthetic
496	4	50.0	7	2	AAR72758	Aar72758	Antimalar
497	4	50.0	7	2	AAR72776	Aar72776	Mammalian
498	4	50.0	7	2	AAR72756	Aar72756	Antimalar
499	4	50.0	7	2	AAy49692	Aay49692	Human bet
500	4	50.0	7	3	AAy83859	Aay83859	Ribonucle
501	4	50.0	7	4	AAB46202	Aab46202	Human APP
502	4	50.0	7	5	AAO14421	Aao14421	Synthetic
503	4	50.0	7	6	AAO19884	Aao19884	Human amy
504	4	50.0	7	6	AAE35432	Aae35432	Abeta pep
505	4	50.0	7	7	ADB75173	Adb75173	Amyloid b
506	4	50.0	8	2	AAW19494	Aaw19494	Immunogen
507	4	50.0	8	2	AAW19507	Aaw19507	Immunogen
508	4	50.0	8	2	AAW70865	Aaw70865	Beta-amyl
509	4	50.0	8	3	AAy94771	Aay94771	Beta-secr
510	4	50.0	8	3	AAy94773	Aay94773	Beta-secr
511	4	50.0	8	4	AAE10661	Aae10661	Human asp
512	4	50.0	8	4	AAE02613	Aae02613	Human Asp
513	4	50.0	8	5	AAU78518	Aau78518	N terminu
514	4	50.0	8	5	ABB78622	Abb78622	Human bet
515	4	50.0	8	5	ABG32725	Abg32725	Antigenic
516	4	50.0	8	6	ABR54159	Abr54159	Beta-secr
517	4	50.0	8	7	ADB75162	Adb75162	Human amy
518	4	50.0	8	7	ADB75174	Adb75174	Amyloid b
519	4	50.0	9	2	AAR55719	Aar55719	Tyrosine-
520	4	50.0	9	2	AAW82081	Aaw82081	Fluorogen
521	4	50.0	9	2	AAW82082	Aaw82082	Fluorogen
522	4	50.0	9	3	AAB07876	Aab07876	A peptide

523	4	50.0	9	3	AAB07874	Aab07874	A peptide
524	4	50.0	9	3	AAB07878	Aab07878	A peptide
525	4	50.0	9	3	AAB07875	Aab07875	A peptide
526	4	50.0	9	3	AAB07877	Aab07877	A peptide
527	4	50.0	9	3	AAB07881	Aab07881	A peptide
528	4	50.0	9	3	AAB07894	Aab07894	Substrate
529	4	50.0	9	4	AAG73293	Aag73293	Protease
530	4	50.0	9	4	AAG73280	Aag73280	Protease
531	4	50.0	9	4	AAG73279	Aag73279	Protease
532	4	50.0	9	4	AAG73297	Aag73297	Protease
533	4	50.0	9	5	ABB06519	Abb06519	Beta-secr
534	4	50.0	9	5	ABB09003	Abb09003	Peptide #
535	4	50.0	9	5	ABU60428	Abu60428	Protease
536	4	50.0	9	5	ABU60429	Abu60429	Protease
537	4	50.0	9	5	ABU60441	Abu60441	Protease
538	4	50.0	9	5	AAE16663	Aae16663	Oligopept
539	4	50.0	9	5	AAU74837	Aau74837	Synthetic
540	4	50.0	9	5	ABB07598	Abb07598	Synthetic
541	4	50.0	9	5	AAM50897	Aam50897	Oligopept
542	4	50.0	9	5	ABG67777	Abg67777	Human ADP
543	4	50.0	9	6	ABP97975	Abp97975	Synthetic
544	4	50.0	9	6	ABP57515	Abp57515	Different
545	4	50.0	9	6	ABP57084	Abp57084	Synthetic
546	4	50.0	9	6	ABP71468	Abp71468	Beta-secr
547	4	50.0	9	6	AAO16449	Aao16449	Beta-secr
548	4	50.0	9	6	ABP71269	Abp71269	Oligopept
549	4	50.0	9	6	ABR44377	Abr44377	Oligonpep
550	4	50.0	9	6	ABP58375	Abp58375	Beta-secr
551	4	50.0	9	6	AAO26801	Aao26801	Beta-secr
552	4	50.0	9	6	ABG75940	Abg75940	Synthetic
553	4	50.0	9	6	ABP71630	Abp71630	Beta-secr
554	4	50.0	9	6	AAE36000	Aae36000	APP subst
555	4	50.0	9	6	ABP70741	Abp70741	Antigenic
556	4	50.0	9	6	ABR82372	Abr82372	Beta-secr
557	4	50.0	9	6	ABR56258	Abr56258	Amyloid P
558	4	50.0	9	6	ABR62018	Abr62018	Beta-secr
559	4	50.0	9	6	ADA23917	Ada23917	Alzheimer
560	4	50.0	9	6	ABR61887	Abr61887	Beta-secr
561	4	50.0	9	7	ABR56195	Abr56195	Amyloid p
562	4	50.0	9	7	ADC29723	Adc29723	Synthetic
563	4	50.0	9	7	ADC26557	Adc26557	Beta-secr
564	4	50.0	9	7	ADC10532	Adc10532	Synthetic
565	4	50.0	9	7	ADD80769	Add80769	Synthetic
566	4	50.0	9	7	ADE36575	Ade36575	Beta-amyl
567	4	50.0	10	2	AAR24263	Aar24263	Human amy
568	4	50.0	10	2	AAR24267	Aar24267	Human amy
569	4	50.0	10	2	AAR24260	Aar24260	Human amy
570	4	50.0	10	2	AAR58928	Aar58928	Human amy
571	4	50.0	10	2	AAW08362	Aaw08362	Beta-secr
572	4	50.0	10	2	AAV33756	Aay33756	Synthetic
573	4	50.0	10	3	AAV69706	Aay69706	Beta-APP
574	4	50.0	10	3	AAV69707	Aay69707	Beta-APP
575	4	50.0	10	3	AAV69710	Aay69710	Beta-APP
576	4	50.0	10	3	AAV69705	Aay69705	Beta-APP
577	4	50.0	10	3	AAV69709	Aay69709	Beta-APP
578	4	50.0	10	3	AAV69711	Aay69711	Beta-APP
579	4	50.0	10	3	AAV69712	Aay69712	Beta-APP

580	4	50.0	10	4	AAU07226	Aau07226	Human bet
581	4	50.0	10	4	AAE10653	Aae10653	Human APP
582	4	50.0	10	4	AAE06898	Aae06898	Human amy
583	4	50.0	10	4	AAB46213	Aab46213	Human APP
584	4	50.0	10	4	AAB61337	Aab61337	Swedish m
585	4	50.0	10	4	AAE02605	Aae02605	Human APP
586	4	50.0	10	4	AAB66575	Aab66575	Synthetic
587	4	50.0	10	4	AAB47266	Aab47266	Peptide 5
588	4	50.0	10	4	AAU06627	Aau06627	Synthetic
589	4	50.0	10	5	ABB06427	Abb06427	Beta-secr
590	4	50.0	10	5	ABB06425	Abb06425	Human APP
591	4	50.0	10	5	ABB06548	Abb06548	Beta-secr
592	4	50.0	10	5	ABG78376	Abg78376	Human bet
593	4	50.0	10	5	ABB78614	Abb78614	Beta-secr
594	4	50.0	10	5	ABG76935	Abg76935	Synthetic
595	4	50.0	10	5	AAU99491	Aau99491	Peptide #
596	4	50.0	10	5	ABG30941	Abg30941	Nogo/BACE
597	4	50.0	10	6	AAE35675	Aae35675	Human bet
598	4	50.0	10	6	ABP57509	Abp57509	Different
599	4	50.0	10	6	ABG76104	Abg76104	Amyloid p
600	4	50.0	10	6	ABR61932	Abr61932	Human amy
601	4	50.0	10	6	ABR62009	Abr62009	Substrate
602	4	50.0	10	6	ADA74820	Ada74820	Human amy
603	4	50.0	10	7	ABR84672	Abr84672	Aggrekana
604	4	50.0	10	7	AAE39496	Aae39496	Human GDF
605	4	50.0	10	7	ADD93711	Add93711	GDF-assoc
606	4	50.0	11	4	AAB91793	Aab91793	Amyloid b
607	4	50.0	11	4	AAB91820	Aab91820	Amyloid b
608	4	50.0	11	4	AAB97469	Aab97469	Asp2 subs
609	4	50.0	11	4	AAB75145	Aab75145	Asp 1 sub
610	4	50.0	11	4	AAB75142	Aab75142	APP Swedi
611	4	50.0	11	5	ABB04914	Abb04914	Human amy
612	4	50.0	12	3	AAB26009	Aab26009	Human IgE
613	4	50.0	12	4	AAU16734	Aau16734	Peptide E
614	4	50.0	12	5	ABG78396	Abg78396	Memapsin
615	4	50.0	12	5	ABB08996	Abb08996	Amyloid p
616	4	50.0	12	5	AAE16656	Aae16656	APP subst
617	4	50.0	12	5	AAU74830	Aau74830	Synthetic
618	4	50.0	12	5	ABB07591	Abb07591	Biotinyla
619	4	50.0	12	5	ABJ00264	Abj00264	Human IgE
620	4	50.0	12	6	AAE35674	Aae35674	Human bet
621	4	50.0	12	6	ABP97968	Abp97968	A synthet
622	4	50.0	12	6	AAO26794	Aao26794	Beta-secr
623	4	50.0	12	7	ADC29716	Adc29716	Synthetic
624	4	50.0	12	7	ADD80762	Add80762	Synthetic
625	4	50.0	13	2	AAR91739	Aar91739	HER4 immu
626	4	50.0	13	2	AAW18501	Aaw18501	Amino-ter
627	4	50.0	13	2	AAW97353	Aaw97353	Immunosup
628	4	50.0	13	4	AAB49094	Aab49094	Human amy
629	4	50.0	13	4	AAB46198	Aab46198	Human APP
630	4	50.0	13	4	AAG67580	Aag67580	Peptide d
631	4	50.0	13	4	AAG67572	Aag67572	Peptide d
632	4	50.0	13	5	ABB06591	Abb06591	Beta-secr
633	4	50.0	13	5	AAM50890	Aam50890	Fluoresce
634	4	50.0	13	5	ABG69390	Abg69390	Vascular
635	4	50.0	13	6	ABP57077	Abp57077	Synthetic
636	4	50.0	13	6	ABP71461	Abp71461	Beta-secr

637	4	50.0	13	6	AA016442	Aa016442	Beta-secr
638	4	50.0	13	6	ABP71262	Abp71262	Synthetic
639	4	50.0	13	6	ABR44370	Abr44370	Synthetic
640	4	50.0	13	6	ABP58368	Abp58368	Synthetic
641	4	50.0	13	6	ABG75933	Abg75933	Synthetic
642	4	50.0	13	6	ABP71623	Abp71623	Beta-secr
643	4	50.0	13	6	AAE35993	Aae35993	APP subst
644	4	50.0	13	6	ABR42268	Abr42268	Amyloid p
645	4	50.0	13	6	ABR82365	Abr82365	Synthetic
646	4	50.0	13	6	ABR56251	Abr56251	Amyloid P
647	4	50.0	13	6	ABU63709	Abu63709	Rat amylo
648	4	50.0	13	6	ABR62011	Abr62011	Amino aci
649	4	50.0	13	6	ABR61880	Abr61880	Beta-secr
650	4	50.0	13	7	ABR56172	Abr56172	Amyloid p
651	4	50.0	13	7	ADC10524	Adc10524	Synthetic
652	4	50.0	13	7	ADC81567	Adc81567	P33K-BACE
653	4	50.0	14	2	AAW10200	Aaw10200	Serum imm
654	4	50.0	14	2	AAW97343	Aaw97343	Immunosup
655	4	50.0	14	2	AAW97321	Aaw97321	Immunosup
656	4	50.0	14	4	ABR51897	Abr51897	Mutant Pe
657	4	50.0	14	4	ABR51829	Abr51829	Mutant Pe
658	4	50.0	14	4	ABR51852	Abr51852	Mutant Pe
659	4	50.0	14	4	ABR51874	Abr51874	Mutant Pe
660	4	50.0	14	4	ABR51892	Abr51892	Mutant Pe
661	4	50.0	14	4	ABR51896	Abr51896	Mutant Pe
662	4	50.0	14	4	ABR51923	Abr51923	Mutant Pe
663	4	50.0	14	4	ABR51873	Abr51873	Mutant Pe
664	4	50.0	14	4	ABR51889	Abr51889	Mutant Pe
665	4	50.0	14	4	ABR51847	Abr51847	Mutant Pe
666	4	50.0	14	4	ABR51865	Abr51865	Mutant Pe
667	4	50.0	14	4	ABR51823	Abr51823	Mutant Pe
668	4	50.0	14	4	ABR51836	Abr51836	Mutant Pe
669	4	50.0	14	4	ABR51895	Abr51895	Mutant Pe
670	4	50.0	14	4	ABR51843	Abr51843	Mutant Pe
671	4	50.0	14	4	ABR51894	Abr51894	Mutant Pe
672	4	50.0	14	4	ABR51921	Abr51921	Mutant Pe
673	4	50.0	14	4	ABR51853	Abr51853	Mutant Pe
674	4	50.0	14	4	ABR51890	Abr51890	Mutant Pe
675	4	50.0	14	4	ABR51915	Abr51915	Mutant Pe
676	4	50.0	14	4	ABR51922	Abr51922	Mutant Pe
677	4	50.0	14	4	ABR51898	Abr51898	Mutant Pe
678	4	50.0	14	6	AAE35673	Aae35673	Human bet
679	4	50.0	14	6	ABU63708	Abu63708	Rat amylo
680	4	50.0	15	2	AAW81466	Aaw81466	Synthetic
681	4	50.0	15	2	AAW97322	Aaw97322	Immunosup
682	4	50.0	15	4	ABR51936	Abr51936	Mutant Pe
683	4	50.0	15	4	ABR51937	Abr51937	Mutant Pe
684	4	50.0	15	4	ABR51957	Abr51957	Mutant Pe
685	4	50.0	16	2	AAR28852	Aar28852	Vasorelax
686	4	50.0	16	2	AAR43486	Aar43486	Ro/SSA ep
687	4	50.0	16	2	AAR60371	Aar60371	Beta-amyl
688	4	50.0	16	2	AAW08363	Aaw08363	Beta-secr
689	4	50.0	16	2	AAW35344	Aaw35344	Human bet
690	4	50.0	16	2	AAY49693	Aay49693	Human bet
691	4	50.0	16	2	AAW97323	Aaw97323	Immunosup
692	4	50.0	16	2	AAY33757	Aay33757	Beta-amyl
693	4	50.0	16	3	AAB06316	Aab06316	Human bet

694	4	50.0	16	4	AAB91801	Aab91801	Amyloid b
695	4	50.0	16	4	AAB91828	Aab91828	Amyloid b
696	4	50.0	16	5	ABB81322	Abb81322	Amyloid p
697	4	50.0	16	5	ABU60427	Abu60427	Protease
698	4	50.0	16	6	ABP60446	Abp60446	Modified
699	4	50.0	16	6	ABP60447	Abp60447	Modified
700	4	50.0	17	2	AAR07752	Aar07752	Cerebrova
701	4	50.0	17	2	AAR42399	Aar42399	Peptide r
702	4	50.0	17	2	AAW10202	Aaw10202	Serum imm
703	4	50.0	17	2	AAW97346	Aaw97346	Immunosup
704	4	50.0	17	2	AAW97324	Aaw97324	Immunosup
705	4	50.0	17	3	AAB11496	Aab11496	Human amy
706	4	50.0	17	4	AAG76748	Aag76748	Human col
707	4	50.0	17	4	AAB48345	Aab48345	Beta-amyl
708	4	50.0	17	5	AAU93920	Aau93920	Human bet
709	4	50.0	17	7	ADE10849	Adel0849	Chimeric
710	4	50.0	18	2	AAW97325	Aaw97325	Immunosup
711	4	50.0	18	2	AAZ27010	Aay27010	N-termina
712	4	50.0	18	3	AAB05903	Aab05903	Histone d
713	4	50.0	18	4	AAB72896	Aab72896	HDAC 4 pe
714	4	50.0	18	4	AAE00609	Aae00609	Beta-amyl
715	4	50.0	18	5	ABG80708	Abg80708	Modified
716	4	50.0	18	5	ABG80715	Abg80715	Human IgG
717	4	50.0	18	5	ABG80703	Abg80703	Modified
718	4	50.0	18	6	ABU63710	Abu63710	Rat amylo
719	4	50.0	19	2	AAW97326	Aaw97326	Immunosup
720	4	50.0	19	4	AAM20452	Aam20452	Peptide #
721	4	50.0	19	4	ABB41251	Abb41251	Peptide #
722	4	50.0	19	4	AAM35035	Aam35035	Peptide #
723	4	50.0	19	4	ABB25247	Abb25247	Protein #
724	4	50.0	19	4	AAM74920	Aam74920	Human bon
725	4	50.0	19	4	AAM62116	Aam62116	Human bra
726	4	50.0	19	4	ABG56696	Abg56696	Human liv
727	4	50.0	19	4	AAE00611	Aae00611	Amyloid p
728	4	50.0	19	4	AAE00613	Aae00613	pCBC1 APP
729	4	50.0	19	4	AAE00614	Aae00614	pCBC1 APP
730	4	50.0	19	5	ABG44675	Abg44675	Human pep
731	4	50.0	19	6	ABU63711	Abu63711	Rat amylo
732	4	50.0	20	2	AAR94180	Aar94180	Human 35
733	4	50.0	20	2	AAW82211	Aaw82211	Fluorogen
734	4	50.0	20	2	AAW97327	Aaw97327	Immunosup
735	4	50.0	20	3	AAZ69714	Aay69714	Beta-APP
736	4	50.0	20	3	AAZ69715	Aay69715	Beta-APP
737	4	50.0	20	4	AAB49081	Aab49081	Amyloid b
738	4	50.0	20	4	AAB49078	Aab49078	Amyloid b
739	4	50.0	20	4	AAG73201	Aag73201	Protease
740	4	50.0	20	4	AAG73229	Aag73229	Protease
741	4	50.0	20	4	AAG73333	Aag73333	Protease
742	4	50.0	20	4	AAG73202	Aag73202	Protease
743	4	50.0	20	4	AAG73315	Aag73315	Protease
744	4	50.0	20	4	AAB46204	Aab46204	Human APP
745	4	50.0	20	4	AAB46179	Aab46179	Tetanus t
746	4	50.0	20	4	AAB46182	Aab46182	Tetanus t
747	4	50.0	20	5	AAU78509	Aau78509	Beta amyl
748	4	50.0	20	6	ABU63713	Abu63713	Rat amylo
749	4	50.0	21	2	AAR26295	Aar26295	Ala9, Thr
750	4	50.0	21	2	AAR38375	Aar38375	Endotheli

751	4	50.0	21	2	AAR69401	Aar69401	[Ala9, Th
752	4	50.0	21	2	AAW08361	Aaw08361	Beta-secr
753	4	50.0	21	2	AAW82186	Aaw82186	Fluorogen
754	4	50.0	21	2	AAW82187	Aaw82187	Fluorogen
755	4	50.0	21	2	AAW97328	Aaw97328	Immunosup
756	4	50.0	21	2	AAY33755	Aay33755	Synthetic
757	4	50.0	21	4	AAG73204	Aag73204	Protease
758	4	50.0	21	4	AAG73205	Aag73205	Protease
759	4	50.0	21	4	AAG73316	Aag73316	Protease
760	4	50.0	21	4	AAG73203	Aag73203	Protease
761	4	50.0	21	4	AAB47265	Aab47265	Peptide 5
762	4	50.0	22	2	AAR07753	Aar07753	Bta-amylo
763	4	50.0	22	2	AAW10201	Aaw10201	Serum imm
764	4	50.0	22	2	AAW97329	Aaw97329	Immunosup
765	4	50.0	22	2	AAW97345	Aaw97345	Immunosup
766	4	50.0	22	3	AAY56796	Aay56796	SSAD frag
767	4	50.0	22	4	AAB46196	Aab46196	Tetanus t
768	4	50.0	22	4	AAB46175	Aab46175	Tetanus t
769	4	50.0	22	4	AAB46203	Aab46203	Human APP
770	4	50.0	22	4	ABG02948	Abg02948	Novel hum
771	4	50.0	23	4	AAB97474	Aab97474	Asp2 subs
772	4	50.0	23	4	AAB75148	Aab75148	Asp 1 sub
773	4	50.0	23	7	ADC81568	Adc81568	P33K-BACE
774	4	50.0	24	2	AAR52569	Aar52569	Alzheimer
775	4	50.0	24	4	AAB49082	Aab49082	Amyloid b
776	4	50.0	24	4	AAB46183	Aab46183	Tetanus t
777	4	50.0	24	5	ABP62489	Abp62489	Human imm
778	4	50.0	25	2	AAR42404	Aar42404	C-terminu
779	4	50.0	25	2	AAW07322	Aaw07322	Peptide s
780	4	50.0	25	4	AAB49092	Aab49092	Amyloid b
781	4	50.0	26	4	AAG73200	Aag73200	Protease
782	4	50.0	26	5	ABJ04917	Abj04917	Human pro
783	4	50.0	26	7	ADE36573	Ade36573	APP epito
784	4	50.0	27	2	AAW77575	Aaw77575	Staphyloc
785	4	50.0	27	4	AAB49088	Aab49088	Amyloid b
786	4	50.0	27	4	AAB49074	Aab49074	Amyloid b
787	4	50.0	27	4	AAB49086	Aab49086	Amyloid b
788	4	50.0	27	4	AAB46189	Aab46189	Tetanus t
789	4	50.0	27	4	AAB46187	Aab46187	Tetanus t
790	4	50.0	27	5	AAM50912	Aam50912	Beta amyl
791	4	50.0	27	6	AAO19881	Aao19881	Human amy
792	4	50.0	28	1	AAP70594	Aap70594	Sequence
793	4	50.0	28	1	AAP90381	Aap90381	Synthetic
794	4	50.0	28	2	AAR60368	Aar60368	Beta-amyl
795	4	50.0	28	2	AAR54702	Aar54702	Beta-amyl
796	4	50.0	28	2	AAR64171	Aar64171	A4-P(1-28
797	4	50.0	28	2	AAR64164	Aar64164	Generic b
798	4	50.0	28	2	AAR64172	Aar64172	A4-B(1-28
799	4	50.0	28	2	AAR64170	Aar64170	A4-O(1-28
800	4	50.0	28	2	AAW01413	Aaw01413	Beta/A4-a
801	4	50.0	28	2	AAW01414	Aaw01414	Beta/A4-a
802	4	50.0	28	2	AAY39806	Aay39806	Beta-amyl
803	4	50.0	28	2	AAY39805	Aay39805	Beta-amyl
804	4	50.0	28	2	AAW81467	Aaw81467	Synthetic
805	4	50.0	28	4	AAB35595	Aab35595	Human clo
806	4	50.0	28	4	AAB35594	Aab35594	Human clo
807	4	50.0	28	4	AAB35593	Aab35593	Human clo

808	4	50.0	28	4	AAB35597	Aab35597	Human clo
809	4	50.0	28	4	AAB35600	Aab35600	Human clo
810	4	50.0	28	4	AAB35596	Aab35596	Human clo
811	4	50.0	28	4	AAB35598	Aab35598	Human clo
812	4	50.0	28	4	AAB35599	Aab35599	Human clo
813	4	50.0	28	4	AAB36202	Aab36202	Human clo
814	4	50.0	28	4	AAB35590	Aab35590	Human clo
815	4	50.0	28	4	AAB36201	Aab36201	Human clo
816	4	50.0	28	4	AAB46176	Aab46176	Tetanus t
817	4	50.0	28	4	AAB91816	Aab91816	Amyloid b
818	4	50.0	28	4	AAB91789	Aab91789	Amyloid b
819	4	50.0	28	4	AAB91827	Aab91827	Amyloid b
820	4	50.0	28	4	AAB91783	Aab91783	Amyloid b
821	4	50.0	28	4	AAB91800	Aab91800	Amyloid b
822	4	50.0	28	4	AAE04243	Aae04243	Human gen
823	4	50.0	28	4	AAB49396	Aab49396	Human amy
824	4	50.0	28	5	AAE21439	Aae21439	Human bet
825	4	50.0	28	5	ABB76030	Abb76030	Beta amyl
826	4	50.0	28	5	AAO18467	Aao18467	Human bet
827	4	50.0	28	5	AAO18470	Aao18470	Human bet
828	4	50.0	28	5	AAO18473	Aao18473	Human bet
829	4	50.0	28	5	AAO18476	Aao18476	Human bet
830	4	50.0	28	5	AAO18461	Aao18461	Human bet
831	4	50.0	28	5	AAO18464	Aao18464	Human bet
832	4	50.0	28	5	AAO18458	Aao18458	Human bet
833	4	50.0	28	5	AAU76484	Aau76484	Amino aci
834	4	50.0	28	5	ABB04910	Abb04910	Human amy
835	4	50.0	28	5	AAE26081	Aae26081	Beta amyl
836	4	50.0	28	5	AAM50910	Aam50910	Beta amyl
837	4	50.0	28	5	ABB77991	Abb77991	Fragment
838	4	50.0	28	6	AAE35672	Aae35672	Human bet
839	4	50.0	28	6	AAE33794	Aae33794	Beta-amyl
840	4	50.0	28	6	ABG72238	Abg72238	Mutant H6
841	4	50.0	28	6	ABG72246	Abg72246	Mutant K2
842	4	50.0	28	6	ABG72234	Abg72234	Wild-type
843	4	50.0	28	6	ABG72244	Abg72244	Mutant E2
844	4	50.0	28	6	ABG72241	Abg72241	Mutant H1
845	4	50.0	28	6	ABG72240	Abg72240	Mutant E1
846	4	50.0	28	6	ABG72237	Abg72237	Mutant R5
847	4	50.0	28	6	ABG72245	Abg72245	Mutant D2
848	4	50.0	28	6	ABG72243	Abg72243	Mutant K1
849	4	50.0	28	6	ABG72242	Abg72242	Mutant H1
850	4	50.0	28	6	ABG72239	Abg72239	Mutant D7
851	4	50.0	28	6	AAE35431	Aae35431	Abeta pep
852	4	50.0	28	6	AAE33219	Aae33219	Beta amyl
853	4	50.0	28	6	ABU63712	Abu63712	Rat amylo
854	4	50.0	28	7	AAE38831	Aae38831	Membrane
855	4	50.0	29	5	AAE26331	Aae26331	Human bet
856	4	50.0	30	2	AAW08360	Aaw08360	Beta-secr
857	4	50.0	30	2	AAW81468	Aaw81468	Synthetic
858	4	50.0	30	2	AAy33754	Aay33754	Synthetic
859	4	50.0	30	3	AAB07895	Aab07895	Substrate
860	4	50.0	30	4	AAB47264	Aab47264	Peptide 2
861	4	50.0	30	4	AAB47267	Aab47267	Peptide f
862	4	50.0	30	5	ABG94392	Abg94392	A beta pe
863	4	50.0	30	5	ABB09004	Abb09004	Peptide #
864	4	50.0	30	5	AAU11766	Aau11766	Human amy

865	4	50.0	30	5	AAU11778	Aau11778 Synthetic
866	4	50.0	30	5	AAU11777	Aau11777 Synthetic
867	4	50.0	30	5	AAE16664	Aae16664 Oligopept
868	4	50.0	30	5	AAU74838	Aau74838 Synthetic
869	4	50.0	30	5	ABB07599	Abb07599 Synthetic
870	4	50.0	30	5	AAM50898	Aam50898 Oligopept
871	4	50.0	30	5	ABG80717	Abg80717 Mouse Res
872	4	50.0	30	5	ABG80704	Abg80704 Modified
873	4	50.0	30	6	AAE35677	Aae35677 Human Abe
874	4	50.0	30	6	ABP97976	Abp97976 Synthetic
875	4	50.0	30	6	ABP57085	Abp57085 Synthetic
876	4	50.0	30	6	ABP71469	Abp71469 Beta-secr
877	4	50.0	30	6	AAO16450	Aao16450 Beta-secr
878	4	50.0	30	6	ABP71270	Abp71270 Oligopept
879	4	50.0	30	6	ABR44378	Abr44378 Oligonpep
880	4	50.0	30	6	ABP58376	Abp58376 Beta-secr
881	4	50.0	30	6	AAO26802	Aao26802 Beta-secr
882	4	50.0	30	6	ABG75941	Abg75941 Synthetic
883	4	50.0	30	6	ABP71631	Abp71631 Beta-secr
884	4	50.0	30	6	AAE36001	Aae36001 APP subst
885	4	50.0	30	6	ABR42769	Abr42769 Human amy
886	4	50.0	30	6	ABR42780	Abr42780 Amyloid b
887	4	50.0	30	6	ABR42781	Abr42781 Amyloid b
888	4	50.0	30	6	ABR82373	Abr82373 Beta-secr
889	4	50.0	30	6	ABR56259	Abr56259 Amyloid P
890	4	50.0	30	6	ABR62019	Abr62019 Beta-secr
891	4	50.0	30	6	ABR61888	Abr61888 Beta-secr
892	4	50.0	30	7	ABR56196	Abr56196 Amyloid p
893	4	50.0	30	7	ADC29724	Adc29724 Synthetic
894	4	50.0	30	7	ADC10531	Adc10531 Synthetic
895	4	50.0	30	7	ADD80770	Add80770 Synthetic
896	4	50.0	31	4	ABB40171	Abb40171 Peptide #
897	4	50.0	31	4	AAM33820	Aam33820 Peptide #
898	4	50.0	31	4	AAM73625	Aam73625 Human bon
899	4	50.0	31	4	ABG55358	Abg55358 Human liv
900	4	50.0	31	5	ABG43495	Abg43495 Human pep
901	4	50.0	32	2	AAW04402	Aaw04402 Mouse amy
902	4	50.0	32	2	AAW04403	Aaw04403 Mouse amy
903	4	50.0	32	2	AAW04401	Aaw04401 Mouse amy
904	4	50.0	32	5	ABB08999	Abb08999 Amyloid p
905	4	50.0	32	5	AAE16659	Aae16659 APP subst
906	4	50.0	32	5	AAU74833	Aau74833 Synthetic
907	4	50.0	32	5	ABB07594	Abb07594 Biotinyla
908	4	50.0	32	6	AAE35678	Aae35678 Human Abe
909	4	50.0	32	6	ABP97971	Abp97971 A synthet
910	4	50.0	32	6	AAO26797	Aao26797 Beta-secr
911	4	50.0	32	7	ADC29719	Adc29719 Synthetic
912	4	50.0	32	7	ADD80765	Add80765 Synthetic
913	4	50.0	33	2	AAW08359	Aaw08359 Beta-secr
914	4	50.0	33	2	AAW81469	Aaw81469 Synthetic
915	4	50.0	33	2	AAV33753	Aay33753 Synthetic
916	4	50.0	33	3	AAB07892	Aab07892 Substrate
917	4	50.0	33	4	AAB49075	Aab49075 Amyloid b
918	4	50.0	33	4	AAM87468	Aam87468 Human imm
919	4	50.0	33	4	AAB47263	Aab47263 Peptide 1
920	4	50.0	33	5	ABB09001	Abb09001 P26-P4'SW
921	4	50.0	33	5	AAE16661	Aae16661 P26-P4'SW

922	4	50.0	33	5	AAU74835	Aau74835	Synthetic
923	4	50.0	33	5	ABB07596	Abb07596	Biotinylna
924	4	50.0	33	5	AAM50893	Aam50893	Fluoresce
925	4	50.0	33	5	AAM50895	Aam50895	P26-P4'SW
926	4	50.0	33	5	AAU93990	Aau93990	Human bet
927	4	50.0	33	6	ABP97973	Abp97973	Synthetic
928	4	50.0	33	6	ABP57082	Abp57082	P26-P4'SW
929	4	50.0	33	6	ABP71466	Abp71466	Beta-secr
930	4	50.0	33	6	AAO16445	Aao16445	Beta-secr
931	4	50.0	33	6	AAO16447	Aao16447	Beta-secr
932	4	50.0	33	6	ABP71267	Abp71267	Synthetic
933	4	50.0	33	6	ABR44375	Abr44375	P26-P4' S
934	4	50.0	33	6	ABP58373	Abp58373	Beta-secr
935	4	50.0	33	6	AAO26799	Aao26799	Beta-secr
936	4	50.0	33	6	ABG75938	Abg75938	Beta-secr
937	4	50.0	33	6	ABP71628	Abp71628	Beta-secr
938	4	50.0	33	6	AAE35998	Aae35998	P26-P4'SW
939	4	50.0	33	6	ABR42273	Abr42273	Amyloid p
940	4	50.0	33	6	ABR42271	Abr42271	Amyloid p
941	4	50.0	33	6	ABR82370	Abr82370	Beta-secr
942	4	50.0	33	6	ABR56256	Abr56256	Amyloid P
943	4	50.0	33	6	ABR56254	Abr56254	Amyloid P
944	4	50.0	33	6	ABR62016	Abr62016	Beta-secr
945	4	50.0	33	6	ABR62014	Abr62014	Amino aci
946	4	50.0	33	6	ABR61885	Abr61885	Beta-secr
947	4	50.0	33	6	ABR61883	Abr61883	Beta-secr
948	4	50.0	33	7	ABR56177	Abr56177	Amyloid p
949	4	50.0	33	7	ABR56175	Abr56175	Amyloid p
950	4	50.0	33	7	ADC29721	Adc29721	Synthetic
951	4	50.0	33	7	ADC10529	Adc10529	Synthetic
952	4	50.0	33	7	ADD80767	Add80767	Synthetic
953	4	50.0	33	7	ADE10851	Ade10851	Chimeric
954	4	50.0	34	3	AAG50440	Aag50440	Arabidops
955	4	50.0	34	4	AAB49079	Aab49079	Amyloid b
956	4	50.0	34	4	AAB49085	Aab49085	Amyloid b
957	4	50.0	34	4	AAB49087	Aab49087	Amyloid b
958	4	50.0	34	4	AAB49080	Aab49080	Amyloid b
959	4	50.0	34	4	AAB46188	Aab46188	Tetanus t
960	4	50.0	34	4	AAB46180	Aab46180	Tetanus t
961	4	50.0	34	4	AAB46181	Aab46181	Tetanus t
962	4	50.0	34	4	AAB46186	Aab46186	Tetanus t
963	4	50.0	34	4	ABB37547	Abb37547	Peptide #
964	4	50.0	34	4	ABB22841	Abb22841	Protein #
965	4	50.0	34	5	ABG40346	Abg40346	Human pep
966	4	50.0	34	6	AAE35682	Aae35682	Human Abe
967	4	50.0	34	6	AAE35679	Aae35679	Human Abe
968	4	50.0	34	6	AAE35681	Aae35681	Human Abe
969	4	50.0	34	6	ABP78419	Abp78419	N. gonorr
970	4	50.0	34	6	ABP57080	Abp57080	Synthetic
971	4	50.0	34	6	ABP71464	Abp71464	Beta-secr
972	4	50.0	34	6	ABP71265	Abp71265	Synthetic
973	4	50.0	34	6	ABR44373	Abr44373	Synthetic
974	4	50.0	34	6	ABP58371	Abp58371	Synthetic
975	4	50.0	34	6	ABG75936	Abg75936	Synthetic
976	4	50.0	34	6	ABP71626	Abp71626	Beta-secr
977	4	50.0	34	6	AAE35996	Aae35996	APP subst
978	4	50.0	34	6	ABR82368	Abr82368	Synthetic

979	4	50.0	34	7	ADC10527	Adc10527	Synthetic
980	4	50.0	35	2	AAW02335	Aaw02335	Beta-amyl
981	4	50.0	35	2	AAW47228	Aaw47228	Beta-amyl
982	4	50.0	35	2	AAW89355	Aaw89355	Beta-amyl
983	4	50.0	35	2	AAW89360	Aaw89360	Beta-amyl
984	4	50.0	35	2	AAW89361	Aaw89361	Beta-amyl
985	4	50.0	35	2	AAW89359	Aaw89359	Beta-amyl
986	4	50.0	35	5	ABG71015	Abg71015	Long form
987	4	50.0	35	5	ABB05163	Abb05163	Beta amyl
988	4	50.0	35	6	AAE35430	Aae35430	Abeta pep
989	4	50.0	36	2	AAR66939	Aar66939	Comamonas
990	4	50.0	36	2	AAW81471	Aaw81471	Synthetic
991	4	50.0	36	5	AAU11776	Aaul1776	Synthetic
992	4	50.0	36	5	AAU11771	Aaul1771	Synthetic
993	4	50.0	36	6	ABR42779	Abr42779	Amyloid b
994	4	50.0	36	6	ABR42774	Abr42774	Amyloid b
995	4	50.0	37	4	AAM92068	Aam92068	Human dig
996	4	50.0	37	4	AAB65073	Aab65073	Gene #12
997	4	50.0	37	4	ABG01185	Abg01185	Novel hum
998	4	50.0	38	2	AAR60362	Aar60362	Beta-amyl
999	4	50.0	38	2	AAW92722	Aaw92722	Human tac
1000	4	50.0	38	4	AAB91826	Aab91826	Amyloid b

ALIGNMENTS

RESULT 1

AA94772

ID AAY94772 standard; protein; 8 AA.

XX

AC AAY94772;

XX

DT 12-FEB-2001 (first entry)

XX

DE Beta-secretase substrate peptide SEQ ID 18.

XX

KW Beta-secretase; enzyme; amyloid plaque; Alzheimer's disease;

KW Down's syndrome; amyloid angiopathy; gene therapy; neuroprotective.

XX

OS Synthetic.

XX

PN WO200058479-A1.

XX

PD 05-OCT-2000.

XX

PF 23-MAR-2000; 2000WO-US007755.

XX

PR 26-MAR-1999; 99US-00277229.

XX

PA (AMGE-) AMGEN INC.

XX

PI Citron M, Vassar RJ, Bennett BD;

XX

DR WPI; 2000-594643/56.

XX

PT Isolated beta-secretase nucleic acids and encoded polypeptides, useful

PT for diagnosis and gene therapy of Alzheimer's disease.

XX

PS Example 10; Page 117; 145pp; English.

XX

CC This invention relates to 3 nucleotide sequences encoding beta-secretase
CC proteins. Beta-secretase is an enzyme involved in the production of one
CC of the components of amyloid plaques involved in Alzheimer's disease. The
CC invention includes an expression vector comprising the nucleotide
CC sequence, a host cell comprising the expression vector, and a process for
CC producing the protein through culturing the transformed cells. Also
CC included in the invention are a polypeptide derivative of the beta-
CC secretase protein, a fusion protein comprising beta-secretase fused to a
CC heterologous amino acid sequence, and a method for modulating the levels
CC of beta-secretase polypeptide in a mammal comprising administering the
CC polynucleotide sequence. Beta-secretase exhibits neuroprotective and
CC nootropic activity. The beta-secretase nucleotide sequence may be used to
CC map locations of the beta-secretase gene and related genes on chromosomes
CC and as hybridization probes in diagnostic assays to test for the presence
CC of beta-secretase DNA or RNA, such as in Alzheimer's disease, Down's
CC syndrome, and amyloid angiopathy. The nucleotide sequence may also be
CC used as anti-sense inhibitors of beta-secretase expression, in gene
CC therapy of Alzheimer's disease, and for the identification of compounds
CC that modulate beta-secretase activity. Antibodies to the beta-secretase
CC protein may be used for in vitro and in vivo diagnostic purposes to
CC detect the presence of beta-secretase polypeptide in a body fluid or cell
CC sample. The present sequence represents a beta-secretase substrate
CC peptide

XX

SQ Sequence 8 AA;

Query Match 100.0%; Score 8; DB 3; Length 8;

Best Local Similarity 100.0%; Pred. No. 1.4e+06;

Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMDAEF 8

|||||||

Db 1 EVKMDAEF 8

RESULT 2

AAU07230

ID AAU07230 standard; peptide; 8 AA.

XX

AC AAU07230;

XX

DT 24-OCT-2001 (first entry)

XX

DE Human beta-amyloid protein precursor, APP-beta secretase site peptide #3.

XX

KW Human; aspartyl protease 1; Asp-1; nootropic; neuroprotective;

KW aspartyl protease 2; Asp2; amyloid protein precursor; APP;

KW beta-secretase; Alzheimer's disease; APP-beta.

XX

OS Homo sapiens.

XX

PN WO200149097-A2.

XX

PD 12-JUL-2001.
XX
PF 09-MAY-2001; 2001WO-IB000797.
XX
PR 09-MAY-2001; 2001WO-IB000797.
XX

PA (BIEN/) BIENKOWSKI M J.
PA (GURN/) GURNEY M E.
PA (HEIN/) HEINRIKSON R L.
PA (PARO/) PARODI L A.
PA (YANR/) YAN R.
XX

PI Bienkowski MJ, Gurney ME, Heinrikson RL, Parodi LA, Yan R;
XX
DR WPI; 2001-502548/55.
XX

PT Novel purified polypeptide comprising fragment of mammalian aspartyl
PT protease 2, lacking Asp2 transmembrane domain and retaining beta
PT secretase activity of Asp2 useful for identifying inhibitors of Asp2
PT activity.
XX

PS Claim 88; Page 94; 185pp; English.
XX

CC The invention relates to a novel purified polypeptide comprising a
CC fragment of mammalian aspartyl protease 2 (Asp2) protein which lacks the
CC Asp2 transmembrane domain and the Asp2 protein, and where the polypeptide
CC and the fragment retain the beta-secretase activity of the mammalian Asp2
CC protein. Also included is an isoform of amyloid protein precursor (APP)
CC comprising the amino acid sequence of a APP or its fragment containing an
CC APP cleavage site recognisable by a mammalian beta-secretase, and further
CC comprising two lysine residues at the carboxyl terminus of the amino acid
CC sequence of the mammalian APP or APP fragment. The polypeptides are used
CC for assaying for modulators of beta-secretase activity; identifying
CC agents that inhibit the APP processing activity of human Asp2 aspartyl
CC protease (Hu-Asp2); identifying agents that modulate the activity of Asp2
CC ; and for reducing cellular production of amyloid beta (Abeta) from APP.
CC Agents identified by the above methods are useful for treating
CC Alzheimer's disease; and for identifying modulators of amyloid-beta
CC (Abeta) peptide production, for use in designing therapeutics for the
CC treatment or prevention of Alzheimer's disease. Probes and primers
CC derived from Asp nucleic acid sequences are useful for detecting Hu-Asp
CC nucleic acids in in vitro assays and in Northern and Southern blots. The
CC present sequence represents the amino acid sequence of human amyloid
CC protein precursor, APP-beta secretase site peptide substrate #3 used in
CC assays of human Asp2 beta- secretase activity
XX

SQ Sequence 8 AA;

Query Match 100.0%; Score 8; DB 4; Length 8;
Best Local Similarity 100.0%; Pred. No. 1.4e+06;
Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMDAEF 8
| | | | | | | |
Db 1 EVKMDAEF 8

RESULT 3

AAE10660

ID AAE10660 standard; peptide; 8 AA.

XX

AC AAE10660;

XX

DT 10-DEC-2001 (first entry)

XX

DE Human Aspartyl protease-1 (hu-Asp-1) beta-secretase, wild-type peptide.

XX

KW Human; aspartyl protease 1; Aspl; amyloid precursor protein; APP;

KW Alzheimer's disease; AD; dementia; neurofibrillary tangle; gliosis;

KW amyloid plaque; neuronal loss; proteolytic; nootropic; neuroprotective.

XX

OS Homo sapiens.

XX

FH Key Location/Qualifiers

FT Cleavage-site 4. .5

XX

PN GB2357767-A.

XX

PD 04-JUL-2001.

XX

PF 22-SEP-2000; 2000GB-00023315.

XX

PR 23-SEP-1999; 99US-00404133.

PR 23-SEP-1999; 99US-0155493P.

PR 23-SEP-1999; 99WO-US020881.

PR 13-OCT-1999; 99US-00416901.

PR 06-DEC-1999; 99US-0169232P.

XX

PA (PHAA) PHARMACIA & UPJOHN CO.

XX

PI Bienkowski MJ, Gurney M;

XX

DR WPI; 2001-444208/48.

XX

PT Polypeptide comprising fragments of human aspartyl protease with amyloid precursor protein processing activity and alpha-secretase activity, for identifying modulators useful in treating Alzheimer's disease.

XX

PS Example 15; Page 92; 187pp; English.

XX

CC The patent discloses human aspartyl protease 1 (hu-Aspl) or modified Aspl proteins which lack transmembrane domain or amino terminal domain or cytoplasmic domain and retains alpha-secretase activity and amyloid protein precursor (APP) processing activity. The proteins of the invention are useful for assaying hu-Aspl alpha-secretase activity, which in turn is useful for identifying modulators of hu-Aspl alpha-secretase activity, where modulators that increase hu-Aspl alpha-secretase activity are useful for treating Alzheimer's disease (AD) which causes progressive dementia with consequent formation of amyloid plaques, neurofibrillary tangles, gliosis and neuronal loss. Hu-Aspl protease substrate is useful for assaying hu-Aspl proteolytic activity, by contacting hu-Aspl protein with the substrate under acidic conditions and determining the level of hu-Aspl proteolytic activity. The present sequence is human aspartyl protease-1 (hu-Asp-1) beta-secretase, wild-type peptide which is used for

CC determining the enzymatic activity of Asp-1 protein lacking a
CC transmembrane (TM) domain and containing (His)6 tag
XX
SQ Sequence 8 AA;

Query Match 100.0%; Score 8; DB 4; Length 8;
Best Local Similarity 100.0%; Pred. No. 1.4e+06;
Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMDAEF 8
| | | | | | | |
Db 1 EVKMDAEF 8

RESULT 4

AAE06902

ID AAE06902 standard; peptide; 8 AA.

XX

AC AAE06902;

XX

DT 23-OCT-2001 (first entry)

XX

DE Human amyloid precursor protein (APP) substrate peptide.

XX

KW Human; aspartyl protease 2; Asp 2; beta-amyloid precursor protein; APP;

KW beta-secretase; Alzheimer's disease; dementia; amyloid plaque; gliosis;

KW neurofibrillary tangle; neuronal loss; amyloid-beta peptide; nootropic;

KW neuroprotective; antisense therapy; gene therapy.

XX

OS Homo sapiens.

XX

PN WO200150829-A2.

XX

PD 19-JUL-2001.

XX

PF 09-MAY-2001; 2001WO-IB000799.

XX

PR 09-MAY-2001; 2001WO-IB000799.

XX

PA (BIEN/) BIENKOWSKI M J.

PA (GURN/) GURNEY M E.

PA (HEIN/) HEINRIKSON R L.

PA (PARO/) PARODI L A.

PA (YANR/) YAN R.

XX

PI Bienkowski MJ, Gurney ME, Heinrikson RL, Parodi LA, Yan R;

XX

DR WPI; 2001-483072/52.

XX

PT Novel purified polypeptide comprising fragment of mammalian aspartyl

PT protease 2, lacking Asp2 transmembrane domain and retaining beta

PT secretase activity of Asp2 useful for identifying inhibitors of Asp2

PT activity.

XX

PS Claim 128; Page 101; 185pp; English.

XX

CC The invention relates to human aspartyl proteases (Hu-Asp), beta-amyloid

CC precursor protein (APP) isoforms and their corresponding DNA molecules.
 CC Human aspartyl proteases can act as beta-secretase proteases useful for
 CC treating Alzheimer's disease. APP isoforms are useful for identifying
 CC modulators of amyloid-beta peptide production, for use in designing
 CC therapeutics for the treatment and prevention of Alzheimer's disease,
 CC dementia, formation of amyloid plaques, neurofibrillary tangles, gliosis
 CC and neuronal loss. APP isoforms are also used in methods for identifying
 CC inhibitors and modulators of human Asp2 activity. The invention relates
 CC to a method for identifying agents that modulate the activity of human
 CC aspartyl protease Asp2. Amyloid-beta peptides obtained from APP are used
 CC as a means to screen in cellular assays for the inhibitors of beta- and
 CC gamma- secretase. Hu-Asp DNA fragments are useful as probes or primers in
 CC polymerase chain reactions (PCR). The probes are useful for detecting Hu-
 CC Asp nucleic acids in in vitro assays and in Northern and Southern blots.
 CC The present sequence is human amyloid precursor protein (APP) substrate
 CC peptide related to the invention

XX

SQ Sequence 8 AA;

Query Match 100.0%; Score 8; DB 4; Length 8;
 Best Local Similarity 100.0%; Pred. No. 1.4e+06;
 Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMDAEF 8
 |||||
 Db 1 EVKMDAEf 8

RESULT 5

AAE02612

ID AAE02612 standard; peptide; 8 AA.

XX

AC AAE02612;

XX

DT 10-AUG-2001 (first entry)

XX

DE Human Aspartyl protease-1 (hu-Asp-1) beta-secretase, wild-type peptide.

XX

KW Human; alpha-secretase; amyloid precursor protein; APP; therapy;

KW Alzheimer's disease; antialzheimer's; aspartyl protease 1; Aspl;

KW beta-secretase.

XX

OS Homo sapiens.

XX

FH Key Location/Qualifiers

FT Cleavage-site 4. .5

XX

PN WO200123533-A2.

XX

PD 05-APR-2001.

XX

PF 22-SEP-2000; 2000WO-US026080.

XX

PR 23-SEP-1999; 99US-0155493P.

PR 23-SEP-1999; 99WO-US020881.

PR 13-OCT-1999; 99US-00416901.

PR 06-DEC-1999; 99US-0169232P.

XX
PA (PHAA) PHARMACIA & UPJOHN CO.
XX
PI Gurney M, Bienkowski MJ;
XX
DR WPI; 2001-290516/30.
XX
PT Enzymes that cleave the alpha-secretase site of the amyloid precursor
PT protein, useful for the treatment of Alzheimer's disease.
XX
PS Example 15; Page 94; 189pp; English.
XX
CC The present invention relates to enzymes for cleaving the alpha-
CC secretase site of the amyloid precursor protein (APP) and methods of
CC identifying those enzymes. The methods may be used to identify enzymes
CC that may be used to cleave the alpha-secretase cleavage site of the APP
CC protein. The enzymes may be used to treat or modulate the progress of
CC Alzheimer's disease. The present sequence is human Aspartyl protease-1
CC (hu-Asp-1) beta-secretase, wild-type peptide which is used for
CC determining the enzymatic activity of Asp-1 deltaTM (His)6 protein
XX
SQ Sequence 8 AA;

Query Match 100.0%; Score 8; DB 4; Length 8;
Best Local Similarity 100.0%; Pred. No. 1.4e+06;
Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMDAEF 8
| | | | | | | |
Db 1 EVKMDAEF 8

RESULT 6

AAU06635

ID AAU06635 standard; peptide; 8 AA.

XX

AC AAU06635;

XX

DT 24-OCT-2001 (first entry)

XX

DE Synthetic fluorescent Asp2 substrate.

XX

KW Aspartyl protease; Asp2; beta-secretase; nootropic; neuroprotective;
KW amyloid protein precursor; APP; Alzheimer's disease; amyloid-beta; Abeta.

XX

OS Synthetic.

XX

FH Key Location/Qualifiers

FT Modified-site 1

FT /note= "Glu is covalently linked to a fluorescent MCA
FT moiety"

FT Modified-site 8

FT /note= "Glu is covalently linked to a fluorescent K-DNP
FT moiety"

XX

PN WO200149098-A2.

XX

PD 12-JUL-2001.
XX
PF 09-MAY-2001; 2001WO-IB000798.
XX
PR 09-MAY-2001; 2001WO-IB000798.
XX

PA (BIEN/) BIENKOWSKI M J.
PA (GURN/) GURNEY M E.
PA (HEIN/) HEINRIKSON R L.
PA (PARO/) PARODI L A.
PA (YANR/) YAN R.

XX
PI Bienkowski MJ, Gurney ME, Heinrikson RL, Parodi LA, Yan R;
XX
DR WPI; 2001-502549/55.
XX

PT Novel purified polypeptide comprising fragment of mammalian aspartyl
PT protease 2, lacking Asp2 transmembrane domain and retaining beta
PT secretase activity of Asp2 useful for identifying inhibitors of Asp2
PT activity.

XX
PS Example 12; Page 81; 185pp; English.
XX

CC The invention relates to a purified polypeptide comprising a fragment of
CC mammalian aspartyl protease (Asp2) protein which lacks the Asp2
CC transmembrane domain and the Asp2 protein, and where the polypeptide and
CC the fragment retain the beta-secretase activity of the mammalian Asp2
CC protein. The invention also details polynucleotides for the Asp proteins
CC and vectors expressing them, and a polypeptide (isoform of amyloid
CC protein precursor (APP)) comprising the amino acid sequence of an APP or
CC its fragment containing an APP cleavage site recognizable by a mammalian
CC beta-secretase, and further comprising two lysine residues at the
CC carboxyl terminus of the amino acid sequence of the mammalian APP or APP
CC fragment. Also included in the invention are methods of identifying
CC modulators or inhibitors of Asp2. Modulators and inhibitors of Asp2 are
CC useful for treating Alzheimer's disease. APP is useful in methods for
CC identifying inhibitors or modulators of human Asp2 activity and amyloid-
CC beta (Abeta) peptide production. APP is also useful in designing
CC therapeutics for the treatment or prevention of Alzheimer's disease. APP
CC comprising the APP-Sw-beta-secretase peptide sequence (NLDA), which is
CC associated with increased levels of Abeta processing is useful in assays
CC relating the Alzheimer's research. The expression vector is useful for
CC recombinantly expressing APP. Nucleic acids that hybridise to Asp
CC oligonucleotides are useful as probes or primers. The probes are useful
CC for detecting Hu-Asp nucleic acids in in vitro assays and in Northern and
CC Southern blots. The present sequence is a synthetic fluorescent substrate
CC used to assay Asp2

XX
SQ Sequence 8 AA;

Query Match 100.0%; Score 8; DB 4; Length 8;
Best Local Similarity 100.0%; Pred. No. 1.4e+06;
Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMDAEF 8
| | | | | | | |
Db 1 EVKMDAEF 8

RESULT 7

AAU06631

ID AAU06631 standard; peptide; 8 AA.

XX

AC AAU06631;

XX

DT 24-OCT-2001 (first entry)

XX

DE Beta secretase substrate peptide.

XX

KW Aspartyl protease; Asp2; beta-secretase; nootropic; neuroprotective;

KW amyloid protein precursor; APP; Alzheimer's disease; amyloid-beta; Abeta;

KW Beta secretase substrate peptide.

XX

OS Synthetic.

XX

PN WO200149098-A2.

XX

PD 12-JUL-2001.

XX

PF 09-MAY-2001; 2001WO-IB000798.

XX

PR 09-MAY-2001; 2001WO-IB000798.

XX

PA (BIEN/) BIENKOWSKI M J.

PA (GURN/) GURNEY M E.

PA (HEIN/) HEINRIKSON R L.

PA (PARO/) PARODI L A.

PA (YANR/) YAN R.

XX

PI Bienkowski MJ, Gurney ME, Heinrikson RL, Parodi LA, Yan R;

XX

DR WPI; 2001-502549/55.

XX

PT Novel purified polypeptide comprising fragment of mammalian aspartyl
PT protease 2, lacking Asp2 transmembrane domain and retaining beta
PT secretase activity of Asp2 useful for identifying inhibitors of Asp2
PT activity.

XX

PS Claim 88; Page 94; 185pp; English.

XX

CC The invention relates to a purified polypeptide comprising a fragment of
CC mammalian aspartyl protease (Asp)2 protein which lacks the Asp2
CC transmembrane domain and the Asp2 protein, and where the polypeptide and
CC the fragment retain the beta-secretase activity of the mammalian Asp2
CC protein. The invention also details polynucleotides for the Asp proteins
CC and vectors expressing them, and a polypeptide (isoform of amyloid
CC protein precursor (APP)) comprising the amino acid sequence of an APP or
CC its fragment containing an APP cleavage site recognizable by a mammalian
CC beta-secretase, and further comprising two lysine residues at the
CC carboxyl terminus of the amino acid sequence of the mammalian APP or APP
CC fragment. Also included in the invention are methods of identifying
CC modulators or inhibitors of Asp2. Modulators and inhibitors of Asp2 are
CC useful for treating Alzheimer's disease. APP is useful in methods for
CC identifying inhibitors or modulators of human Asp2 activity and amyloid-

CC beta (Abeta) peptide production. APP is also useful in designing
 CC therapeutics for the treatment or prevention of Alzheimer's disease. APP
 CC comprising the APP-Sw-beta-secretase peptide sequence (NLDA), which is
 CC associated with increased levels of Abeta processing is useful in assays
 CC relating the Alzheimer's research. The expression vector is useful for
 CC recombinantly expressing APP. Nucleic acids that hybridise to Asp
 CC oligonucleotides are useful as probes or primers. The probes are useful
 CC for detecting Hu-Asp nucleic acids in in vitro assays and in Northern and
 CC Southern blots. The present sequence is a Beta secretase substrate
 CC peptide
 XX
 SQ Sequence 8 AA;

Query Match 100.0%; Score 8; DB 4; Length 8;
 Best Local Similarity 100.0%; Pred. No. 1.4e+06;
 Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMDAEF 8
 |||||
 Db 1 EVKMDAEF 8

RESULT 8

ABB78621

ID ABB78621 standard; peptide; 8 AA.

XX

AC ABB78621;

XX

DT 16-JUL-2002 (first entry)

XX

DE APP Swedish mutant form beta-secretase processing site SEQ ID NO:70.

XX

KW Human; Asp-1; Asp-2; aspartyl protease; Alzheimer's disease; proteolytic.

XX

OS Synthetic.

XX

PN GB2367060-A.

XX

PD 27-MAR-2002.

XX

PF 29-OCT-2001; 2001GB-00025934.

XX

PR 23-SEP-1999; 99US-00404133.

PR 23-SEP-1999; 99US-0155493P.

PR 23-SEP-1999; 99WO-US020881.

PR 13-OCT-1999; 99US-00416901.

PR 06-DEC-1999; 99US-0169232P.

PR 22-SEP-2000; 2000GB-00023315.

XX

PA (PHAA) PHARMACIA & UPJOHN CO.

XX

PI Bienkowski MJ, Gurney M;

XX

DR WPI; 2002-397167/43.

XX

PT Human aspartyl protease 1 substrates useful in assays to detect aspartyl
 PT protease activity, e.g. for the diagnosis of Alzheimer's disease.

XX
 PS Example 12; Page 85; 182pp; English.
 XX
 CC The present invention describes a human aspartyl protease 1 (hu-Asp1)
 CC substrate (I) which comprises a peptide of no more than 50 amino acids,
 CC and which comprises the 8 amino acid sequence Gly-Leu-Ala-Leu-Ala-Leu-
 CC Glu-Pro. Also described are: (1) a method (II) for assaying hu-Asp1
 CC proteolytic activity, comprising: (a) contacting a hu-Asp1 protein with
 CC (I) under acidic conditions; and (b) determining the level of hu-Asp1
 CC proteolytic activity; (2) a purified polynucleotide (III) comprising a
 CC nucleotide sequence that hybridises under stringent conditions to the non
 CC -coding strand complementary to a defined 1804 nucleotide sequence (see
 CC ABL52456) where the nucleotide sequence encodes a polypeptide having Asp1
 CC proteolytic activity and lacks nucleotides encoding a transmembrane
 CC domain); (3) a purified polynucleotide (III') comprising a sequence that
 CC hybridises under stringent conditions to (III) (the nucleotide sequence
 CC encodes a polypeptide further lacking a pro-peptide domain corresponding
 CC to amino acids 23-62 of hu-Asp1 (see ABB78589)); (4) a vector (IV)
 CC comprising (III) or (III'); and (5) a host cell (V) transformed or
 CC transfected with (III), (III') and/or (IV). The hu-Asp1 protease
 CC substrate (I) may be used as an enzyme substrate in assays to detect
 CC aspartyl protease activity, (II) and therefore diagnose diseases
 CC associated with aberrant hu-Asp1 expression and activity such as
 CC Alzheimer's disease. Hu-Asp1 has been localised to chromosome 21, while
 CC hu-Asp2 has been localised to chromosome 11q23.3-24.1. The present
 CC sequence represents the amino acid sequence of a peptide that includes
 CC the beta-secretase processing site within the Swedish mutant form of
 CC amyloid precursor protein (APP), which is used in an example from the
 CC present invention
 XX
 SQ Sequence 8 AA;

Query Match 100.0%; Score 8; DB 5; Length 8;
 Best Local Similarity 100.0%; Pred. No. 1.4e+06;
 Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMDAEF 8
 |||||
 Db 1 EVKMDAEF 8

RESULT 9
 AAW82083
 ID AAW82083 standard; peptide; 9 AA.
 XX
 AC AAW82083;
 XX
 DT 18-FEB-1999 (first entry)
 XX
 DE Fluorogenic protease indicator protease binding peptide #61.
 XX
 KW Protease activity; fluorophore; detection; fluorogenic; cellular uptake;
 KW conformation change.
 XX
 OS Synthetic.
 XX
 PN WO9837226-A1.

XX
 PD 27-AUG-1998.
 XX
 PF 20-FEB-1998; 98WO-US003000.
 XX
 PR 20-FEB-1997; 97US-00802981.
 XX
 PA (ONCO-) ONCOIMMUNIN INC.
 XX
 PI Komoriya A, Packard BS;
 XX
 DR WPI; 1998-467579/40.
 XX
 PT New fluorogenic compositions - containing 2 fluorophores separated by a
 PT peptide comprising a protease binding site, used for detecting protease
 PT activity in samples.
 XX
 PS Claim 4; Page 77; 90pp; English.
 XX
 CC AAW82023-W82240 are peptides used in the construction of a fluorogenic
 CC composition which is used for the detection of protease activity in
 CC biological samples. The products can be used for the detection of
 CC conformation changes in nucleic acids, oligosaccharides, polysaccharides,
 CC proteins, peptides, lipids, phospholipids, glycolipids, glycoproteins,
 CC steroids or polymers. In addition, attachment of a hydrophobic group to a
 CC molecule can be used to enhance uptake by cells. The composition is
 CC composed of P = peptide comprising a protease binding site for the
 CC protease, F1, F2 peptides = fluorophores where F1 is attached to the
 CC amino terminal amino acid and F2 is attached to the carboxyl terminal
 CC amino acid and S1, S2 peptides = when present, are peptide spacers where
 CC S1, when present, is attached to the amino terminal acid, and S2, when
 CC present, is attached to the carboxyl terminal amino acid
 XX
 SQ Sequence 9 AA;

Query Match 100.0%; Score 8; DB 2; Length 9;
 Best Local Similarity 100.0%; Pred. No. 1.4e+06;
 Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMDAEF 8
 |||||
 Db 2 EVKMDAEF 9

RESULT 10

AAAY87949

ID AAY87949 standard; protein; 9 AA.

XX

AC AAY87949;

XX

DT 11-SEP-2000 (first entry)

XX

DE Mammalian amyloid precursor protein substrate peptide.

XX

KW Amyloid precursor protein; APP; secretase; vesicle; Abeta peptide;
 KW Alzheimer's disease.

XX

OS Mammalia.
 XX
 PN WO200023576-A2.
 XX
 PD 27-APR-2000.
 XX
 PF 15-OCT-1999; 99WO-US024403.
 XX
 PR 16-OCT-1998; 98US-00173887.
 PR 20-APR-1999; 99US-00294987.
 XX
 PA (HOOK/) HOOK V Y H.
 XX
 PI Hook VYH;
 XX
 DR WPI; 2000-339679/29.
 XX
 PT Determining the proteolytic activity of secretase for treating
 PT Alzheimer's disease comprises permeablizing vesicles and incubating with
 PT amyloid precursor protein (APP) to determine cleavage of APP substrate.
 XX
 PS Example XV; Page 97; 97pp; English.
 XX
 CC This invention describes a novel method for the determination of the
 CC proteolytic activity of a secretase comprising obtaining and
 CC permeablizing pure vesicles, incubating the vesicles with an amyloid
 CC precursor protein (APP) and determining the cleavage of the APP substrate
 CC where the amount of cleavage is proportional to the proteolytic activity
 CC of the secretase. The methods are useful for selecting secretases and
 CC agents that cleave the amyloid precursor protein substrate, inhibiting
 CC production of the Abeta peptide found in Alzheimer's disease and treating
 CC Alzheimer's disease in patients. This sequence represents a mammalian
 CC amyloid precursor protein, APP substrate which is used in the method of
 CC the invention
 XX
 SQ Sequence 9 AA;

Query Match 100.0%; Score 8; DB 3; Length 9;
 Best Local Similarity 100.0%; Pred. No. 1.4e+06;
 Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMDAEF 8
 |||||
 Db 2 EVKMDAEF 9

RESULT 11

AAB07873

ID AAB07873 standard; peptide; 9 AA.

XX

AC AAB07873;

XX

DT 14-NOV-2000 (first entry)

XX

DE A peptide fragment derived from beta-amyloid precursor protein.

XX

KW Beta-secretase; beta-amyloid precursor protein; beta-amyloid peptide;

KW amyloid plaque component; Alzheimer's disease; amyloidogenic disease;
 KW inhibitor.
 XX
 OS Homo sapiens.
 XX
 PN WO200047618-A2.
 XX
 PD 17-AUG-2000.
 XX
 PF 10-FEB-2000; 2000WO-US003819.
 XX
 PR 10-FEB-1999; 99US-0119571P.
 PR 15-JUN-1999; 99US-0139172P.
 XX
 PA (ELAN-) ELAN PHARM INC.
 XX
 PI Anderson JP, Basi G, Doane MT, Frigon N, John V, Power M;
 PI Sinha S, Tatsuno G, Tung J, Wang S, Mcconlogue L;
 XX
 DR WPI; 2000-533011/48.
 XX
 PT Purified beta-secretase protein used in assays to discover inhibitors
 PT which can be used for the treatment of amyloidogenic diseases e.g.
 PT Alzheimer's disease.
 XX
 PS Disclosure; Page 12; 121pp; English.
 XX
 CC The specification describes a beta-secretase enzyme. The enzyme cleaves
 CC beta-amyloid precursor protein to produce beta-amyloid peptide. This
 CC enzyme is therefore implicated in the production of amyloid plaque
 CC components which accumulate in the brains of individuals afflicted with
 CC Alzheimer's disease. Inhibitors of beta-secretase are administered to a
 CC mammalian subject e.g. with Alzheimer's disease or Alzheimer's disease-
 CC like pathology to test if they maintain or improve cognitive ability or
 CC reduce the plaque burden. The compounds are used for the treatment of
 CC amyloidogenic diseases e.g. Alzheimer's disease. The present sequence
 CC represents a peptide derived from beta-amyloid precursor protein
 XX
 SQ Sequence 9 AA;

Query Match 100.0%; Score 8; DB 3; Length 9;
 Best Local Similarity 100.0%; Pred. No. 1.4e+06;
 Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMDAEF 8
 |||||
 Db 2 EVKMDAEF 9

RESULT 12
 ABU60430
 ID ABU60430 standard; peptide; 9 AA.
 XX
 AC ABU60430;
 XX
 DT 29-APR-2003 (first entry)
 XX

DE Protease binding peptide motif SEQ ID 142.
 XX
 KW Protease; indicator; chromophore; H-dimer; fluorescence; absorbance;
 KW nuclease; screening; fluorophore; substrate cleavage.
 XX
 OS Synthetic.
 XX
 PN WO200261038-A2.
 XX
 PD 08-AUG-2002.
 XX
 PF 21-DEC-2001; 2001WO-US049781.
 XX
 PR 22-DEC-2000; 2000US-00747287.
 XX
 PA (ONCO-) ONCOIMMUNIN INC.
 XX
 PI Packard BS, Komoriya A;
 XX
 DR WPI; 2002-698548/75.
 XX
 PT Indicator composition comprising polypeptide or nucleic acid backbone
 PT joining two same chromophores resulting in quenching of fluorescence
 PT of/change in absorbance of chromophores, useful for detecting protease
 PT activity.
 XX
 PS Disclosure; Page 34; 97pp; English.
 XX
 CC This invention describes a novel indicator composition (referred as homo-
 CC doubly labeled compositions) comprising a polypeptide backbone or a
 CC nucleic acid backbone joining two chromophores of the same species
 CC whereby the chromophores form an H-dimer resulting in quenching of the
 CC fluorescence of or a change in the absorbance of the chromophore, a
 CC decrease in fluorescence or a change in absorbance indicates that the
 CC first molecule and the second molecule are interacting. The indicator is
 CC useful for detecting the activity of a protease, where an increase in
 CC fluorescence or a change in absorbance indicates that the protease
 CC cleaves the polypeptide backbone. The indicator is attached to a solid
 CC support inside a mammalian, yeast or insect cell. The composition bears a
 CC hydrophobic group such as Fmoc, 9-fluoreneacetyl group, 1-
 CC fluorene-carboxylic group, 9-fluorene-carboxylic group, and 9-fluorenone-1-
 CC carboxylic group, benzyloxycarbonyl, Xanthyl (Xan), Trityl (Trt), 4-
 CC methyltrityl (Mtt), 4-methoxytrityl (Mmt), 4-methoxy-2,3, 6-trimethyl-
 CC benzenesulphonyl (Mtr), Mesitylene-2-sulphonyl (Mts), 4,4'-
 CC dimethoxybenzhydryl (Mbh), etc. The method described in the invention is
 CC useful for detecting protease or nuclease activity (or the presence of
 CC nucleic acid) in histological section, cells in culture, (e.g., seeded or
 CC cultured adherent cells), a biological sample such as tissue, biopsy,
 CC lymph, embryo, or whole animal, or cell suspension derived from a
 CC biological sample such as tissue, blood, urine, saliva, lymph, or biopsy.
 CC The indicator composition is also useful for screening a test agent for
 CC the ability to modulate a protease (or a nuclease, lipase, etc.). The
 CC indicator reagents allow rapid determination of protease activity in a
 CC matter of minutes in a single-step procedure. The fluorescent indicators
 CC both absorb and emit in the visible range (400-800 nm). These signals are
 CC therefore not readily quenched by, nor is activation of the fluorophores,
 CC that is, absorption of light, interfered with by background molecules;

CC therefore they are easily detected in biological samples. The fluorogenic
CC protease indicators utilise high efficiency fluorophores and are able to
CC achieve a high degree of quenching while providing a strong signal when
CC the quench is released by cleavage of the peptide substrate. The high
CC signal allows detection of very low levels of protease activity. Thus the
CC fluorogenic protease indicators are particularly well suited for in situ
CC detection of protease activity. ABU60357-ABU60477 represent peptides use
CC to illustrate the method described in the disclosure of the invention
XX

SQ Sequence 9 AA;

Query Match 100.0%; Score 8; DB 5; Length 9;
Best Local Similarity 100.0%; Pred. No. 1.4e+06;
Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMDAEF 8
| | | | | | | |
Db 2 EVKMDAEF 9

RESULT 13

ADC26556

ID ADC26556 standard; peptide; 9 AA.
XX
AC ADC26556;
XX
DT 18-DEC-2003 (first entry)
XX
DE Beta-secretase cleavage site peptide SEQ ID 3.
XX
KW nootropic; neuroprotective; Alzheimer's disease;
KW beta-secretase cleavage site.
XX
OS Unidentified.
XX
PN WO2003065012-A2.
XX
PD 07-AUG-2003.
XX
PF 03-FEB-2003; 2003WO-US003236.
XX
PR 01-FEB-2002; 2002US-00066319.
XX
PA (UNMI) UNIV MICHIGAN.
XX
PI Ross BD, Rehemtulla A;
XX
DR WPI; 2003-663499/62.
XX
PT New chimeric polypeptides and nucleic acids, useful for detecting and
PT measuring protease activity, for identifying modulators of protease
PT activity for detecting and for preventing or ameliorating Alzheimer's
PT disease.
XX
PS Claim 14; SEQ ID NO 3; 41pp; English.
XX
CC The invention relates to a novel chimeric nucleic acid encoding a

CC polypeptide which comprises first, second and third domains, where the
CC first domain comprises a Golgi retention signal peptide or an endoplasmic
CC reticulum (ER) retention signal peptide, the second domain comprises a
CC protease cleavage site and the third domain comprises a reporter molecule
CC and where the protease cleavage site is between the Golgi retention
CC signal peptide and the reporter molecule. The molecules of the invention
CC demonstrate nootropic and neuroprotective activities and may be useful
CC for detecting and measuring protease activity or for identifying
CC modulators of protease activity in order to detect, prevent or ameliorate
CC Alzheimer's disease. The current sequence is that of the beta-secretase
CC cleavage site peptide SEQ ID 3 of the invention.

XX

SQ Sequence 9 AA;

Query Match 100.0%; Score 8; DB 7; Length 9;
Best Local Similarity 100.0%; Pred. No. 1.4e+06;
Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMDAEF 8
| | | | | | | |
Db 2 EVKMDAEF 9

RESULT 14

AAR22054

ID AAR22054 standard; peptide; 10 AA.

XX

AC AAR22054;

XX

DT 25-MAR-2003 (revised)

DT 06-JUL-1992 (first entry)

XX

DE Peptide P1.

XX

KW Beta amyloid; protein precursor; protease; Alzheimers disease;
KW radioiodination.

XX

OS Synthetic.

XX

FH Key Location/Qualifiers

FT Modified-site 1

FT /note= "site of radioiodination"

XX

PN W09203542-A.

XX

PD 05-MAR-1992.

XX

PF 19-AUG-1991; 91WO-U0005932.

XX

PR 17-AUG-1990; 90US-00568806.

XX

PA (UYBO-) UNIV BOSTON.

XX

PI Abraham CR;

XX

DR WPI; 1992-096886/12.

XX

PT Treatment and diagnosis of Alzheimer's disease - by reducing beta-protein
PT precursor proteolysis near beta-protein N-terminus by administering
PT proteolysis inhibitor.

XX

PS Disclosure; Page 6; 29pp; English.

XX

CC The synthetic peptide substrate P1 was used to assay for proteases that
CC cleave in the vicinity of the N-terminus of the amyloid beta protein. The
CC peptide corresponds to the beta protein precursor sequence flanking that
CC site. The peptide starts five amino acids upstream from the N-terminus
CC (at Asp) of the beta protein, and extends across the putative cleavage
CC site into the beta protein itself. Histidine was substituted for the
CC native isoleucine to give a site for radioiodination. Labelled peptide
CC was incubated with brain fractions from Alzheimers disease patients. The
CC resulting fragments were separated by TLC and N-terminal fragments
CC detected by autoradiography. See also AAR22055,6. (Updated on 25-MAR-2003
CC to correct PA field.)

XX

SQ Sequence 10 AA;

Query Match 100.0%; Score 8; DB 2; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.0026;
Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMDAEF 8
| | | | | | | |
Db 3 EVKMDAEF 10

RESULT 15

AAR24261

ID AAR24261 standard; protein; 10 AA.

XX

AC AAR24261;

XX

DT 25-MAR-2003 (revised)

DT 09-NOV-1992 (first entry)

XX

DE Human amyloidin protease substrate sequence #1.

XX

KW Alzheimer's disease; beta amyloid precursor protein; APP; zinc;

KW metalloprotease; hAP; protease inhibitor; APP592-601.

XX

OS Synthetic.

XX

FH Key Location/Qualifiers

FT Modified-site 1

FT /note= "Acetylated-Ser"

XX

PN W09207068-A1.

XX

PD 30-APR-1992.

XX

PF 04-OCT-1991; 91WO-US007290.

XX

PR 05-OCT-1990; 90US-00594122.

PR 30-SEP-1991; 91US-00766351.

XX
PA (ATHE-) ATHENA NEUROSCIENCES INC.
PA (ELIL) LILLY & CO ELI.
XX
PI Dovey HF, Seubert PA, Sinha S, Mcconlogue L, Little SP;
PI Johnstone EM;
XX
DR WPI; 1992-167148/20.
XX
PT Human amyloidin protease - used for cleaving Met-Asp bond in amyloid-like
PT substrate for identifying protease inhibitors.
XX
PS Claim 1; Page 52; 62pp; English.
XX
CC Claimed human amyloidin protease is defined by its ability to cleave the
CC Met-Asp bond of this synthetic substrate. The substrate, which
CC corresponds to residues 592 to 601 of the 695 amino acid APP, can be used
CC in an assay for identifying inhibitors of proteases which cleave Met-Asp
CC bonds, e.g. amyloidin, human skin chymase or rat mast cell protease I or
CC II. See AAR24260-3, AAR24266-7 and AAQ24875-Q24887. (Updated on 25-MAR-
CC 2003 to correct PN field.)
XX
SQ Sequence 10 AA;

Query Match 100.0%; Score 8; DB 2; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.0026;
Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMDAEF 8
|||
Db 2 EVKMDAEF 9

RESULT 16

AAW82440

ID AAW82440 standard; peptide; 10 AA.

XX

AC AAW82440;

XX

DT 24-FEB-1999 (first entry)

XX

DE Human amyloid beta-protein N-terminal domain peptide P1.

XX

KW Amyloid beta-protein precursor; endoprotease; human; brain; screening;
KW Alzheimer's disease; O-phenanthroline; metal chelator; treatment;
KW pheymethylsulphonyl fluoride; protease inhibitor.

XX

OS Homo sapiens.

XX

PN US5849560-A.

XX

PD 15-DEC-1998.

XX

PF 26-FEB-1993; 93US-00025321.

XX

PR 17-AUG-1990; 90US-00568806.

PR 05-APR-1991; 91US-00681093.

XX
 PA (UYBO-) UNIV BOSTON.
 XX
 PI Abraham CR;
 XX
 DR WPI; 1999-069739/06.
 XX
 PT Purified endoprotease associated with Alzheimer's disease - is prepared
 PT from fractions of brain tissue homogenate and is useful for drug
 PT screening.
 XX
 PS Claim 1; Col 17-18; 27pp; English.
 XX
 CC This sequence is the N-terminal domain of the amyloid beta-protein
 CC precursor which is cleaved by a purified endoprotease from human brain
 CC tissue homogenate and is identical to an endoprotease found in the brains
 CC of humans with Alzheimer's disease. The endoprotease is inhibited by O-
 CC phenanthroline and by metal chelators and is not inhibited by
 CC pheymethylsulphonyl fluoride. The endoprotease is useful to screen for
 CC protease inhibitors that might be useful for treating Alzheimer's disease
 CC by inhibiting cleavage of the N-terminal domain of amyloid beta -protein
 CC precursor
 XX
 SQ Sequence 10 AA;

Query Match 100.0%; Score 8; DB 2; Length 10;
 Best Local Similarity 100.0%; Pred. No. 0.0026;
 Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 EVKMDAEF 8
 |||||
 Db 3 EVKMDAEF 10

RESULT 17

AA69703

ID AAY69703 standard; peptide; 10 AA.

XX

AC AAY69703;

XX

DT 11-APR-2000 (first entry)

XX

DE Beta-APP alpha-secretase substrate [KMD]-APP(-5,+5).

XX

KW Nootropic; neuroprotective; beta-amyloid precursor protein; metabolism;
 KW cleavage site; beta-secretase; neurodegenerative disease;
 KW Alzheimer's disease.

XX

OS Homo sapiens.

XX

PN WO9964587-A1.

XX

PD 16-DEC-1999.

XX

PF 04-JUN-1999; 99WO-FR001326.

XX

PR 05-JUN-1998; 98FR-00007068.

PR 03-MAR-1999; 99US-0122599P.
 XX
 PA (RHON) RHONE-POULENC RORER SA.
 PA (UYPA-) UNIV CURIE PARIS VI P & M.
 XX
 PI Rholam M, Munoz-Gimenez N, Moutaouakil M, Cohen P, Bertrand P;
 XX
 DR WPI; 2000-097537/08.
 XX
 PT Polypeptide with beta-secretase activity, specific for wild-type amyloid
 PT precursor protein, useful in treating Alzheimer's disease.
 XX
 PS Example 3; Page 24; 44pp; French.
 XX
 CC Peptides AAY69702-Y69718 represent synthetic peptide substrates for a
 CC novel polypeptide with beta-secretase activity that can cleave
 CC specifically the natural beta-amyloid precursor protein (bAPP). Normal
 CC cleavage of the protein occurs between amino acids Met596-Asp597 and
 CC Val636-Ile637 (positions 4-5 and 44-45 of AAY69701). The novel
 CC polypeptide is used to identify agents that interact specifically with
 CC it. These agents regulate metabolism of APP, particularly they slow down
 CC or reduce production of beta-amyloid, so can be used to treat
 CC neurodegenerative diseases, particularly Alzheimer's disease
 XX
 SQ Sequence 10 AA;

Query Match 100.0%; Score 8; DB 3; Length 10;
 Best Local Similarity 100.0%; Pred. No. 0.0026;
 Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMDAEF 8
 |||||
 Db 2 EVKMDAEF 9

RESULT 18

AAU07227

ID AAU07227 standard; peptide; 10 AA.

XX

AC AAU07227;

XX

DT 24-OCT-2001 (first entry)

XX

DE Human beta-amyloid protein precursor, APP-beta40 and 42 secretase site.

XX

KW Human; aspartyl protease 1; Asp-1; nootropic; neuroprotective;

KW

aspartyl protease 2; Asp2; amyloid protein precursor; APP;

KW

beta-secretase; Alzheimer's disease; APP-beta40; APP-beta42.

XX

OS Homo sapiens.

XX

PN W0200149097-A2.

XX

PD 12-JUL-2001.

XX

PF 09-MAY-2001; 2001WO-IB000797.

XX

PR 09-MAY-2001; 2001WO-IB000797.
 XX
 PA (BIEN/) BIENKOWSKI M J.
 PA (GURN/) GURNEY M E.
 PA (HEIN/) HEINRIKSON R L.
 PA (PARO/) PARODI L A.
 PA (YANR/) YAN R.
 XX
 PI Bienkowski MJ, Gurney ME, Heinrikson RL, Parodi LA, Yan R;
 XX
 DR WPI; 2001-502548/55.
 XX
 PT Novel purified polypeptide comprising fragment of mammalian aspartyl
 PT protease 2, lacking Asp2 transmembrane domain and retaining beta
 PT secretase activity of Asp2 useful for identifying inhibitors of Asp2
 PT activity.
 XX
 PS Claim 127; Page 101; 185pp; English.
 XX
 CC The invention relates to a novel purified polypeptide comprising a
 CC fragment of mammalian aspartyl protease 2 (Asp2) protein which lacks the
 CC Asp2 transmembrane domain and the Asp2 protein, and where the polypeptide
 CC and the fragment retain the beta-secretase activity of the mammalian Asp2
 CC protein. Also included is an isoform of amyloid protein precursor (APP)
 CC comprising the amino acid sequence of a APP or its fragment containing an
 CC APP cleavage site recognisable by a mammalian beta-secretase, and further
 CC comprising two lysine residues at the carboxyl terminus of the amino acid
 CC sequence of the mammalian APP or APP fragment. The polypeptides are used
 CC for assaying for modulators of beta-secretase activity; identifying
 CC agents that inhibit the APP processing activity of human Asp2 aspartyl
 CC protease (Hu-Asp2); identifying agents that modulate the activity of Asp2
 CC ; and for reducing cellular production of amyloid beta (Abeta) from APP.
 CC Agents identified by the above methods are useful for treating
 CC Alzheimer's disease; and for identifying modulators of amyloid-beta
 CC (Abeta) peptide production, for use in designing therapeutics for the
 CC treatment or prevention of Alzheimer's disease. Probes and primers
 CC derived from Asp nucleic acid sequences are useful for detecting Hu-Asp
 CC nucleic acids in in vitro assays and in Northern and Southern blots. The
 CC present sequence represents the amino acid sequence of human amyloid
 CC protein precursor, APP-beta40 and APP-beta42 secretase sites
 XX
 SQ Sequence 10 AA;

Query Match 100.0%; Score 8; DB 4; Length 10;
 Best Local Similarity 100.0%; Pred. No. 0.0026;
 Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMDAEF 8
 |||||
 Db 2 EVKMDAEF 9

RESULT 19
 AAE10654
 ID AAE10654 standard; peptide; 10 AA.
 XX
 AC AAE10654;

XX
 DT 10-DEC-2001 (first entry)
 XX
 DE Human wild-type APP beta-secretase peptide, PHA-95812E.
 XX
 KW Human; aspartyl protease 1; Aspl; amyloid precursor protein;
 KW Alzheimer's disease; AD; dementia; neurofibrillary tangle; gliosis;
 KW amyloid plaque; neuronal loss; proteolytic; nootropic; neuroprotective;
 KW APP beta-secretase peptide.
 XX
 OS Homo sapiens.
 XX
 FH Key Location/Qualifiers
 FT Cleavage-site 5. .6
 XX
 PN GB2357767-A.
 XX
 PD 04-JUL-2001.
 XX
 PF 22-SEP-2000; 2000GB-00023315.
 XX
 PR 23-SEP-1999; 99US-00404133.
 PR 23-SEP-1999; 99US-0155493P.
 PR 23-SEP-1999; 99WO-US020881.
 PR 13-OCT-1999; 99US-00416901.
 PR 06-DEC-1999; 99US-0169232P.
 XX
 PA (PHAA) PHARMACIA & UPJOHN CO.
 XX
 PI Bienkowski MJ, Gurney M;
 XX
 DR WPI; 2001-444208/48.
 XX
 PT Polypeptide comprising fragments of human aspartyl protease with amyloid
 PT precursor protein processing activity and alpha-secretase activity, for
 PT identifying modulators useful in treating Alzheimer's disease.
 XX
 PS Example 12; Page 84; 187pp; English.
 XX
 CC The patent discloses human aspartyl protease 1 (hu-Aspl) or modified Aspl
 CC proteins which lack transmembrane domain or amino terminal domain or
 CC cytoplasmic domain and retains alpha-secretase activity and amyloid
 CC protein precursor (APP) processing activity. The proteins of the
 CC invention are useful for assaying hu-Aspl alpha-secretase activity, which
 CC in turn is useful for identifying modulators of hu-Aspl alpha-secretase
 CC activity, where modulators that increase hu-Aspl alpha-secretase activity
 CC are useful for treating Alzheimer's disease (AD) which causes progressive
 CC dementia with consequent formation of amyloid plaques, neurofibrillary
 CC tangles, gliosis and neuronal loss. Hu-Aspl protease substrate is useful
 CC for assaying hu-Aspl proteolytic activity, by contacting hu-Aspl protein
 CC with the substrate under acidic conditions and determining the level of
 CC hu-Aspl proteolytic activity. The present sequence is wild-type human
 CC amyloid precursor protein (APP) beta-secretase specific substrate
 CC peptide, PHA-95812E. This peptide is used for assaying the beta-secretase
 CC activity of human Aspartyl protease 2a (Asp2a) protein. The peptide is
 CC also used for determining the relationship between Aspartyl protease 1
 CC (Aspl) and APP protein

XX

SQ Sequence 10 AA;

Query Match 100.0%; Score 8; DB 4; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.0026;
Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMDAEF 8
| | | | | | | |
Db 2 EVKMDAEF 9

RESULT 20

AAE06899

ID AAE06899 standard; peptide; 10 AA.

XX

AC AAE06899;

XX

DT 23-OCT-2001 (first entry)

XX

DE Human amyloid precursor protein wild-type beta-secretase peptide.

XX

KW Human; aspartyl protease 2; Asp 2; beta-amyloid precursor protein; APP;

KW beta-secretase; Alzheimer's disease; dementia; amyloid plaque; gliosis;

KW neurofibrillary tangle; neuronal loss; amyloid-beta peptide; nootropic;

KW neuroprotective; antisense therapy; gene therapy.

XX

OS Homo sapiens.

XX

FH Key Location/Qualifiers

FT Cleavage-site 5. .6

XX

PN WO200150829-A2.

XX

PD 19-JUL-2001.

XX

PF 09-MAY-2001; 2001WO-IB000799.

XX

PR 09-MAY-2001; 2001WO-IB000799.

XX

PA (BIEN/) BIENKOWSKI M J.

PA (GURN/) GURNEY M E.

PA (HEIN/) HEINRIKSON R L.

PA (PARO/) PARODI L A.

PA (YANR/) YAN R.

XX

PI Bienkowski MJ, Gurney ME, Heinrikson RL, Parodi LA, Yan R;

XX

DR WPI; 2001-483072/52.

XX

PT Novel purified polypeptide comprising fragment of mammalian aspartyl

PT protease 2, lacking Asp2 transmembrane domain and retaining beta

PT secretase activity of Asp2 useful for identifying inhibitors of Asp2

PT activity.

XX

PS Claim 127; Page 80; 185pp; English.

XX

CC The invention relates to human aspartyl proteases (Hu-Asp), beta-amyloid
 CC precursor protein (APP) isoforms and their corresponding DNA molecules.
 CC Human aspartyl proteases can act as beta-secretase proteases useful for
 CC treating Alzheimer's disease. APP isoforms are useful for identifying
 CC modulators of amyloid-beta peptide production, for use in designing
 CC therapeutics for the treatment and prevention of Alzheimer's disease,
 CC dementia, formation of amyloid plaques, neurofibrillary tangles, gliosis
 CC and neuronal loss. APP isoforms are also used in methods for identifying
 CC inhibitors and modulators of human Asp2 activity. The invention relates
 CC to a method for identifying agents that modulate the activity of human
 CC aspartyl protease Asp2. Amyloid-beta peptides obtained from APP are used
 CC as a means to screen in cellular assays for the inhibitors of beta- and
 CC gamma- secretase. Hu-Asp DNA fragments are useful as probes or primers in
 CC polymerase chain reactions (PCR). The probes are useful for detecting Hu-
 CC Asp nucleic acids in in vitro assays and in Northern and Southern blots.
 CC The present sequence is human amyloid precursor protein (APP) wild type
 CC beta-secretase peptide used in beta-secretase assay
 XX
 SQ Sequence 10 AA;

Query Match 100.0%; Score 8; DB 4; Length 10;
 Best Local Similarity 100.0%; Pred. No. 0.0026;
 Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMDAEF 8
 |||||
 Db 2 EVKMDAEF 9

RESULT 21
 AAB46208

ID AAB46208 standard; peptide; 10 AA.
 XX
 AC AAB46208;
 XX
 DT 04-APR-2001 (first entry)
 XX
 DE Human APP derived immunogenic peptide #4.
 XX
 KW Amyloid deposit; APP; Abeta; brain; human; clearing response; nootropic;
 KW Fc receptor mediated phagocytosis; immunogenic response; neuroprotective;
 KW amyloid precursor protein; Alzheimer's disease.
 XX
 OS Homo sapiens.
 XX
 PN WO200072880-A2.
 XX
 PD 07-DEC-2000.
 XX
 PF 26-MAY-2000; 2000WO-US014810.
 XX
 PR 28-MAY-1999; 99US-00322289.
 XX
 PA (NEUR-) NEURALAB LTD.
 XX
 PI Schenk DB, Bard F, Vasquez NJ, Yednock T;
 XX

DR WPI; 2001-032104/04.
 XX
 PT Preventing or treating a disease associated with amyloid deposits,
 PT especially Alzheimer's disease, comprises administering amyloid specific
 PT antibody.
 XX
 PS Disclosure; Fig 19; 143pp; English.
 XX
 CC This invention describes a novel method of preventing or treating a
 CC disease associated with amyloid deposits of amyloid precursor protein
 CC (APP) Abeta fragments in the brain of a patient, which comprises
 CC administering to the patient: (a) an antibody that binds to Abeta, the
 CC antibody binds to an amyloid deposit and induces a clearing response (Fc
 CC receptor mediated phagocytosis) against it (b) a polypeptide containing
 CC an N-terminal segment of at least residues 1-5 of Abeta; or (c) an agent
 CC that induces an immunogenic response against residues 1-3 to 7-11 of
 CC Abeta. The products of the invention have nootropic and neuroprotective
 CC activity. The method is also useful for monitoring a course of treatment
 CC being administered to a patient e.g. active and passive immunization. The
 CC methods are useful for prophylactic and therapeutic treatment of
 CC Alzheimer's disease
 XX
 SQ Sequence 10 AA;

Query Match 100.0%; Score 8; DB 4; Length 10;
 Best Local Similarity 100.0%; Pred. No. 0.0026;
 Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 EVKMDAEF 8
 |||||
 Db 2 EVKMDAEF 9

RESULT 22

AAB46207

ID AAB46207 standard; peptide; 10 AA.

XX

AC AAB46207;

XX

DT 04-APR-2001 (first entry)

XX

DE Human APP derived immunogenic peptide #3.

XX

KW Amyloid deposit; APP; Abeta; brain; human; clearing response; nootropic;
 KW Fc receptor mediated phagocytosis; immunogenic response; neuroprotective;
 KW amyloid precursor protein; Alzheimer's disease.

XX

OS Homo sapiens.

XX

PN WO200072880-A2.

XX

PD 07-DEC-2000.

XX

PF 26-MAY-2000; 2000WO-US014810.

XX

PR 28-MAY-1999; 99US-00322289.

XX

PA (NEUR-) NEURALAB LTD.
 XX
 PI Schenk DB, Bard F, Vasquez NJ, Yednock T;
 XX
 DR WPI; 2001-032104/04.
 XX
 PT Preventing or treating a disease associated with amyloid deposits,
 PT especially Alzheimer's disease, comprises administering amyloid specific
 PT antibody.
 XX
 PS Disclosure; Fig 19; 143pp; English.
 XX
 CC This invention describes a novel method of preventing or treating a
 CC disease associated with amyloid deposits of amyloid precursor protein
 CC (APP) Abeta fragments in the brain of a patient, which comprises
 CC administering to the patient: (a) an antibody that binds to Abeta, the
 CC antibody binds to an amyloid deposit and induces a clearing response (Fc
 CC receptor mediated phagocytosis) against it (b) a polypeptide containing
 CC an N-terminal segment of at least residues 1-5 of Abeta; or (c) an agent
 CC that induces an immunogenic response against residues 1-3 to 7-11 of
 CC Abeta. The products of the invention have nootropic and neuroprotective
 CC activity. The method is also useful for monitoring a course of treatment
 CC being administered to a patient e.g. active and passive immunization. The
 CC methods are useful for prophylactic and therapeutic treatment of
 CC Alzheimer's disease
 XX
 SQ Sequence 10 AA;

Query Match 100.0%; Score 8; DB 4; Length 10;
 Best Local Similarity 100.0%; Pred. No. 0.0026;
 Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 EVKMDAEF 8
 |||||
 Db 3 EVKMDAEF 10

RESULT 23

AAB46209

ID AAB46209 standard; peptide; 10 AA.

XX

AC AAB46209;

XX

DT 04-APR-2001 (first entry)

XX

DE Human APP derived immunogenic peptide #5.

XX

KW Amyloid deposit; APP; Abeta; brain; human; clearing response; nootropic;

KW Fc receptor mediated phagocytosis; immunogenic response; neuroprotective;

KW amyloid precursor protein; Alzheimer's disease.

XX

OS Homo sapiens.

XX

PN WO200072880-A2.

XX

PD 07-DEC-2000.

XX

PF 26-MAY-2000; 2000WO-US014810.
 XX
 PR 28-MAY-1999; 99US-00322289.
 XX
 PA (NEUR-) NEURALAB LTD.
 XX
 PI Schenk DB, Bard F, Vasquez NJ, Yednock T;
 XX
 DR WPI; 2001-032104/04.
 XX
 PT Preventing or treating a disease associated with amyloid deposits,
 PT especially Alzheimer's disease, comprises administering amyloid specific
 PT antibody.
 XX
 PS Disclosure; Fig 19; 143pp; English.
 XX
 CC This invention describes a novel method of preventing or treating a
 CC disease associated with amyloid deposits of amyloid precursor protein
 CC (APP) Abeta fragments in the brain of a patient, which comprises
 CC administering to the patient: (a) an antibody that binds to Abeta, the
 CC antibody binds to an amyloid deposit and induces a clearing response (Fc
 CC receptor mediated phagocytosis) against it (b) a polypeptide containing
 CC an N-terminal segment of at least residues 1-5 of Abeta; or (c) an agent
 CC that induces an immunogenic response against residues 1-3 to 7-11 of
 CC Abeta. The products of the invention have nootropic and neuroprotective
 CC activity. The method is also useful for monitoring a course of treatment
 CC being administered to a patient e.g. active and passive immunization. The
 CC methods are useful for prophylactic and therapeutic treatment of
 CC Alzheimer's disease
 XX
 SQ Sequence 10 AA;

Query Match 100.0%; Score 8; DB 4; Length 10;
 Best Local Similarity 100.0%; Pred. No. 0.0026;
 Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 EVKMDAEF 8
 |||||
 Db 1 EVKMDAEF 8

RESULT 24

AAB61336

ID AAB61336 standard; peptide; 10 AA.

XX

AC AAB61336;

XX

DT 02-APR-2001 (first entry)

XX

DE Synthetic peptide from beta amyloid precursor protein.

XX

KW Memapsin 2; catalyst; Alzheimer's.

XX

OS Unidentified.

XX

PN WO200100663-A2.

XX

PD 04-JAN-2001.
 XX
 PF 27-JUN-2000; 2000WO-US017661.
 XX
 PR 28-JUN-1999; 99US-0141363P.
 PR 30-NOV-1999; 99US-0168060P.
 PR 25-JAN-2000; 2000US-0177836P.
 PR 27-JAN-2000; 2000US-0178368P.
 PR 08-JUN-2000; 2000US-0210292P.
 XX
 PA (OKLA-) OKLAHOMA MEDICAL RES FOUND.
 XX
 PI Tang JJN, Lin X, Koelsch G;
 XX
 DR WPI; 2001-102885/11.
 XX
 PT Purified recombinant catalytically active memapsin 2, used to screen
 PT inhibitors of it, which are used to treat and prevent Alzheimer's
 PT disease.
 XX
 PS Claim 6; Page 11; 86pp; English.
 XX
 CC The present invention relates to a purified recombinant catalytically
 CC active memapsin 2. The invention may be used for isolating inhibitors
 CC which are used to treat or prevent Alzheimer's disease. The invention may
 CC also be used to screen for individuals more genetically prone to develop
 CC Alzheimer's disease
 XX
 SQ Sequence 10 AA;

Query Match 100.0%; Score 8; DB 4; Length 10;
 Best Local Similarity 100.0%; Pred. No. 0.0026;
 Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMDAEF 8
 |||||
 Db 2 EVKMDAEF 9

RESULT 25

AAE02606

ID AAE02606 standard; peptide; 10 AA.

XX

AC AAE02606;

XX

DT 10-AUG-2001 (first entry)

XX

DE Human wild-type APP beta-secretase substrate peptide, PHA-95812E.

XX

KW Human; alpha-secretase; amyloid precursor protein; APP; therapy;
 KW Alzheimer's disease; antialzheimer's; aspartyl protease 2a; Asp2a;
 KW beta-secretase.

XX

OS Homo sapiens.

XX

FH Key Location/Qualifiers

FT Cleavage-site 5. .6

XX
 PN WO200123533-A2.
 XX
 PD 05-APR-2001.
 XX
 PF 22-SEP-2000; 2000WO-US026080.
 XX
 PR 23-SEP-1999; 99US-0155493P.
 PR 23-SEP-1999; 99WO-US020881.
 PR 13-OCT-1999; 99US-00416901.
 PR 06-DEC-1999; 99US-0169232P.
 XX
 PA (PHAA) PHARMACIA & UPJOHN CO.
 XX
 PI Gurney M, Bienkowski MJ;
 XX
 DR WPI; 2001-290516/30.
 XX
 PT Enzymes that cleave the alpha-secretase site of the amyloid precursor
 PT protein, useful for the treatment of Alzheimer's disease.
 XX
 PS Example 12; Page 85; 189pp; English.
 XX
 CC The present invention relates to enzymes for cleaving the alpha-
 CC secretase site of the amyloid precursor protein (APP) and methods of
 CC identifying those enzymes. The methods may be used to identify enzymes
 CC that may be used to cleave the alpha-secretase cleavage site of the APP
 CC protein. The enzymes may be used to treat or modulate the progress of
 CC Alzheimer's disease. The present sequence is human wild-type amyloid
 CC precursor protein (APP) beta-secretase specific substrate peptide, PHA-
 CC 95812E. This peptide is used for assaying the beta-secretase activity of
 CC human Aspartyl protease 2a (Asp2a) protein. The peptide is also used for
 CC determining the relationship between Aspartyl protease 1 (Asp1) and APP
 CC protein
 XX
 SQ Sequence 10 AA;

Query Match 100.0%; Score 8; DB 4; Length 10;
 Best Local Similarity 100.0%; Pred. No. 0.0026;
 Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 EVKMDAEF 8
 |||||
 Db 2 EVKMDAEF 9

RESULT 26
 AAB66574

ID AAB66574 standard; peptide; 10 AA.
 XX
 AC AAB66574;
 XX
 DT 12-APR-2001 (first entry)
 XX
 DE Synthetic peptide derived from APP beta-secretase site.
 XX
 KW Memapsin 2; nootropic; neuroprotective; amyloid precursor protein; APP;

KW memapsin 2 inhibitor; Alzheimer's disease.
 XX
 OS Synthetic.
 XX
 PN WO200100665-A2.
 XX
 PD 04-JAN-2001.
 XX
 PF 27-JUN-2000; 2000WO-US017742.
 XX
 PR 28-JUN-1999; 99US-0141363P.
 PR 30-NOV-1999; 99US-0168060P.
 PR 25-JAN-2000; 2000US-0177836P.
 PR 27-JAN-2000; 2000US-0178368P.
 PR 08-JUN-2000; 2000US-0210292P.
 XX
 PA (OKLA-) OKLAHOMA MEDICAL RES FOUND.
 PA (UNII) UNIV ILLINOIS FOUND.
 XX
 PI Tang JJN, Hong L, Ghosh AK;
 XX
 DR WPI; 2001-137933/14.
 XX
 PT Novel memapsin 2 inhibitors which bind to active site of memapsin 2
 PT having 2 catalytic aspartic residues and substrate binding cleft, used to
 PT treat Alzheimer's disease by blocking amyloid precursor protein cleavage.
 XX
 PS Disclosure; Page 11; 86pp; English.
 XX
 CC The present sequence is given in a specification relating to an inhibitor
 CC of catalytically active memapsin 2. The inhibitor binds to the memapsin 2
 CC active site, which is defined by the presence of two catalytic aspartic
 CC residues and a substrate binding cleft. The inhibitor is useful for the
 CC treatment and diagnosis of Alzheimer's disease. It is useful in screens
 CC for individuals with a genetic predisposition to Alzheimer's disease. The
 CC inhibitor is useful as a reagent for specifically binding to memapsin 2
 CC or memapsin 2 analogues and for aiding in memapsin 2 isolation,
 CC purification and characterisation
 XX
 SQ Sequence 10 AA;

Query Match 100.0%; Score 8; DB 4; Length 10;
 Best Local Similarity 100.0%; Pred. No. 0.0026;
 Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 EVKMDAEF 8
 |||||
 Db 2 EVKMDAEF 9

RESULT 27
 AAG62668
 ID AAG62668 standard; peptide; 10 AA.
 XX
 AC AAG62668;
 XX
 DT 17-SEP-2001 (first entry)

XX
 DE Beta-sheet breaker peptide inhibitor assay related peptide #3.
 XX
 KW Beta-sheet breaker peptide; protein conformational disease; amyloid;
 KW Alzheimer's disease; FAF; Down' syndrome; amyloidosis disorder;
 KW prion disease; prion associated neurodegenerative disease.
 XX
 OS Synthetic.
 XX
 PN WO200134631-A2.
 XX
 PD 17-MAY-2001.
 XX
 PF 04-NOV-2000; 2000WO-US030416.
 XX
 PR 05-NOV-1999; 99US-0163911P.
 XX
 PA (AXON-) AXONYX INC.
 XX
 PI Soto-Jara C;
 XX
 DR WPI; 2001-408068/43.
 XX
 PT New peptide analogues and mimetics, useful by oral administration for the
 PT treatment of Alzheimer's and prion disease by stabilization of the
 PT conformation of amyloidogenic peptide.
 XX
 PS Example; Page 28; 48pp; English.
 XX
 CC The present invention relates to beta-sheet breaker peptide analogues
 CC capable of inhibiting beta-pleated sheet formation in amyloid beta-
 CC peptide. These are obtained by modification of a beta-sheet breaker
 CC peptide. They can be used to reduce the formation of amyloid or amyloid-
 CC like deposits involving abnormal folding into beta-sheet structures or
 CC conformational change in prion Pr protein. They are thus useful in the
 CC treatment of Alzheimer's disease, FAF, Down's syndrome, other amyloidosis
 CC disorders, prion diseases such as kuru, Creutzfeldt-Jakob disease,
 CC Gerstmann-Strausslet-Scheinker syndrome, prion associated human
 CC neurodegenerative diseases, scrapie, spongiform encephalopathy,
 CC transmissible mink encephalopathy and chronic wasting disease of mule
 CC deer and elk. The present sequence is a peptide described in the
 CC exemplification of the invention
 XX
 SQ Sequence 10 AA;

Query Match 100.0%; Score 8; DB 4; Length 10;
 Best Local Similarity 100.0%; Pred. No. 0.0026;
 Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMDAEF 8
 |||||
 Db 3 EVKMDAEF 10

RESULT 28
 AAU06628
 ID AAU06628 standard; peptide; 10 AA.

XX
 AC AAU06628;
 XX
 DT 24-OCT-2001 (first entry)
 XX
 DE Asp2 recognition site from wild-type APP.
 XX
 KW Aspartyl protease; Asp2; beta-secretase; nootropic; neuroprotective;
 KW amyloid protein precursor; APP; Alzheimer's disease; amyloid-beta; Abeta.
 XX
 OS Homo sapiens.
 XX
 FH Key Location/Qualifiers
 FT Cleavage-site 5
 FT /label= Asp2_protease_cleavage_site
 XX
 PN WO200149098-A2.
 XX
 PD 12-JUL-2001.
 XX
 PF 09-MAY-2001; 2001WO-IB000798.
 XX
 PR 09-MAY-2001; 2001WO-IB000798.
 XX
 PA (BIEN/) BIENKOWSKI M J.
 PA (GURN/) GURNEY M E.
 PA (HEIN/) HEINRIKSON R L.
 PA (PARO/) PARODI L A.
 PA (YANR/) YAN R.
 XX
 PI Bienkowski MJ, Gurney ME, Heinrikson RL, Parodi LA, Yan R;
 XX
 DR WPI; 2001-502549/55.
 XX
 PT Novel purified polypeptide comprising fragment of mammalian aspartyl
 PT protease 2, lacking Asp2 transmembrane domain and retaining beta
 PT secretase activity of Asp2 useful for identifying inhibitors of Asp2
 PT activity.
 XX
 PS Claim 127; Page 101; 185pp; English.
 XX
 CC The invention relates to a purified polypeptide comprising a fragment of
 CC mammalian aspartyl protease (Asp)2 protein which lacks the Asp2
 CC transmembrane domain and the Asp2 protein, and where the polypeptide and
 CC the fragment retain the beta-secretase activity of the mammalian Asp2
 CC protein. The invention also details polynucleotides for the Asp proteins
 CC and vectors expressing them, and a polypeptide (isoform of amyloid
 CC protein precursor (APP)) comprising the amino acid sequence of an APP or
 CC its fragment containing an APP cleavage site recognizable by a mammalian
 CC beta-secretase, and further comprising two lysine residues at the
 CC carboxyl terminus of the amino acid sequence of the mammalian APP or APP
 CC fragment. Also included in the invention are methods of identifying
 CC modulators or inhibitors of Asp2. Modulators and inhibitors of Asp2 are
 CC useful for treating Alzheimer's disease. APP is useful in methods for
 CC identifying inhibitors or modulators of human Asp2 activity and amyloid-
 CC beta (Abeta) peptide production. APP is also useful in designing
 CC therapeutics for the treatment or prevention of Alzheimer's disease. APP

CC comprising the APP-Sw-beta-secretase peptide sequence (NLDA), which is
CC associated with increased levels of Abeta processing is useful in assays
CC relating the Alzheimer's research. The expression vector is useful for
CC recombinantly expressing APP. Nucleic acids that hybridise to Asp
CC oligonucleotides are useful as probes or primers. The probes are useful
CC for detecting Hu-Asp nucleic acids in in vitro assays and in Northern and
CC Southern blots. The present sequence is a peptide substrate for Asp2
CC corresponding to the wild-type APP beta-secretase site
XX

SQ Sequence 10 AA;

Query Match 100.0%; Score 8; DB 4; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.0026;
Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMDAEF 8
| | | | | | | |
Db 2 EVKMDAEF 9

RESULT 29

ABB06426

ID ABB06426 standard; peptide; 10 AA.

XX

AC ABB06426;

XX

DT 31-MAY-2002 (first entry)

XX

DE Human APP beta-secretase cleavage sequence SEQ ID NO:20.

XX

KW Beta-secretase; enzyme; cleavage site; amyloid protein precursor; APP;
KW aspartyl protease; neuroprotective; nootropic; beta-secretase inhibitor;
KW Alzheimer's disease.

XX

OS Homo sapiens.

XX

PN WO200206306-A2.

XX

PD 24-JAN-2002.

XX

PF 19-JUL-2001; 2001WO-US023035.

XX

PR 19-JUL-2000; 2000US-0219795P.

PR 12-MAR-2001; 2001US-0275251P.

XX

PA (PHAA) PHARMACIA & UPJOHN CO.

XX

PI Yan R, Tomasselli AG, Gurney ME, Emmons TL, Bienkowski MJ;
PI Heinrikson RL;

XX

DR WPI; 2002-216995/27.

XX

PT Novel substrates for human aspartyl protease useful for identifying
PT modulators of beta secretase activity of aspartyl protease for treating
PT Alzheimer's disease.

XX

PS Claim 18; Page 126; 188pp; English.

XX
 CC The present invention describes an isolated peptide (I) comprising a
 CC sequence of at least four amino acids, where the peptide is a substrate
 CC for conducting aspartyl protease assays. (I) has neuroprotective and
 CC nootropic activities, and can be used as an inhibitor of beta-secretase
 CC activity. A beta-secretase modulator from the present invention can be
 CC used for inhibiting beta-secretase activity in vivo, and in the
 CC manufacture of a medicament for the treatment of Alzheimer's disease.
 CC Pharmaceutical compositions from the present invention can be used for
 CC treating a disease or condition characterised by an abnormal beta-
 CC secretase activity. (I) is useful for identifying agents that modulate
 CC the activity of human Asp2 aspartyl protease (Hu-Asp2). (I) is useful as
 CC a core structure to construct derivatives. ABL49914 to ABL49925 and
 CC ABB06409 to ABB06593 represent sequences used in the exemplification of
 CC the present invention
 XX
 SQ Sequence 10 AA;

Query Match 100.0%; Score 8; DB 5; Length 10;
 Best Local Similarity 100.0%; Pred. No. 0.0026;
 Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMDAEF 8
 |||||
 Db 2 EVKMDAEF 9

RESULT 30

ABG78375

ID ABG78375 standard; peptide; 10 AA.

XX

AC ABG78375;

XX

DT 15-NOV-2002 (first entry)

XX

DE Human beta amyloid precursor protein beta secretase site #1.

XX

KW Human; memapsin 2; aspartic protease; beta secretase;

KW degenerative disease; Alzheimer's disease; amyloid precursor protein;

KW APP; neuroprotective; nootropic; inhibitor; cleavage site;

KW substrate side-chain preference.

XX

OS Homo sapiens.

XX

PN WO200253594-A2.

XX

PD 11-JUL-2002.

XX

PF 28-DEC-2001; 2001WO-US050826.

XX

PR 28-DEC-2000; 2000US-0258705P.

PR 14-MAR-2001; 2001US-0275756P.

XX

PA (OKLA-) OKLAHOMA MEDICAL RES FOUND.

PA (UNII) UNIV ILLINOIS FOUND.

XX

PI Tang JJN, Koelsch G, Ghosh AK;

XX
 DR WPI; 2002-619088/66.
 XX
 PT New memapsin 2 activity inhibitor useful in treatment of e.g. Alzheimer's
 PT disease.
 XX
 PS Disclosure; Page 23; 74pp; English.
 XX
 CC The invention relates to an inhibitor of catalytically active memapsin 2
 CC (an aspartic protease which can cleave at beta secretase sites), which
 CC binds to the active site of memapsin 2 defined by the presence of two
 CC catalytic aspartic residues and substrate binding cleft. Also included is
 CC a method of determination of the substrate side-chain preference in
 CC memapsin 2 sub-sites comprising: (a) reacting a mixture of memapsin 2
 CC substrates with memapsin 2, and determining the sub-site preference of
 CC memapsin 2 by determining relative initial hydrolysis rates of the
 CC mixture of memapsin 2 substrates; or (b) preparing a combinatorial
 CC library of memapsin 2 inhibitors containing a base sequence taken from
 CC OM99-2 (Glu-Val-Asn-Leu-Ala-Ala-Glu-phe), probing the library of
 CC inhibitors with memapsin 2 which binds to several inhibitors to generate
 CC several bound memapsin 2, and detecting the bound memapsin 2 with an
 CC antibody raised to memapsin 2 and an alkaline phosphatase conjugated
 CC secondary antibody. The inhibitors may be used in the manufacture of a
 CC medicament for the treatment of Alzheimer's disease since memapsin 2 may
 CC be involved in the cleavage of amyloid precursor protein (APP), and for
 CC determining the substrate side-chain preference in memapsin 2 sub-sites.
 CC The present sequence represents a beta secretase cleavage site used to
 CC determine the substrate specificity of human memapsin 2
 XX
 SQ Sequence 10 AA;

Query Match 100.0%; Score 8; DB 5; Length 10;
 Best Local Similarity 100.0%; Pred. No. 0.0026;
 Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMDAEF 8
 |||||
 Db 2 EVKMDAEF 9

RESULT 31

ABB78615

ID ABB78615 standard; peptide; 10 AA.

XX

AC ABB78615;

XX

DT 16-JUL-2002 (first entry)

XX

DE Beta-secretase specific substrate PHA-95812E SEQ ID NO:64.

XX

KW Human; Asp-1; Asp-2; aspartyl protease; Alzheimer's disease; proteolytic.

XX

OS Synthetic.

XX

PN GB2367060-A.

XX

PD 27-MAR-2002.

XX
 PF 29-OCT-2001; 2001GB-00025934.
 XX
 PR 23-SEP-1999; 99US-00404133.
 PR 23-SEP-1999; 99US-0155493P.
 PR 23-SEP-1999; 99WO-US020881.
 PR 13-OCT-1999; 99US-00416901.
 PR 06-DEC-1999; 99US-0169232P.
 PR 22-SEP-2000; 2000GB-00023315.
 XX
 PA (PHAA) PHARMACIA & UPJOHN CO.
 XX
 PI Bienkowski MJ, Gurney M;
 XX
 DR WPI; 2002-397167/43.
 XX
 PT Human aspartyl protease 1 substrates useful in assays to detect aspartyl
 PT protease activity, e.g. for the diagnosis of Alzheimer's disease.
 XX
 PS Example 15; Page 92; 182pp; English.
 XX
 CC The present invention describes a human aspartyl protease 1 (hu-Asp1)
 CC substrate (I) which comprises a peptide of no more than 50 amino acids,
 CC and which comprises the 8 amino acid sequence Gly-Leu-Ala-Leu-Ala-Leu-
 CC Glu-Pro. Also described are: (1) a method (II) for assaying hu-Asp1
 CC proteolytic activity, comprising: (a) contacting a hu-Asp1 protein with
 CC (I) under acidic conditions; and (b) determining the level of hu-Asp1
 CC proteolytic activity; (2) a purified polynucleotide (III) comprising a
 CC nucleotide sequence that hybridises under stringent conditions to the non
 CC -coding strand complementary to a defined 1804 nucleotide sequence (see
 CC ABL52456) where the nucleotide sequence encodes a polypeptide having Asp1
 CC proteolytic activity and lacks nucleotides encoding a transmembrane
 CC domain); (3) a purified polynucleotide (III') comprising a sequence that
 CC hybridises under stringent conditions to (III) (the nucleotide sequence
 CC encodes a polypeptide further lacking a pro-peptide domain corresponding
 CC to amino acids 23-62 of hu-Asp1 (see ABB78589)); (4) a vector (IV)
 CC comprising (III) or (III'); and (5) a host cell (V) transformed or
 CC transfected with (III), (III') and/or (IV). The hu-Asp1 protease
 CC substrate (I) may be used as an enzyme substrate in assays to detect
 CC aspartyl protease activity, (II) and therefore diagnose diseases
 CC associated with aberrant hu-Asp1 expression and activity such as
 CC Alzheimer's disease. Hu-Asp1 has been localised to chromosome 21, while
 CC hu-Asp2 has been localised to chromosome 11q23.3-24.1. The present
 CC sequence represents a beta-secretase specific substrate peptide which is
 CC used in an example from the present invention
 XX
 SQ Sequence 10 AA;

Query Match 100.0%; Score 8; DB 5; Length 10;
 Best Local Similarity 100.0%; Pred. No. 0.0026;
 Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMDAEF 8
 |||||
 Db 2 EVKMDAEF 9

RESULT 32

AAU99490

ID AAU99490 standard; peptide; 10 AA.

XX

AC AAU99490;

XX

DT 07-OCT-2002 (first entry)

XX

DE Peptide #1 used as substrate for human memapsin 2.

XX

KW Human; memapsin 2; beta secretase; aspartic protease; APP;

KW beta-amyloid precursor protein; amyloid plaque; Alzheimer's disease;

KW neuroprotective; nootropic.

XX

OS Homo sapiens.

OS Synthetic.

XX

PN US2002049303-A1.

XX

PD 25-APR-2002.

XX

PF 28-FEB-2001; 2001US-00796264.

XX

PR 28-JUN-1999; 99US-0141363P.

PR 30-NOV-1999; 99US-0168060P.

PR 25-JAN-2000; 2000US-0177836P.

PR 27-JAN-2000; 2000US-0178368P.

PR 27-JUN-2000; 2000US-00604608.

XX

PA (TANG/) TANG J J N.

PA (LINX/) LIN X.

PA (KOEL/) KOELSCH G.

PA (HONG/) HONG L.

XX

PI Tang JJN, Lin X, Koelsch G, Hong L;

XX

DR WPI; 2002-507280/54.

XX

PT New recombinant catalytically active memapsin 2, useful to screen for

PT inhibitors of memapsin 2 which can be used to prevent and treat

PT Alzheimer's disease.

XX

PS Claim 6; Page 30; 44pp; English.

XX

CC The present invention relates to methods for the production of purified,
 CC recombinant catalytically active, memapsin 2 (beta secretase). Memapsin
 CC 2, a member of the aspartic protease family, cleaves beta-amyloid
 CC precursor protein (APP) found in amyloid plaques. The recombinant
 CC memapsin 2 is useful for identifying inhibitors of memapsin 2 in the
 CC design of drugs for the treatment and/or prevention of Alzheimer's
 CC disease. The recombinant memapsin 2 can be used to immunise against
 CC Alzheimer's disease. The present sequence represents a peptide used as a
 CC substrate for human memapsin 2

XX

SQ Sequence 10 AA;

Query Match

100.0%; Score 8; DB 5; Length 10;

Best Local Similarity 100.0%; Pred. No. 0.0026;
Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMDAEF 8
| | | | | | | |
Db 2 EVKMDAEF 9

RESULT 33

ABG30940

ID ABG30940 standard; peptide; 10 AA.

XX

AC ABG30940;

XX

DT 21-OCT-2002 (first entry)

XX

DE Nogo/BACE method cleavage peptide #1.

XX

KW Human; Nogo; BACE; acute neuronal injury; spinal injury; head injury;

KW stroke; peripheral nerve damage; neoplastic disorder; glioblastoma;

KW neuroblastoma; hyperproliferative disorder; dysproliferative disorder;

KW cirrhosis; psoriasis; keloid formation; fibrocystic condition; cancer;

KW tissue hypertrophy; central nervous system; axon regeneration;

KW Nogo-associated disease; metastasis; cleavage peptide.

XX

OS Unidentified.

XX

FH Key Location/Qualifiers

FT Cleavage-site 5. .6

FT /note= "Beta-secretase cleavage site"

XX

PN WO200257483-A2.

XX

PD 25-JUL-2002.

XX

PF 18-JAN-2002; 2002WO-GB000228.

XX

PR 18-JAN-2001; 2001GB-00001312.

XX

PA (GLAX) GLAXO GROUP LTD.

PA (SMIK) SMITHKLINE BEECHAM PLC.

XX

PI Blackstock WP, Hale RS, Prinjha R, Rowley A;

XX

DR WPI; 2002-599722/64.

XX

PT Identifying modulators of Nogo or BACE activity for treating acute
PT neuronal injuries, neoplastic or dysproliferative disorders, comprises
PT providing and monitoring interaction between Nogo and BACE polypeptides.

XX

PS Disclosure; Page 14; 68pp; English.

XX

CC The present invention relates to a new method of identifying modulators
CC of Nogo function or BACE activity. The method involves providing Nogo and
CC BACE polypeptides capable of binding with each other, monitoring the
CC interaction between these polypeptides, and determining if the test agent
CC is a modulator of Nogo or BACE activity. The method is useful in treating

CC acute neuronal injuries, such as spinal or head injury, stroke,
 CC peripheral nerve damage, and in neoplastic (e.g. glioblastomas,
 CC neuroblastomas), hyperproliferative or dysproliferative disorders (e.g.
 CC cirrhosis, psoriasis, keloid formation, fibrocystic conditions, tissue
 CC hypertrophy) of the central nervous system. The BACE polypeptide is
 CC useful in screening methods to identify agents that may act as modulators
 CC of BACE activity and in particular agents that may be useful in treating
 CC Nogo-associated diseases. The modulators of Nogo or BACE polypeptides,
 CC and the polynucleotide encoding the BACE polypeptide are useful in
 CC manufacturing a medicament for the treatment or prevention of disorders
 CC responsive to the modulation of Nogo activity, in alleviating the
 CC symptoms or improving the condition of a patient suffering from this
 CC disorder, in axon regeneration, or in preventing metastasis or spreading
 CC of a cancer. The polynucleotide may also be an essential component in
 CC assays, a probe, in recombinant protein synthesis, and in gene therapy
 CC techniques. The present amino acid sequence represents a cleavage peptide
 CC that was used in the methods of the invention
 XX
 SQ Sequence 10 AA;

Query Match 100.0%; Score 8; DB 5; Length 10;
 Best Local Similarity 100.0%; Pred. No. 0.0026;
 Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMDAEF 8
 |||||
 Db 2 EVKMDAEF 9

RESULT 34

ABG76103

ID ABG76103 standard; peptide; 10 AA.

XX

AC ABG76103;

XX

DT 01-MAY-2003 (first entry)

XX

DE Amyloid precursor protein derived substrate peptide.

XX

KW Human; memapsin 2; beta-secretase; beta-amyloid precursor protein;

KW beta-amyloid peptide; Alzheimer's disease; nootropic; neuroprotective;

KW substrate.

XX

OS Homo sapiens.

XX

PN US2002164760-A1.

XX

PD 07-NOV-2002.

XX

PF 28-FEB-2001; 2001US-00795903.

XX

PR 28-JUN-1999; 99US-0141363P.

PR 30-NOV-1999; 99US-0168060P.

PR 25-JAN-2000; 2000US-0177836P.

PR 27-JAN-2000; 2000US-0178368P.

PR 08-JUN-2000; 2000US-0210292P.

PR 27-JUN-2000; 2000US-00604608.

XX
PA (OKLA-) OKLAHOMA MEDICAL RES FOUND.
XX
PI Lin X, Koelsch G, Tang JJN;
XX
DR WPI; 2003-255218/25.
XX
PT New purified recombinant catalytically active memapsin 2 (beta-
PT secretase), useful for designing and screening of specific inhibitors for
PT the diagnosis, prevention and/or treatment of Alzheimer's disease.
XX
PS Claim 6; Page 4; 44pp; English.
XX
CC The invention relates to a purified recombinant catalytically active
CC memapsin 2, a beta-secretase which produces the beta-amyloid peptide from
CC the beta amyloid precursor protein. Also included are producing the above
CC memapsin 2 (comprising refolding the recombinant memapsin 2 under
CC conditions which dissociate and then slowly refold the enzyme into a
CC catalytically active form), isolating inhibitors of cleavage by memapsin
CC 2 (comprising adding to one or more potential inhibitors the memapsin 2
CC and a substrate for memapsin 2 and screening for decreased cleavage of
CC the substrate by the inhibitors), designing or obtaining inhibitors of
CC the memapsin 2 (comprising modelling an inhibitor based on the
CC crystallisation coordinates of memapsin 2 or the parameters given in the
CC specification), a database comprising binding properties and chemical
CC structures of compounds designed or screened by the method above and
CC treating or preventing Alzheimer's disease (comprising administering to a
CC patient an inhibitor of memapsin 2 which binds to the active site of the
CC memapsin 2 defined by the presence of 2 catalytic aspartic residues and
CC substrate binding cleft or immunising an individual with the above
CC memapsin 2 to elicit an amount of antibodies to reduce the cleavage by
CC endogenous memapsin 2). The memapsin 2 is useful in designing and
CC screening of specific inhibitors for the diagnosis, prevention and/or
CC treatment of Alzheimer's disease. The present sequence represents an
CC amyloid precursor protein substrate peptide which is cleaved by memapsin
CC 2
XX
SQ Sequence 10 AA;

Query Match 100.0%; Score 8; DB 6; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.0026;
Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMDAEF 8
| | | | | | | |
Db 2 EVKMDAEF 9

RESULT 35
ABR61933
ID ABR61933 standard; peptide; 10 AA.
XX
AC ABR61933;
XX
DT 12-SEP-2003 (first entry)
XX
DE Human APP beta-secretase cleavage site fragment.

XX
 KW Memapsin 1; nootropic; neuroprotective; memapsin 2; beta secretase;
 KW beta-amyloid protein; Alzheimer's disease; amyloid precursor protein;
 KW APP; human.
 XX
 OS Homo sapiens.
 XX
 PN WO2003039454-A2.
 XX
 PD 15-MAY-2003.
 XX
 PF 23-OCT-2002; 2002WO-US034324.
 XX
 PR 23-OCT-2001; 2001US-0335952P.
 PR 27-NOV-2001; 2001US-0333545P.
 PR 14-JAN-2002; 2002US-0348464P.
 PR 14-JAN-2002; 2002US-0348615P.
 PR 20-JUN-2002; 2002US-0390804P.
 PR 19-JUL-2002; 2002US-0397557P.
 PR 19-JUL-2002; 2002US-0397619P.
 XX
 PA (OKLA-) OKLAHOMA MEDICAL RES FOUND.
 PA (UNII) UNIV ILLINOIS FOUND.
 XX
 PI Ghosh AK, Tang J, Bilcer G, Chang W, Hong L, Koelsch G, Loy J;
 PI Turner RT;
 XX
 DR WPI; 2003-541410/51.
 XX
 PT New peptide compounds are memapsin beta secretase inhibitors used for
 PT treating Alzheimer's disease.
 XX
 PS Claim 90; Page 204; 407pp; English.
 XX
 CC The invention relates to peptide compounds of specified formula. The
 CC compounds exhibit memapsin 2-beta secretase inhibitory activity relative
 CC to memapsin 1-beta secretase and reduce the accumulation of beta-amyloid
 CC protein. The compounds can be used for treating Alzheimer's disease. The
 CC present sequence represents a human amyloid precursor protein (APP) beta-
 CC secretase cleavage site fragment
 XX
 SQ Sequence 10 AA;

 Query Match 100.0%; Score 8; DB 6; Length 10;
 Best Local Similarity 100.0%; Pred. No. 0.0026;
 Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

 Qy 1 EVKMDAEF 8
 |||||
 Db 2 EVKMDAEF 9

 RESULT 36
 ADA74819
 ID ADA74819 standard; peptide; 10 AA.
 XX
 AC ADA74819;

XX
 DT 20-NOV-2003 (first entry)
 XX
 DE Human amyloid precursor protein beta-secretase site-derived peptide 1.
 XX
 KW memapsin 2; beta-secretase; amyloid precursor protein; APP;
 KW aspartic proteinase 2; ASP2; nootropic; neuroprotective;
 KW Alzheimer's disease; human.
 XX
 OS Synthetic.
 OS Homo sapiens.
 XX
 FH Key Location/Qualifiers
 FT Cleavage-site 5. .6
 FT /note= "Beta-secretase cleavage site"
 XX
 PN US6545127-B1.
 XX
 PD 08-APR-2003.
 XX
 PF 27-JUN-2000; 2000US-00604608.
 XX
 PR 28-JUN-1999; 99US-0141363P.
 PR 30-NOV-1999; 99US-0168060P.
 PR 25-JAN-2000; 2000US-0177836P.
 PR 27-JAN-2000; 2000US-0178368P.
 PR 08-JUN-2000; 2000US-0210292P.
 XX
 PA (OKLA-) OKLAHOMA MEDICAL RES FOUND.
 XX
 PI Tang JJN, Lin X, Koelsch G, Hong L;
 XX
 DR WPI; 2003-566587/53.
 XX
 PT Novel memapsin 2 protein that cleaves a beta-secretase site of an amyloid
 PT precursor protein is useful in the design and screening of specific
 PT inhibitors for treating and preventing Alzheimer's disease.
 XX
 PS Claim 17; Col 7; 44pp; English.
 XX
 CC The invention relates to a novel method which comprises the production of
 CC purified, catalytically active, recombinant memapsin 2 (beta-secretase)
 CC protein where the memapsin protein is expressed in a bacterial cell and
 CC cleaves the beta-secretase site of an amyloid precursor protein (APP).
 CC Memapsin 2, also known as aspartic proteinase 2 (ASP2), belongs to the
 CC aspartic protease family and demonstrates nootropic and neuroprotective
 CC activities. The protein of the invention may be useful in the design and
 CC screening of specific inhibitors which are useful in treating and
 CC preventing Alzheimer's disease. The current sequence is that of the human
 CC APP beta-secretase site-derived peptide 1 of the invention.
 XX
 SQ Sequence 10 AA;

 Query Match 100.0%; Score 8; DB 6; Length 10;
 Best Local Similarity 100.0%; Pred. No. 0.0026;
 Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMDAEF 8
| | | | |
Db 2 EVKMDAEF 9

RESULT 37

ADB75175

ID ADB75175 standard; peptide; 10 AA.

XX

AC ADB75175;

XX

DT 04-DEC-2003 (first entry)

XX

DE Amyloid beta peptide negative control spanning peptide.

XX

KW antibody; amyloid beta peptide; amyloid beta; nootropic; neuroprotective;

KW antibody therapy; Alzheimer's disease; mild cognitive impairment;

KW cerebral amyloid angiopathy; congiphylic angiopathy; Down's syndrome;

KW inclusion body myositis; neurotoxicity; beta amyloid precursor protein;

KW APP; human.

XX

OS Synthetic.

OS Homo sapiens.

XX

FH Key Location/Qualifiers

FT Modified-site 1

FT /label= acetylated

XX

PN WO2003074081-A1.

XX

PD 12-SEP-2003.

XX

PF 21-OCT-2002; 2002WO-US031590.

XX

PR 28-FEB-2002; 2002US-00084380.

XX

PA (MIND-) MINDSET BIOPHARMACEUTICALS USA INC.

XX

PI Chain DG;

XX

DR WPI; 2003-731651/69.

XX

PT New antibody that is targeted to amyloid beta peptide, or its fragment,

PT useful for treating a subject having Alzheimer's disease, or a disease or

PT disorder characterized by amyloid beta deposition, e.g. cognitive

PT impairment or dementia.

XX

PS Example 2; Page 29; 63pp; English.

XX

CC The present invention describes an antibody that is targeted to amyloid

CC beta peptide, or its fragment. Also described: (1) an antibody that is

CC free-end specific and is targeted to: (a) the free N-terminus of amyloid

CC beta-peptide; (b) the free N-terminus of amyloid beta-peptide, where the

CC first amino acid of amyloid beta-peptide is aspartate; (c) the free N-

CC terminus of N- and/or C-terminus-truncated amyloid beta-peptide fragment;

CC (d) the free C-terminus of the amyloid beta-peptide Abetal-39, Abetal-40,

CC Abetal-41 or Abetal-43; or (e) to the free C-terminus of N- and/or C-

CC terminus-truncated amyloid beta-peptide fragment; (2) a single chain or
CC artificial antibody that is free-end specific and is targeted to the free
CC C-terminus of the amyloid beta-peptide Abetal-42; and (3) a
CC pharmaceutical composition comprising the antibody, and a carrier. The
CC antibody targeted to amyloid beta peptide has nootropic and
CC neuroprotective activities, and can be used in antibody therapy. The
CC antibody or its fragment is useful for manufacturing a medicament for
CC treating a subject having Alzheimer's disease, or a disease or disorder
CC characterised by amyloid beta deposition (e.g. mild cognitive impairment,
CC cerebral amyloid angiopathy or congiophylic angiopathy, Alzheimer's
CC disease associated with Down's syndrome, or inclusion body myositis), or
CC for delaying, inhibiting or suppressing accumulation of amyloid beta
CC peptide, or the neurotoxicity of amyloid beta peptide or its fragment.
CC Amyloid beta peptides are derived from beta amyloid precursor protein
CC (APP). The present sequence represents an amyloid beta peptide negative
CC control spanning peptide, which is used in an example from the present
CC invention.

XX

SQ Sequence 10 AA;

Query Match 100.0%; Score 8; DB 7; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.0026;
Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMDAEF 8

|||||||

Db 1 EVKMDAEF 8

RESULT 38

AAB97468

ID AAB97468 standard; protein; 11 AA.

XX

AC AAB97468;

XX

DT 03-AUG-2001 (first entry)

XX

DE Asp2 substrate wild-type beta-site peptide sequence.

XX

KW Asp2; endocrepisin 2; memapsin 2; beta-amyloid protein;

KW Alzheimer's disease; cortical Lewy body disease; Parkinson's disease;

KW Asp2 inhibitor.

XX

OS Unidentified.

XX

FH Key Location/Qualifiers

FT Modified-site 1

FT /label= OTHER

FT /note= "optionally bound to maltose binding protein"

XX

PN WO200129563-A1.

XX

PD 26-APR-2001.

XX

PF 19-OCT-2000; 2000WO-GB004039.

XX

PR 21-OCT-1999; 99GB-00024957.

XX
PA (SMIK) SMITHKLINE BEECHAM PLC.
PA (SMIK) SMITHKLINE BEECHAM CORP.
XX
PI Christie G, Hussain I, Powell DJ;
XX
DR WPI; 2001-300381/31.
XX
PT Screening for inhibitors of Asp 2 mediated polypeptide cleavage comprises
PT measuring substrate cleavage or ligand binding with a system comprising
PT Asp 2 and a substrate or labelled ligand in the presence or absence of a
PT test compound.
XX
PS Disclosure; Page 3; 34pp; English.
XX
CC The present invention describes a method of screening for compounds which
CC inhibit Asp2 (also known as memapsin 2 and endocrepsin 2) mediated
CC cleavage of a protein substrate, involving measuring the extent of
CC cleavage of the substrate in the presence and absence of the test
CC compound. Asp2 is thought to be involved in the cleavage of amyloid
CC precursor protein which is excised to produce beta-amyloid. Beta-amyloid
CC is involved in the pathogenesis of Alzheimer's disease, Parkinson's
CC disease, cortical Lewy body disease and vascular and cerebrovascular
CC diseases, and Asp2 inhibitors could be useful in their treatment. The
CC present sequence is an example of an Asp2 substrate
XX
SQ Sequence 11 AA;

Query Match 100.0%; Score 8; DB 4; Length 11;
Best Local Similarity 100.0%; Pred. No. 0.0028;
Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 EVKMDAEF 8
| | | | | | | |
Db 3 EVKMDAEF 10

RESULT 39

AAB75144

ID AAB75144 standard; peptide; 11 AA.

XX

AC AAB75144;

XX

DT 08-AUG-2001 (first entry)

XX

DE Asp 1 substrate sequence SEQ ID NO:3.

XX

KW Amyloid precursor protein; APP; Asp 1; endocrepsin 1; inhibition;
KW transmembrane aspartyl proteinase; APP Swedish variant; nootropic;
KW neuroprotective; beta-secretase cleavage site; Alzheimer's disease;
KW beta amyloid protein-related disease; antialzheimer.

XX

OS Homo sapiens.

XX

FH Key Location/Qualifiers

FT Modified-site 1

FT /note= "N-terminally attached to maltose binding protein

FT (MBP) "
 XX
 PN WO200131054-A1.
 XX
 PD 03-MAY-2001.
 XX
 PF 19-OCT-2000; 2000WO-GB004028.
 XX
 PR 22-OCT-1999; 99GB-00025136.
 XX
 PA (SMIK) SMITHKLINE BEECHAM PLC.
 PA (SMIK) SMITHKLINE BEECHAM CORP.
 XX
 PI Christie G, Hussain I, Powell DJ;
 XX
 DR WPI; 2001-328654/34.
 XX
 PT Identifying inhibitors of Asp 1-mediated cleavage, for treating or
 PT preventing beta-amyloid protein-related disease, comprises measuring the
 PT extent of substrate cleavage in a reaction system containing Asp 1 and a
 PT substrate.
 XX
 PS Disclosure; Page 3; 3lpp; English.
 XX
 CC The present invention describes a method of screening for compounds which
 CC inhibit Asp 1-mediated cleavage of a polypeptide or protein substrate.
 CC The method comprises providing a reaction system comprising Asp 1 and
 CC substrate, and measuring the extent of cleavage of the substrate in the
 CC presence of test compound compared with that in the presence of the test
 CC compound. Also described are: (1) a method of screening for compounds
 CC which inhibit Asp 1 mediated cleavage of a polypeptide or protein
 CC substrate comprising providing a reaction system comprising Asp 1 and a
 CC labeled active site ligand, and measuring the extent of binding of the
 CC labeled ligand in the presence of test compound compared with that in the
 CC presence of the test compound; (2) a compound identified by the method;
 CC (3) a pharmaceutical composition comprising the compound of (2) and a
 CC carrier; (4) a method of inhibiting Asp 1 modulated amyloid precursor
 CC protein (APP) cleavage, or treating or prophylaxis of beta-amyloid
 CC protein-related disease, comprising administering to a patient a compound
 CC of (2); (5) a compound which is an inhibitor of Asp 1 modulated APP
 CC cleavage; and (6) a method for treating or prophylaxis of beta-amyloid
 CC protein-related disease comprising administering a compound of (2) or
 CC (5). The compound which inhibits Asp 1 mediated cleavage of a polypeptide
 CC or protein is useful in therapy, in the preparation of a medicament for
 CC inhibiting Asp 1-modulated APP cleavage and for the treatment or
 CC prophylaxis of beta-amyloid protein-related disease, including
 CC Alzheimer's disease. The present sequence represents an Asp 1 substrate
 CC sequence which is given in the exemplification of the present invention
 XX
 SQ Sequence 11 AA;

Query Match 100.0%; Score 8; DB 4; Length 11;
 Best Local Similarity 100.0%; Pred. No. 0.0028;
 Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMDAEF 8
 |||||

RESULT 40

AAB75143

ID AAB75143 standard; peptide; 11 AA.

XX

AC AAB75143;

XX

DT 08-AUG-2001 (first entry)

XX

DE APP beta-secretase cleavage site spanning peptide SEQ ID NO:1.

XX

KW Amyloid precursor protein; APP; Asp 1; endocrep sin 1; inhibition;
KW transmembrane aspartyl proteinase; APP Swedish variant; nootropic;
KW neuroprotective; beta-secretase cleavage site; Alzheimer's disease;
KW beta amyloid protein-related disease; antialzheimer.

XX

OS Homo sapiens.

XX

PN WO200131054-A1.

XX

PD 03-MAY-2001.

XX

PF 19-OCT-2000; 2000WO-GB004028.

XX

PR 22-OCT-1999; 99GB-00025136.

XX

PA (SMIK) SMITHKLINE BEECHAM PLC.

PA (SMIK) SMITHKLINE BEECHAM CORP.

XX

PI Christie G, Hussain I, Powell DJ;

XX

DR WPI; 2001-328654/34.

XX

PT Identifying inhibitors of Asp 1-mediated cleavage, for treating or
PT preventing beta-amyloid protein-related disease, comprises measuring the
PT extent of substrate cleavage in a reaction system containing Asp 1 and a
PT substrate.

XX

PS Disclosure; Page 3; 31pp; English.

XX

CC The present invention describes a method of screening for compounds which
CC inhibit Asp 1-mediated cleavage of a polypeptide or protein substrate.
CC The method comprises providing a reaction system comprising Asp 1 and
CC substrate, and measuring the extent of cleavage of the substrate in the
CC presence of test compound compared with that in the presence of the test
CC compound. Also described are: (1) a method of screening for compounds
CC which inhibit Asp 1 mediated cleavage of a polypeptide or protein
CC substrate comprising providing a reaction system comprising Asp 1 and a
CC labeled active site ligand, and measuring the extent of binding of the
CC labeled ligand in the presence of test compound compared with that in the
CC presence of the test compound; (2) a compound identified by the method;
CC (3) a pharmaceutical composition comprising the compound of (2) and a
CC carrier; (4) a method of inhibiting Asp 1 modulated amyloid precursor
CC protein (APP) cleavage, or treating or prophylaxis of beta-amyloid
CC protein-related disease, comprising administering to a patient a compound

CC of (2); (5) a compound which is an inhibitor of Asp 1 modulated APP
CC cleavage; and (6) a method for treating or prophylaxis of beta-amyloid
CC protein-related disease comprising administering a compound of (2) or
CC (5). The compound which inhibits Asp 1 mediated cleavage of a polypeptide
CC or protein is useful in therapy, in the preparation of a medicament for
CC inhibiting Asp 1-modulated APP cleavage and for the treatment or
CC prophylaxis of beta-amyloid protein-related disease, including
CC Alzheimer's disease. The present sequence represents an APP beta-
CC secretase cleavage site spanning peptide which can be used as a substrate
CC in the method of the invention

XX

SQ Sequence 11 AA;

Query Match 100.0%; Score 8; DB 4; Length 11;

Best Local Similarity 100.0%; Pred. No. 0.0028;

Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMDAEF 8
| | | | | | | |
Db 3 EVKMDAEF 10

Search completed: March 26, 2004, 15:32:47

Job time : 70.5 secs

•

GenCore version 5.1.6
Copyright (c) 1993 - 2004 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 26, 2004, 15:30:37 ; Search time 16.5 Seconds
(without alignments)
25.031 Million cell updates/sec

Title: US-09-668-314C-70
Perfect score: 8
Sequence: 1 EVKMDAEF 8

Scoring table: OLIGO
Gapop 60.0 , Gapext 60.0

Searched: 389414 seqs, 51625971 residues

Word size : 0

Total number of hits satisfying chosen parameters: 389414

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Listing first 1000 summaries

Database : Issued_Patents_AA:*
1: /cgn2_6/ptodata/2/iaa/5A_COMB.pep:*
2: /cgn2_6/ptodata/2/iaa/5B_COMB.pep:*
3: /cgn2_6/ptodata/2/iaa/6A_COMB.pep:*
4: /cgn2_6/ptodata/2/iaa/6B_COMB.pep:*
5: /cgn2_6/ptodata/2/iaa/PCTUS_COMB.pep:*
6: /cgn2_6/ptodata/2/iaa/backfiles1.pep:*

Pred. No. is the number of results predicted by chance to have a
score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	DB	ID	Description
1	8	100.0	8	4	US-09-548-372D-67	Sequence 67, Appl
2	8	100.0	8	4	US-09-548-367D-67	Sequence 67, Appl
3	8	100.0	8	4	US-09-551-853D-67	Sequence 67, Appl
4	8	100.0	9	3	US-08-802-981-221	Sequence 221, App
5	8	100.0	9	4	US-09-294-987-6	Sequence 6, Appli
6	8	100.0	9	4	US-09-724-566A-82	Sequence 82, Appl
7	8	100.0	10	2	US-08-025-321C-1	Sequence 1, Appli
8	8	100.0	10	4	US-09-548-372D-64	Sequence 64, Appl
9	8	100.0	10	4	US-09-548-367D-64	Sequence 64, Appl
10	8	100.0	10	4	US-09-551-853D-64	Sequence 64, Appl
11	8	100.0	10	4	US-09-604-608-4	Sequence 4, Appli

12	8	100.0	11	5	PCT-US94-07043A-7	Sequence 7, Appli
13	8	100.0	12	5	PCT-US94-07043A-2	Sequence 2, Appli
14	8	100.0	15	4	US-09-548-372D-71	Sequence 71, Appl
15	8	100.0	15	4	US-09-548-367D-71	Sequence 71, Appl
16	8	100.0	15	4	US-09-551-853D-71	Sequence 71, Appl
17	8	100.0	16	5	PCT-US94-07043A-1	Sequence 1, Appli
18	8	100.0	21	3	US-08-802-981-114	Sequence 114, App
19	8	100.0	27	1	US-08-141-324-11	Sequence 11, Appl
20	8	100.0	27	1	US-08-541-902-11	Sequence 11, Appl
21	8	100.0	45	1	US-08-462-859A-5	Sequence 5, Appli
22	8	100.0	45	1	US-08-123-659A-5	Sequence 5, Appli
23	8	100.0	45	1	US-08-464-247A-5	Sequence 5, Appli
24	8	100.0	45	1	US-08-464-248A-5	Sequence 5, Appli
25	8	100.0	58	1	US-08-371-930-25	Sequence 25, Appl
26	8	100.0	58	5	PCT-US94-01712-25	Sequence 25, Appl
27	8	100.0	59	1	US-08-484-969-3	Sequence 3, Appli
28	8	100.0	59	1	US-08-472-627-3	Sequence 3, Appli
29	8	100.0	59	1	US-08-388-463-3	Sequence 3, Appli
30	8	100.0	63	1	US-08-462-859A-3	Sequence 3, Appli
31	8	100.0	63	1	US-08-462-859A-4	Sequence 4, Appli
32	8	100.0	63	1	US-08-123-659A-3	Sequence 3, Appli
33	8	100.0	63	1	US-08-123-659A-4	Sequence 4, Appli
34	8	100.0	63	1	US-08-464-247A-3	Sequence 3, Appli
35	8	100.0	63	1	US-08-464-247A-4	Sequence 4, Appli
36	8	100.0	63	1	US-08-464-248A-3	Sequence 3, Appli
37	8	100.0	63	1	US-08-464-248A-4	Sequence 4, Appli
38	8	100.0	67	4	US-09-027-258-1	Sequence 1, Appli
39	8	100.0	103	2	US-08-404-831-2	Sequence 2, Appli
40	8	100.0	103	2	US-08-612-785B-2	Sequence 2, Appli
41	8	100.0	103	2	US-08-475-579A-2	Sequence 2, Appli
42	8	100.0	103	2	US-08-920-162A-2	Sequence 2, Appli
43	8	100.0	103	3	US-08-339-708A-10	Sequence 10, Appl
44	8	100.0	103	3	US-09-356-931-2	Sequence 2, Appli
45	8	100.0	103	4	US-08-703-675C-2	Sequence 2, Appli
46	8	100.0	103	4	US-08-617-267C-2	Sequence 2, Appli
47	8	100.0	103	4	US-09-519-019A-2	Sequence 2, Appli
48	8	100.0	105	2	US-08-729-345-1	Sequence 1, Appli
49	8	100.0	117	2	US-08-729-345-3	Sequence 3, Appli
50	8	100.0	152	6	5187153-4	Patent No. 5187153
51	8	100.0	162	6	5220013-4	Patent No. 5220013
52	8	100.0	162	6	5223482-4	Patent No. 5223482
53	8	100.0	264	1	US-07-990-893-5	Sequence 5, Appli
54	8	100.0	487	1	US-08-462-859A-9	Sequence 9, Appli
55	8	100.0	487	1	US-08-123-659A-9	Sequence 9, Appli
56	8	100.0	487	1	US-08-464-247A-9	Sequence 9, Appli
57	8	100.0	487	1	US-08-464-248A-9	Sequence 9, Appli
58	8	100.0	492	1	US-08-462-859A-7	Sequence 7, Appli
59	8	100.0	492	1	US-08-123-659A-7	Sequence 7, Appli
60	8	100.0	492	1	US-08-464-247A-7	Sequence 7, Appli
61	8	100.0	492	1	US-08-464-248A-7	Sequence 7, Appli
62	8	100.0	537	1	US-08-453-552-4	Sequence 4, Appli
63	8	100.0	537	2	US-08-710-637-4	Sequence 4, Appli
64	8	100.0	537	5	PCT-US93-00907-4	Sequence 4, Appli
65	8	100.0	656	1	US-08-371-930-23	Sequence 23, Appl
66	8	100.0	656	5	PCT-US94-01712-23	Sequence 23, Appl
67	8	100.0	676	1	US-08-371-930-24	Sequence 24, Appl
68	8	100.0	676	5	PCT-US94-01712-24	Sequence 24, Appl

69	8	100.0	694	1	US-08-339-152A-18	Sequence 18, Appl
70	8	100.0	694	2	US-08-007-999B-5	Sequence 5, Appli
71	8	100.0	694	2	US-08-689-276A-5	Sequence 5, Appli
72	8	100.0	695	1	US-08-371-930-27	Sequence 27, Appl
73	8	100.0	695	1	US-08-123-702-2	Sequence 2, Appli
74	8	100.0	695	1	US-08-339-152A-30	Sequence 30, Appl
75	8	100.0	695	2	US-08-104-165-1	Sequence 1, Appli
76	8	100.0	695	3	US-08-464-250-1	Sequence 1, Appli
77	8	100.0	695	4	US-08-464-250-1	Sequence 1, Appli
78	8	100.0	695	4	US-09-458-481B-4	Sequence 4, Appli
79	8	100.0	695	4	US-09-458-481B-5	Sequence 5, Appli
80	8	100.0	695	4	US-09-458-481B-6	Sequence 6, Appli
81	8	100.0	695	4	US-09-458-481B-7	Sequence 7, Appli
82	8	100.0	695	4	US-09-458-481B-8	Sequence 8, Appli
83	8	100.0	695	4	US-09-548-372D-10	Sequence 10, Appl
84	8	100.0	695	4	US-09-548-372D-14	Sequence 14, Appl
85	8	100.0	695	4	US-09-548-367D-10	Sequence 10, Appl
86	8	100.0	695	4	US-09-548-367D-14	Sequence 14, Appl
87	8	100.0	695	4	US-09-551-853D-10	Sequence 10, Appl
88	8	100.0	695	4	US-09-551-853D-14	Sequence 14, Appl
89	8	100.0	695	4	US-09-415-099-6	Sequence 6, Appli
90	8	100.0	695	5	PCT-US94-01712-27	Sequence 27, Appl
91	8	100.0	695	6	5218100-2	Patent No. 5218100
92	8	100.0	697	4	US-09-548-372D-16	Sequence 16, Appl
93	8	100.0	697	4	US-09-548-372D-20	Sequence 20, Appl
94	8	100.0	697	4	US-09-548-367D-16	Sequence 16, Appl
95	8	100.0	697	4	US-09-548-367D-20	Sequence 20, Appl
96	8	100.0	697	4	US-09-551-853D-16	Sequence 16, Appl
97	8	100.0	697	4	US-09-551-853D-20	Sequence 20, Appl
98	8	100.0	751	1	US-08-123-702-4	Sequence 4, Appli
99	8	100.0	751	2	US-08-104-165-2	Sequence 2, Appli
100	8	100.0	751	2	US-08-422-333-2	Sequence 2, Appli
101	8	100.0	751	2	US-08-422-333-21	Sequence 21, Appl
102	8	100.0	751	3	US-08-464-250-2	Sequence 2, Appli
103	8	100.0	751	4	US-08-464-250-2	Sequence 2, Appli
104	8	100.0	751	4	US-08-832-867-5	Sequence 5, Appli
105	8	100.0	751	4	US-09-548-372D-57	Sequence 57, Appl
106	8	100.0	751	4	US-09-548-367D-57	Sequence 57, Appl
107	8	100.0	751	4	US-09-551-853D-57	Sequence 57, Appl
108	8	100.0	751	6	5187153-2	Patent No. 5187153
109	8	100.0	751	6	5220013-2	Patent No. 5220013
110	8	100.0	751	6	5223482-2	Patent No. 5223482
111	8	100.0	753	4	US-09-548-372D-61	Sequence 61, Appl
112	8	100.0	753	4	US-09-548-367D-61	Sequence 61, Appl
113	8	100.0	753	4	US-09-551-853D-61	Sequence 61, Appl
114	8	100.0	770	1	US-08-133-248-8	Sequence 8, Appli
115	8	100.0	770	1	US-08-231-940-1	Sequence 1, Appli
116	8	100.0	770	2	US-08-641-774-1	Sequence 1, Appli
117	8	100.0	770	2	US-08-104-165-3	Sequence 3, Appli
118	8	100.0	770	3	US-08-464-250-3	Sequence 3, Appli
119	8	100.0	770	4	US-08-464-250-3	Sequence 3, Appli
120	8	100.0	770	4	US-09-548-372D-55	Sequence 55, Appl
121	8	100.0	770	4	US-09-548-367D-55	Sequence 55, Appl
122	8	100.0	770	4	US-09-551-853D-55	Sequence 55, Appl
123	8	100.0	770	4	US-08-665-649-3	Sequence 3, Appli
124	8	100.0	772	4	US-09-548-372D-59	Sequence 59, Appl
125	8	100.0	772	4	US-09-548-367D-59	Sequence 59, Appl

126	8	100.0	772	4	US-09-551-853D-59	Sequence 59, Appl
127	8	100.0	1024	4	US-09-522-666-2	Sequence 2, Appli
128	7	87.5	7	2	US-08-792-553-10	Sequence 10, Appl
129	7	87.5	7	4	US-09-129-192C-44	Sequence 44, Appl
130	7	87.5	18	2	US-08-149-975A-3	Sequence 3, Appli
131	7	87.5	48	4	US-09-560-883-1	Sequence 1, Appli
132	7	87.5	53	3	US-09-173-887-5	Sequence 5, Appli
133	7	87.5	53	4	US-09-797-543-5	Sequence 5, Appli
134	5	62.5	5	1	US-08-480-498-1	Sequence 1, Appli
135	5	62.5	5	2	US-08-422-333-7	Sequence 7, Appli
136	5	62.5	5	2	US-08-659-984A-13	Sequence 13, Appl
137	5	62.5	5	3	US-08-660-531-13	Sequence 13, Appl
138	5	62.5	5	4	US-09-054-334-1	Sequence 1, Appli
139	5	62.5	5	4	US-09-724-566A-54	Sequence 54, Appl
140	5	62.5	5	6	5187153-6	Patent No. 5187153
141	5	62.5	5	6	5220013-6	Patent No. 5220013
142	5	62.5	5	6	5223482-6	Patent No. 5223482
143	5	62.5	8	1	US-07-965-971-4	Sequence 4, Appli
144	5	62.5	8	1	US-08-143-697-4	Sequence 4, Appli
145	5	62.5	8	1	US-08-440-261-4	Sequence 4, Appli
146	5	62.5	8	1	US-08-440-423-4	Sequence 4, Appli
147	5	62.5	8	3	US-08-846-444-4	Sequence 4, Appli
148	5	62.5	8	5	PCT-US94-07043A-4	Sequence 4, Appli
149	5	62.5	9	3	US-08-802-981-222	Sequence 222, App
150	5	62.5	21	3	US-08-802-981-115	Sequence 115, App
151	5	62.5	53	4	US-09-294-987-1	Sequence 1, Appli
152	5	62.5	100	6	5187153-10	Patent No. 5187153
153	5	62.5	100	6	5220013-10	Patent No. 5220013
154	5	62.5	100	6	5223482-10	Patent No. 5223482
155	5	62.5	133	1	US-08-268-348A-8	Sequence 8, Appli
156	5	62.5	133	1	US-08-268-348A-10	Sequence 10, Appl
157	5	62.5	143	3	US-08-946-329A-52	Sequence 52, Appl
158	5	62.5	162	4	US-09-006-428A-4	Sequence 4, Appli
159	5	62.5	218	1	US-08-417-822A-2	Sequence 2, Appli
160	5	62.5	249	1	US-07-940-605A-10	Sequence 10, Appl
161	5	62.5	249	2	US-08-690-096-10	Sequence 10, Appl
162	5	62.5	269	4	US-09-531-056A-14	Sequence 14, Appl
163	5	62.5	280	2	US-08-403-853-10	Sequence 10, Appl
164	5	62.5	328	4	US-09-531-056A-13	Sequence 13, Appl
165	5	62.5	331	4	US-09-531-056A-12	Sequence 12, Appl
166	5	62.5	377	4	US-09-198-452A-1000	Sequence 1000, Ap
167	5	62.5	408	4	US-09-328-352-6014	Sequence 6014, Ap
168	5	62.5	409	4	US-09-198-452A-554	Sequence 554, App
169	5	62.5	429	4	US-09-252-991A-31213	Sequence 31213, A
170	5	62.5	439	4	US-09-807-258-12	Sequence 12, Appl
171	5	62.5	457	1	US-08-416-478A-8	Sequence 8, Appli
172	5	62.5	457	2	US-08-474-988B-8	Sequence 8, Appli
173	5	62.5	457	2	US-08-394-442B-8	Sequence 8, Appli
174	5	62.5	467	4	US-09-002-361-3	Sequence 3, Appli
175	5	62.5	488	1	US-08-554-659-2	Sequence 2, Appli
176	5	62.5	488	1	US-08-554-659-4	Sequence 4, Appli
177	5	62.5	488	4	US-09-807-258-14	Sequence 14, Appl
178	5	62.5	489	4	US-09-807-258-10	Sequence 10, Appl
179	5	62.5	489	4	US-09-807-258-29	Sequence 29, Appl
180	5	62.5	496	4	US-09-002-361-2	Sequence 2, Appli
181	5	62.5	631	4	US-09-107-532A-3902	Sequence 3902, Ap
182	5	62.5	672	4	US-09-540-236-2659	Sequence 2659, Ap

183	5	62.5	800	4	US-09-107-532A-4095	Sequence 4095, Ap
184	5	62.5	882	4	US-09-328-352-5232	Sequence 5232, Ap
185	5	62.5	907	3	US-08-938-830-26	Sequence 26, Appl
186	5	62.5	907	3	US-09-020-222-26	Sequence 26, Appl
187	5	62.5	915	4	US-09-252-991A-22344	Sequence 22344, A
188	5	62.5	1221	4	US-09-107-532A-3959	Sequence 3959, Ap
189	5	62.5	1381	4	US-09-808-701A-25	Sequence 25, Appl
190	4	50.0	4	2	US-08-025-321C-12	Sequence 12, Appl
191	4	50.0	4	3	US-09-173-887-1	Sequence 1, Appli
192	4	50.0	4	4	US-09-294-987-2	Sequence 2, Appli
193	4	50.0	4	4	US-09-054-334-5	Sequence 5, Appli
194	4	50.0	4	4	US-09-513-783A-92	Sequence 92, Appl
195	4	50.0	4	4	US-09-797-543-1	Sequence 1, Appli
196	4	50.0	4	4	US-09-724-566A-103	Sequence 103, App
197	4	50.0	6	1	US-07-965-971-3	Sequence 3, Appli
198	4	50.0	6	1	US-08-143-697-3	Sequence 3, Appli
199	4	50.0	6	1	US-08-440-261-3	Sequence 3, Appli
200	4	50.0	6	1	US-08-440-423-3	Sequence 3, Appli
201	4	50.0	6	2	US-08-025-321C-2	Sequence 2, Appli
202	4	50.0	6	3	US-08-846-444-3	Sequence 3, Appli
203	4	50.0	7	1	US-07-965-971-5	Sequence 5, Appli
204	4	50.0	7	1	US-07-965-971-6	Sequence 6, Appli
205	4	50.0	7	1	US-08-136-743B-33	Sequence 33, Appl
206	4	50.0	7	1	US-08-136-743B-35	Sequence 35, Appl
207	4	50.0	7	1	US-08-136-743B-56	Sequence 56, Appl
208	4	50.0	7	1	US-08-143-697-5	Sequence 5, Appli
209	4	50.0	7	1	US-08-143-697-6	Sequence 6, Appli
210	4	50.0	7	1	US-08-440-261-5	Sequence 5, Appli
211	4	50.0	7	1	US-08-440-261-6	Sequence 6, Appli
212	4	50.0	7	1	US-08-440-423-5	Sequence 5, Appli
213	4	50.0	7	1	US-08-440-423-6	Sequence 6, Appli
214	4	50.0	7	3	US-08-846-444-5	Sequence 5, Appli
215	4	50.0	7	3	US-08-846-444-6	Sequence 6, Appli
216	4	50.0	7	3	US-08-846-444-8	Sequence 8, Appli
217	4	50.0	7	3	US-09-040-216-29	Sequence 29, Appl
218	4	50.0	7	4	US-09-579-012-25	Sequence 25, Appl
219	4	50.0	9	3	US-08-802-981-219	Sequence 219, App
220	4	50.0	9	3	US-08-802-981-220	Sequence 220, App
221	4	50.0	9	4	US-09-724-566A-52	Sequence 52, Appl
222	4	50.0	9	4	US-09-724-566A-83	Sequence 83, Appl
223	4	50.0	9	4	US-09-724-566A-84	Sequence 84, Appl
224	4	50.0	9	4	US-09-724-566A-85	Sequence 85, Appl
225	4	50.0	9	4	US-09-724-566A-86	Sequence 86, Appl
226	4	50.0	9	4	US-09-724-566A-87	Sequence 87, Appl
227	4	50.0	9	4	US-09-724-566A-90	Sequence 90, Appl
228	4	50.0	10	1	US-07-766-351-1	Sequence 1, Appli
229	4	50.0	10	1	US-08-059-032-1	Sequence 1, Appli
230	4	50.0	10	1	US-07-965-971-9	Sequence 9, Appli
231	4	50.0	10	1	US-08-371-930-12	Sequence 12, Appl
232	4	50.0	10	1	US-08-143-697-9	Sequence 9, Appli
233	4	50.0	10	1	US-08-440-261-9	Sequence 9, Appli
234	4	50.0	10	1	US-08-440-423-9	Sequence 9, Appli
235	4	50.0	10	2	US-08-659-984A-19	Sequence 19, Appl
236	4	50.0	10	3	US-08-660-531-19	Sequence 19, Appl
237	4	50.0	10	4	US-09-548-372D-63	Sequence 63, Appl
238	4	50.0	10	4	US-09-548-367D-63	Sequence 63, Appl
239	4	50.0	10	4	US-09-551-853D-63	Sequence 63, Appl

240	4	50.0	10	4	US-09-604-608-5	Sequence 5, Appli
241	4	50.0	10	5	PCT-US91-07290-1	Sequence 1, Appli
242	4	50.0	10	5	PCT-US94-01712-12	Sequence 12, Appl
243	4	50.0	11	4	US-09-264-709A-6	Sequence 6, Appli
244	4	50.0	11	5	PCT-US94-07043A-3	Sequence 3, Appli
245	4	50.0	13	2	US-08-484-438-32	Sequence 32, Appl
246	4	50.0	13	2	US-08-760-075A-3	Sequence 3, Appli
247	4	50.0	13	3	US-09-338-546-3	Sequence 3, Appli
248	4	50.0	13	4	US-09-659-084-3	Sequence 3, Appli
249	4	50.0	14	1	US-08-455-645D-25	Sequence 25, Appl
250	4	50.0	14	2	US-08-891-056A-25	Sequence 25, Appl
251	4	50.0	14	5	PCT-US96-07925-25	Sequence 25, Appl
252	4	50.0	15	2	US-08-609-090-1	Sequence 1, Appli
253	4	50.0	16	1	US-08-302-808-10	Sequence 10, Appl
254	4	50.0	16	2	US-08-659-984A-20	Sequence 20, Appl
255	4	50.0	16	2	US-08-986-948-10	Sequence 10, Appl
256	4	50.0	16	3	US-08-660-531-20	Sequence 20, Appl
257	4	50.0	16	3	US-09-333-768-3	Sequence 3, Appli
258	4	50.0	17	1	US-07-965-971-2	Sequence 2, Appli
259	4	50.0	17	1	US-08-143-697-2	Sequence 2, Appli
260	4	50.0	17	1	US-08-440-261-2	Sequence 2, Appli
261	4	50.0	17	1	US-08-455-645D-28	Sequence 28, Appl
262	4	50.0	17	1	US-08-440-423-2	Sequence 2, Appli
263	4	50.0	17	2	US-08-891-056A-28	Sequence 28, Appl
264	4	50.0	17	3	US-08-846-444-2	Sequence 2, Appli
265	4	50.0	17	4	US-09-594-366-2	Sequence 2, Appli
266	4	50.0	17	5	PCT-US96-07925-28	Sequence 28, Appl
267	4	50.0	21	1	US-07-837-780-17	Sequence 17, Appl
268	4	50.0	21	2	US-08-659-984A-18	Sequence 18, Appl
269	4	50.0	21	3	US-08-802-981-112	Sequence 112, App
270	4	50.0	21	3	US-08-802-981-113	Sequence 113, App
271	4	50.0	21	3	US-08-561-096-10	Sequence 10, Appl
272	4	50.0	21	3	US-08-660-531-18	Sequence 18, Appl
273	4	50.0	22	1	US-08-455-645D-27	Sequence 27, Appl
274	4	50.0	22	2	US-08-891-056A-27	Sequence 27, Appl
275	4	50.0	22	4	US-09-585-887-5	Sequence 5, Appli
276	4	50.0	22	4	US-09-289-578-5	Sequence 5, Appli
277	4	50.0	22	5	PCT-US96-07925-27	Sequence 27, Appl
278	4	50.0	25	1	US-07-941-651-6	Sequence 6, Appli
279	4	50.0	25	1	US-08-279-996-6	Sequence 6, Appli
280	4	50.0	25	3	US-08-846-444-7	Sequence 7, Appli
281	4	50.0	25	6	5248606-44	Patent No. 5248606
282	4	50.0	27	1	US-08-141-324-12	Sequence 12, Appl
283	4	50.0	27	1	US-08-541-902-12	Sequence 12, Appl
284	4	50.0	27	4	US-08-723-661B-4	Sequence 4, Appli
285	4	50.0	27	4	US-08-936-165A-335	Sequence 335, App
286	4	50.0	28	1	US-08-346-849-4	Sequence 4, Appli
287	4	50.0	28	1	US-08-302-808-7	Sequence 7, Appli
288	4	50.0	28	2	US-08-609-090-2	Sequence 2, Appli
289	4	50.0	28	2	US-08-986-948-7	Sequence 7, Appli
290	4	50.0	28	2	US-08-293-284A-4	Sequence 4, Appli
291	4	50.0	28	2	US-08-461-216-2	Sequence 2, Appli
292	4	50.0	28	2	US-08-461-216-4	Sequence 4, Appli
293	4	50.0	28	3	US-09-388-890-2	Sequence 2, Appli
294	4	50.0	28	3	US-09-388-890-5	Sequence 5, Appli
295	4	50.0	28	3	US-09-388-890-6	Sequence 6, Appli
296	4	50.0	28	3	US-09-388-890-7	Sequence 7, Appli

297	4	50.0	28	3	US-09-388-890-8	Sequence 8, Appli
298	4	50.0	28	3	US-09-388-890-9	Sequence 9, Appli
299	4	50.0	28	3	US-09-388-890-10	Sequence 10, Appl
300	4	50.0	28	3	US-09-388-890-11	Sequence 11, Appl
301	4	50.0	28	3	US-09-388-890-12	Sequence 12, Appl
302	4	50.0	28	3	US-09-388-890-13	Sequence 13, Appl
303	4	50.0	28	3	US-09-388-890-14	Sequence 14, Appl
304	4	50.0	28	4	US-09-264-709A-1	Sequence 1, Appli
305	4	50.0	28	4	US-08-723-661B-2	Sequence 2, Appli
306	4	50.0	28	4	US-09-660-954-2	Sequence 2, Appli
307	4	50.0	28	4	US-09-660-954-5	Sequence 5, Appli
308	4	50.0	28	4	US-09-660-954-6	Sequence 6, Appli
309	4	50.0	28	4	US-09-660-954-7	Sequence 7, Appli
310	4	50.0	28	4	US-09-660-954-8	Sequence 8, Appli
311	4	50.0	28	4	US-09-660-954-9	Sequence 9, Appli
312	4	50.0	28	4	US-09-660-954-10	Sequence 10, Appl
313	4	50.0	28	4	US-09-660-954-11	Sequence 11, Appl
314	4	50.0	28	4	US-09-660-954-12	Sequence 12, Appl
315	4	50.0	28	4	US-09-660-954-13	Sequence 13, Appl
316	4	50.0	28	4	US-09-660-954-14	Sequence 14, Appl
317	4	50.0	28	4	US-08-898-300-4	Sequence 4, Appli
318	4	50.0	30	2	US-08-609-090-3	Sequence 3, Appli
319	4	50.0	30	2	US-08-659-984A-17	Sequence 17, Appl
320	4	50.0	30	3	US-08-660-531-17	Sequence 17, Appl
321	4	50.0	30	4	US-09-724-566A-53	Sequence 53, Appl
322	4	50.0	33	2	US-08-609-090-4	Sequence 4, Appli
323	4	50.0	33	2	US-08-659-984A-16	Sequence 16, Appl
324	4	50.0	33	3	US-08-660-531-16	Sequence 16, Appl
325	4	50.0	33	4	US-09-724-566A-63	Sequence 63, Appl
326	4	50.0	35	1	US-08-304-585-6	Sequence 6, Appli
327	4	50.0	35	2	US-08-612-785B-15	Sequence 15, Appl
328	4	50.0	35	2	US-08-612-785B-38	Sequence 38, Appl
329	4	50.0	35	2	US-08-612-785B-39	Sequence 39, Appl
330	4	50.0	35	2	US-08-612-785B-40	Sequence 40, Appl
331	4	50.0	35	4	US-08-617-267C-15	Sequence 15, Appl
332	4	50.0	36	2	US-08-609-090-6	Sequence 6, Appli
333	4	50.0	38	1	US-08-302-808-1	Sequence 1, Appli
334	4	50.0	38	2	US-07-737-371E-68	Sequence 68, Appl
335	4	50.0	38	2	US-08-986-948-1	Sequence 1, Appli
336	4	50.0	38	6	5262332-1	Patent No. 5262332
337	4	50.0	39	1	US-08-038-343A-1	Sequence 1, Appli
338	4	50.0	39	1	US-08-302-808-2	Sequence 2, Appli
339	4	50.0	39	2	US-08-609-090-7	Sequence 7, Appli
340	4	50.0	39	2	US-08-682-245A-1	Sequence 1, Appli
341	4	50.0	39	2	US-08-986-948-2	Sequence 2, Appli
342	4	50.0	40	1	US-07-744-767A-1	Sequence 1, Appli
343	4	50.0	40	1	US-08-235-400-2	Sequence 2, Appli
344	4	50.0	40	1	US-08-476-464A-2	Sequence 2, Appli
345	4	50.0	40	1	US-08-304-585-1	Sequence 1, Appli
346	4	50.0	40	1	US-08-304-585-8	Sequence 8, Appli
347	4	50.0	40	1	US-08-302-808-3	Sequence 3, Appli
348	4	50.0	40	2	US-08-433-734-1	Sequence 1, Appli
349	4	50.0	40	2	US-08-609-090-8	Sequence 8, Appli
350	4	50.0	40	2	US-07-737-371E-69	Sequence 69, Appl
351	4	50.0	40	2	US-08-682-245A-2	Sequence 2, Appli
352	4	50.0	40	2	US-08-986-948-3	Sequence 3, Appli
353	4	50.0	40	2	US-08-461-216-1	Sequence 1, Appli

354	4	50.0	40	3	US-08-959-148-1	Sequence 1, Appli
355	4	50.0	40	4	US-09-242-724-22	Sequence 22, Appl
356	4	50.0	40	4	US-08-723-661B-1	Sequence 1, Appli
357	4	50.0	40	4	US-09-062-365-3	Sequence 3, Appli
358	4	50.0	40	4	US-09-481-980A-5	Sequence 5, Appli
359	4	50.0	40	4	US-09-133-866-1	Sequence 1, Appli
360	4	50.0	40	5	PCT-US92-06700-1	Sequence 1, Appli
361	4	50.0	41	1	US-07-819-361-1	Sequence 1, Appli
362	4	50.0	41	1	US-08-232-018-5	Sequence 5, Appli
363	4	50.0	41	1	US-08-302-808-4	Sequence 4, Appli
364	4	50.0	41	1	US-08-504-047-5	Sequence 5, Appli
365	4	50.0	41	2	US-08-682-245A-3	Sequence 3, Appli
366	4	50.0	41	2	US-08-986-948-4	Sequence 4, Appli
367	4	50.0	41	2	US-09-087-855-5	Sequence 5, Appli
368	4	50.0	41	4	US-08-469-260A-336	Sequence 336, App
369	4	50.0	41	4	US-08-488-446-336	Sequence 336, App
370	4	50.0	41	4	US-08-467-344A-336	Sequence 336, App
371	4	50.0	42	1	US-07-744-767A-2	Sequence 2, Appli
372	4	50.0	42	1	US-08-179-574-1	Sequence 1, Appli
373	4	50.0	42	1	US-08-271-162-5	Sequence 5, Appli
374	4	50.0	42	1	US-08-347-144-1	Sequence 1, Appli
375	4	50.0	42	1	US-08-462-859A-19	Sequence 19, Appl
376	4	50.0	42	1	US-08-123-659A-19	Sequence 19, Appl
377	4	50.0	42	1	US-08-464-247A-19	Sequence 19, Appl
378	4	50.0	42	1	US-08-464-248A-19	Sequence 19, Appl
379	4	50.0	42	1	US-08-476-464A-1	Sequence 1, Appli
380	4	50.0	42	1	US-08-304-585-2	Sequence 2, Appli
381	4	50.0	42	1	US-08-302-808-5	Sequence 5, Appli
382	4	50.0	42	1	US-08-268-348A-1	Sequence 1, Appli
383	4	50.0	42	1	US-08-268-348A-2	Sequence 2, Appli
384	4	50.0	42	1	US-08-268-348A-3	Sequence 3, Appli
385	4	50.0	42	1	US-08-268-348A-4	Sequence 4, Appli
386	4	50.0	42	1	US-08-268-348A-5	Sequence 5, Appli
387	4	50.0	42	1	US-08-268-348A-6	Sequence 6, Appli
388	4	50.0	42	2	US-08-433-734-2	Sequence 2, Appli
389	4	50.0	42	2	US-08-609-090-9	Sequence 9, Appli
390	4	50.0	42	2	US-07-737-371E-72	Sequence 72, Appl
391	4	50.0	42	2	US-08-422-333-4	Sequence 4, Appli
392	4	50.0	42	2	US-08-682-245A-4	Sequence 4, Appli
393	4	50.0	42	2	US-08-659-984A-15	Sequence 15, Appl
394	4	50.0	42	2	US-08-986-948-5	Sequence 5, Appli
395	4	50.0	42	3	US-08-717-551A-2	Sequence 2, Appli
396	4	50.0	42	3	US-09-388-890-1	Sequence 1, Appli
397	4	50.0	42	3	US-09-005-215-20	Sequence 20, Appl
398	4	50.0	42	3	US-08-660-531-15	Sequence 15, Appl
399	4	50.0	42	4	US-09-242-724-23	Sequence 23, Appl
400	4	50.0	42	4	US-08-922-930-2	Sequence 2, Appli
401	4	50.0	42	4	US-09-660-954-1	Sequence 1, Appli
402	4	50.0	42	4	US-08-923-055-2	Sequence 2, Appli
403	4	50.0	42	4	US-08-922-889-2	Sequence 2, Appli
404	4	50.0	42	4	US-09-731-460-1	Sequence 1, Appli
405	4	50.0	42	4	US-09-133-866-2	Sequence 2, Appli
406	4	50.0	42	5	PCT-US92-06700-2	Sequence 2, Appli
407	4	50.0	42	5	PCT-US93-00325-1	Sequence 1, Appli
408	4	50.0	42	5	PCT-US95-08302-5	Sequence 5, Appli
409	4	50.0	43	1	US-07-745-206A-30	Sequence 30, Appl
410	4	50.0	43	1	US-08-235-400-1	Sequence 1, Appli

411	4	50.0	43	1	US-08-437-067-1	Sequence 1, Appli
412	4	50.0	43	1	US-08-302-808-6	Sequence 6, Appli
413	4	50.0	43	1	US-08-079-511-1	Sequence 1, Appli
414	4	50.0	43	1	US-08-467-607-1	Sequence 1, Appli
415	4	50.0	43	1	US-08-455-543A-57	Sequence 57, Appl
416	4	50.0	43	2	US-08-404-831-1	Sequence 1, Appli
417	4	50.0	43	2	US-08-404-831-3	Sequence 3, Appli
418	4	50.0	43	2	US-08-602-264A-3	Sequence 3, Appli
419	4	50.0	43	2	US-08-469-362-1	Sequence 1, Appli
420	4	50.0	43	2	US-08-223-305C-57	Sequence 57, Appl
421	4	50.0	43	2	US-08-612-785B-1	Sequence 1, Appli
422	4	50.0	43	2	US-08-612-785B-3	Sequence 3, Appli
423	4	50.0	43	2	US-08-475-579A-1	Sequence 1, Appli
424	4	50.0	43	2	US-08-475-579A-3	Sequence 3, Appli
425	4	50.0	43	2	US-08-850-392-1	Sequence 1, Appli
426	4	50.0	43	2	US-07-737-371E-70	Sequence 70, Appl
427	4	50.0	43	2	US-08-311-363-30	Sequence 30, Appl
428	4	50.0	43	2	US-08-986-948-6	Sequence 6, Appli
429	4	50.0	43	2	US-08-975-977-1	Sequence 1, Appli
430	4	50.0	43	2	US-08-817-423-1	Sequence 1, Appli
431	4	50.0	43	2	US-08-920-162A-1	Sequence 1, Appli
432	4	50.0	43	3	US-08-461-018A-3	Sequence 3, Appli
433	4	50.0	43	3	US-08-976-191-1	Sequence 1, Appli
434	4	50.0	43	3	US-08-339-141A-1	Sequence 1, Appli
435	4	50.0	43	3	US-08-976-179-1	Sequence 1, Appli
436	4	50.0	43	3	US-09-216-958-3	Sequence 3, Appli
437	4	50.0	43	3	US-09-356-931-1	Sequence 1, Appli
438	4	50.0	43	3	US-08-733-202-1	Sequence 1, Appli
439	4	50.0	43	4	US-08-703-675C-1	Sequence 1, Appli
440	4	50.0	43	4	US-09-390-692-1	Sequence 1, Appli
441	4	50.0	43	4	US-08-617-267C-1	Sequence 1, Appli
442	4	50.0	43	4	US-08-617-267C-3	Sequence 3, Appli
443	4	50.0	43	4	US-09-303-655-1	Sequence 1, Appli
444	4	50.0	43	4	US-08-294-819-1	Sequence 1, Appli
445	4	50.0	43	4	US-09-408-283-1	Sequence 1, Appli
446	4	50.0	43	4	US-09-280-966-1	Sequence 1, Appli
447	4	50.0	43	4	US-09-032-019-1	Sequence 1, Appli
448	4	50.0	43	4	US-09-481-980A-1	Sequence 1, Appli
449	4	50.0	43	4	US-09-594-366-1	Sequence 1, Appli
450	4	50.0	43	4	US-08-665-649-1	Sequence 1, Appli
451	4	50.0	43	4	US-09-519-019A-1	Sequence 1, Appli
452	4	50.0	43	4	US-09-915-342-1	Sequence 1, Appli
453	4	50.0	43	4	US-08-996-422-1	Sequence 1, Appli
454	4	50.0	43	4	US-09-984-834-1	Sequence 1, Appli
455	4	50.0	43	4	US-09-027-258-2	Sequence 2, Appli
456	4	50.0	43	5	PCT-US95-14659-1	Sequence 1, Appli
457	4	50.0	45	1	US-08-366-690-3	Sequence 3, Appli
458	4	50.0	47	2	US-08-609-090-10	Sequence 10, Appl
459	4	50.0	52	2	US-08-609-090-11	Sequence 11, Appl
460	4	50.0	63	4	US-09-134-001C-3543	Sequence 3543, Ap
461	4	50.0	66	4	US-09-621-976-4404	Sequence 4404, Ap
462	4	50.0	73	4	US-09-328-352-5387	Sequence 5387, Ap
463	4	50.0	77	4	US-09-621-976-7036	Sequence 7036, Ap
464	4	50.0	81	4	US-09-107-532A-6760	Sequence 6760, Ap
465	4	50.0	81	4	US-09-543-681A-7399	Sequence 7399, Ap
466	4	50.0	83	4	US-09-621-976-6614	Sequence 6614, Ap
467	4	50.0	85	4	US-09-280-030-65	Sequence 65, Appl

468	4	50.0	89	4	US-09-328-352-7376	Sequence 7376, Ap
469	4	50.0	94	4	US-09-489-039A-8934	Sequence 8934, Ap
470	4	50.0	97	4	US-09-252-991A-25885	Sequence 25885, A
471	4	50.0	97	4	US-09-252-991A-31857	Sequence 31857, A
472	4	50.0	99	2	US-08-422-333-3	Sequence 3, Appli
473	4	50.0	99	3	US-08-339-708A-4	Sequence 4, Appli
474	4	50.0	99	3	US-08-339-708A-6	Sequence 6, Appli
475	4	50.0	99	3	US-08-339-708A-8	Sequence 8, Appli
476	4	50.0	101	4	US-08-469-260A-60	Sequence 60, Appl
477	4	50.0	101	4	US-08-488-446-60	Sequence 60, Appl
478	4	50.0	101	4	US-08-467-344A-60	Sequence 60, Appl
479	4	50.0	102	4	US-09-540-236-3732	Sequence 3732, Ap
480	4	50.0	103	3	US-08-339-708A-12	Sequence 12, Appl
481	4	50.0	103	4	US-09-540-236-3560	Sequence 3560, Ap
482	4	50.0	104	4	US-09-732-210-144	Sequence 144, App
483	4	50.0	104	4	US-09-543-681A-6805	Sequence 6805, Ap
484	4	50.0	108	4	US-09-187-859-43	Sequence 43, Appl
485	4	50.0	108	4	US-09-839-542B-43	Sequence 43, Appl
486	4	50.0	108	4	US-09-535-852-43	Sequence 43, Appl
487	4	50.0	109	3	US-09-053-197A-16	Sequence 16, Appl
488	4	50.0	109	4	US-09-085-761A-16	Sequence 16, Appl
489	4	50.0	113	4	US-09-107-532A-3920	Sequence 3920, Ap
490	4	50.0	113	4	US-09-107-532A-6213	Sequence 6213, Ap
491	4	50.0	117	4	US-09-422-569-10	Sequence 10, Appl
492	4	50.0	120	4	US-09-621-976-4042	Sequence 4042, Ap
493	4	50.0	123	3	US-09-102-528-22	Sequence 22, Appl
494	4	50.0	123	4	US-08-858-207A-320	Sequence 320, App
495	4	50.0	124	4	US-09-621-976-6989	Sequence 6989, Ap
496	4	50.0	126	4	US-09-489-039A-7820	Sequence 7820, Ap
497	4	50.0	127	4	US-09-328-352-5964	Sequence 5964, Ap
498	4	50.0	128	4	US-09-134-001C-4753	Sequence 4753, Ap
499	4	50.0	128	4	US-09-252-991A-29019	Sequence 29019, A
500	4	50.0	129	4	US-09-543-681A-5768	Sequence 5768, Ap
501	4	50.0	130	4	US-09-328-352-5518	Sequence 5518, Ap
502	4	50.0	131	4	US-09-252-991A-27053	Sequence 27053, A
503	4	50.0	132	4	US-09-198-452A-249	Sequence 249, App
504	4	50.0	136	4	US-09-621-976-4376	Sequence 4376, Ap
505	4	50.0	137	4	US-09-134-001C-3869	Sequence 3869, Ap
506	4	50.0	139	4	US-09-328-352-7327	Sequence 7327, Ap
507	4	50.0	140	4	US-09-280-030-64	Sequence 64, Appl
508	4	50.0	140	4	US-09-540-236-3450	Sequence 3450, Ap
509	4	50.0	141	4	US-09-543-681A-4953	Sequence 4953, Ap
510	4	50.0	141	4	US-09-621-976-5170	Sequence 5170, Ap
511	4	50.0	144	4	US-09-252-991A-17740	Sequence 17740, A
512	4	50.0	147	4	US-09-107-532A-4808	Sequence 4808, Ap
513	4	50.0	149	4	US-09-540-236-2601	Sequence 2601, Ap
514	4	50.0	150	4	US-09-328-352-5546	Sequence 5546, Ap
515	4	50.0	151	4	US-09-489-039A-10308	Sequence 10308, A
516	4	50.0	154	4	US-09-134-001C-3658	Sequence 3658, Ap
517	4	50.0	154	4	US-09-252-991A-27272	Sequence 27272, A
518	4	50.0	158	4	US-09-328-352-4489	Sequence 4489, Ap
519	4	50.0	160	4	US-09-540-236-2514	Sequence 2514, Ap
520	4	50.0	161	3	US-09-045-631-14	Sequence 14, Appl
521	4	50.0	161	3	US-09-158-843A-14	Sequence 14, Appl
522	4	50.0	161	4	US-09-328-352-7968	Sequence 7968, Ap
523	4	50.0	162	4	US-09-134-000C-4598	Sequence 4598, Ap
524	4	50.0	165	2	US-08-844-154-4	Sequence 4, Appli

525	4	50.0	165	3	US-09-126-192A-4	Sequence 4, Appli
526	4	50.0	165	4	US-09-489-039A-9399	Sequence 9399, Ap
527	4	50.0	165	4	US-09-134-000C-3704	Sequence 3704, Ap
528	4	50.0	167	4	US-09-489-039A-9260	Sequence 9260, Ap
529	4	50.0	168	4	US-09-148-545-184	Sequence 184, App
530	4	50.0	174	4	US-09-134-000C-5931	Sequence 5931, Ap
531	4	50.0	175	3	US-09-045-631-10	Sequence 10, Appl
532	4	50.0	175	3	US-09-158-843A-10	Sequence 10, Appl
533	4	50.0	175	4	US-09-543-681A-8328	Sequence 8328, Ap
534	4	50.0	177	2	US-08-583-562B-6	Sequence 6, Appli
535	4	50.0	177	2	US-08-779-113-6	Sequence 6, Appli
536	4	50.0	177	4	US-09-370-838-202	Sequence 202, App
537	4	50.0	177	4	US-09-370-838-208	Sequence 208, App
538	4	50.0	179	4	US-09-134-000C-3443	Sequence 3443, Ap
539	4	50.0	181	4	US-09-134-001C-5665	Sequence 5665, Ap
540	4	50.0	183	4	US-09-134-000C-6107	Sequence 6107, Ap
541	4	50.0	187	4	US-09-543-681A-4322	Sequence 4322, Ap
542	4	50.0	188	4	US-09-543-681A-8022	Sequence 8022, Ap
543	4	50.0	193	1	US-08-260-202A-19	Sequence 19, Appl
544	4	50.0	193	1	US-08-017-114-19	Sequence 19, Appl
545	4	50.0	193	3	US-08-505-307-19	Sequence 19, Appl
546	4	50.0	193	4	US-09-082-920-4	Sequence 4, Appli
547	4	50.0	193	4	US-09-609-151A-19	Sequence 19, Appl
548	4	50.0	193	5	PCT-US94-02034-19	Sequence 19, Appl
549	4	50.0	197	3	US-08-996-408-2	Sequence 2, Appli
550	4	50.0	197	3	US-09-310-847-2	Sequence 2, Appli
551	4	50.0	197	3	US-09-310-845-2	Sequence 2, Appli
552	4	50.0	197	4	US-09-548-023-2	Sequence 2, Appli
553	4	50.0	198	4	US-09-489-039A-9988	Sequence 9988, Ap
554	4	50.0	199	2	US-08-211-312-6	Sequence 6, Appli
555	4	50.0	199	3	US-08-472-285-6	Sequence 6, Appli
556	4	50.0	199	3	US-08-472-929-6	Sequence 6, Appli
557	4	50.0	199	4	US-09-328-352-5156	Sequence 5156, Ap
558	4	50.0	203	4	US-09-328-352-7732	Sequence 7732, Ap
559	4	50.0	205	4	US-09-328-352-8081	Sequence 8081, Ap
560	4	50.0	206	4	US-09-543-681A-6555	Sequence 6555, Ap
561	4	50.0	209	4	US-09-125-619-33	Sequence 33, Appl
562	4	50.0	209	4	US-09-125-619-45	Sequence 45, Appl
563	4	50.0	212	4	US-09-581-001B-13	Sequence 13, Appl
564	4	50.0	212	4	US-09-328-352-7678	Sequence 7678, Ap
565	4	50.0	213	4	US-09-452-846E-5	Sequence 5, Appli
566	4	50.0	214	4	US-09-252-991A-18726	Sequence 18726, A
567	4	50.0	214	4	US-09-107-532A-6710	Sequence 6710, Ap
568	4	50.0	216	4	US-09-328-352-5029	Sequence 5029, Ap
569	4	50.0	217	1	US-08-232-018-2	Sequence 2, Appli
570	4	50.0	217	1	US-08-232-018-3	Sequence 3, Appli
571	4	50.0	217	1	US-08-504-047-2	Sequence 2, Appli
572	4	50.0	217	1	US-08-504-047-3	Sequence 3, Appli
573	4	50.0	217	2	US-08-640-808-2	Sequence 2, Appli
574	4	50.0	217	2	US-09-087-855-2	Sequence 2, Appli
575	4	50.0	217	2	US-09-087-855-3	Sequence 3, Appli
576	4	50.0	217	4	US-09-134-000C-5381	Sequence 5381, Ap
577	4	50.0	218	4	US-09-252-991A-24531	Sequence 24531, A
578	4	50.0	218	4	US-09-328-352-6389	Sequence 6389, Ap
579	4	50.0	219	3	US-08-928-213B-60	Sequence 60, Appl
580	4	50.0	220	4	US-09-052-089A-4	Sequence 4, Appli
581	4	50.0	220	4	US-09-252-991A-26898	Sequence 26898, A

582	4	50.0	222	1	US-08-336-257A-5	Sequence 5, Appli
583	4	50.0	222	6	5386025-2	Patent No. 5386025
584	4	50.0	224	4	US-09-134-000C-5452	Sequence 5452, Ap
585	4	50.0	226	2	US-08-428-188-1	Sequence 1, Appli
586	4	50.0	226	4	US-09-822-862-4	Sequence 4, Appli
587	4	50.0	227	3	US-08-944-483-40	Sequence 40, Appl
588	4	50.0	227	4	US-09-291-170A-9	Sequence 9, Appli
589	4	50.0	227	4	US-09-724-884-9	Sequence 9, Appli
590	4	50.0	228	3	US-09-045-631-8	Sequence 8, Appli
591	4	50.0	228	3	US-09-158-843A-8	Sequence 8, Appli
592	4	50.0	235	4	US-09-822-862-2	Sequence 2, Appli
593	4	50.0	236	4	US-09-543-681A-7184	Sequence 7184, Ap
594	4	50.0	239	4	US-09-107-532A-4684	Sequence 4684, Ap
595	4	50.0	241	2	US-08-286-819A-42	Sequence 42, Appl
596	4	50.0	241	3	US-08-980-357-42	Sequence 42, Appl
597	4	50.0	242	4	US-09-489-039A-12133	Sequence 12133, A
598	4	50.0	243	4	US-09-173-300-22	Sequence 22, Appl
599	4	50.0	245	4	US-09-280-030-66	Sequence 66, Appl
600	4	50.0	245	4	US-10-039-785-43	Sequence 43, Appl
601	4	50.0	246	4	US-09-716-129-140	Sequence 140, App
602	4	50.0	246	4	US-09-540-236-2107	Sequence 2107, Ap
603	4	50.0	247	2	US-08-851-974-1	Sequence 1, Appli
604	4	50.0	247	2	US-08-851-974-4	Sequence 4, Appli
605	4	50.0	247	2	US-09-213-390-1	Sequence 1, Appli
606	4	50.0	247	2	US-09-213-390-4	Sequence 4, Appli
607	4	50.0	250	4	US-09-252-991A-18953	Sequence 18953, A
608	4	50.0	251	4	US-08-858-207A-448	Sequence 448, App
609	4	50.0	255	4	US-09-370-838-183	Sequence 183, App
610	4	50.0	255	4	US-09-107-532A-4950	Sequence 4950, Ap
611	4	50.0	255	4	US-09-489-039A-14238	Sequence 14238, A
612	4	50.0	258	3	US-09-035-706-3	Sequence 3, Appli
613	4	50.0	258	3	US-08-955-841-3	Sequence 3, Appli
614	4	50.0	258	4	US-09-390-425-3	Sequence 3, Appli
615	4	50.0	258	4	US-09-566-906-3	Sequence 3, Appli
616	4	50.0	259	4	US-09-328-352-4807	Sequence 4807, Ap
617	4	50.0	262	4	US-09-543-681A-4610	Sequence 4610, Ap
618	4	50.0	264	4	US-09-543-681A-4939	Sequence 4939, Ap
619	4	50.0	267	4	US-09-134-000C-5770	Sequence 5770, Ap
620	4	50.0	268	4	US-09-172-952-21	Sequence 21, Appl
621	4	50.0	268	4	US-09-328-352-5817	Sequence 5817, Ap
622	4	50.0	269	2	US-08-701-191A-35	Sequence 35, Appl
623	4	50.0	269	4	US-09-664-526-35	Sequence 35, Appl
624	4	50.0	270	4	US-09-134-001C-4424	Sequence 4424, Ap
625	4	50.0	271	1	US-08-664-596B-11	Sequence 11, Appl
626	4	50.0	271	3	US-09-045-631-4	Sequence 4, Appli
627	4	50.0	271	3	US-09-045-631-6	Sequence 6, Appli
628	4	50.0	271	3	US-09-158-843A-4	Sequence 4, Appli
629	4	50.0	271	3	US-09-158-843A-6	Sequence 6, Appli
630	4	50.0	271	4	US-09-328-352-4259	Sequence 4259, Ap
631	4	50.0	272	4	US-09-328-352-7372	Sequence 7372, Ap
632	4	50.0	273	4	US-09-252-991A-19629	Sequence 19629, A
633	4	50.0	275	4	US-09-647-224A-24	Sequence 24, Appl
634	4	50.0	276	3	US-09-048-889-4	Sequence 4, Appli
635	4	50.0	279	4	US-09-252-991A-29640	Sequence 29640, A
636	4	50.0	284	3	US-09-053-197A-2	Sequence 2, Appli
637	4	50.0	284	4	US-09-085-761A-2	Sequence 2, Appli
638	4	50.0	284	4	US-09-134-001C-2927	Sequence 2927, Ap

639	4	50.0	285	6	5248606-45	Patent No. 5248606
640	4	50.0	286	1	US-08-378-761A-5	Sequence 5, Appli
641	4	50.0	286	1	US-08-485-286-5	Sequence 5, Appli
642	4	50.0	287	4	US-09-679-686B-20	Sequence 20, Appl
643	4	50.0	290	4	US-09-734-673-4	Sequence 4, Appli
644	4	50.0	292	1	US-08-769-309A-3	Sequence 3, Appli
645	4	50.0	292	3	US-08-994-570-3	Sequence 3, Appli
646	4	50.0	296	3	US-09-100-804-12	Sequence 12, Appl
647	4	50.0	297	4	US-09-252-991A-29778	Sequence 29778, A
648	4	50.0	301	1	US-08-378-761A-2	Sequence 2, Appli
649	4	50.0	301	1	US-08-485-286-2	Sequence 2, Appli
650	4	50.0	301	6	5248606-2	Patent No. 5248606
651	4	50.0	302	4	US-09-543-681A-8270	Sequence 8270, Ap
652	4	50.0	303	4	US-10-311-582-3	Sequence 3, Appli
653	4	50.0	307	3	US-08-996-338-25	Sequence 25, Appl
654	4	50.0	307	3	US-08-949-246-4	Sequence 4, Appli
655	4	50.0	307	4	US-09-375-197-4	Sequence 4, Appli
656	4	50.0	307	4	US-09-556-972-25	Sequence 25, Appl
657	4	50.0	314	4	US-09-252-991A-19091	Sequence 19091, A
658	4	50.0	319	4	US-09-358-383C-22	Sequence 22, Appl
659	4	50.0	319	4	US-09-107-532A-6410	Sequence 6410, Ap
660	4	50.0	323	3	US-08-878-474-7	Sequence 7, Appli
661	4	50.0	323	4	US-09-134-001C-3789	Sequence 3789, Ap
662	4	50.0	323	4	US-09-300-971A-11	Sequence 11, Appl
663	4	50.0	323	4	US-09-107-532A-5598	Sequence 5598, Ap
664	4	50.0	323	4	US-09-489-039A-7409	Sequence 7409, Ap
665	4	50.0	323	4	US-09-489-039A-9135	Sequence 9135, Ap
666	4	50.0	325	4	US-09-134-000C-4346	Sequence 4346, Ap
667	4	50.0	327	4	US-09-252-991A-21697	Sequence 21697, A
668	4	50.0	327	4	US-09-489-039A-9808	Sequence 9808, Ap
669	4	50.0	329	4	US-09-189-527-4	Sequence 4, Appli
670	4	50.0	329	4	US-09-107-532A-3759	Sequence 3759, Ap
671	4	50.0	330	4	US-09-134-000C-3491	Sequence 3491, Ap
672	4	50.0	331	4	US-09-724-623-78	Sequence 78, Appl
673	4	50.0	331	4	US-09-543-681A-7565	Sequence 7565, Ap
674	4	50.0	332	4	US-09-080-205-6	Sequence 6, Appli
675	4	50.0	334	4	US-09-523-849-31	Sequence 31, Appl
676	4	50.0	335	4	US-09-543-681A-5733	Sequence 5733, Ap
677	4	50.0	336	4	US-09-848-294-5	Sequence 5, Appli
678	4	50.0	337	4	US-09-489-039A-9299	Sequence 9299, Ap
679	4	50.0	342	4	US-09-584-568C-10	Sequence 10, Appl
680	4	50.0	344	4	US-09-533-029-66	Sequence 66, Appl
681	4	50.0	345	4	US-09-134-000C-3813	Sequence 3813, Ap
682	4	50.0	346	4	US-09-808-701A-32	Sequence 32, Appl
683	4	50.0	347	4	US-09-543-681A-6024	Sequence 6024, Ap
684	4	50.0	348	3	US-09-216-295-16	Sequence 16, Appl
685	4	50.0	348	4	US-09-632-570-16	Sequence 16, Appl
686	4	50.0	348	4	US-09-632-575-46	Sequence 46, Appl
687	4	50.0	349	3	US-09-032-523-3	Sequence 3, Appli
688	4	50.0	349	4	US-09-802-633-3	Sequence 3, Appli
689	4	50.0	353	4	US-09-543-681A-7879	Sequence 7879, Ap
690	4	50.0	353	4	US-09-489-039A-8090	Sequence 8090, Ap
691	4	50.0	360	4	US-09-501-115-32	Sequence 32, Appl
692	4	50.0	360	4	US-09-489-039A-13584	Sequence 13584, A
693	4	50.0	361	4	US-09-543-681A-7025	Sequence 7025, Ap
694	4	50.0	364	4	US-09-653-375B-2	Sequence 2, Appli
695	4	50.0	366	4	US-08-984-919A-11	Sequence 11, Appl

696	4	50.0	367	3	US-08-605-150A-6	Sequence 6, Appli
697	4	50.0	368	3	US-08-781-420-11	Sequence 11, Appl
698	4	50.0	368	4	US-08-874-102-11	Sequence 11, Appl
699	4	50.0	368	4	US-09-006-595A-11	Sequence 11, Appl
700	4	50.0	370	3	US-09-142-551A-4	Sequence 4, Appli
701	4	50.0	372	3	US-08-605-150A-2	Sequence 2, Appli
702	4	50.0	372	3	US-08-605-150A-8	Sequence 8, Appli
703	4	50.0	372	3	US-08-605-150A-10	Sequence 10, Appl
704	4	50.0	373	4	US-09-489-039A-8389	Sequence 8389, Ap
705	4	50.0	373	4	US-09-134-000C-5355	Sequence 5355, Ap
706	4	50.0	376	2	US-07-857-224B-88	Sequence 88, Appl
707	4	50.0	376	4	US-09-328-352-7587	Sequence 7587, Ap
708	4	50.0	376	4	US-09-489-039A-10020	Sequence 10020, A
709	4	50.0	381	3	US-08-605-150A-4	Sequence 4, Appli
710	4	50.0	383	4	US-09-107-532A-4972	Sequence 4972, Ap
711	4	50.0	383	4	US-09-489-039A-12482	Sequence 12482, A
712	4	50.0	387	4	US-09-180-109A-2	Sequence 2, Appli
713	4	50.0	387	4	US-09-180-109A-6	Sequence 6, Appli
714	4	50.0	387	4	US-09-180-109A-8	Sequence 8, Appli
715	4	50.0	389	4	US-09-328-352-6823	Sequence 6823, Ap
716	4	50.0	389	4	US-09-328-352-7324	Sequence 7324, Ap
717	4	50.0	392	4	US-09-252-991A-30852	Sequence 30852, A
718	4	50.0	393	4	US-09-328-352-7625	Sequence 7625, Ap
719	4	50.0	394	4	US-09-328-352-4909	Sequence 4909, Ap
720	4	50.0	395	3	US-09-036-987A-10	Sequence 10, Appl
721	4	50.0	395	3	US-09-370-700-10	Sequence 10, Appl
722	4	50.0	395	4	US-09-603-207-10	Sequence 10, Appl
723	4	50.0	395	4	US-09-543-681A-7425	Sequence 7425, Ap
724	4	50.0	396	1	US-08-208-007A-13	Sequence 13, Appl
725	4	50.0	396	3	US-09-142-551A-3	Sequence 3, Appli
726	4	50.0	396	3	US-09-032-523-9	Sequence 9, Appli
727	4	50.0	396	4	US-08-915-095A-13	Sequence 13, Appl
728	4	50.0	396	4	US-08-798-096-13	Sequence 13, Appl
729	4	50.0	396	4	US-08-798-095A-13	Sequence 13, Appl
730	4	50.0	396	4	US-09-953-956-13	Sequence 13, Appl
731	4	50.0	396	4	US-08-553-125A-13	Sequence 13, Appl
732	4	50.0	396	4	US-09-802-633-9	Sequence 9, Appli
733	4	50.0	396	4	US-09-215-450-22	Sequence 22, Appl
734	4	50.0	396	4	US-10-114-464-13	Sequence 13, Appl
735	4	50.0	397	4	US-09-489-039A-8962	Sequence 8962, Ap
736	4	50.0	400	4	US-09-150-347-1	Sequence 1, Appli
737	4	50.0	400	4	US-09-665-313-1	Sequence 1, Appli
738	4	50.0	402	4	US-09-134-000C-5335	Sequence 5335, Ap
739	4	50.0	403	4	US-09-107-532A-3766	Sequence 3766, Ap
740	4	50.0	412	4	US-09-328-352-4472	Sequence 4472, Ap
741	4	50.0	412	4	US-09-489-039A-13259	Sequence 13259, A
742	4	50.0	413	3	US-08-977-001-3	Sequence 3, Appli
743	4	50.0	415	4	US-09-489-039A-11334	Sequence 11334, A
744	4	50.0	415	4	US-09-489-039A-12057	Sequence 12057, A
745	4	50.0	419	4	US-09-240-936-2	Sequence 2, Appli
746	4	50.0	419	4	US-09-328-352-4398	Sequence 4398, Ap
747	4	50.0	420	4	US-09-328-352-5907	Sequence 5907, Ap
748	4	50.0	421	4	US-09-543-681A-7791	Sequence 7791, Ap
749	4	50.0	422	4	US-09-489-039A-10905	Sequence 10905, A
750	4	50.0	423	1	US-08-844-064-7	Sequence 7, Appli
751	4	50.0	423	3	US-09-009-433-7	Sequence 7, Appli
752	4	50.0	423	4	US-09-328-352-5667	Sequence 5667, Ap

753	4	50.0	424	4	US-09-173-300-45	Sequence 45, Appl
754	4	50.0	425	4	US-09-252-991A-32239	Sequence 32239, A
755	4	50.0	425	4	US-09-328-352-4868	Sequence 4868, Ap
756	4	50.0	426	2	US-08-644-034A-3	Sequence 3, Appli
757	4	50.0	426	4	US-09-602-472A-59	Sequence 59, Appl
758	4	50.0	426	4	US-09-673-395A-194	Sequence 194, App
759	4	50.0	428	4	US-09-328-352-5867	Sequence 5867, Ap
760	4	50.0	429	4	US-09-107-532A-3785	Sequence 3785, Ap
761	4	50.0	430	3	US-08-686-968C-3	Sequence 3, Appli
762	4	50.0	430	5	PCT-US93-04392-3	Sequence 3, Appli
763	4	50.0	430	5	PCT-US93-04392-6	Sequence 6, Appli
764	4	50.0	430	5	PCT-US93-04392-9	Sequence 9, Appli
765	4	50.0	430	5	PCT-US93-04392-12	Sequence 12, Appl
766	4	50.0	430	5	PCT-US93-04392-15	Sequence 15, Appl
767	4	50.0	432	2	US-08-644-034A-2	Sequence 2, Appli
768	4	50.0	434	2	US-08-844-154-2	Sequence 2, Appli
769	4	50.0	434	3	US-09-126-192A-2	Sequence 2, Appli
770	4	50.0	436	4	US-09-679-279-4	Sequence 4, Appli
771	4	50.0	440	1	US-08-333-358-8	Sequence 8, Appli
772	4	50.0	440	1	US-08-463-694-8	Sequence 8, Appli
773	4	50.0	440	1	US-08-694-501-8	Sequence 8, Appli
774	4	50.0	440	2	US-08-500-635A-2	Sequence 2, Appli
775	4	50.0	440	4	US-09-167-151-2	Sequence 2, Appli
776	4	50.0	440	4	US-09-252-991A-22487	Sequence 22487, A
777	4	50.0	440	4	US-09-107-532A-4071	Sequence 4071, Ap
778	4	50.0	441	4	US-09-134-000C-6501	Sequence 6501, Ap
779	4	50.0	442	4	US-09-879-036-2	Sequence 2, Appli
780	4	50.0	445	4	US-09-252-991A-24354	Sequence 24354, A
781	4	50.0	446	4	US-09-134-001C-5125	Sequence 5125, Ap
782	4	50.0	447	1	US-08-373-935-1	Sequence 1, Appli
783	4	50.0	447	2	US-08-902-585-2	Sequence 2, Appli
784	4	50.0	448	4	US-09-489-039A-12792	Sequence 12792, A
785	4	50.0	450	3	US-09-045-631-2	Sequence 2, Appli
786	4	50.0	450	3	US-09-158-843A-2	Sequence 2, Appli
787	4	50.0	450	4	US-08-426-509A-7	Sequence 7, Appli
788	4	50.0	450	4	US-08-232-545-7	Sequence 7, Appli
789	4	50.0	450	4	US-09-107-532A-6534	Sequence 6534, Ap
790	4	50.0	450	4	US-09-540-236-2654	Sequence 2654, Ap
791	4	50.0	450	4	US-09-470-881-5	Sequence 5, Appli
792	4	50.0	450	5	PCT-US95-05008-7	Sequence 7, Appli
793	4	50.0	451	4	US-09-328-352-8153	Sequence 8153, Ap
794	4	50.0	451	4	US-09-489-039A-7530	Sequence 7530, Ap
795	4	50.0	452	4	US-09-463-712C-8	Sequence 8, Appli
796	4	50.0	452	4	US-09-865-415-6	Sequence 6, Appli
797	4	50.0	453	4	US-09-491-577-92	Sequence 92, Appl
798	4	50.0	456	4	US-09-252-991A-24273	Sequence 24273, A
799	4	50.0	458	1	US-08-112-817C-2	Sequence 2, Appli
800	4	50.0	459	2	US-08-870-518-4	Sequence 4, Appli
801	4	50.0	459	4	US-09-134-000C-5404	Sequence 5404, Ap
802	4	50.0	462	4	US-09-328-352-4742	Sequence 4742, Ap
803	4	50.0	465	4	US-09-634-238-411	Sequence 411, App
804	4	50.0	466	4	US-08-984-919A-33	Sequence 33, Appl
805	4	50.0	467	4	US-09-149-476-372	Sequence 372, App
806	4	50.0	468	4	US-08-874-102-33	Sequence 33, Appl
807	4	50.0	469	2	US-08-968-751-2	Sequence 2, Appli
808	4	50.0	469	4	US-09-543-681A-7533	Sequence 7533, Ap
809	4	50.0	469	4	US-09-489-039A-10553	Sequence 10553, A

810	4	50.0	470	4	US-09-052-089A-2	Sequence 2, Appli
811	4	50.0	470	4	US-08-984-919A-55	Sequence 55, Appl
812	4	50.0	472	4	US-08-874-102-55	Sequence 55, Appl
813	4	50.0	479	4	US-09-252-991A-23608	Sequence 23608, A
814	4	50.0	480	1	US-07-882-292-2	Sequence 2, Appli
815	4	50.0	480	2	US-08-331-644-2	Sequence 2, Appli
816	4	50.0	480	5	PCT-US93-04102-2	Sequence 2, Appli
817	4	50.0	483	2	US-08-583-562B-12	Sequence 12, Appl
818	4	50.0	483	2	US-08-779-113-12	Sequence 12, Appl
819	4	50.0	483	4	US-09-252-991A-25808	Sequence 25808, A
820	4	50.0	485	3	US-08-445-463B-4	Sequence 4, Appli
821	4	50.0	485	3	US-08-445-464C-4	Sequence 4, Appli
822	4	50.0	485	4	US-08-044-857D-4	Sequence 4, Appli
823	4	50.0	485	5	PCT-US94-03437-4	Sequence 4, Appli
824	4	50.0	486	3	US-08-906-743-4	Sequence 4, Appli
825	4	50.0	489	4	US-09-393-171-7	Sequence 7, Appli
826	4	50.0	490	4	US-09-252-991A-30874	Sequence 30874, A
827	4	50.0	491	4	US-09-262-856A-5	Sequence 5, Appli
828	4	50.0	491	4	US-09-807-258-16	Sequence 16, Appl
829	4	50.0	491	4	US-09-807-258-18	Sequence 18, Appl
830	4	50.0	493	4	US-09-252-991A-32463	Sequence 32463, A
831	4	50.0	494	4	US-09-489-039A-10060	Sequence 10060, A
832	4	50.0	495	4	US-09-134-001C-4273	Sequence 4273, Ap
833	4	50.0	495	4	US-08-984-919A-47	Sequence 47, Appl
834	4	50.0	495	4	US-09-252-991A-23393	Sequence 23393, A
835	4	50.0	496	4	US-09-807-258-2	Sequence 2, Appli
836	4	50.0	496	4	US-09-807-258-4	Sequence 4, Appli
837	4	50.0	497	3	US-09-377-557-10	Sequence 10, Appl
838	4	50.0	497	4	US-08-874-102-47	Sequence 47, Appl
839	4	50.0	498	4	US-09-309-572-4	Sequence 4, Appli
840	4	50.0	498	4	US-09-718-096-4	Sequence 4, Appli
841	4	50.0	499	4	US-09-807-258-8	Sequence 8, Appli
842	4	50.0	500	4	US-09-252-991A-22763	Sequence 22763, A
843	4	50.0	501	4	US-09-134-000C-4693	Sequence 4693, Ap
844	4	50.0	502	4	US-09-417-704-1	Sequence 1, Appli
845	4	50.0	502	4	US-09-328-352-5891	Sequence 5891, Ap
846	4	50.0	504	4	US-09-234-245-2	Sequence 2, Appli
847	4	50.0	504	4	US-09-234-245-4	Sequence 4, Appli
848	4	50.0	505	3	US-08-627-907A-2	Sequence 2, Appli
849	4	50.0	505	3	US-08-627-907A-4	Sequence 4, Appli
850	4	50.0	505	4	US-09-328-352-7337	Sequence 7337, Ap
851	4	50.0	506	2	US-08-659-984A-21	Sequence 21, Appl
852	4	50.0	506	3	US-08-660-531-21	Sequence 21, Appl
853	4	50.0	506	4	US-09-054-334-4	Sequence 4, Appli
854	4	50.0	511	4	US-09-679-686B-12	Sequence 12, Appl
855	4	50.0	517	4	US-09-257-825B-21	Sequence 21, Appl
856	4	50.0	519	3	US-08-996-338-21	Sequence 21, Appl
857	4	50.0	519	4	US-09-556-972-21	Sequence 21, Appl
858	4	50.0	521	4	US-09-328-352-5818	Sequence 5818, Ap
859	4	50.0	523	3	US-08-948-564-8	Sequence 8, Appli
860	4	50.0	525	4	US-09-540-236-2431	Sequence 2431, Ap
861	4	50.0	532	4	US-09-252-991A-25188	Sequence 25188, A
862	4	50.0	534	4	US-09-107-532A-6592	Sequence 6592, Ap
863	4	50.0	535	4	US-09-107-532A-6593	Sequence 6593, Ap
864	4	50.0	537	1	US-08-604-333-4	Sequence 4, Appli
865	4	50.0	537	3	US-09-110-618-4	Sequence 4, Appli
866	4	50.0	537	4	US-09-173-151A-29	Sequence 29, Appl

867	4	50.0	537	4	US-09-578-178-4	Sequence 4, Appli
868	4	50.0	537	4	US-09-577-806-4	Sequence 4, Appli
869	4	50.0	537	4	US-09-621-502-8	Sequence 8, Appli
870	4	50.0	540	4	US-09-489-039A-7259	Sequence 7259, Ap
871	4	50.0	540	4	US-09-489-039A-8693	Sequence 8693, Ap
872	4	50.0	541	2	US-08-484-438-6	Sequence 6, Appli
873	4	50.0	543	4	US-09-351-150A-15	Sequence 15, Appl
874	4	50.0	547	1	US-08-785-048-3	Sequence 3, Appli
875	4	50.0	547	2	US-08-996-799-3	Sequence 3, Appli
876	4	50.0	548	4	US-09-543-681A-7327	Sequence 7327, Ap
877	4	50.0	553	1	US-08-785-048-2	Sequence 2, Appli
878	4	50.0	553	2	US-08-996-799-2	Sequence 2, Appli
879	4	50.0	557	4	US-09-134-001C-4392	Sequence 4392, Ap
880	4	50.0	557	4	US-09-134-001C-5569	Sequence 5569, Ap
881	4	50.0	561	1	US-08-096-947-1	Sequence 1, Appli
882	4	50.0	561	1	US-07-919-140B-1	Sequence 1, Appli
883	4	50.0	561	3	US-09-227-717-4	Sequence 4, Appli
884	4	50.0	561	3	US-08-916-232-1	Sequence 1, Appli
885	4	50.0	561	4	US-09-173-151A-23	Sequence 23, Appl
886	4	50.0	561	5	PCT-US93-06939-1	Sequence 1, Appli
887	4	50.0	562	3	US-09-227-717-2	Sequence 2, Appli
888	4	50.0	562	4	US-09-173-151A-22	Sequence 22, Appl
889	4	50.0	563	3	US-08-906-743-2	Sequence 2, Appli
890	4	50.0	567	4	US-09-328-352-7224	Sequence 7224, Ap
891	4	50.0	568	4	US-09-252-991A-17693	Sequence 17693, A
892	4	50.0	568	4	US-09-690-942-6	Sequence 6, Appli
893	4	50.0	574	4	US-09-252-991A-18912	Sequence 18912, A
894	4	50.0	576	3	US-09-347-801-19	Sequence 19, Appl
895	4	50.0	576	4	US-09-134-000C-6480	Sequence 6480, Ap
896	4	50.0	577	4	US-09-543-681A-8225	Sequence 8225, Ap
897	4	50.0	578	3	US-09-503-172A-2	Sequence 2, Appli
898	4	50.0	582	3	US-09-413-814-83	Sequence 83, Appl
899	4	50.0	583	3	US-09-272-414-2	Sequence 2, Appli
900	4	50.0	583	4	US-09-976-594-837	Sequence 837, App
901	4	50.0	584	1	US-08-179-738-7	Sequence 7, Appli
902	4	50.0	584	2	US-08-628-145-7	Sequence 7, Appli
903	4	50.0	584	4	US-09-198-452A-349	Sequence 349, App
904	4	50.0	586	4	US-09-040-725A-1	Sequence 1, Appli
905	4	50.0	587	3	US-09-386-493-6	Sequence 6, Appli
906	4	50.0	587	4	US-09-489-039A-13182	Sequence 13182, A
907	4	50.0	591	1	US-08-179-738-5	Sequence 5, Appli
908	4	50.0	591	1	US-08-179-738-10	Sequence 10, Appl
909	4	50.0	591	2	US-08-628-145-5	Sequence 5, Appli
910	4	50.0	591	2	US-08-628-145-10	Sequence 10, Appl
911	4	50.0	591	4	US-09-134-001C-3228	Sequence 3228, Ap
912	4	50.0	595	1	US-08-171-718-16	Sequence 16, Appl
913	4	50.0	595	3	US-08-478-087-16	Sequence 16, Appl
914	4	50.0	596	1	US-08-179-738-2	Sequence 2, Appli
915	4	50.0	596	1	US-08-179-738-3	Sequence 3, Appli
916	4	50.0	596	2	US-08-628-145-2	Sequence 2, Appli
917	4	50.0	596	2	US-08-628-145-3	Sequence 3, Appli
918	4	50.0	604	4	US-09-519-232-64	Sequence 64, Appl
919	4	50.0	613	4	US-09-107-532A-6935	Sequence 6935, Ap
920	4	50.0	613	4	US-09-489-039A-10059	Sequence 10059, A
921	4	50.0	616	2	US-08-545-745-2	Sequence 2, Appli
922	4	50.0	619	4	US-09-786-240-6	Sequence 6, Appli
923	4	50.0	624	4	US-09-252-991A-17813	Sequence 17813, A

924	4	50.0	624	4	US-09-543-681A-4343	Sequence 4343, Ap
925	4	50.0	631	4	US-09-543-681A-7023	Sequence 7023, Ap
926	4	50.0	633	4	US-09-581-001B-12	Sequence 12, Appl
927	4	50.0	636	4	US-09-540-236-2873	Sequence 2873, Ap
928	4	50.0	638	2	US-08-557-122A-38	Sequence 38, Appl
929	4	50.0	638	4	US-09-262-666-38	Sequence 38, Appl
930	4	50.0	638	4	US-09-489-039A-8996	Sequence 8996, Ap
931	4	50.0	639	2	US-08-557-309B-37	Sequence 37, Appl
932	4	50.0	639	3	US-08-834-306-37	Sequence 37, Appl
933	4	50.0	639	3	US-08-993-674A-37	Sequence 37, Appl
934	4	50.0	639	4	US-09-256-976-37	Sequence 37, Appl
935	4	50.0	641	4	US-09-543-681A-6258	Sequence 6258, Ap
936	4	50.0	641	4	US-09-489-039A-8696	Sequence 8696, Ap
937	4	50.0	642	4	US-09-540-236-2216	Sequence 2216, Ap
938	4	50.0	643	3	US-09-232-191-33	Sequence 33, Appl
939	4	50.0	643	3	US-09-232-200-83	Sequence 83, Appl
940	4	50.0	643	4	US-09-232-197-83	Sequence 83, Appl
941	4	50.0	643	4	US-09-232-201-83	Sequence 83, Appl
942	4	50.0	643	4	US-09-232-195-83	Sequence 83, Appl
943	4	50.0	647	4	US-09-452-846E-4	Sequence 4, Appli
944	4	50.0	657	4	US-09-252-991A-27358	Sequence 27358, A
945	4	50.0	659	4	US-09-562-737-12	Sequence 12, Appl
946	4	50.0	660	4	US-09-328-352-4932	Sequence 4932, Ap
947	4	50.0	661	4	US-09-252-991A-27070	Sequence 27070, A
948	4	50.0	662	4	US-09-252-991A-18392	Sequence 18392, A
949	4	50.0	671	4	US-09-252-991A-18450	Sequence 18450, A
950	4	50.0	675	4	US-08-426-509A-4	Sequence 4, Appli
951	4	50.0	675	4	US-08-232-545-4	Sequence 4, Appli
952	4	50.0	675	5	PCT-US95-05008-4	Sequence 4, Appli
953	4	50.0	677	4	US-09-345-473E-38	Sequence 38, Appl
954	4	50.0	680	4	US-09-725-735A-19	Sequence 19, Appl
955	4	50.0	687	4	US-09-489-039A-9290	Sequence 9290, Ap
956	4	50.0	692	4	US-09-489-039A-10764	Sequence 10764, A
957	4	50.0	693	4	US-09-081-385-154	Sequence 154, App
958	4	50.0	693	4	US-09-543-681A-6842	Sequence 6842, Ap
959	4	50.0	693	4	US-09-540-236-3793	Sequence 3793, Ap
960	4	50.0	694	1	US-08-171-382-2	Sequence 2, Appli
961	4	50.0	694	1	US-08-309-420-2	Sequence 2, Appli
962	4	50.0	694	1	US-08-309-419-2	Sequence 2, Appli
963	4	50.0	694	4	US-09-294-531B-4	Sequence 4, Appli
964	4	50.0	694	5	PCT-US95-11856-2	Sequence 2, Appli
965	4	50.0	694	5	PCT-US95-11878-2	Sequence 2, Appli
966	4	50.0	695	4	US-09-548-372D-12	Sequence 12, Appl
967	4	50.0	695	4	US-09-548-367D-12	Sequence 12, Appl
968	4	50.0	695	4	US-09-551-853D-12	Sequence 12, Appl
969	4	50.0	695	4	US-09-252-991A-19147	Sequence 19147, A
970	4	50.0	696	4	US-09-107-532A-5205	Sequence 5205, Ap
971	4	50.0	697	4	US-09-548-372D-18	Sequence 18, Appl
972	4	50.0	697	4	US-09-548-367D-18	Sequence 18, Appl
973	4	50.0	697	4	US-09-551-853D-18	Sequence 18, Appl
974	4	50.0	697	4	US-09-328-352-6212	Sequence 6212, Ap
975	4	50.0	699	1	US-08-221-817-20	Sequence 20, Appl
976	4	50.0	699	1	US-08-454-439-20	Sequence 20, Appl
977	4	50.0	699	4	US-09-543-681A-5118	Sequence 5118, Ap
978	4	50.0	699	5	PCT-US94-10487-20	Sequence 20, Appl
979	4	50.0	700	4	US-09-252-991A-26808	Sequence 26808, A
980	4	50.0	701	4	US-09-489-039A-8575	Sequence 8575, Ap

981	4	50.0	703	3	US-08-910-925-4	Sequence 4, Appli
982	4	50.0	705	2	US-08-456-647B-4	Sequence 4, Appli
983	4	50.0	705	2	US-08-237-401A-4	Sequence 4, Appli
984	4	50.0	706	4	US-09-134-000C-5534	Sequence 5534, Ap
985	4	50.0	717	3	US-08-910-925-1	Sequence 1, Appli
986	4	50.0	719	4	US-09-708-426-4	Sequence 4, Appli
987	4	50.0	723	4	US-09-425-335-5	Sequence 5, Appli
988	4	50.0	729	1	US-08-070-165F-6	Sequence 6, Appli
989	4	50.0	729	2	US-08-885-418-6	Sequence 6, Appli
990	4	50.0	729	4	US-09-609-040-4	Sequence 4, Appli
991	4	50.0	731	1	US-08-070-165F-10	Sequence 10, Appl
992	4	50.0	731	2	US-08-885-418-10	Sequence 10, Appl
993	4	50.0	734	4	US-09-532-594B-4	Sequence 4, Appli
994	4	50.0	735	4	US-09-321-589-1	Sequence 1, Appli
995	4	50.0	736	4	US-09-252-991A-22859	Sequence 22859, A
996	4	50.0	743	3	US-08-910-925-3	Sequence 3, Appli
997	4	50.0	745	4	US-09-177-165A-25	Sequence 25, Appl
998	4	50.0	748	4	US-09-252-991A-32942	Sequence 32942, A
999	4	50.0	755	3	US-07-861-458C-99	Sequence 99, Appl
1000	4	50.0	756	4	US-09-438-268-4	Sequence 4, Appli

ALIGNMENTS

RESULT 1

US-09-548-372D-67

; Sequence 67, Application US/09548372D

; Patent No. 6420534

; GENERAL INFORMATION:

; APPLICANT: GURNEY ET AL.

; TITLE OF INVENTION: ALZHEIMER'S DISEASE SECRETASE, APP SUBSTRATES THEREFOR
AND USES

; TITLE OF INVENTION: THEREOF

; FILE REFERENCE: 29915/6280I

; CURRENT APPLICATION NUMBER: US/09/548,372D

; CURRENT FILING DATE: 2000-04-12

; PRIOR APPLICATION NUMBER: US 60/155,493

; PRIOR FILING DATE: 1999-09-23

; PRIOR APPLICATION NUMBER: US 09/404,133

; PRIOR FILING DATE: 1999-09-23

; PRIOR APPLICATION NUMBER: PCT/US99/20881

; PRIOR FILING DATE: 1999-09-23

; PRIOR APPLICATION NUMBER: US 60/101,594

; PRIOR FILING DATE: 1998-09-24

; NUMBER OF SEQ ID NOS: 73

; SOFTWARE: PatentIn version 3.1

; SEQ ID NO 67

; LENGTH: 8

; TYPE: PRT

; ORGANISM: Artificial sequence

; FEATURE:

; OTHER INFORMATION: Peptide

US-09-548-372D-67

Query Match 100.0%; Score 8; DB 4; Length 8;

Best Local Similarity 100.0%; Pred. No. 3e+05;

Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMDAEF 8
| | | | | | | |
Db 1 EVKMDAEF 8

RESULT 2

US-09-548-367D-67
; Sequence 67, Application US/09548367D
; Patent No. 6440698
; GENERAL INFORMATION:
; APPLICANT: GURNEY ET AL.
; TITLE OF INVENTION: ALZHEIMER'S DISEASE SECRETASE, APP SUBSTRATES THEREFOR
AND USES
; TITLE OF INVENTION: THEREOF
; FILE REFERENCE: 29915/6280H
; CURRENT APPLICATION NUMBER: US/09/548,367D
; CURRENT FILING DATE: 2000-04-12
; PRIOR APPLICATION NUMBER: US 60/155,493
; PRIOR FILING DATE: 1999-09-23
; PRIOR APPLICATION NUMBER: US 09/404,133
; PRIOR FILING DATE: 1999-09-23
; PRIOR APPLICATION NUMBER: PCT/US99/20881
; PRIOR FILING DATE: 1999-09-23
; PRIOR APPLICATION NUMBER: US 60/101,594
; PRIOR FILING DATE: 1998-09-24
; NUMBER OF SEQ ID NOS: 73
; SOFTWARE: PatentIn version 3.1
; SEQ ID NO 67
; LENGTH: 8
; TYPE: PRT
; ORGANISM: Artificial sequence
; FEATURE:
; OTHER INFORMATION: Peptide
US-09-548-367D-67

Query Match 100.0%; Score 8; DB 4; Length 8;
Best Local Similarity 100.0%; Pred. No. 3e+05;
Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMDAEF 8
| | | | | | | |
Db 1 EVKMDAEF 8

RESULT 3

US-09-551-853D-67
; Sequence 67, Application US/09551853D
; Patent No. 6500667
; GENERAL INFORMATION:
; APPLICANT: GURNEY ET AL.
; TITLE OF INVENTION: ALZHEIMER'S DISEASE SECRETASE, APP SUBSTRATES THEREFOR
AND USES
; TITLE OF INVENTION: THEREOF
; FILE REFERENCE: 29915/6280L
; CURRENT APPLICATION NUMBER: US/09/551,853D

; CURRENT FILING DATE: 2000-04-18
 ; PRIOR APPLICATION NUMBER: US 60/155,493
 ; PRIOR FILING DATE: 1999-09-23
 ; PRIOR APPLICATION NUMBER: US 09/404,133
 ; PRIOR FILING DATE: 1999-09-23
 ; PRIOR APPLICATION NUMBER: PCT/US99/20881
 ; PRIOR FILING DATE: 1999-09-23
 ; PRIOR APPLICATION NUMBER: US 60/101,594
 ; PRIOR FILING DATE: 1998-09-24
 ; NUMBER OF SEQ ID NOS: 73
 ; SOFTWARE: PatentIn version 3.1
 ; SEQ ID NO 67
 ; LENGTH: 8
 ; TYPE: PRT
 ; ORGANISM: Artificial sequence
 ; FEATURE:
 ; OTHER INFORMATION: Peptide
 US-09-551-853D-67

Query Match 100.0%; Score 8; DB 4; Length 8;
 Best Local Similarity 100.0%; Pred. No. 3e+05;
 Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMDAEF 8
 |||||
 Db 1 EVKMDAEF 8

RESULT 4

US-08-802-981-221

; Sequence 221, Application US/08802981
 ; Patent No. 6037137

; GENERAL INFORMATION:

; APPLICANT: Komoriya, Akira
 ; APPLICANT: Packard, Beverly S.
 ; TITLE OF INVENTION: Compositions for the Detection of Enzyme
 ; TITLE OF INVENTION: Activity in Biological Samples and Methods of Use
 Thereof

; NUMBER OF SEQUENCES: 231

; CORRESPONDENCE ADDRESS:

; ADDRESSEE: Townsend and Townsend and Crew LLP
 ; STREET: Two Embarcadero Center, Eighth Floor
 ; CITY: San Francisco
 ; STATE: California
 ; COUNTRY: USA
 ; ZIP: 94111-3834

; COMPUTER READABLE FORM:

; MEDIUM TYPE: Floppy disk
 ; COMPUTER: IBM PC compatible
 ; OPERATING SYSTEM: PC-DOS/MS-DOS
 ; SOFTWARE: PatentIn Release #1.0, Version #1.30

; CURRENT APPLICATION DATA:

; APPLICATION NUMBER: US/08/802,981
 ; FILING DATE: 20-FEB-1997
 ; CLASSIFICATION: 435

; ATTORNEY/AGENT INFORMATION:

; NAME: Hunter, Tom

```

;     REGISTRATION NUMBER: 38,498
;     REFERENCE/DOCKET NUMBER: 016865-000300US
;     TELECOMMUNICATION INFORMATION:
;     TELEPHONE: (415) 576-0200
;     TELEFAX: (415) 576-0300
;     INFORMATION FOR SEQ ID NO: 221:
;     SEQUENCE CHARACTERISTICS:
;     LENGTH: 9 amino acids
;     TYPE: amino acid
;     STRANDEDNESS:
;     TOPOLOGY: linear
;     MOLECULE TYPE: peptide
US-08-802-981-221

```

```

Query Match          100.0%; Score 8; DB 3; Length 9;
Best Local Similarity 100.0%; Pred. No. 3e+05;
Matches      8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

```

```

Qy      1 EVKMDAEF 8
        |||||
Db      2 EVKMDAEF 9

```

RESULT 5

```

US-09-294-987-6
; Sequence 6, Application US/09294987
; Patent No. 6313268
; GENERAL INFORMATION:
; APPLICANT: Hook, Vivian Y.H.
; TITLE OF INVENTION: SECRETASES RELATED TO ALZHEIMER'S DEMENTIA
; FILE REFERENCE: P-AS 3515
; CURRENT APPLICATION NUMBER: US/09/294,987
; CURRENT FILING DATE: 1999-04-20
; PRIOR APPLICATION NUMBER: US 09/173,887
; PRIOR FILING DATE: 1998-10-16
; NUMBER OF SEQ ID NOS: 6
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 6
; LENGTH: 9
; TYPE: PRT
; ORGANISM: mammalian
US-09-294-987-6

```

```

Query Match          100.0%; Score 8; DB 4; Length 9;
Best Local Similarity 100.0%; Pred. No. 3e+05;
Matches      8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

```

```

Qy      1 EVKMDAEF 8
        |||||
Db      2 EVKMDAEF 9

```

RESULT 6

```

US-09-724-566A-82
; Sequence 82, Application US/09724566A
; Patent No. 6627739
; GENERAL INFORMATION:

```

; APPLICANT: Anderson, John P.
 ; APPLICANT: Basi, Gurigbal
 ; APPLICANT: Doane, Minh Tam
 ; APPLICANT: Frigon, No. 6627739mand
 ; APPLICANT: John, Varghese
 ; APPLICANT: Power, Michael
 ; APPLICANT: Sinha, Sukanto
 ; APPLICANT: Tatsuno, Gwen
 ; APPLICANT: Tung, Jay
 ; APPLICANT: Wang, Shuwen
 ; APPLICANT: McConlogue, Lisa
 ; TITLE OF INVENTION: Beta-Secretase Enzyme Compositions and
 ; TITLE OF INVENTION: Methods
 ; FILE REFERENCE: 228-US-NEWC2
 ; CURRENT APPLICATION NUMBER: US/09/724,566A
 ; CURRENT FILING DATE: 2000-11-28
 ; PRIOR APPLICATION NUMBER: US 09/501,708
 ; PRIOR FILING DATE: 2000-02-10
 ; PRIOR APPLICATION NUMBER: 60/119,571
 ; PRIOR FILING DATE: 1999-02-10
 ; PRIOR APPLICATION NUMBER: 60/139,172
 ; PRIOR FILING DATE: 1999-06-15
 ; NUMBER OF SEQ ID NOS: 104
 ; SOFTWARE: FastSEQ for Windows Version 4.0
 ; SEQ ID NO 82
 ; LENGTH: 9
 ; TYPE: PRT
 ; ORGANISM: Homo sapiens
 ; FEATURE:
 ; OTHER INFORMATION: APP fragment P5-P4' wt
 US-09-724-566A-82

Query Match 100.0%; Score 8; DB 4; Length 9;
 Best Local Similarity 100.0%; Pred. No. 3e+05;
 Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMDAEF 8
 |||||
 Db 2 EVKMDAEF 9

RESULT 7

US-08-025-321C-1

; Sequence 1, Application US/08025321C

; Patent No. 5849560

; GENERAL INFORMATION:

; APPLICANT: Abraham Ph.D., Carmela R.

; TITLE OF INVENTION: PROTEASES CAUSING ABNORMAL DEGREDAATION

; TITLE OF INVENTION: OF AMYLOID BETA-PROTEIN PRECURSOR

; NUMBER OF SEQUENCES: 13

; CORRESPONDENCE ADDRESS:

; ADDRESSEE: Choate, Hall & Stewart

; STREET: 53 State Street

; CITY: Boston

; STATE: MA

; COUNTRY: USA

; ZIP: 02109

```

; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.30
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/025,321C
; FILING DATE: 26-FEB-1993
; CLASSIFICATION: 435
; ATTORNEY/AGENT INFORMATION:
; NAME: Jarrell Ph.D., Brenda H.
; REGISTRATION NUMBER: 39,223
; REFERENCE/DOCKET NUMBER: 0079571-0034
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 617 248 5000
; TELEFAX: 617 248 4000
; INFORMATION FOR SEQ ID NO: 1:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 10 amino acids
; TYPE: amino acid
; STRANDEDNESS: not relevant
; TOPOLOGY: not relevant
; MOLECULE TYPE: peptide
US-08-025-321C-1

```

```

Query Match          100.0%; Score 8; DB 2; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.00046;
Matches      8; Conservative      0; Mismatches      0; Indels      0; Gaps      0;

```

```

Qy      1 EVKMDAEF 8
        |||||
Db      3 EVKMDAEF 10

```

RESULT 8

US-09-548-372D-64

```

; Sequence 64, Application US/09548372D
; Patent No. 6420534
; GENERAL INFORMATION:
; APPLICANT: GURNEY ET AL.
; TITLE OF INVENTION: ALZHEIMER'S DISEASE SECRETASE, APP SUBSTRATES THEREFOR
AND USES
; TITLE OF INVENTION: THEREOF
; FILE REFERENCE: 29915/6280I
; CURRENT APPLICATION NUMBER: US/09/548,372D
; CURRENT FILING DATE: 2000-04-12
; PRIOR APPLICATION NUMBER: US 60/155,493
; PRIOR FILING DATE: 1999-09-23
; PRIOR APPLICATION NUMBER: US 09/404,133
; PRIOR FILING DATE: 1999-09-23
; PRIOR APPLICATION NUMBER: PCT/US99/20881
; PRIOR FILING DATE: 1999-09-23
; PRIOR APPLICATION NUMBER: US 60/101,594
; PRIOR FILING DATE: 1998-09-24
; NUMBER OF SEQ ID NOS: 73
; SOFTWARE: PatentIn version 3.1
; SEQ ID NO 64

```

; LENGTH: 10
; TYPE: PRT
; ORGANISM: Artificial sequence
; FEATURE:
; OTHER INFORMATION: Synthetic peptide
US-09-548-372D-64

Query Match 100.0%; Score 8; DB 4; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.00046;
Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMDAEF 8
| | | | | | | |
Db 2 EVKMDAEF 9

RESULT 9

US-09-548-367D-64
; Sequence 64, Application US/09548367D
; Patent No. 6440698
; GENERAL INFORMATION:
; APPLICANT: GURNEY ET AL.
; TITLE OF INVENTION: ALZHEIMER'S DISEASE SECRETASE, APP SUBSTRATES THEREFOR
AND USES
; TITLE OF INVENTION: THEREOF
; FILE REFERENCE: 29915/6280H
; CURRENT APPLICATION NUMBER: US/09/548,367D
; CURRENT FILING DATE: 2000-04-12
; PRIOR APPLICATION NUMBER: US 60/155,493
; PRIOR FILING DATE: 1999-09-23
; PRIOR APPLICATION NUMBER: US 09/404,133
; PRIOR FILING DATE: 1999-09-23
; PRIOR APPLICATION NUMBER: PCT/US99/20881
; PRIOR FILING DATE: 1999-09-23
; PRIOR APPLICATION NUMBER: US 60/101,594
; PRIOR FILING DATE: 1998-09-24
; NUMBER OF SEQ ID NOS: 73
; SOFTWARE: PatentIn version 3.1
; SEQ ID NO 64
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Artificial sequence
; FEATURE:
; OTHER INFORMATION: Synthetic peptide
US-09-548-367D-64

Query Match 100.0%; Score 8; DB 4; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.00046;
Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMDAEF 8
| | | | | | | |
Db 2 EVKMDAEF 9

RESULT 10

US-09-551-853D-64


```

; Sequence 64, Application US/09551853D
; Patent No. 6500667
; GENERAL INFORMATION:
; APPLICANT: GURNEY ET AL.
; TITLE OF INVENTION: ALZHEIMER'S DISEASE SECRETASE, APP SUBSTRATES THEREFOR
AND USES
; TITLE OF INVENTION: THEREOF
; FILE REFERENCE: 29915/6280L
; CURRENT APPLICATION NUMBER: US/09/551,853D
; CURRENT FILING DATE: 2000-04-18
; PRIOR APPLICATION NUMBER: US 60/155,493
; PRIOR FILING DATE: 1999-09-23
; PRIOR APPLICATION NUMBER: US 09/404,133
; PRIOR FILING DATE: 1999-09-23
; PRIOR APPLICATION NUMBER: PCT/US99/20881
; PRIOR FILING DATE: 1999-09-23
; PRIOR APPLICATION NUMBER: US 60/101,594
; PRIOR FILING DATE: 1998-09-24
; NUMBER OF SEQ ID NOS: 73
; SOFTWARE: PatentIn version 3.1
; SEQ ID NO 64
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Artificial sequence
; FEATURE:
; OTHER INFORMATION: Synthetic peptide
US-09-551-853D-64

```

```

Query Match          100.0%; Score 8; DB 4; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.00046;
Matches      8; Conservative    0; Mismatches    0; Indels      0; Gaps      0;

```

```

Qy      1 EVKMDAEF 8
        |||||
Db      2 EVKMDAEF 9

```

```

RESULT 11
US-09-604-608-4
; Sequence 4, Application US/09604608
; Patent No. 6545127
; GENERAL INFORMATION:
; APPLICANT: Tang, Jordan J.N.
; APPLICANT: Lin, Xinli
; APPLICANT: Koelsch, Gerald
; TITLE OF INVENTION: Catalytically Active Recombinant Memapsin and Methods
; TITLE OF INVENTION: of Use Thereof
; FILE REFERENCE: OMRF 179
; CURRENT APPLICATION NUMBER: US/09/604,608
; CURRENT FILING DATE: 2000-06-27
; PRIOR APPLICATION NUMBER: 60/141,363
; PRIOR FILING DATE: 1999-06-28
; PRIOR APPLICATION NUMBER: 60/168,060
; PRIOR FILING DATE: 1999-11-30
; PRIOR APPLICATION NUMBER: 60/177,836
; PRIOR FILING DATE: 2000-01-25
; PRIOR APPLICATION NUMBER: 60/178,368

```

```
; PRIOR FILING DATE: 2000-01-27
; PRIOR APPLICATION NUMBER: 60/210,292
; PRIOR FILING DATE: 2000-06-08
; NUMBER OF SEQ ID NOS: 31
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 4
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence: Primer
US-09-604-608-4
```

```
Query Match          100.0%; Score 8; DB 4; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.00046;
Matches      8; Conservative    0; Mismatches    0; Indels      0; Gaps      0;
```

```
Qy      1 EVKMDAEF 8
        |||||
Db      2 EVKMDAEF 9
```

RESULT 12

PCT-US94-07043A-7

```
; Sequence 7, Application PC/TUS9407043A
; GENERAL INFORMATION:
; APPLICANT: Tamburini, Paul P.; Benz, G nter; H bich,
; APPLICANT: Dieter; Dreyer, Robert N.; Koenig, Gerhard
; TITLE OF INVENTION: CATHEPSIN D IS AN AMYLOIDOGENIC
; TITLE OF INVENTION: PROTEASE IN ALZHEIMER S DISEASE
; NUMBER OF SEQUENCES: 11
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Miles Inc.
; STREET: 400 Morgan Lane
; CITY: West Haven
; STATE: Connecticut
; COUNTRY: USA
; ZIP: 06516
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Diskette, 3.50 inch, 800 kb storage
; COMPUTER: Sharp PC 4600
; OPERATING SYSTEM: MS-DOS
; SOFTWARE: WordPerfect 5.1
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: PCT/US94/07043A
; FILING DATE: June 21, 1994
; CLASSIFICATION:
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: PCT/US93/10889
; FILING DATE: November 12, 1993
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 07/995,660
; FILING DATE: December 16, 1992
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 07/880,914
; FILING DATE: May 11, 1992
; ATTORNEY/AGENT INFORMATION:
```

; NAME: Pamela A. Simonton
; REGISTRATION NUMBER: 31,060
; REFERENCE/DOCKET NUMBER: MTI 224.3
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (203) 937-2340
; TELEFAX: (203) 937-2795
; INFORMATION FOR SEQ ID NO: 7:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 11 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
PCT-US94-07043A-7

Query Match 100.0%; Score 8; DB 5; Length 11;
Best Local Similarity 100.0%; Pred. No. 0.0005;
Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMDAEF 8
| | | | | | | |
Db 3 EVKMDAEF 10

RESULT 13

PCT-US94-07043A-2

; Sequence 2, Application PC/TUS9407043A

; GENERAL INFORMATION:

; APPLICANT: Tamburini, Paul P.; Benz, G nter; H bich,
; APPLICANT: Dieter; Dreyer, Robert N.; Koenig, Gerhard
; TITLE OF INVENTION: CATHEPSIN D IS AN AMYLOIDOGENIC
; TITLE OF INVENTION: PROTEASE IN ALZHEIMER S DISEASE
; NUMBER OF SEQUENCES: 11
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Miles Inc.
; STREET: 400 Morgan Lane
; CITY: West Haven
; STATE: Connecticut
; COUNTRY: USA
; ZIP: 06516

; COMPUTER READABLE FORM:

; MEDIUM TYPE: Diskette, 3.50 inch, 800 kb storage
; COMPUTER: Sharp PC 4600
; OPERATING SYSTEM: MS-DOS
; SOFTWARE: WordPerfect 5.1

; CURRENT APPLICATION DATA:

; APPLICATION NUMBER: PCT/US94/07043A
; FILING DATE: June 21, 1994
; CLASSIFICATION:

; PRIOR APPLICATION DATA:

; APPLICATION NUMBER: PCT/US93/10889
; FILING DATE: November 12, 1993

; PRIOR APPLICATION DATA:

; APPLICATION NUMBER: 07/995,660
; FILING DATE: December 16, 1992

; PRIOR APPLICATION DATA:

; APPLICATION NUMBER: 07/880,914
; FILING DATE: May 11, 1992

; ATTORNEY/AGENT INFORMATION:

```

;      NAME:  Pamela A. Simonton
;      REGISTRATION NUMBER:  31,060
;      REFERENCE/DOCKET NUMBER:  MTI 224.3
;      TELECOMMUNICATION INFORMATION:
;      TELEPHONE:  (203) 937-2340
;      TELEFAX:  (203) 937-2795
;      INFORMATION FOR SEQ ID NO:  2:
;      SEQUENCE CHARACTERISTICS:
;      LENGTH:  12 amino acids
;      TYPE:  amino acid
;      TOPOLOGY:  linear
PCT-US94-07043A-2

```

```

Query Match          100.0%;  Score 8;  DB 5;  Length 12;
Best Local Similarity 100.0%;  Pred. No. 0.00054;
Matches      8;  Conservative    0;  Mismatches    0;  Indels      0;  Gaps      0;

```

```

Qy          1 EVKMDAEF 8
            |||||
Db          3 EVKMDAEF 10

```

RESULT 14

US-09-548-372D-71

```

; Sequence 71, Application US/09548372D
; Patent No. 6420534
; GENERAL INFORMATION:
; APPLICANT: GURNEY ET AL.
; TITLE OF INVENTION: ALZHEIMER'S DISEASE SECRETASE, APP SUBSTRATES THEREFOR
AND USES
; TITLE OF INVENTION:  THEREOF
; FILE REFERENCE: 29915/6280I
; CURRENT APPLICATION NUMBER: US/09/548,372D
; CURRENT FILING DATE: 2000-04-12
; PRIOR APPLICATION NUMBER: US 60/155,493
; PRIOR FILING DATE: 1999-09-23
; PRIOR APPLICATION NUMBER: US 09/404,133
; PRIOR FILING DATE: 1999-09-23
; PRIOR APPLICATION NUMBER: PCT/US99/20881
; PRIOR FILING DATE: 1999-09-23
; PRIOR APPLICATION NUMBER: US 60/101,594
; PRIOR FILING DATE: 1998-09-24
; NUMBER OF SEQ ID NOS: 73
; SOFTWARE: PatentIn version 3.1
; SEQ ID NO 71
; LENGTH: 15
; TYPE: PRT
; ORGANISM: Artificial sequence
; FEATURE:
; OTHER INFORMATION: peptide
US-09-548-372D-71

```

```

Query Match          100.0%;  Score 8;  DB 4;  Length 15;
Best Local Similarity 100.0%;  Pred. No. 0.00067;
Matches      8;  Conservative    0;  Mismatches    0;  Indels      0;  Gaps      0;

```

```

Qy          1 EVKMDAEF 8

```

Db |||||
 4 EVKMDAEF 11

RESULT 15

US-09-548-367D-71

; Sequence 71, Application US/09548367D
; Patent No. 6440698
; GENERAL INFORMATION:
; APPLICANT: GURNEY ET AL.
; TITLE OF INVENTION: ALZHEIMER'S DISEASE SECRETASE, APP SUBSTRATES THEREFOR
AND USES
; TITLE OF INVENTION: THEREOF
; FILE REFERENCE: 29915/6280H
; CURRENT APPLICATION NUMBER: US/09/548,367D
; CURRENT FILING DATE: 2000-04-12
; PRIOR APPLICATION NUMBER: US 60/155,493
; PRIOR FILING DATE: 1999-09-23
; PRIOR APPLICATION NUMBER: US 09/404,133
; PRIOR FILING DATE: 1999-09-23
; PRIOR APPLICATION NUMBER: PCT/US99/20881
; PRIOR FILING DATE: 1999-09-23
; PRIOR APPLICATION NUMBER: US 60/101,594
; PRIOR FILING DATE: 1998-09-24
; NUMBER OF SEQ ID NOS: 73
; SOFTWARE: PatentIn version 3.1
; SEQ ID NO 71
; LENGTH: 15
; TYPE: PRT
; ORGANISM: Artificial sequence
; FEATURE:
; OTHER INFORMATION: peptide
US-09-548-367D-71

Query Match 100.0%; Score 8; DB 4; Length 15;
Best Local Similarity 100.0%; Pred. No. 0.00067;
Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMDAEF 8
 |||||
Db 4 EVKMDAEF 11

RESULT 16

US-09-551-853D-71

; Sequence 71, Application US/09551853D
; Patent No. 6500667
; GENERAL INFORMATION:
; APPLICANT: GURNEY ET AL.
; TITLE OF INVENTION: ALZHEIMER'S DISEASE SECRETASE, APP SUBSTRATES THEREFOR
AND USES
; TITLE OF INVENTION: THEREOF
; FILE REFERENCE: 29915/6280L
; CURRENT APPLICATION NUMBER: US/09/551,853D
; CURRENT FILING DATE: 2000-04-18
; PRIOR APPLICATION NUMBER: US 60/155,493
; PRIOR FILING DATE: 1999-09-23

```
; PRIOR APPLICATION NUMBER: US 09/404,133
; PRIOR FILING DATE: 1999-09-23
; PRIOR APPLICATION NUMBER: PCT/US99/20881
; PRIOR FILING DATE: 1999-09-23
; PRIOR APPLICATION NUMBER: US 60/101,594
; PRIOR FILING DATE: 1998-09-24
; NUMBER OF SEQ ID NOS: 73
; SOFTWARE: PatentIn version 3.1
; SEQ ID NO 71
; LENGTH: 15
; TYPE: PRT
; ORGANISM: Artificial sequence
; FEATURE:
; OTHER INFORMATION: peptide
US-09-551-853D-71
```

```
Query Match          100.0%; Score 8; DB 4; Length 15;
Best Local Similarity 100.0%; Pred. No. 0.00067;
Matches      8; Conservative    0; Mismatches    0; Indels      0; Gaps      0;
```

```
Qy      1 EVKMDAEF 8
        |||||
Db      4 EVKMDAEF 11
```

RESULT 17

PCT-US94-07043A-1

; Sequence 1, Application PC/TUS9407043A

; GENERAL INFORMATION:

```
; APPLICANT: Tamburini, Paul P.; Benz, G nter; H bich,
; APPLICANT: Dieter; Dreyer, Robert N.; Koenig, Gerhard
; TITLE OF INVENTION: CATHEPSIN D IS AN AMYLOIDOGENIC
; TITLE OF INVENTION: PROTEASE IN ALZHEIMER S DISEASE
; NUMBER OF SEQUENCES: 11
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Miles Inc.
; STREET: 400 Morgan Lane
; CITY: West Haven
; STATE: Connecticut
; COUNTRY: USA
; ZIP: 06516
```

; COMPUTER READABLE FORM:

```
; MEDIUM TYPE: Diskette, 3.50 inch, 800 kb storage
; COMPUTER: Sharp PC 4600
; OPERATING SYSTEM: MS-DOS
; SOFTWARE: WordPerfect 5.1
```

; CURRENT APPLICATION DATA:

```
; APPLICATION NUMBER: PCT/US94/07043A
; FILING DATE: June 21, 1994
; CLASSIFICATION:
```

; PRIOR APPLICATION DATA:

```
; APPLICATION NUMBER: PCT/US93/10889
; FILING DATE: November 12, 1993
```

; PRIOR APPLICATION DATA:

```
; APPLICATION NUMBER: 07/995,660
; FILING DATE: December 16, 1992
```

; PRIOR APPLICATION DATA:

```

; APPLICATION NUMBER: 07/880,914
; FILING DATE: May 11, 1992
; ATTORNEY/AGENT INFORMATION:
; NAME: Pamela A. Simonton
; REGISTRATION NUMBER: 31,060
; REFERENCE/DOCKET NUMBER: MTI 224.3
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (203) 937-2340
; TELEFAX: (203) 937-2795
; INFORMATION FOR SEQ ID NO: 1:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 16 amino acids
; TYPE: amino acid
; TOPOLOGY: linear
PCT-US94-07043A-1

```

```

Query Match          100.0%; Score 8; DB 5; Length 16;
Best Local Similarity 100.0%; Pred. No. 0.00071;
Matches      8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

```

```

Qy      1 EVKMDAEF 8
        |||||
Db      3 EVKMDAEF 10

```

RESULT 18

US-08-802-981-114

```

; Sequence 114, Application US/08802981
; Patent No. 6037137

```

; GENERAL INFORMATION:

```

; APPLICANT: Komoriya, Akira
; APPLICANT: Packard, Beverly S.
; TITLE OF INVENTION: Compositions for the Detection of Enzyme
; TITLE OF INVENTION: Activity in Biological Samples and Methods of Use
Thereof

```

```

; NUMBER OF SEQUENCES: 231
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Townsend and Townsend and Crew LLP
; STREET: Two Embarcadero Center, Eighth Floor
; CITY: San Francisco
; STATE: California
; COUNTRY: USA
; ZIP: 94111-3834

```

; COMPUTER READABLE FORM:

```

; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.30

```

; CURRENT APPLICATION DATA:

```

; APPLICATION NUMBER: US/08/802,981
; FILING DATE: 20-FEB-1997
; CLASSIFICATION: 435
; ATTORNEY/AGENT INFORMATION:
; NAME: Hunter, Tom
; REGISTRATION NUMBER: 38,498
; REFERENCE/DOCKET NUMBER: 016865-000300US
; TELECOMMUNICATION INFORMATION:

```

```

; TELEPHONE: (415) 576-0200
; TELEFAX: (415) 576-0300
; INFORMATION FOR SEQ ID NO: 114:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 21 amino acids
; TYPE: amino acid
; STRANDEDNESS:
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
; FEATURE:
; NAME/KEY: Modified-site
; LOCATION: 3
; OTHER INFORMATION: /product= "Aib"
; FEATURE:
; NAME/KEY: Modified-site
; LOCATION: 4
; OTHER INFORMATION: /product= "Acp"
; FEATURE:
; NAME/KEY: Modified-site
; LOCATION: 16
; OTHER INFORMATION: /product= "Acp"
US-08-802-981-114

```

```

Query Match          100.0%; Score 8; DB 3; Length 21;
Best Local Similarity 100.0%; Pred. No. 0.00091;
Matches      8; Conservative      0; Mismatches      0; Indels      0; Gaps      0;

```

```

Qy      1 EVKMDAEF 8
        |||||
Db      7 EVKMDAEF 14

```

RESULT 19

US-08-141-324-11

```

; Sequence 11, Application US/08141324
; Patent No. 5475097
; GENERAL INFORMATION:
; APPLICANT: Travis, James
; APPLICANT: Potempa, Jan S.
; APPLICANT: Barr, Philip J.
; APPLICANT: Pavloff, Nadine
; APPLICANT: Pike, Robert N.
; TITLE OF INVENTION: Lysine-specific Porphyromonas gingivalis
; TITLE OF INVENTION: Protease
; NUMBER OF SEQUENCES: 28
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Greenlee and Winner, P.C.
; STREET: 5370 Manhattan Circle, Suite 201
; CITY: Boulder
; STATE: CO
; COUNTRY: US
; ZIP: 80303
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25

```



```

; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/141,324
; FILING DATE: 21-OCT-1993
; CLASSIFICATION: 424
; ATTORNEY/AGENT INFORMATION:
; NAME: Ferber, Donna M.
; REGISTRATION NUMBER: 33,878
; REFERENCE/DOCKET NUMBER: 44-93
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 303-499-8080
; TELEFAX: 303-499-8089
; INFORMATION FOR SEQ ID NO: 11:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 27 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
; HYPOTHETICAL: NO
; ANTI-SENSE: NO
US-08-141-324-11

```

```

Query Match          100.0%; Score 8; DB 1; Length 27;
Best Local Similarity 100.0%; Pred. No. 0.0011;
Matches      8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

```

```

Qy      1 EVKMDAEF 8
        |||||
Db      5 EVKMDAEF 12

```

RESULT 20

US-08-541-902-11

```

; Sequence 11, Application US/08541902
; Patent No. 5707620
; GENERAL INFORMATION:
; APPLICANT: Travis, James
; APPLICANT: Potempa, Jan S.
; APPLICANT: Barr, Philip J.
; APPLICANT: Pavloff, Nadine
; APPLICANT: Pike, Robert N.
; TITLE OF INVENTION: Lysine-specific Porphyromonas gingivalis
; TITLE OF INVENTION: Protease
; NUMBER OF SEQUENCES: 28
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Greenlee and Winner, P.C.
; STREET: 5370 Manhattan Circle, Suite 201
; CITY: Boulder
; STATE: CO
; COUNTRY: US
; ZIP: 80303
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:

```

```

; APPLICATION NUMBER: US/08/541,902
; FILING DATE:
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US/08/141,324
; FILING DATE: 21-OCT-1993
; ATTORNEY/AGENT INFORMATION:
; NAME: Ferber, Donna M.
; REGISTRATION NUMBER: 33,878
; REFERENCE/DOCKET NUMBER: 44-93
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 303-499-8080
; TELEFAX: 303-499-8089
; INFORMATION FOR SEQ ID NO: 11:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 27 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
; HYPOTHETICAL: NO
; ANTI-SENSE: NO
US-08-541-902-11

```

```

Query Match          100.0%; Score 8; DB 1; Length 27;
Best Local Similarity 100.0%; Pred. No. 0.0011;
Matches      8; Conservative    0; Mismatches    0; Indels      0; Gaps      0;

```

```

Qy      1 EVKMDAEF 8
        |||||
Db      5 EVKMDAEF 12

```

RESULT 21

US-08-462-859A-5

```

; Sequence 5, Application US/08462859A
; Patent No. 5652092
; GENERAL INFORMATION:
; APPLICANT: Jacobsen, J. S.
; APPLICANT: Vitek, M. P.
; TITLE OF INVENTION: No. 5652092el Amyloid Precursor and Method of
; TITLE OF INVENTION: Using Same to Access Agents Which Down-Regulate
Formation
; TITLE OF INVENTION: of B-Amyloid Peptide
; NUMBER OF SEQUENCES: 19
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: American Cyanamid Company
; STREET: One Cyanamid Plaza
; CITY: Wayne
; STATE: New Jersey
; COUNTRY: United States
; ZIP: 07470-8426
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.30

```

```

; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/462,859A
; FILING DATE: 05-JUN-1995
; CLASSIFICATION: 435
; ATTORNEY/AGENT INFORMATION:
; NAME: Barnhard, Elizabeth M.
; REGISTRATION NUMBER: 31,088
; REFERENCE/DOCKET NUMBER: 31,844-04
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (201)831-3246
; TELEFAX: (201)831-3305
; INFORMATION FOR SEQ ID NO: 5:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 45 amino acids
; TYPE: amino acid
; STRANDEDNESS:
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-08-462-859A-5

```

```

Query Match          100.0%; Score 8; DB 1; Length 45;
Best Local Similarity 100.0%; Pred. No. 0.0018;
Matches      8; Conservative    0; Mismatches    0; Indels      0; Gaps      0;

```

```

Qy      1 EVKMDAEF 8
        |||||
Db      6 EVKMDAEF 13

```

RESULT 22

US-08-123-659A-5

```

; Sequence 5, Application US/08123659A
; Patent No. 5656477
; GENERAL INFORMATION:
; APPLICANT: Jacobsen, J. S.
; APPLICANT: Vitek, M. P.
; TITLE OF INVENTION: No. 5656477e1 Amyloid Precursor and Method of
; TITLE OF INVENTION: Using Same to Access Agents Which Down-Regulate
Formation
; TITLE OF INVENTION: of B-Amyloid Peptide
; NUMBER OF SEQUENCES: 19
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Anne Rosenblum
; STREET: 163 Delaware Avenue, Suite 212
; CITY: Delmar
; STATE: New York
; COUNTRY: U.S.A.
; ZIP: 12054
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/123,659A
; FILING DATE: 20-SEP-1993
; CLASSIFICATION: 435

```

```

; ATTORNEY/AGENT INFORMATION:
;   NAME:  Rosenblum, Anne M.
;   REGISTRATION NUMBER:  30,419
;   REFERENCE/DOCKET NUMBER:  31,844-01
; TELECOMMUNICATION INFORMATION:
;   TELEPHONE:  (518)475-0611
;   TELEFAX:  (518)475-0619
; INFORMATION FOR SEQ ID NO:  5:
;   SEQUENCE CHARACTERISTICS:
;     LENGTH:  45 amino acids
;     TYPE:  amino acid
;     TOPOLOGY:  linear
;   MOLECULE TYPE:  protein
US-08-123-659A-5

```

```

Query Match          100.0%;  Score 8;  DB 1;  Length 45;
Best Local Similarity 100.0%;  Pred. No. 0.0018;
Matches      8;  Conservative    0;  Mismatches    0;  Indels      0;  Gaps      0;

```

```

Qy      1 EVKMDAEF 8
        |||||
Db      6 EVKMDAEF 13

```

RESULT 23

US-08-464-247A-5

```

; Sequence 5, Application US/08464247A
; Patent No. 5693478
; GENERAL INFORMATION:
;   APPLICANT:  Jacobsen, J. S.
;   APPLICANT:  Vitek, M. P.
;   TITLE OF INVENTION:  No. 5693478el Amyloid Precursor and Method of
;   TITLE OF INVENTION:  Using Same to Access Agents Which Down-Regulate
Formation
;   TITLE OF INVENTION:  of B-Amyloid Peptide
;   NUMBER OF SEQUENCES:  19
;   CORRESPONDENCE ADDRESS:
;     ADDRESSEE:  American Cyanamid Company
;     STREET:  One Campus Drive
;     CITY:  Parsippany
;     STATE:  New Jersey
;     COUNTRY:  United States
;     ZIP:  07054
; COMPUTER READABLE FORM:
;   MEDIUM TYPE:  Floppy disk
;   COMPUTER:  IBM PC compatible
;   OPERATING SYSTEM:  PC-DOS/MS-DOS
;   SOFTWARE:  PatentIn Release #1.0, Version #1.30
; CURRENT APPLICATION DATA:
;   APPLICATION NUMBER:  US/08/464,247A
;   FILING DATE:  05-JUN-1995
;   CLASSIFICATION:  435
; ATTORNEY/AGENT INFORMATION:
;   NAME:  Barnhard, Elizabeth M.
;   REGISTRATION NUMBER:  31,088
;   REFERENCE/DOCKET NUMBER:  31,844-03
; TELECOMMUNICATION INFORMATION:

```

; TELEPHONE: 201-683-2158
; TELEFAX: 201-683-4117
; INFORMATION FOR SEQ ID NO: 5:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 45 amino acids
; TYPE: amino acid
; STRANDEDNESS:
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-08-464-247A-5

Query Match 100.0%; Score 8; DB 1; Length 45;
Best Local Similarity 100.0%; Pred. No. 0.0018;
Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMDAEF 8
| | | | | | | |
Db 6 EVKMDAEF 13

RESULT 24

US-08-464-248A-5

; Sequence 5, Application US/08464248A
; Patent No. 5703209
; GENERAL INFORMATION:
; APPLICANT: Jacobsen, J. S.
; APPLICANT: Vitek, M. P.
; TITLE OF INVENTION: No. 5703209el Amyloid Precursor and Method of
; TITLE OF INVENTION: Using Same to Access Agents Which Down-Regulate
Formation
; TITLE OF INVENTION: of B-Amyloid Peptide
; NUMBER OF SEQUENCES: 19
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: American Cyanamid Company
; STREET: One Cyanamid Plaza
; CITY: Wayne
; STATE: New Jersey
; COUNTRY: United States
; ZIP: 07470-8426
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.30
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/464,248A
; FILING DATE: 05-JUN-1995
; CLASSIFICATION: 435
; ATTORNEY/AGENT INFORMATION:
; NAME: Barnhard, Elizabeth M.
; REGISTRATION NUMBER: 31,088
; REFERENCE/DOCKET NUMBER: 31,844-02
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (201)831-3246
; TELEFAX: (201)831-3305
; INFORMATION FOR SEQ ID NO: 5:
; SEQUENCE CHARACTERISTICS:

; LENGTH: 45 amino acids
; TYPE: amino acid
; STRANDEDNESS:
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-08-464-248A-5

Query Match 100.0%; Score 8; DB 1; Length 45;
Best Local Similarity 100.0%; Pred. No. 0.0018;
Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMDAEF 8
| | | | | | | |
Db 6 EVKMDAEF 13

RESULT 25

US-08-371-930-25

; Sequence 25, Application US/08371930
; Patent No. 5578451
; GENERAL INFORMATION:
; APPLICANT: Nishimoto, Ikuo
; TITLE OF INVENTION: ALZHEIMER'S DISEASE THERAPEUTICS
; NUMBER OF SEQUENCES: 30
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Fish & Richardson
; STREET: 225 Franklin Street
; CITY: Boston
; STATE: Massachusetts
; COUNTRY: U.S.A.
; ZIP: 02110-2804
; COMPUTER READABLE FORM:
; MEDIUM TYPE: 3.5" Diskette, 1.44 Mb
; COMPUTER: IBM PS/2 Model 50Z or 55SX
; OPERATING SYSTEM: MS-DOS (Version 5.0)
; SOFTWARE: WordPerfect (Version 5.1)
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/371,930
; FILING DATE:
; CLASSIFICATION: 436
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 08/019,208
; FILING DATE: February 18, 1993
; ATTORNEY/AGENT INFORMATION:
; NAME: Clark, Paul T.
; REGISTRATION NUMBER: 30,162
; REFERENCE/DOCKET NUMBER: 00786/154001
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (617) 542-5070
; TELEFAX: (617) 542-8906
; TELEX: 200154
; INFORMATION FOR SEQ ID NO: 25:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 58
; TYPE: amino acid
; STRANDEDNESS:
; TOPOLOGY: linear

US-08-371-930-25

Query Match 100.0%; Score 8; DB 1; Length 58;
Best Local Similarity 100.0%; Pred. No. 0.0023;
Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMDAEF 8
| | | | | | | |
Db 43 EVKMDAEF 50

RESULT 26

PCT-US94-01712-25

; Sequence 25, Application PC/TUS9401712

; GENERAL INFORMATION:

; APPLICANT: Nishimoto, Ikuo

; TITLE OF INVENTION: ALZHEIMER'S DISEASE THERAPEUTICS

; NUMBER OF SEQUENCES: 30

; CORRESPONDENCE ADDRESS:

; ADDRESSEE: Fish & Richardson

; STREET: 225 Franklin Street

; CITY: Boston

; STATE: Massachusetts

; COUNTRY: U.S.A.

; ZIP: 02110-2804

; COMPUTER READABLE FORM:

; MEDIUM TYPE: 3.5" Diskette, 1.44 Mb

; COMPUTER: IBM PS/2 Model 50Z or 55SX

; OPERATING SYSTEM: MS-DOS (Version 5.0)

; SOFTWARE: WordPerfect (Version 5.1)

; CURRENT APPLICATION DATA:

; APPLICATION NUMBER: PCT/US94/01712

; FILING DATE:

; CLASSIFICATION:

; PRIOR APPLICATION DATA:

; APPLICATION NUMBER: 08/019,208

; FILING DATE: February 18, 1993

; ATTORNEY/AGENT INFORMATION:

; NAME: Clark, Paul T.

; REGISTRATION NUMBER: 30,162

; REFERENCE/DOCKET NUMBER: 00786/154001

; TELECOMMUNICATION INFORMATION:

; TELEPHONE: (617) 542-5070

; TELEFAX: (617) 542-8906

; TELEX: 200154

; INFORMATION FOR SEQ ID NO: 25:

; SEQUENCE CHARACTERISTICS:

; LENGTH: 58

; TYPE: amino acid

; STRANDEDNESS:

; TOPOLOGY: linear

PCT-US94-01712-25

Query Match 100.0%; Score 8; DB 5; Length 58;
Best Local Similarity 100.0%; Pred. No. 0.0023;
Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMDAEF 8
|||||||
Db 43 EVKMDAEF 50

RESULT 27

US-08-484-969-3

; Sequence 3, Application US/08484969
; Patent No. 5679531
; GENERAL INFORMATION:
; APPLICANT: Konig, Gerhard
; APPLICANT: Graham, Paul
; TITLE OF INVENTION: Monoclonal Antibody Specific for BA4
; TITLE OF INVENTION: Peptide
; NUMBER OF SEQUENCES: 3
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Allegretti & Witcoff, Ltd.
; STREET: 10 South Wacker Drive Suite 3000
; CITY: Chicago
; STATE: Illinois
; COUNTRY: USA
; ZIP: 60606
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/484,969
; FILING DATE:
; CLASSIFICATION: 424
; ATTORNEY/AGENT INFORMATION:
; NAME: McDonnell, John J
; REGISTRATION NUMBER: 26,949
; REFERENCE/DOCKET NUMBER: 95,216
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 312-715-1000
; TELEFAX: 312-715-1234
; INFORMATION FOR SEQ ID NO: 3:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 59 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
; FEATURE:
; NAME/KEY: Cleavage-site
; LOCATION: 4..5
; OTHER INFORMATION: /label= Beta
; OTHER INFORMATION: /note= "Beta cleavage site in APP"
; FEATURE:
; NAME/KEY: Cleavage-site
; LOCATION: 20..21
; OTHER INFORMATION: /label= Alpha
; OTHER INFORMATION: /note= "Alpha cleavage site in APP, residues 16/17
; OTHER INFORMATION: of BA4."
; FEATURE:


```

; NAME/KEY: Cleavage-site
; LOCATION: 46..47
; OTHER INFORMATION: /label= Gamma
; OTHER INFORMATION: /note= "Gamma cleavage site in APP"
; FEATURE:
; NAME/KEY: Peptide
; LOCATION: 5..47
; OTHER INFORMATION: /label= BA4
; OTHER INFORMATION: /note= "BA4 peptide"
; FEATURE:
; NAME/KEY: Region
; LOCATION: 33..56
; OTHER INFORMATION: /label= Tm
; OTHER INFORMATION: /note= "Transmembrane region of APP"
; FEATURE:
; NAME/KEY: Region
; LOCATION: 1..32
; OTHER INFORMATION: /label= Ex
; OTHER INFORMATION: /note= "N-terminal extracellular part of APP"
US-08-484-969-3

```

```

Query Match          100.0%; Score 8; DB 1; Length 59;
Best Local Similarity 100.0%; Pred. No. 0.0024;
Matches      8; Conservative    0; Mismatches    0; Indels      0; Gaps      0;

```

```

Qy      1 EVKMDAEF 8
        |||||
Db      1 EVKMDAEF 8

```

RESULT 28

US-08-472-627-3

```

; Sequence 3, Application US/08472627
; Patent No. 5693753
; GENERAL INFORMATION:
; APPLICANT: Konig, Gerhard
; APPLICANT: Graham, Paul
; TITLE OF INVENTION: Monoclonal Antibody Specific for BA4
; TITLE OF INVENTION: Peptide
; NUMBER OF SEQUENCES: 3
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Allegretti & Witcoff, Ltd.
; STREET: 10 South Wacker Drive Suite 3000
; CITY: Chicago
; STATE: Illinois
; COUNTRY: USA
; ZIP: 60606
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/472,627
; FILING DATE:
; CLASSIFICATION: 424
; ATTORNEY/AGENT INFORMATION:

```

```

; NAME: McDonnell, John J
; REGISTRATION NUMBER: 26,949
; REFERENCE/DOCKET NUMBER: 95,216
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 312-715-1000
; TELEFAX: 312-715-1234
; INFORMATION FOR SEQ ID NO: 3:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 59 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
; FEATURE:
; NAME/KEY: Cleavage-site
; LOCATION: 4..5
; OTHER INFORMATION: /label= Beta
; OTHER INFORMATION: /note= "Beta cleavage site in APP"
; FEATURE:
; NAME/KEY: Cleavage-site
; LOCATION: 20..21
; OTHER INFORMATION: /label= Alpha
; OTHER INFORMATION: /note= "Alpha cleavage site in APP, residues 16/17
; OTHER INFORMATION: of BA4."
; FEATURE:
; NAME/KEY: Cleavage-site
; LOCATION: 46..47
; OTHER INFORMATION: /label= Gamma
; OTHER INFORMATION: /note= "Gamma cleavage site in APP"
; FEATURE:
; NAME/KEY: Peptide
; LOCATION: 5..47
; OTHER INFORMATION: /label= BA4
; OTHER INFORMATION: /note= "BA4 peptide"
; FEATURE:
; NAME/KEY: Region
; LOCATION: 33..56
; OTHER INFORMATION: /label= Tm
; OTHER INFORMATION: /note= "Transmembrane region of APP"
; FEATURE:
; NAME/KEY: Region
; LOCATION: 1..32
; OTHER INFORMATION: /label= Ex
; OTHER INFORMATION: /note= "N-terminal extracellular part of APP"
US-08-472-627-3

```

```

Query Match          100.0%; Score 8; DB 1; Length 59;
Best Local Similarity 100.0%; Pred. No. 0.0024;
Matches      8; Conservative    0; Mismatches    0; Indels      0; Gaps      0;

```

```

Qy      1 EVKMDAEF 8
        |||||
Db      1 EVKMDAEF 8

```

```

RESULT 29
US-08-388-463-3

```

; Sequence 3, Application US/08388463
; Patent No. 5786180
; GENERAL INFORMATION:
; APPLICANT: Konig, Gerhard
; APPLICANT: Graham, Paul
; TITLE OF INVENTION: Monoclonal Antibody Specific for BA4
; TITLE OF INVENTION: Peptide
; NUMBER OF SEQUENCES: 3
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Allegretti & Witcoff, Ltd.
; STREET: 10 South Wacker Drive Suite 3000
; CITY: Chicago
; STATE: Illinois
; COUNTRY: USA
; ZIP: 60606
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/388,463
; FILING DATE:
; CLASSIFICATION: 435
; ATTORNEY/AGENT INFORMATION:
; NAME: McDonnell, John J
; REGISTRATION NUMBER: 26,949
; REFERENCE/DOCKET NUMBER: 95,216
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 312-715-1000
; TELEFAX: 312-715-1234
; INFORMATION FOR SEQ ID NO: 3:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 59 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: peptide
; FEATURE:
; NAME/KEY: Cleavage-site
; LOCATION: 4..5
; OTHER INFORMATION: /label= Beta
; OTHER INFORMATION: /note= "Beta cleavage site in APP"
; FEATURE:
; NAME/KEY: Cleavage-site
; LOCATION: 20..21
; OTHER INFORMATION: /label= Alpha
; OTHER INFORMATION: /note= "Alpha cleavage site in APP, residues 16/17
; OTHER INFORMATION: of BA4."
; FEATURE:
; NAME/KEY: Cleavage-site
; LOCATION: 46..47
; OTHER INFORMATION: /label= Gamma
; OTHER INFORMATION: /note= "Gamma cleavage site in APP"
; FEATURE:
; NAME/KEY: Peptide
; LOCATION: 5..47

```

;   OTHER INFORMATION:  /label= BA4
;   OTHER INFORMATION:  /note= "BA4 peptide"
;   FEATURE:
;   NAME/KEY:  Region
;   LOCATION:  33..56
;   OTHER INFORMATION:  /label= Tm
;   OTHER INFORMATION:  /note= "Transmembrane region of APP"
;   FEATURE:
;   NAME/KEY:  Region
;   LOCATION:  1..32
;   OTHER INFORMATION:  /label= Ex
;   OTHER INFORMATION:  /note= "N-terminal extracellular part of APP"
US-08-388-463-3

```

```

Query Match          100.0%;  Score 8;  DB 1;  Length 59;
Best Local Similarity 100.0%;  Pred. No. 0.0024;
Matches      8;  Conservative    0;  Mismatches    0;  Indels      0;  Gaps      0;

```

```

Qy      1 EVKMDAEF 8
        |||||
Db      1 EVKMDAEF 8

```

RESULT 30

US-08-462-859A-3

```

; Sequence 3, Application US/08462859A
; Patent No. 5652092
; GENERAL INFORMATION:
;   APPLICANT:  Jacobsen, J. S.
;   APPLICANT:  Vitek, M. P.
;   TITLE OF INVENTION:  No. 5652092el Amyloid Precursor and Method of
;   TITLE OF INVENTION:  Using Same to Access Agents Which Down-Regulate
Formation
;   TITLE OF INVENTION:  of B-Amyloid Peptide
;   NUMBER OF SEQUENCES:  19
;   CORRESPONDENCE ADDRESS:
;   ADDRESSEE:  American Cyanamid Company
;   STREET:  One Cyanamid Plaza
;   CITY:  Wayne
;   STATE:  New Jersey
;   COUNTRY:  United States
;   ZIP:  07470-8426
;   COMPUTER READABLE FORM:
;   MEDIUM TYPE:  Floppy disk
;   COMPUTER:  IBM PC compatible
;   OPERATING SYSTEM:  PC-DOS/MS-DOS
;   SOFTWARE:  PatentIn Release #1.0, Version #1.30
;   CURRENT APPLICATION DATA:
;   APPLICATION NUMBER:  US/08/462,859A
;   FILING DATE:  05-JUN-1995
;   CLASSIFICATION:  435
;   ATTORNEY/AGENT INFORMATION:
;   NAME:  Barnhard, Elizabeth M.
;   REGISTRATION NUMBER:  31,088
;   REFERENCE/DOCKET NUMBER:  31,844-04
;   TELECOMMUNICATION INFORMATION:
;   TELEPHONE:  (201)831-3246

```

; TELEFAX: (201)831-3305
; INFORMATION FOR SEQ ID NO: 3:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 63 amino acids
; TYPE: amino acid
; STRANDEDNESS:
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-08-462-859A-3

Query Match 100.0%; Score 8; DB 1; Length 63;
Best Local Similarity 100.0%; Pred. No. 0.0025;
Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMDAEF 8
| | | | | | | |
Db 6 EVKMDAEF 13

RESULT 31

US-08-462-859A-4

; Sequence 4, Application US/08462859A
; Patent No. 5652092
; GENERAL INFORMATION:
; APPLICANT: Jacobsen, J. S.
; APPLICANT: Vitek, M. P.
; TITLE OF INVENTION: No. 5652092el Amyloid Precursor and Method of
; TITLE OF INVENTION: Using Same to Access Agents Which Down-Regulate
Formation
; TITLE OF INVENTION: of B-Amyloid Peptide
; NUMBER OF SEQUENCES: 19
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: American Cyanamid Company
; STREET: One Cyanamid Plaza
; CITY: Wayne
; STATE: New Jersey
; COUNTRY: United States
; ZIP: 07470-8426
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.30
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/462,859A
; FILING DATE: 05-JUN-1995
; CLASSIFICATION: 435
; ATTORNEY/AGENT INFORMATION:
; NAME: Barnhard, Elizabeth M.
; REGISTRATION NUMBER: 31,088
; REFERENCE/DOCKET NUMBER: 31,844-04
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (201)831-3246
; TELEFAX: (201)831-3305
; INFORMATION FOR SEQ ID NO: 4:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 63 amino acids

; TYPE: amino acid
; STRANDEDNESS:
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-08-462-859A-4

Query Match 100.0%; Score 8; DB 1; Length 63;
Best Local Similarity 100.0%; Pred. No. 0.0025;
Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMDAEF 8
| | | | | | | |
Db 6 EVKMDAEF 13

RESULT 32

US-08-123-659A-3

; Sequence 3, Application US/08123659A
; Patent No. 5656477

; GENERAL INFORMATION:

; APPLICANT: Jacobsen, J. S.

; APPLICANT: Vitek, M. P.

; TITLE OF INVENTION: No. 5656477e1 Amyloid Precursor and Method of

; TITLE OF INVENTION: Using Same to Access Agents Which Down-Regulate
Formation

; TITLE OF INVENTION: of B-Amyloid Peptide

; NUMBER OF SEQUENCES: 19

; CORRESPONDENCE ADDRESS:

; ADDRESSEE: Anne Rosenblum

; STREET: 163 Delaware Avenue, Suite 212

; CITY: Delmar

; STATE: New York

; COUNTRY: U.S.A.

; ZIP: 12054

; COMPUTER READABLE FORM:

; MEDIUM TYPE: Floppy disk

; COMPUTER: IBM PC compatible

; OPERATING SYSTEM: PC-DOS/MS-DOS

; SOFTWARE: PatentIn Release #1.0, Version #1.25

; CURRENT APPLICATION DATA:

; APPLICATION NUMBER: US/08/123,659A

; FILING DATE: 20-SEP-1993

; CLASSIFICATION: 435

; ATTORNEY/AGENT INFORMATION:

; NAME: Rosenblum, Anne M.

; REGISTRATION NUMBER: 30,419

; REFERENCE/DOCKET NUMBER: 31,844-01

; TELECOMMUNICATION INFORMATION:

; TELEPHONE: (518)475-0611

; TELEFAX: (518)475-0619

; INFORMATION FOR SEQ ID NO: 3:

; SEQUENCE CHARACTERISTICS:

; LENGTH: 63 amino acids

; TYPE: amino acid

; TOPOLOGY: linear

; MOLECULE TYPE: protein

US-08-123-659A-3

Query Match 100.0%; Score 8; DB 1; Length 63;
Best Local Similarity 100.0%; Pred. No. 0.0025;
Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMDAEF 8
|||||||
Db 6 EVKMDAEF 13

RESULT 33

US-08-123-659A-4

; Sequence 4, Application US/08123659A

; Patent No. 5656477

; GENERAL INFORMATION:

; APPLICANT: Jacobsen, J. S.

; APPLICANT: Vitek, M. P.

; TITLE OF INVENTION: No. 5656477e1 Amyloid Precursor and Method of

; TITLE OF INVENTION: Using Same to Access Agents Which Down-Regulate
Formation

; TITLE OF INVENTION: of B-Amyloid Peptide

; NUMBER OF SEQUENCES: 19

; CORRESPONDENCE ADDRESS:

; ADDRESSEE: Anne Rosenblum

; STREET: 163 Delaware Avenue, Suite 212

; CITY: Delmar

; STATE: New York

; COUNTRY: U.S.A.

; ZIP: 12054

; COMPUTER READABLE FORM:

; MEDIUM TYPE: Floppy disk

; COMPUTER: IBM PC compatible

; OPERATING SYSTEM: PC-DOS/MS-DOS

; SOFTWARE: PatentIn Release #1.0, Version #1.25

; CURRENT APPLICATION DATA:

; APPLICATION NUMBER: US/08/123,659A

; FILING DATE: 20-SEP-1993

; CLASSIFICATION: 435

; ATTORNEY/AGENT INFORMATION:

; NAME: Rosenblum, Anne M.

; REGISTRATION NUMBER: 30,419

; REFERENCE/DOCKET NUMBER: 31,844-01

; TELECOMMUNICATION INFORMATION:

; TELEPHONE: (518)475-0611

; TELEFAX: (518)475-0619

; INFORMATION FOR SEQ ID NO: 4:

; SEQUENCE CHARACTERISTICS:

; LENGTH: 63 amino acids

; TYPE: amino acid

; TOPOLOGY: linear

; MOLECULE TYPE: protein

US-08-123-659A-4

Query Match 100.0%; Score 8; DB 1; Length 63;
Best Local Similarity 100.0%; Pred. No. 0.0025;
Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMDAEF 8
| | | | | | | |
Db 6 EVKMDAEF 13

RESULT 34

US-08-464-247A-3

; Sequence 3, Application US/08464247A

; Patent No. 5693478

; GENERAL INFORMATION:

; APPLICANT: Jacobsen, J. S.

; APPLICANT: Vitek, M. P.

; TITLE OF INVENTION: No. 5693478e1 Amyloid Precursor and Method of

; TITLE OF INVENTION: Using Same to Access Agents Which Down-Regulate
Formation

; TITLE OF INVENTION: of B-Amyloid Peptide

; NUMBER OF SEQUENCES: 19

; CORRESPONDENCE ADDRESS:

; ADDRESSEE: American Cyanamid Company

; STREET: One Campus Drive

; CITY: Parsippany

; STATE: New Jersey

; COUNTRY: United States

; ZIP: 07054

; COMPUTER READABLE FORM:

; MEDIUM TYPE: Floppy disk

; COMPUTER: IBM PC compatible

; OPERATING SYSTEM: PC-DOS/MS-DOS

; SOFTWARE: PatentIn Release #1.0, Version #1.30

; CURRENT APPLICATION DATA:

; APPLICATION NUMBER: US/08/464,247A

; FILING DATE: 05-JUN-1995

; CLASSIFICATION: 435

; ATTORNEY/AGENT INFORMATION:

; NAME: Barnhard, Elizabeth M.

; REGISTRATION NUMBER: 31,088

; REFERENCE/DOCKET NUMBER: 31,844-03

; TELECOMMUNICATION INFORMATION:

; TELEPHONE: 201-683-2158

; TELEFAX: 201-683-4117

; INFORMATION FOR SEQ ID NO: 3:

; SEQUENCE CHARACTERISTICS:

; LENGTH: 63 amino acids

; TYPE: amino acid

; STRANDEDNESS:

; TOPOLOGY: linear

; MOLECULE TYPE: protein

US-08-464-247A-3

Query Match 100.0%; Score 8; DB 1; Length 63;

Best Local Similarity 100.0%; Pred. No. 0.0025;

Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMDAEF 8
| | | | | | | |
Db 6 EVKMDAEF 13

RESULT 35
 US-08-464-247A-4
 ; Sequence 4, Application US/08464247A
 ; Patent No. 5693478
 ; GENERAL INFORMATION:
 ; APPLICANT: Jacobsen, J. S.
 ; APPLICANT: Vitek, M. P.
 ; TITLE OF INVENTION: No. 5693478el Amyloid Precursor and Method of
 ; TITLE OF INVENTION: Using Same to Access Agents Which Down-Regulate
 Formation
 ; TITLE OF INVENTION: of B-Amyloid Peptide
 ; NUMBER OF SEQUENCES: 19
 ; CORRESPONDENCE ADDRESS:
 ; ADDRESSEE: American Cyanamid Company
 ; STREET: One Campus Drive
 ; CITY: Parsippany
 ; STATE: New Jersey
 ; COUNTRY: United States
 ; ZIP: 07054
 ; COMPUTER READABLE FORM:
 ; MEDIUM TYPE: Floppy disk
 ; COMPUTER: IBM PC compatible
 ; OPERATING SYSTEM: PC-DOS/MS-DOS
 ; SOFTWARE: PatentIn Release #1.0, Version #1.30
 ; CURRENT APPLICATION DATA:
 ; APPLICATION NUMBER: US/08/464,247A
 ; FILING DATE: 05-JUN-1995
 ; CLASSIFICATION: 435
 ; ATTORNEY/AGENT INFORMATION:
 ; NAME: Barnhard, Elizabeth M.
 ; REGISTRATION NUMBER: 31,088
 ; REFERENCE/DOCKET NUMBER: 31,844-03
 ; TELECOMMUNICATION INFORMATION:
 ; TELEPHONE: 201-683-2158
 ; TELEFAX: 201-683-4117
 ; INFORMATION FOR SEQ ID NO: 4:
 ; SEQUENCE CHARACTERISTICS:
 ; LENGTH: 63 amino acids
 ; TYPE: amino acid
 ; STRANDEDNESS:
 ; TOPOLOGY: linear
 ; MOLECULE TYPE: protein
 US-08-464-247A-4

Query Match 100.0%; Score 8; DB 1; Length 63;
 Best Local Similarity 100.0%; Pred. No. 0.0025;
 Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMDAEF 8
 |||||
 Db 6 EVKMDAEF 13

RESULT 36
 US-08-464-248A-3
 ; Sequence 3, Application US/08464248A

```

; Patent No. 5703209
; GENERAL INFORMATION:
;   APPLICANT:  Jacobsen, J. S.
;   APPLICANT:  Vitek, M. P.
;   TITLE OF INVENTION:  No. 5703209el Amyloid Precursor and Method of
;   TITLE OF INVENTION:  Using Same to Access Agents Which Down-Regulate
Formation
;   TITLE OF INVENTION:  of B-Amyloid Peptide
;   NUMBER OF SEQUENCES:  19
;   CORRESPONDENCE ADDRESS:
;   ADDRESSEE:  American Cyanamid Company
;   STREET:  One Cyanamid Plaza
;   CITY:  Wayne
;   STATE:  New Jersey
;   COUNTRY:  United States
;   ZIP:  07470-8426
;   COMPUTER READABLE FORM:
;   MEDIUM TYPE:  Floppy disk
;   COMPUTER:  IBM PC compatible
;   OPERATING SYSTEM:  PC-DOS/MS-DOS
;   SOFTWARE:  PatentIn Release #1.0, Version #1.30
;   CURRENT APPLICATION DATA:
;   APPLICATION NUMBER:  US/08/464,248A
;   FILING DATE:  05-JUN-1995
;   CLASSIFICATION:  435
;   ATTORNEY/AGENT INFORMATION:
;   NAME:  Barnhard, Elizabeth M.
;   REGISTRATION NUMBER:  31,088
;   REFERENCE/DOCKET NUMBER:  31,844-02
;   TELECOMMUNICATION INFORMATION:
;   TELEPHONE:  (201)831-3246
;   TELEFAX:  (201)831-3305
;   INFORMATION FOR SEQ ID NO:  3:
;   SEQUENCE CHARACTERISTICS:
;   LENGTH:  63 amino acids
;   TYPE:  amino acid
;   STRANDEDNESS:
;   TOPOLOGY:  linear
;   MOLECULE TYPE:  protein
US-08-464-248A-3

```

```

Query Match          100.0%; Score 8; DB 1; Length 63;
Best Local Similarity 100.0%; Pred. No. 0.0025;
Matches      8; Conservative      0; Mismatches      0; Indels      0; Gaps      0;

```

```

Qy      1 EVKMDAEF 8
        |||||
Db      6 EVKMDAEF 13

```

```

RESULT 37
US-08-464-248A-4
; Sequence 4, Application US/08464248A
; Patent No. 5703209
; GENERAL INFORMATION:
;   APPLICANT:  Jacobsen, J. S.
;   APPLICANT:  Vitek, M. P.

```

```

; TITLE OF INVENTION: No. 5703209e1 Amyloid Precursor and Method of
; TITLE OF INVENTION: Using Same to Access Agents Which Down-Regulate
Formation
; TITLE OF INVENTION: of B-Amyloid Peptide
; NUMBER OF SEQUENCES: 19
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: American Cyanamid Company
; STREET: One Cyanamid Plaza
; CITY: Wayne
; STATE: New Jersey
; COUNTRY: United States
; ZIP: 07470-8426
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.30
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/464,248A
; FILING DATE: 05-JUN-1995
; CLASSIFICATION: 435
; ATTORNEY/AGENT INFORMATION:
; NAME: Barnhard, Elizabeth M.
; REGISTRATION NUMBER: 31,088
; REFERENCE/DOCKET NUMBER: 31,844-02
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (201)831-3246
; TELEFAX: (201)831-3305
; INFORMATION FOR SEQ ID NO: 4:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 63 amino acids
; TYPE: amino acid
; STRANDEDNESS:
; TOPOLOGY: linear
; MOLECULE TYPE: protein
US-08-464-248A-4

```

```

Query Match          100.0%; Score 8; DB 1; Length 63;
Best Local Similarity 100.0%; Pred. No. 0.0025;
Matches      8; Conservative    0; Mismatches    0; Indels      0; Gaps      0;

```

```

Qy          1 EVKMDAEF 8
            |||||
Db          6 EVKMDAEF 13

```

RESULT 38

US-09-027-258-1

```

; Sequence 1, Application US/09027258
; Patent No. 6670182
; GENERAL INFORMATION:
; APPLICANT: Pruss, Rebecca
; APPLICANT: Huggins, John
; APPLICANT: Rautmann, Guy
; APPLICANT: Cordell, Barbara
; APPLICANT: Scardina, Jan
; APPLICANT: Mischak, Ron

```

```

; TITLE OF INVENTION: IMPROVED ASSAYS FOR BETA-AMYLOID
; TITLE OF INVENTION: PROCESSING
; NUMBER OF SEQUENCES: 8
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Howrey & Simon
; STREET: 1299 Pennsylvania Avenue, N.W.
; CITY: Washington
; STATE: DC
; COUNTRY: U.S.A.
; ZIP: 20004
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Diskette
; COMPUTER: IBM Compatible
; OPERATING SYSTEM: DOS
; SOFTWARE: FastSEQ for Windows Version 2.0
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/027,258
; FILING DATE:
; CLASSIFICATION:
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER:
; FILING DATE:
; ATTORNEY/AGENT INFORMATION:
; NAME: Marsh, David R
; REGISTRATION NUMBER: P-41,182
; REFERENCE/DOCKET NUMBER: 03561.0002
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 202 383-6904
; TELEFAX: 202 383-6610
; TELEX:
; INFORMATION FOR SEQ ID NO: 1:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 67 amino acids
; TYPE: amino acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: No. 6670182e
US-09-027-258-1

```

```

Query Match          100.0%; Score 8; DB 4; Length 67;
Best Local Similarity 100.0%; Pred. No. 0.0027;
Matches      8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

```

```

Qy      1 EVKMDAEF 8
        |||||
Db      22 EVKMDAEF 29

```

RESULT 39

US-08-404-831-2

; Sequence 2, Application US/08404831

; Patent No. 5817626

; GENERAL INFORMATION:

; APPLICANT: Mark A. Findeis, Howard Benjamin, Marc B. Garnick,

; APPLICANT: Malcolm L. Gefter, Arvind Hundal, Laura Kasman,

; APPLICANT: Gary Musso, Ethan R. Signer, and James Wakefield

```

;   TITLE OF INVENTION:  Modulators of {SYMBOL 98 \f "Symbol"}-Amyloid Peptide
Aggrega
;   NUMBER OF SEQUENCES:  3
;   CORRESPONDENCE ADDRESS:
;   ADDRESSEE:  LAHIVE & COCKFIELD
;   STREET:  60 State Street, Suite 510
;   CITY:  Boston
;   STATE:  Massachusetts
;   COUNTRY:  USA
;   ZIP:  02109-1875
;   COMPUTER READABLE FORM:
;   MEDIUM TYPE:  Floppy disk
;   COMPUTER:  IBM PC compatible
;   OPERATING SYSTEM:  PC-DOS/MS-DOS
;   SOFTWARE:  PatentIn Release #1.0, Version #1.25
;   CURRENT APPLICATION DATA:
;   APPLICATION NUMBER:  US/08/404,831
;   FILING DATE:  Herewith
;   CLASSIFICATION:  514
;   PRIOR APPLICATION DATA:
;   APPLICATION NUMBER:
;   FILING DATE:
;   ATTORNEY/AGENT INFORMATION:
;   NAME:  Hanley, Elizabeth A. (EAH)
;   REGISTRATION NUMBER:  33,505
;   REFERENCE/DOCKET NUMBER:  PPI-002
;   TELECOMMUNICATION INFORMATION:
;   TELEPHONE:  (617)227-7400
;   TELEFAX:  (617)227-5941
;   INFORMATION FOR SEQ ID NO:  2:
;   SEQUENCE CHARACTERISTICS:
;   LENGTH:  103 amino acids
;   TYPE:  amino acid
;   TOPOLOGY:  linear
;   MOLECULE TYPE:  peptide
;   FRAGMENT TYPE:  internal
US-08-404-831-2

```

```

Query Match          100.0%;  Score 8;  DB 2;  Length 103;
Best Local Similarity 100.0%;  Pred. No. 0.004;
Matches      8;  Conservative      0;  Mismatches      0;  Indels      0;  Gaps      0;

```

```

Qy      1 EVKMDAEF 8
        |||||
Db      1 EVKMDAEF 8

```

RESULT 40

US-08-612-785B-2

; Sequence 2, Application US/08612785B

; Patent No. 5854204

; GENERAL INFORMATION:

; APPLICANT: Findeis, Mark A. et al.

; TITLE OF INVENTION: Ab Peptides that Modulate b-Amyloid

; TITLE OF INVENTION: Aggregation

; NUMBER OF SEQUENCES: 40

; CORRESPONDENCE ADDRESS:

```

;   ADDRESSEE:  LAHIVE & COCKFIELD
;   STREET:  28 State Street, Suite 510
;   CITY:  Boston
;   STATE:  Massachusetts
;   COUNTRY:  USA
;   ZIP:  02109-1875
;   COMPUTER READABLE FORM:
;   MEDIUM TYPE:  Floppy disk
;   COMPUTER:  IBM PC compatible
;   OPERATING SYSTEM:  PC-DOS/MS-DOS
;   SOFTWARE:  PatentIn Release #1.0, Version #1.25
;   CURRENT APPLICATION DATA:
;   APPLICATION NUMBER:  US/08/612,785B
;   FILING DATE:  Herewith
;   CLASSIFICATION:  514
;   PRIOR APPLICATION DATA:
;   APPLICATION NUMBER:  USSN 08/404,831
;   FILING DATE:  14-MAR-1995
;   PRIOR APPLICATION DATA:
;   APPLICATION NUMBER:  USSN 08/475,579
;   FILING DATE:  07-JUN-1995
;   PRIOR APPLICATION DATA:
;   APPLICATION NUMBER:  USSN 08/548,998
;   FILING DATE:  27-OCT-1995
;   ATTORNEY/AGENT INFORMATION:
;   NAME:  DeConti, Giulio A.
;   REGISTRATION NUMBER:  31,503
;   REFERENCE/DOCKET NUMBER:  PPI-002CP3
;   TELECOMMUNICATION INFORMATION:
;   TELEPHONE:  (617)227-7400
;   TELEFAX:  (617)742-4214
;   INFORMATION FOR SEQ ID NO:  2:
;   SEQUENCE CHARACTERISTICS:
;   LENGTH:  103 amino acids
;   TYPE:  amino acid
;   TOPOLOGY:  linear
;   MOLECULE TYPE:  peptide
;   FRAGMENT TYPE:  internal
US-08-612-785B-2

```

```

Query Match          100.0%; Score 8; DB 2; Length 103;
Best Local Similarity 100.0%; Pred. No. 0.004;
Matches      8; Conservative      0; Mismatches      0; Indels      0; Gaps      0;

```

```

Qy      1 EVKMDAEF 8
        |||||
Db      1 EVKMDAEF 8

```

```

Search completed: March 26, 2004, 15:36:08
Job time : 32.5 secs

```

GenCore version 5.1.6
Copyright (c) 1993 - 2004 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 26, 2004, 15:30:37 ; Search time 13.5 Seconds
(without alignments)
57.002 Million cell updates/sec

Title: US-09-668-314C-70
Perfect score: 8
Sequence: 1 EVKMDAEF 8

Scoring table: OLIGO
Gapop 60.0 , Gapext 60.0

Searched: 283366 seqs, 96191526 residues

Word size : 0

Total number of hits satisfying chosen parameters: 283366

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Listing first 1000 summaries

Database : PIR_78:*
1: pirl:*
2: pir2:*
3: pir3:*
4: pir4:*

Pred. No. is the number of results predicted by chance to have a
score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query		DB	ID	Description
		Match	Length			
1	8	100.0	33	2	S23094	beta-amyloid prote
2	8	100.0	57	2	E60045	Alzheimer's diseas
3	8	100.0	57	2	F60045	Alzheimer's diseas
4	8	100.0	57	2	G60045	Alzheimer's diseas
5	8	100.0	57	2	D60045	Alzheimer's diseas
6	8	100.0	57	2	A60045	Alzheimer's diseas
7	8	100.0	57	2	B60045	Alzheimer's diseas
8	8	100.0	82	2	PQ0438	Alzheimer's diseas
9	8	100.0	695	1	A49795	Alzheimer's diseas
10	8	100.0	695	2	A27485	Alzheimer's diseas
11	8	100.0	695	2	S00550	Alzheimer's diseas
12	8	100.0	770	1	QRHUA4	Alzheimer's diseas
13	5	62.5	84	2	T27174	hypothetical prote

14	5	62.5	105	2	PH1526	gamma-aminobutyric
15	5	62.5	127	2	H90315	conserved hypothet
16	5	62.5	140	2	T21857	hypothetical prote
17	5	62.5	146	2	C69136	hypothetical prote
18	5	62.5	153	2	A95928	probable amine oxi
19	5	62.5	168	2	S73644	hypothetical prote
20	5	62.5	179	2	C95230	hypothetical prote
21	5	62.5	179	2	F98094	conserved hypothet
22	5	62.5	196	2	S73668	hypothetical prote
23	5	62.5	205	2	T11657	rho GDP dissociati
24	5	62.5	218	2	T30415	host range factor
25	5	62.5	220	2	I55963	Lyt-2.1 lymphocyte
26	5	62.5	224	2	S59147	cytochrome-c oxida
27	5	62.5	229	2	E34284	cytochrome-c oxida
28	5	62.5	229	2	T11796	cytochrome-c oxida
29	5	62.5	230	2	D58892	cytochrome-c oxida
30	5	62.5	230	2	S36009	cytochrome-c oxida
31	5	62.5	230	2	S45491	cytochrome-c oxida
32	5	62.5	230	2	T09860	cytochrome-c oxida
33	5	62.5	230	2	T09950	cytochrome-c oxida
34	5	62.5	230	2	T11290	cytochrome-c oxida
35	5	62.5	230	2	T11303	cytochrome-c oxida
36	5	62.5	230	2	T11537	cytochrome-c oxida
37	5	62.5	230	2	T11767	cytochrome-c oxida
38	5	62.5	232	2	E84673	hypothetical prote
39	5	62.5	234	2	S35465	cytochrome-c oxida
40	5	62.5	246	2	A29523	T-cell surface gly
41	5	62.5	247	1	RWMST2	T-cell surface gly
42	5	62.5	247	2	A34954	T-cell surface gly
43	5	62.5	248	2	T11893	cytochrome-c oxida
44	5	62.5	276	2	S39702	transcription anti
45	5	62.5	284	2	A40590	lateral flagellin
46	5	62.5	288	2	T48268	DP-2 transcription
47	5	62.5	320	2	AD3435	cytochrome-c oxida
48	5	62.5	363	2	S55035	peroxidase (EC 1.1
49	5	62.5	366	2	D81521	conserved hypothet
50	5	62.5	369	2	E86554	Fe-S oxidoreductas
51	5	62.5	369	2	G72069	conserved hypothet
52	5	62.5	370	2	T48633	hypothetical prote
53	5	62.5	371	2	D75266	cell division prot
54	5	62.5	371	2	S30978	integrase - Mycoba
55	5	62.5	375	2	G72018	chlps 43 kda prote
56	5	62.5	375	2	F86606	CHLPS 43 kDa prote
57	5	62.5	396	2	AH1426	peptidases homolog
58	5	62.5	408	2	F70369	carboxyl-terminal
59	5	62.5	419	1	H69349	diaminopimelate de
60	5	62.5	427	2	F85436	hypothetical prote
61	5	62.5	430	2	T37549	hypothetical prote
62	5	62.5	452	2	S56938	fructose-2,6-bisph
63	5	62.5	453	2	H70352	mannose-6-phosphat
64	5	62.5	457	2	A27449	T-cell surface gly
65	5	62.5	461	2	T43679	A/G-specific adeni
66	5	62.5	461	2	T38390	A/G-specific adeni
67	5	62.5	464	2	T38356	septin homolog spn
68	5	62.5	476	2	A39406	dihydrolipoamide d
69	5	62.5	478	2	T05102	hypothetical prote
70	5	62.5	489	2	S68280	protein disulfide-

71	5	62.5	494	2	AD3255	l-sorbose dehydrog
72	5	62.5	534	1	P1WL41	L1 protein - human
73	5	62.5	615	2	T29550	hypothetical prote
74	5	62.5	627	2	S48968	NDT80 protein - ye
75	5	62.5	633	2	B83478	probable two-compo
76	5	62.5	715	2	AB2210	anthranilate synth
77	5	62.5	743	2	D84854	hypothetical prote
78	5	62.5	747	2	JH0773	Alzheimer's diseas
79	5	62.5	855	2	S77252	phosphorylase (EC
80	5	62.5	905	2	T40015	phosphatidylethano
81	5	62.5	927	2	T38127	phosphoprotein - f
82	5	62.5	929	2	T52517	hypothetical prote
83	5	62.5	938	2	T01809	hypothetical prote
84	5	62.5	947	2	B86231	hypothetical prote
85	5	62.5	996	2	T18717	hypothetical prote
86	5	62.5	1007	2	H72734	hypothetical prote
87	5	62.5	1290	2	JC5473	dextranucrase (EC
88	5	62.5	1334	2	T19493	hypothetical prote
89	5	62.5	1564	2	T27121	hypothetical prote
90	5	62.5	2245	2	T18278	myosin heavy chain
91	5	62.5	2960	2	A45259	desmoyokin - human
92	5	62.5	3351	2	T13812	lipophorin - fruit
93	5	62.5	4450	2	JX0340	gramicidin S synth
94	5	62.5	4452	1	YGBSG2	gramicidin S synth
95	4	50.0	25	2	S68005	hucolin, 35K chain
96	4	50.0	29	2	A27561	Meth A tumor-speci
97	4	50.0	30	2	S69269	ezrin homolog - bo
98	4	50.0	34	2	A84391	hypothetical prote
99	4	50.0	42	2	PN0512	beta-amyloid prote
100	4	50.0	52	1	RUME	rubredoxin - Megas
101	4	50.0	61	2	H82090	hypothetical prote
102	4	50.0	66	2	S10561	chlorophyll a/b-bi
103	4	50.0	67	2	T40218	probable ATP synth
104	4	50.0	68	2	JH0113	protein-tyrosine k
105	4	50.0	69	2	D72403	hypothetical prote
106	4	50.0	71	2	B81812	hypothetical prote
107	4	50.0	72	2	E69386	hypothetical prote
108	4	50.0	73	2	S40015	phd protein - phag
109	4	50.0	73	2	F82784	hypothetical prote
110	4	50.0	74	2	AH1317	ferredoxin homolog
111	4	50.0	74	2	AH1689	ferredoxin homolog
112	4	50.0	74	2	F96670	hypothetical prote
113	4	50.0	74	2	H84256	hypothetical prote
114	4	50.0	75	2	S01148	H+-transporting tw
115	4	50.0	75	2	C82684	conserved hypothet
116	4	50.0	75	2	H96954	feoA protein, invo
117	4	50.0	75	2	A97799	hypothetical prote
118	4	50.0	77	2	F69219	conserved hypothet
119	4	50.0	77	2	C72808	gp68 protein - Myc
120	4	50.0	78	2	H84353	hypothetical prote
121	4	50.0	82	2	AB0272	hypothetical prote
122	4	50.0	84	2	S43801	hypothetical prote
123	4	50.0	85	2	T47563	kinetochore-like p
124	4	50.0	86	2	AI2955	cell division topo
125	4	50.0	86	2	D98327	cell division topo
126	4	50.0	87	2	T29724	hypothetical prote
127	4	50.0	90	2	C81917	hypothetical prote

128	4	50.0	90	2	A81186	hypothetical prote
129	4	50.0	90	2	AD3625	cell division inhi
130	4	50.0	92	2	C69554	conserved hypothet
131	4	50.0	92	2	T12859	hypothetical prote
132	4	50.0	93	2	T23016	hypothetical prote
133	4	50.0	94	2	JN0660	heat shock protein
134	4	50.0	94	2	S68248	chaperonin groES -
135	4	50.0	94	2	S32105	chaperonin groES -
136	4	50.0	94	2	S23685	erythrocyte membra
137	4	50.0	96	2	T46826	muconolactone Delt
138	4	50.0	97	2	T34056	hypothetical prote
139	4	50.0	98	2	A37397	hypothetical prote
140	4	50.0	99	2	B46598	ski-related protei
141	4	50.0	99	2	A97821	10K chaperonin [im
142	4	50.0	100	2	AI2298	cobalt transport p
143	4	50.0	103	2	AC1582	thioredoxin [impor
144	4	50.0	103	2	AI1228	thioredoxin [impor
145	4	50.0	103	2	T03013	hypothetical prote
146	4	50.0	104	2	H95206	thioredoxin [impor
147	4	50.0	104	2	H98071	thioredoxin-disulf
148	4	50.0	104	2	C70300	ribosomal protein
149	4	50.0	105	2	T37632	hypothetical prote
150	4	50.0	105	2	AD2301	hypothetical prote
151	4	50.0	107	2	C41043	hypothetical prote
152	4	50.0	109	2	S77444	hypothetical prote
153	4	50.0	109	2	B64145	hypothetical prote
154	4	50.0	111	1	A32233	thioredoxin 2 [val
155	4	50.0	114	2	D64345	hypothetical prote
156	4	50.0	115	2	AF2098	thioredoxin 2 [imp
157	4	50.0	115	2	E84340	hypothetical prote
158	4	50.0	115	2	E97483	hypothetical prote
159	4	50.0	116	2	T49862	related to REM1 pr
160	4	50.0	118	2	AB1604	B. subtilis YqzD p
161	4	50.0	119	2	A64887	ydaY protein - Esc
162	4	50.0	119	2	T17032	fimbriata-associat
163	4	50.0	119	2	AE1580	hypothetical prote
164	4	50.0	121	2	A69110	hypothetical prote
165	4	50.0	123	2	S55326	pseudoazurin - Thi
166	4	50.0	124	2	B87345	hypothetical prote
167	4	50.0	125	2	H86722	hypothetical prote
168	4	50.0	125	2	A83048	hypothetical prote
169	4	50.0	125	2	AF2032	hypothetical prote
170	4	50.0	128	2	C82474	MutT/nudix family
171	4	50.0	129	2	S48814	hypothetical prote
172	4	50.0	130	2	H84200	hypothetical prote
173	4	50.0	130	2	T20762	hypothetical prote
174	4	50.0	131	2	AF0510	transcription acti
175	4	50.0	133	2	G89889	cell division prot
176	4	50.0	134	2	AD3503	bacterial protein
177	4	50.0	134	2	S61844	ferric uptake tran
178	4	50.0	134	2	A40622	ferric uptake regu
179	4	50.0	134	2	G69444	hypothetical prote
180	4	50.0	135	2	B82794	conserved hypothet
181	4	50.0	136	1	D69495	conserved hypothet
182	4	50.0	138	2	AG2808	diacylglycerol kin
183	4	50.0	138	2	E97587	diacylglycerol kin
184	4	50.0	138	2	G71002	probable glycine c

185	4	50.0	138	2	T47152	hypothetical prote
186	4	50.0	140	2	B36945	flagellar biosynth
187	4	50.0	140	2	AD0639	flagella synthesis
188	4	50.0	140	2	A69445	hypothetical prote
189	4	50.0	141	2	AC1556	regulatory protein
190	4	50.0	141	2	AE1198	regulatory protein
191	4	50.0	142	2	A87501	hypothetical prote
192	4	50.0	142	2	E89026	protein F13A2.1 [i
193	4	50.0	142	2	E84069	hypothetical prote
194	4	50.0	143	2	B86853	hypothetical prote
195	4	50.0	143	2	E89419	protein AC8.6 [imp
196	4	50.0	143	2	T18599	hypothetical prote
197	4	50.0	144	2	E75128	glycine cleavage s
198	4	50.0	144	2	B95242	hypothetical prote
199	4	50.0	144	2	E98106	conserved hypothet
200	4	50.0	145	2	T02016	DNA-binding protei
201	4	50.0	145	2	S62510	hypothetical prote
202	4	50.0	145	2	F75189	hypothetical prote
203	4	50.0	147	2	S75581	hypothetical prote
204	4	50.0	147	2	T19162	hypothetical prote
205	4	50.0	148	2	AH1166	ribose 5-phosphate
206	4	50.0	149	2	F86380	protein F5A9.10 [i
207	4	50.0	149	2	T51471	farnesylated prote
208	4	50.0	149	2	AB1395	hypothetical prote
209	4	50.0	149	2	AE1770	hypothetical prote
210	4	50.0	150	2	AB2857	pseudoazurin [impo
211	4	50.0	150	2	S22328	gene D protein - p
212	4	50.0	150	2	G84585	probable kinetecho
213	4	50.0	150	2	AI1968	hypothetical prote
214	4	50.0	150	2	S10913	hypothetical prote
215	4	50.0	151	2	AC0407	ribose-5-phosphate
216	4	50.0	151	2	A69539	maoC protein (maoC
217	4	50.0	152	2	T04479	cinnamyl-alcohol d
218	4	50.0	152	2	AF2680	transcription regu
219	4	50.0	152	2	D97462	hypothetical prote
220	4	50.0	152	2	H96734	probable isoprenyl
221	4	50.0	152	2	T48054	hypothetical prote
222	4	50.0	153	2	B84697	probable small hea
223	4	50.0	153	2	PN0564	von Willebrand fac
224	4	50.0	153	2	D90594	hypothetical prote
225	4	50.0	153	2	T05686	farnesylated prote
226	4	50.0	154	2	B81810	hypothetical prote
227	4	50.0	154	2	D71455	hypothetical prote
228	4	50.0	154	2	T47825	Skp1-like protein
229	4	50.0	154	2	AC0242	probable exported
230	4	50.0	155	2	G96622	probable Heat shoc
231	4	50.0	155	2	H81363	probable RNA methy
232	4	50.0	155	2	F75040	hypothetical prote
233	4	50.0	156	2	E69808	protein-tyrosine p
234	4	50.0	156	2	B64036	hypothetical prote
235	4	50.0	159	2	AC2533	hypothetical prote
236	4	50.0	159	2	C69390	conserved hypothet
237	4	50.0	160	2	AI1308	dihydrofolate redu
238	4	50.0	160	2	AI1680	dihydrofolate redu
239	4	50.0	160	2	D69096	formate hydrogenly
240	4	50.0	160	2	B39128	hypothetical prote
241	4	50.0	160	2	B70302	hypothetical prote

242	4	50.0	161	2	B70323	lipopolysaccharide
243	4	50.0	161	2	T48285	hypothetical prote
244	4	50.0	162	2	F71413	probable S-linaloo
245	4	50.0	162	2	S17803	hypothetical prote
246	4	50.0	164	2	H65086	hypothetical prote
247	4	50.0	164	2	F91114	hypothetical prote
248	4	50.0	164	2	F85959	hypothetical prote
249	4	50.0	164	2	AI0885	probable membrane
250	4	50.0	166	2	B64724	transcription acti
251	4	50.0	166	2	E90633	transcription regu
252	4	50.0	166	2	E85484	transcription regu
253	4	50.0	166	2	T08580	hypothetical prote
254	4	50.0	167	1	RDSODF	dihydrofolate redu
255	4	50.0	167	2	T22198	hypothetical prote
256	4	50.0	168	2	T14723	antirestriction pr
257	4	50.0	170	1	HMECBM	M-agglutinin precu
258	4	50.0	170	2	T02707	probable kinetecho
259	4	50.0	170	2	T08348	hypothetical prote
260	4	50.0	172	2	S32489	lectin - Iberian r
261	4	50.0	172	2	T10346	hypothetical prote
262	4	50.0	172	2	E81296	probable periplasm
263	4	50.0	172	2	H81251	NADH2 dehydrogenas
264	4	50.0	173	2	G64318	hypothetical prote
265	4	50.0	173	2	B75178	mutator protein mu
266	4	50.0	173	2	C64115	riboflavin synthas
267	4	50.0	173	2	B38435	regulatory protein
268	4	50.0	174	2	A48198	voltage-dependent
269	4	50.0	174	2	S27343	hupJ protein - Rhi
270	4	50.0	174	2	AI0618	conserved hypothet
271	4	50.0	175	2	D75467	bacterioferritin c
272	4	50.0	176	2	I40599	5-Nitroimidazole a
273	4	50.0	176	2	JK0226	arachin 21K chain
274	4	50.0	177	1	S74739	translation initia
275	4	50.0	177	2	T31086	probable dTDP-4-de
276	4	50.0	177	2	F95912	hypothetical prote
277	4	50.0	178	1	E69389	hypothetical prote
278	4	50.0	178	2	S26044	sex-determining pr
279	4	50.0	179	2	S62019	hypothetical prote
280	4	50.0	179	2	T22301	hypothetical prote
281	4	50.0	180	2	T44944	hypothetical prote
282	4	50.0	180	2	S76762	hypothetical prote
283	4	50.0	181	2	S73534	hypothetical prote
284	4	50.0	182	1	S73152	translation initia
285	4	50.0	182	2	E64678	NADH2 dehydrogenas
286	4	50.0	182	2	C71839	NADH2 dehydrogenas
287	4	50.0	182	2	A96666	protein F22C12.8 [
288	4	50.0	182	2	B90060	hypothetical prote
289	4	50.0	183	2	F83858	hypothetical prote
290	4	50.0	183	2	E85182	hypothetical prote
291	4	50.0	184	2	T08198	probable disease r
292	4	50.0	184	2	S26046	sex-determining pr
293	4	50.0	185	1	B69374	conserved hypothet
294	4	50.0	185	2	C86705	hypothetical prote
295	4	50.0	186	2	B87755	protein T21E12.5 [
296	4	50.0	186	2	B90548	50S ribosomal prot
297	4	50.0	186	2	T31347	hypothetical prote
298	4	50.0	187	2	T05601	probable disease r

299	4	50.0	187	2	H75489	hypothetical prote
300	4	50.0	187	2	T21671	hypothetical prote
301	4	50.0	188	2	F64336	dTMP kinase (EC 2.
302	4	50.0	188	2	T23353	hypothetical prote
303	4	50.0	189	2	T19778	hypothetical prote
304	4	50.0	189	2	D75339	hypothetical prote
305	4	50.0	189	2	T49738	hypothetical prote
306	4	50.0	189	2	H97633	pseudoazurin precu
307	4	50.0	190	2	T32265	hypothetical prote
308	4	50.0	191	2	T19804	hypothetical prote
309	4	50.0	191	2	T19803	hypothetical prote
310	4	50.0	191	2	T31594	hypothetical prote
311	4	50.0	192	2	T13225	hypothetical prote
312	4	50.0	192	2	F72338	conserved hypothet
313	4	50.0	192	2	F81372	hypothetical prote
314	4	50.0	193	2	A49704	transcription init
315	4	50.0	194	2	A83818	heat-shock protein
316	4	50.0	194	2	G82091	RNA polymerase sig
317	4	50.0	195	2	T49012	calmodulin-like pr
318	4	50.0	195	2	B70577	hypothetical prote
319	4	50.0	195	2	D87256	nitroreductase fam
320	4	50.0	195	2	D95946	probable guanylate
321	4	50.0	196	2	S01056	early light-induce
322	4	50.0	196	2	S72861	hypothetical prote
323	4	50.0	196	2	E91064	chaperone-like pro
324	4	50.0	196	2	A99857	bfpT-regulated cha
325	4	50.0	196	2	A85909	probable chaperone
326	4	50.0	196	2	B85763	probable chaperone
327	4	50.0	196	2	AI2085	two-component resp
328	4	50.0	197	2	A29648	female-specific tr
329	4	50.0	197	2	C71005	hypothetical prote
330	4	50.0	197	2	E64102	skp protein - Haem
331	4	50.0	198	2	S60215	epoxidase fom4 - S
332	4	50.0	199	2	C71979	urease accessory p
333	4	50.0	199	2	D64528	urease accessory p
334	4	50.0	199	2	H70709	hypothetical prote
335	4	50.0	199	2	AD3401	exopolysaccharide
336	4	50.0	199	2	T27428	hypothetical prote
337	4	50.0	200	2	AG0986	hypothetical luxR-
338	4	50.0	200	2	E96525	protein T1N15.21 [
339	4	50.0	201	2	D71824	hypothetical prote
340	4	50.0	202	2	H69495	conserved hypothet
341	4	50.0	202	2	T12993	hypothetical prote
342	4	50.0	202	2	A97342	nudix (MutT) famil
343	4	50.0	203	1	S45869	glutaredoxin homol
344	4	50.0	204	2	AG2383	translation initia
345	4	50.0	204	2	G83034	urease accessory p
346	4	50.0	204	2	T44495	hypothetical prote
347	4	50.0	205	2	G75535	deoxyguanosine kin
348	4	50.0	205	2	T08049	proliferating cell
349	4	50.0	206	2	S50913	TAF25 protein - ye
350	4	50.0	206	2	A97943	hypothetical prote
351	4	50.0	207	2	F98283	hypothetical prote
352	4	50.0	208	2	AC2830	pyrazinamidase/nic
353	4	50.0	208	2	F95892	probable glutathio
354	4	50.0	209	2	C35385	hydrogen dehydroge
355	4	50.0	209	2	T19847	hypothetical prote

356	4	50.0	209	2	T35041	hypothetical prote
357	4	50.0	210	2	G95858	probable 3-octapre
358	4	50.0	210	2	B42938	F-pilus assembly p
359	4	50.0	210	2	F75126	hypothetical prote
360	4	50.0	211	2	E70253	hypothetical prote
361	4	50.0	212	2	E75334	ribonuclease HII -
362	4	50.0	212	2	I50543	aryl hydrocarbon r
363	4	50.0	213	2	F87669	conserved hypothet
364	4	50.0	214	2	D96839	F23A5.5 [imported]
365	4	50.0	214	2	H96842	F23A5.34 [imported]
366	4	50.0	214	2	A87276	hypothetical prote
367	4	50.0	215	2	AI1663	amino acid (glutam
368	4	50.0	215	2	B72640	hypothetical prote
369	4	50.0	215	2	AC1292	amino acid (glutam
370	4	50.0	216	2	E75425	hypothetical prote
371	4	50.0	216	2	AF2026	hypothetical prote
372	4	50.0	216	2	H86380	protein F5A9.6 [im
373	4	50.0	216	2	H95131	hypothetical prote
374	4	50.0	217	1	I67685	nitroreductase (EC
375	4	50.0	217	1	S08397	nitroreductase (EC
376	4	50.0	217	2	H90705	oxygen-insensitive
377	4	50.0	217	2	C85556	oxygen-insensitive
378	4	50.0	217	2	AD0573	oxygen-insensitive
379	4	50.0	217	2	T11382	cytochrome-c oxida
380	4	50.0	217	2	S65830	alpha fucosidase p
381	4	50.0	217	2	S49578	trypsin inhibitor
382	4	50.0	217	2	C83664	RNA polymerase sig
383	4	50.0	218	2	T16301	hypothetical prote
384	4	50.0	218	2	AF1190	transcription regu
385	4	50.0	218	2	AF1548	transcription regu
386	4	50.0	219	2	T47881	hypothetical prote
387	4	50.0	219	2	G95372	hypothetical prote
388	4	50.0	220	2	T34209	hypothetical prote
389	4	50.0	221	2	S30473	HIV-1 retropepsin
390	4	50.0	221	2	S77396	hypothetical prote
391	4	50.0	221	2	AI0089	probable flagellar
392	4	50.0	222	2	S10728	calcium channel pr
393	4	50.0	222	2	A46658	calcium channel pr
394	4	50.0	222	2	S51595	mycinamicin III O-
395	4	50.0	223	2	G82427	hypothetical prote
396	4	50.0	223	2	H90006	hypothetical prote
397	4	50.0	224	2	AG0406	conserved hypothet
398	4	50.0	224	2	AI3595	frnE protein [impo
399	4	50.0	225	2	T11155	cytochrome-c oxida
400	4	50.0	225	2	T11262	cytochrome-c oxida
401	4	50.0	225	2	H97607	hypothetical prote
402	4	50.0	225	2	E64075	urease accessory p
403	4	50.0	225	2	AD2429	hypothetical prote
404	4	50.0	226	1	JX0176	glutathione peroxi
405	4	50.0	226	1	A55086	glutathione peroxi
406	4	50.0	226	1	JQ0476	glutathione peroxi
407	4	50.0	226	1	JX0280	glutathione peroxi
408	4	50.0	226	2	D82454	probable glutathio
409	4	50.0	227	2	G71924	hypothetical prote
410	4	50.0	227	2	D69296	conserved hypothet
411	4	50.0	228	2	S60639	cytochrome-c oxida
412	4	50.0	228	2	T11130	cytochrome-c oxida

413	4	50.0	228	2	AC1389	B. subtilis two-co
414	4	50.0	228	2	AE1764	B. subtilis two-co
415	4	50.0	228	2	E84389	hypothetical prote
416	4	50.0	228	2	A96918	probable enzyme wi
417	4	50.0	229	2	S01503	cytochrome-c oxida
418	4	50.0	229	2	S14207	cytochrome-c oxida
419	4	50.0	229	2	S70599	cytochrome-c oxida
420	4	50.0	229	2	T11119	cytochrome-c oxida
421	4	50.0	229	2	T11277	cytochrome-c oxida
422	4	50.0	230	1	MNIV16	nonstructural prot
423	4	50.0	230	1	MNIVA5	nonstructural prot
424	4	50.0	230	1	MNIVA6	nonstructural prot
425	4	50.0	230	1	MNIVA7	nonstructural prot
426	4	50.0	230	1	MNIVA8	nonstructural prot
427	4	50.0	230	2	S68131	cytochrome-c oxida
428	4	50.0	230	2	T11457	cytochrome-c oxida
429	4	50.0	231	2	AE1409	two components res
430	4	50.0	231	2	H72234	uridylylate kinase -
431	4	50.0	231	2	E71678	hypothetical prote
432	4	50.0	231	2	AI3301	glycerone kinase (
433	4	50.0	232	2	T11823	cytochrome-c oxida
434	4	50.0	232	2	T11072	cytochrome-c oxida
435	4	50.0	232	2	T36726	probable regulator
436	4	50.0	233	2	T00566	hypothetical prote
437	4	50.0	233	2	T03329	probable amidase 1
438	4	50.0	234	2	S53480	probable membrane
439	4	50.0	234	2	T30427	probable apoptosis
440	4	50.0	235	2	S30482	pol polyprotein -
441	4	50.0	235	2	S30474	pol polyprotein -
442	4	50.0	235	2	S30476	HIV-1 retropepsin
443	4	50.0	236	2	S54428	fimbrial protein h
444	4	50.0	236	2	A75431	hypothetical prote
445	4	50.0	237	2	S26581	heat shock protein
446	4	50.0	237	2	D71182	hypothetical prote
447	4	50.0	237	2	T26765	hypothetical prote
448	4	50.0	237	2	AC0503	conserved hypothet
449	4	50.0	237	2	A75616	phosphoglycerate m
450	4	50.0	238	2	S16578	heat shock protein
451	4	50.0	238	2	AF3023	transcription regu
452	4	50.0	238	2	E81696	hypothetical prote
453	4	50.0	238	2	F70119	antigen, S2 homolo
454	4	50.0	238	2	S60081	transcription regu
455	4	50.0	239	2	E71390	cytochrome-c oxida
456	4	50.0	239	2	AI2773	sugar fermentation
457	4	50.0	239	2	G97553	sugar fermentation
458	4	50.0	239	2	T23038	hypothetical prote
459	4	50.0	239	2	E90234	conserved hypothet
460	4	50.0	240	2	T03379	heat shock protein
461	4	50.0	240	2	A82783	hypothetical prote
462	4	50.0	240	2	S51744	sex-determining pr
463	4	50.0	241	1	S24978	fimbrial protein h
464	4	50.0	241	2	H81384	succinate dehydrog
465	4	50.0	241	2	AC3000	hypothetical prote
466	4	50.0	241	2	T48006	hypothetical prote
467	4	50.0	241	2	T30108	hypothetical prote
468	4	50.0	242	2	E69002	conserved hypothet
469	4	50.0	242	2	C96606	hypothetical prote

470	4	50.0	242	2	AF2543	hypothetical prote
471	4	50.0	243	2	S39497	heat shock protein
472	4	50.0	243	2	A36928	tonB protein - Ent
473	4	50.0	243	2	S28677	hypothetical prote
474	4	50.0	243	2	T10282	late expression fa
475	4	50.0	243	2	D84474	hypothetical prote
476	4	50.0	244	2	S39498	heat shock protein
477	4	50.0	244	2	I36913	beta-myosin heavy
478	4	50.0	244	2	C98261	L-asparagine opero
479	4	50.0	244	2	T15647	hypothetical prote
480	4	50.0	245	2	A71209	hypothetical prote
481	4	50.0	245	2	F84680	hypothetical prote
482	4	50.0	246	2	AB1499	transcription regu
483	4	50.0	246	2	AG1140	transcription regu
484	4	50.0	246	2	C38113	yebC protein - Esc
485	4	50.0	246	2	F90950	hypothetical prote
486	4	50.0	246	2	B85799	hypothetical prote
487	4	50.0	246	2	AG0743	conserved hypothet
488	4	50.0	247	2	S59135	mast cell proteina
489	4	50.0	247	2	S23504	chymase (EC 3.4.21
490	4	50.0	247	2	S64708	chymase (EC 3.4.21
491	4	50.0	247	2	PQ0653	outer capsid spike
492	4	50.0	247	2	PQ0657	outer capsid spike
493	4	50.0	247	2	PQ0658	outer capsid spike
494	4	50.0	247	2	PQ0659	outer capsid spike
495	4	50.0	247	2	PQ0651	outer capsid spike
496	4	50.0	247	2	PQ0661	outer capsid spike
497	4	50.0	247	2	PQ0660	outer capsid spike
498	4	50.0	247	2	PQ0662	outer capsid spike
499	4	50.0	247	2	PQ0652	outer capsid spike
500	4	50.0	247	2	PQ0655	outer capsid spike
501	4	50.0	247	2	PQ0656	outer capsid spike
502	4	50.0	247	2	S61221	outer capsid spike
503	4	50.0	247	2	S61222	outer capsid spike
504	4	50.0	247	2	S61224	outer capsid spike
505	4	50.0	247	2	S73076	hypothetical prote
506	4	50.0	248	2	H90991	probable transcrip
507	4	50.0	248	2	B85837	probable transcrip
508	4	50.0	248	2	D64977	probable transcrip
509	4	50.0	250	1	F65006	hypothetical prote
510	4	50.0	250	2	JC7339	maleate isomerase
511	4	50.0	251	2	T38049	cdp-diacylglycerol
512	4	50.0	251	2	B84016	hypothetical prote
513	4	50.0	252	2	T47263	electron transfer
514	4	50.0	252	2	JC5187	transcription init
515	4	50.0	252	2	D91031	probable chaperone
516	4	50.0	252	2	E85875	probable fimbrial
517	4	50.0	253	2	T12405	cytochrome-c oxida
518	4	50.0	253	2	S07264	beta-crystallin B1
519	4	50.0	253	2	AG2906	hypothetical prote
520	4	50.0	253	2	H97681	heme exporter prot
521	4	50.0	253	2	C84479	probable replicati
522	4	50.0	253	2	AF2428	hypothetical prote
523	4	50.0	254	2	T48732	2,5-diketo-D-gluc
524	4	50.0	254	2	T02854	hypothetical prote
525	4	50.0	254	2	F83271	hypothetical prote
526	4	50.0	254	2	A83821	hypothetical prote

527	4	50.0	255	2	C84224	cytochrome c oxida
528	4	50.0	256	2	E87195	conserved hypothet
529	4	50.0	256	2	T35290	probable transfera
530	4	50.0	257	2	C72418	hypothetical prote
531	4	50.0	257	2	C71265	conserved hypothet
532	4	50.0	258	2	C84758	hypothetical prote
533	4	50.0	259	2	E97233	electron transfer
534	4	50.0	259	2	S32432	toxin cytB - Bacil
535	4	50.0	259	2	T06906	probable ABC-type
536	4	50.0	259	2	T51745	RNA helicase RH16
537	4	50.0	259	2	G83813	phosphatidylserine
538	4	50.0	259	2	AD2926	conserved hypothet
539	4	50.0	259	2	C98356	hypothetical prote
540	4	50.0	260	2	S26043	chymase (EC 3.4.21
541	4	50.0	260	2	D64504	conserved hypothet
542	4	50.0	260	2	H86280	protein F10B6.2 [i
543	4	50.0	262	2	S34609	carboxylesterase (
544	4	50.0	262	2	S76415	hypothetical prote
545	4	50.0	263	2	B43727	cell division init
546	4	50.0	263	2	H85376	hypothetical prote
547	4	50.0	263	2	A84385	hypothetical prote
548	4	50.0	263	2	T04634	hypothetical prote
549	4	50.0	263	2	AI2384	hypothetical prote
550	4	50.0	264	2	E71567	hypothetical prote
551	4	50.0	264	2	AE2787	exopolysaccharide
552	4	50.0	264	2	G97566	exopolysaccharide
553	4	50.0	265	2	D70216	thymidylate syntha
554	4	50.0	267	2	B87578	hypothetical prote
555	4	50.0	267	2	AG1435	PTS system, fructo
556	4	50.0	267	2	AH1077	PTS system, fructo
557	4	50.0	267	2	AE1612	conserved hypothet
558	4	50.0	267	2	T21274	hypothetical prote
559	4	50.0	268	2	D64165	hypothetical prote
560	4	50.0	268	2	D71657	biotin-protein lig
561	4	50.0	268	2	C90056	conserved hypothet
562	4	50.0	268	2	F72547	hypothetical prote
563	4	50.0	268	2	AF0926	probable lipoprote
564	4	50.0	269	2	H71889	phosphomethylpyrim
565	4	50.0	269	2	H75214	hypothetical prote
566	4	50.0	270	2	D64625	thiamin biosynthes
567	4	50.0	270	2	H64433	hypothetical prote
568	4	50.0	270	2	T24529	hypothetical prote
569	4	50.0	273	2	T46108	hypothetical prote
570	4	50.0	273	2	T18809	hypothetical prote
571	4	50.0	274	2	S44616	C08C3.2 protein -
572	4	50.0	275	2	B49394	translation elonga
573	4	50.0	275	2	G75130	translation initia
574	4	50.0	275	2	D71087	probable translati
575	4	50.0	275	2	D69749	transcription regu
576	4	50.0	276	2	E64567	protoporphyrinogen
577	4	50.0	276	2	E71862	protoporphyrinogen
578	4	50.0	277	2	G71822	tRNA delta(2)-isop
579	4	50.0	277	2	T03927	DNA binding protei
580	4	50.0	278	2	C87528	inositol monophosp
581	4	50.0	278	2	F75109	hypothetical prote
582	4	50.0	279	1	S74824	glutamate racemase
583	4	50.0	279	2	T41124	single-stranded DN

584	4	50.0	280	2	T09939	hypothetical prote
585	4	50.0	281	1	A61021	granzyme B (EC 3.4
586	4	50.0	281	2	G83789	lactose transport
587	4	50.0	281	2	S18541	hypothetical prote
588	4	50.0	282	2	T31088	probable rhamnosyl
589	4	50.0	282	2	T26112	hypothetical prote
590	4	50.0	283	2	D75528	exodeoxyribonuclea
591	4	50.0	283	2	E84457	probable mutT doma
592	4	50.0	283	2	T12062	xpsK protein - Xan
593	4	50.0	283	2	B81996	RNA polymerase sig
594	4	50.0	283	2	E81224	RNA polymerase sig
595	4	50.0	284	2	E70232	hypothetical prote
596	4	50.0	284	2	H96613	hypothetical prote
597	4	50.0	284	2	A40689	assemblin, striate
598	4	50.0	286	2	A84063	hypothetical prote
599	4	50.0	287	2	C71207	probable ribose-ph
600	4	50.0	287	2	H64303	coenzyme F420 hydr
601	4	50.0	287	2	T22466	hypothetical prote
602	4	50.0	287	2	AE3578	glycine betaine/l-
603	4	50.0	288	2	S57706	hypothetical prote
604	4	50.0	288	2	S62175	transport vesicle
605	4	50.0	289	2	C36971	outer membrane pho
606	4	50.0	289	2	T40596	probable DNA repai
607	4	50.0	289	2	E90517	methionyl-trna for
608	4	50.0	289	2	G87673	hypothetical prote
609	4	50.0	290	2	H64591	signal peptidase I
610	4	50.0	290	2	T49631	probable Ni-bindin
611	4	50.0	290	2	G86155	hypothetical prote
612	4	50.0	291	2	T31917	hypothetical prote
613	4	50.0	291	2	AI3092	hypothetical prote
614	4	50.0	292	2	S37704	amyD protein - The
615	4	50.0	293	2	D70514	probable oxidoredu
616	4	50.0	293	2	S04649	beta-lactamase (EC
617	4	50.0	293	2	B71215	hypothetical prote
618	4	50.0	293	2	F84028	cell-shape determi
619	4	50.0	293	2	S46710	hypothetical prote
620	4	50.0	293	2	T26934	hypothetical prote
621	4	50.0	294	2	B83040	ribosomal protein
622	4	50.0	294	2	B70034	hypothetical prote
623	4	50.0	294	2	T34199	hypothetical prote
624	4	50.0	294	2	B82254	sodium-type flagel
625	4	50.0	295	2	A42268	biliverdin reducta
626	4	50.0	296	2	A49943	fructose-bisphosph
627	4	50.0	297	2	E81400	polyprenyl synthet
628	4	50.0	297	2	T46864	nicotinate-nucleot
629	4	50.0	298	2	E91229	probable dehydroge
630	4	50.0	298	2	D86076	probable dehydroge
631	4	50.0	298	2	S40826	hypothetical 31.2K
632	4	50.0	298	2	S21389	keratin type II, 6
633	4	50.0	298	2	D71024	hypothetical prote
634	4	50.0	299	2	T02124	hypothetical prote
635	4	50.0	300	2	S76144	hypothetical prote
636	4	50.0	300	2	T43137	hypothetical prote
637	4	50.0	300	2	T32665	hypothetical prote
638	4	50.0	301	1	RLZMRI	rRNA N-glycosidase
639	4	50.0	301	2	A32061	afsA protein - Str
640	4	50.0	301	2	AB3208	transcription regu

641	4	50.0	302	2	A90153	hypothetical prote
642	4	50.0	302	2	G87540	transcription regu
643	4	50.0	303	2	D71300	probable chemotaxi
644	4	50.0	303	2	AE3504	tryptophan synthas
645	4	50.0	303	2	A55136	beta-coat protein
646	4	50.0	303	2	E69670	glycine betaine/ca
647	4	50.0	304	2	A48174	beta-lactamase (EC
648	4	50.0	304	2	H75378	hypothetical prote
649	4	50.0	304	2	F95909	hypothetical prote
650	4	50.0	305	2	H82888	methionyl-tRNA for
651	4	50.0	305	2	E84848	probable RING zinc
652	4	50.0	306	2	C69749	conserved hypothet
653	4	50.0	306	2	T44684	hypothetical prote
654	4	50.0	306	2	T32801	hypothetical prote
655	4	50.0	306	2	E90485	hypothetical prote
656	4	50.0	307	1	B96722	phosphoprotein pho
657	4	50.0	307	2	E86323	protein F14D16.11
658	4	50.0	308	2	G97342	probable ketopanto
659	4	50.0	309	2	AI3000	prephenate dehydro
660	4	50.0	310	2	G98282	tyrC protein [impo
661	4	50.0	311	2	S36619	protein kinase (EC
662	4	50.0	311	2	AF0150	probable outer mem
663	4	50.0	311	2	C75086	methylytransferase
664	4	50.0	311	2	D64240	methionyl-tRNA for
665	4	50.0	311	2	S73625	methionyl-tRNA for
666	4	50.0	311	2	H75411	conserved hypothet
667	4	50.0	311	2	C84101	hypothetical prote
668	4	50.0	312	2	C82356	peptide ABC transp
669	4	50.0	312	2	T32446	hypothetical prote
670	4	50.0	312	2	A89460	protein H42K12.1 [
671	4	50.0	312	2	T33296	hypothetical prote
672	4	50.0	314	1	JC4879	3-hydroxyacyl-CoA
673	4	50.0	314	2	T25842	hypothetical prote
674	4	50.0	314	2	F84143	transposase (10) B
675	4	50.0	314	2	H86354	hypothetical prote
676	4	50.0	314	2	E87427	conserved hypothet
677	4	50.0	314	2	D90349	microsomal dipepti
678	4	50.0	315	2	E71729	proteinase DO (htr
679	4	50.0	315	2	H89797	hypothetical prote
680	4	50.0	315	2	E69400	3-hydroxyacyl-CoA
681	4	50.0	316	2	T50430	conserved hypothet
682	4	50.0	316	2	AC2074	transposase all214
683	4	50.0	317	2	S76723	hypothetical prote
684	4	50.0	317	2	H69620	[acyl-carrier-prot
685	4	50.0	317	2	T41776	BRO-a - Bombyx mor
686	4	50.0	317	2	AD0858	probable secreted
687	4	50.0	318	2	AG1441	phosphoglycerate d
688	4	50.0	318	2	F84495	probable Athila re
689	4	50.0	319	2	S42560	1-aminocyclopropan
690	4	50.0	319	2	S41395	ethylene-forming e
691	4	50.0	319	2	E82178	homoserine O-succi
692	4	50.0	319	2	E86861	methionyl-tRNA for
693	4	50.0	319	2	JC4926	XmnI endonuclease
694	4	50.0	319	2	AB1334	hypothetical prote
695	4	50.0	319	2	AI1704	hypothetical prote
696	4	50.0	320	2	B83238	probable oxidoredu
697	4	50.0	320	2	C72412	fatty acid/phospho

698	4	50.0	320	2	T45909	hypothetical prote
699	4	50.0	320	2	B97206	methyl-accepting c
700	4	50.0	321	2	T34065	hypothetical prote
701	4	50.0	321	2	A82070	transcription regu
702	4	50.0	322	2	D84365	electron transfer
703	4	50.0	322	2	T18966	hypothetical prote
704	4	50.0	322	2	H70462	quinolinate synthe
705	4	50.0	322	2	E71137	hypothetical prote
706	4	50.0	323	2	E71180	probable 3-isoprop
707	4	50.0	323	2	T30380	hypothetical prote
708	4	50.0	323	2	E95864	probable ABC trans
709	4	50.0	324	2	C82214	galactoside ABC tr
710	4	50.0	324	2	A84295	probable DNA helic
711	4	50.0	325	2	F98072	ribosomal protein
712	4	50.0	325	2	F69279	tRNA-pseudouridine
713	4	50.0	325	2	S51569	mocC protein - Rhi
714	4	50.0	325	2	A86202	hypothetical prote
715	4	50.0	326	2	D95197	acetyl xylan ester
716	4	50.0	326	2	A99064	xylan esterase 1 (
717	4	50.0	326	2	T52030	gamma-glutamyl hyd
718	4	50.0	326	2	F69360	adenosylhomocystei
719	4	50.0	327	2	F96815	hypothetical prote
720	4	50.0	329	2	S49490	MAPK-activated pro
721	4	50.0	329	2	F70156	conserved hypothet
722	4	50.0	330	1	RNECKF	transcription init
723	4	50.0	330	1	QQBEP7	gene 62 protein -
724	4	50.0	330	2	E75535	malate dehydrogena
725	4	50.0	330	2	S47534	transcription init
726	4	50.0	330	2	S49471	transcription init
727	4	50.0	330	2	C91078	sigma factor RpoS
728	4	50.0	330	2	D85923	hypothetical prote
729	4	50.0	330	2	AG0855	RNA polymerase sig
730	4	50.0	330	2	T42975	hypothetical prote
731	4	50.0	330	2	A87194	polyprenyl diphosp
732	4	50.0	330	2	H95166	transcription regu
733	4	50.0	330	2	T48100	tRNA isopentenyl t
734	4	50.0	330	2	G98032	hypothetical prote
735	4	50.0	331	2	B55552	trans-o-hydrobenzy
736	4	50.0	331	2	G84646	hypothetical prote
737	4	50.0	331	2	AB2439	UDP-N-acetylenolpy
738	4	50.0	332	1	JGECG	D-galactose-bindin
739	4	50.0	332	1	S15554	D-galactose-bindin
740	4	50.0	332	1	S29390	galactose-binding
741	4	50.0	332	1	B39136	flagellar motor sw
742	4	50.0	332	2	T12433	malate dehydrogena
743	4	50.0	332	2	T02935	malate dehydrogena
744	4	50.0	332	2	B91009	galactose-binding
745	4	50.0	332	2	D85853	galactose-binding
746	4	50.0	332	2	AF0781	D-galactose-bindin
747	4	50.0	332	2	T21182	hypothetical prote
748	4	50.0	332	2	G64141	probable tetraacyl
749	4	50.0	332	2	T45770	hypothetical prote
750	4	50.0	332	2	T19457	hypothetical prote
751	4	50.0	333	1	DELOG3	glyceraldehyde-3-p
752	4	50.0	333	2	D75067	probable dehydroge
753	4	50.0	333	2	B64085	glpX protein - Hae
754	4	50.0	333	2	G95401	TRm24 probable tra

755	4	50.0	333	2	H95304	TRm24 transposase
756	4	50.0	333	2	H95327	TRm24 transposase
757	4	50.0	333	2	E89797	hypothetical prote
758	4	50.0	333	2	S22643	integrase - Mycoba
759	4	50.0	333	2	T33311	hypothetical prote
760	4	50.0	333	2	A83797	protein secretion
761	4	50.0	334	2	T22427	hypothetical prote
762	4	50.0	334	2	G86723	exodeoxyribonuclea
763	4	50.0	334	2	JC4870	pepsin A (EC 3.4.2
764	4	50.0	334	2	H49343	probable trans-o-h
765	4	50.0	334	2	D83750	pyridoxal phosphat
766	4	50.0	334	2	B69888	GTP-binding protei
767	4	50.0	334	2	T29672	hypothetical prote
768	4	50.0	334	2	T02674	hypothetical prote
769	4	50.0	335	1	D65106	hypothetical 37.1
770	4	50.0	335	2	AG0183	galactose-binding
771	4	50.0	335	2	A91134	probable enzyme [i
772	4	50.0	335	2	D85979	probable enzyme yh
773	4	50.0	335	2	AH0900	probable monooxyge
774	4	50.0	335	2	F64043	[citrate (pro-3S)-
775	4	50.0	335	2	T41354	nucleoporin GLFG h
776	4	50.0	336	2	S30972	minor tail protein
777	4	50.0	337	2	A54214	C 4.2.3.7 pentalen
778	4	50.0	337	2	B69356	hypothetical prote
779	4	50.0	337	2	T31711	hypothetical prote
780	4	50.0	338	2	T36025	conserved hypothet
781	4	50.0	338	2	AG2298	hypothetical prote
782	4	50.0	339	2	A64122	dihydroorotate oxi
783	4	50.0	339	2	T25204	hypothetical prote
784	4	50.0	340	2	A71669	dna-directed RNA p
785	4	50.0	340	2	F97822	hypothetical prote
786	4	50.0	340	2	C69328	iron-sulfur cluste
787	4	50.0	340	2	T14921	probable lipoprote
788	4	50.0	341	1	H69401	probable radical-f
789	4	50.0	341	2	T01538	receptor-like prot
790	4	50.0	341	2	S52527	hypothetical prote
791	4	50.0	341	2	H71716	190 kd antigen pre
792	4	50.0	341	2	T08459	hypothetical prote
793	4	50.0	341	2	T48847	syntaxin synt4 [im
794	4	50.0	341	2	AB3002	conserved hypothet
795	4	50.0	341	2	F98281	hypothetical prote
796	4	50.0	342	1	S64322	probable membrane
797	4	50.0	342	2	T29245	hypothetical prote
798	4	50.0	342	2	H86300	F19K19.12 protein
799	4	50.0	342	2	T45227	probable F420H2-de
800	4	50.0	342	2	T22742	hypothetical prote
801	4	50.0	343	2	AB1086	ATP synthase delta
802	4	50.0	343	2	G90680	probable periplasm
803	4	50.0	343	2	C85531	periplasmic ferric
804	4	50.0	344	2	E95868	probable epoxide h
805	4	50.0	344	2	F81911	probable phosphori
806	4	50.0	344	2	E81104	phosphoribosylform
807	4	50.0	344	2	B84242	hypothetical prote
808	4	50.0	344	2	S46745	hypothetical prote
809	4	50.0	344	2	T27119	hypothetical prote
810	4	50.0	344	2	T51329	DNA binding protei
811	4	50.0	344	2	T23113	hypothetical prote

812	4	50.0	344	2	AB1558	conserved hypothet
813	4	50.0	344	2	AD1200	conserved hypothet
814	4	50.0	346	2	B75160	3-isopropylmalate
815	4	50.0	346	2	S34165	keratin, type II -
816	4	50.0	346	2	A48470	translation elonga
817	4	50.0	346	2	B84602	probable DnaJ prot
818	4	50.0	347	2	C87281	hypothetical prote
819	4	50.0	347	2	T24175	hypothetical prote
820	4	50.0	348	2	T24016	hypothetical prote
821	4	50.0	348	2	C91060	hypothetical prote
822	4	50.0	349	2	T03500	hypothetical prote
823	4	50.0	349	2	AB3094	conserved hypothet
824	4	50.0	349	2	H98192	hypothetical prote
825	4	50.0	350	2	AG3425	iolE protein [impo
826	4	50.0	350	2	AE2954	conserved hypothet
827	4	50.0	351	2	T41572	hypothetical prote
828	4	50.0	351	2	A88103	protein W10G11.7 [
829	4	50.0	351	2	E87451	conserved hypothet
830	4	50.0	351	2	AF2844	hypothetical prote
831	4	50.0	351	2	H97621	lipopolysaccharide
832	4	50.0	352	2	F83617	hypothetical prote
833	4	50.0	353	2	H75020	hypothetical prote
834	4	50.0	353	2	F84252	phycocyanin alpha
835	4	50.0	354	2	AH0009	methylated-DNA-[pr
836	4	50.0	354	2	AG0617	probable bacteriop
837	4	50.0	354	2	C69755	hypothetical prote
838	4	50.0	355	2	D84192	glutamate decarbox
839	4	50.0	356	1	A71089	probable dipeptida
840	4	50.0	356	2	S49011	yolk protein 2 - b
841	4	50.0	356	2	H72803	integrase protein
842	4	50.0	357	2	S23525	cinnamyl-alcohol d
843	4	50.0	357	2	S23526	cinnamyl-alcohol d
844	4	50.0	357	2	T05413	cinnamyl-alcohol d
845	4	50.0	357	2	C82554	conserved hypothet
846	4	50.0	357	2	T01571	hypothetical prote
847	4	50.0	357	2	A96194	hypothetical prote
848	4	50.0	358	2	T11165	ubiquinol-cytochro
849	4	50.0	358	2	AE2218	hypothetical prote
850	4	50.0	358	2	D96579	hypothetical prote
851	4	50.0	359	2	B96697	protein FlN21.20 [
852	4	50.0	359	2	JC7996	36K chitinase (EC
853	4	50.0	360	1	S30109	D-vitopine dehydro
854	4	50.0	360	2	D69623	flagellar biosynth
855	4	50.0	360	2	AI2829	conserved hypothet
856	4	50.0	361	2	T13745	hypothetical prote
857	4	50.0	361	2	F72862	hypothetical prote
858	4	50.0	361	2	B59099	hypothetical prote
859	4	50.0	362	2	T09886	hypothetical prote
860	4	50.0	363	2	I40234	carboxymethylcellu
861	4	50.0	363	2	G83954	flagella-associate
862	4	50.0	363	2	F87754	protein C43E11.1 [
863	4	50.0	363	2	F84360	threonine synthase
864	4	50.0	363	2	T27388	hypothetical prote
865	4	50.0	364	2	S69885	H+-transporting tw
866	4	50.0	364	2	E72512	probable tyrosyl-t
867	4	50.0	364	2	AB1918	hypothetical prote
868	4	50.0	365	2	C86746	peptide chain rele

869	4	50.0	366	2	E72400	DNA polymerase III
870	4	50.0	366	2	T16249	hypothetical prote
871	4	50.0	366	2	S46736	hypothetical prote
872	4	50.0	367	2	A70018	multiple sugar ABC
873	4	50.0	368	2	AI1291	glycerol dehydroge
874	4	50.0	368	2	S48487	hypothetical prote
875	4	50.0	369	2	S74983	hypothetical prote
876	4	50.0	369	2	S68692	deoxyhypusine synt
877	4	50.0	369	2	AC2665	conserved hypothet
878	4	50.0	370	2	JC2204	MAPK-activated pro
879	4	50.0	370	2	H98328	hypothetical prote
880	4	50.0	371	1	A43830	alanine dehydrogen
881	4	50.0	371	2	F87100	L-alanine dehydrog
882	4	50.0	371	2	C84254	hypothetical prote
883	4	50.0	371	2	F69429	asparagine synthet
884	4	50.0	372	2	H69426	probable transamin
885	4	50.0	374	2	H81399	2-oxoglutarate-fer
886	4	50.0	374	2	S76392	phosphoglycerate k
887	4	50.0	374	2	AF1280	probable exonuclea
888	4	50.0	374	2	AF1643	probable exonuclea
889	4	50.0	375	2	E85035	hypothetical prote
890	4	50.0	376	1	JQ0474	alcohol dehydrogen
891	4	50.0	376	2	C84316	hypothetical prote
892	4	50.0	376	2	AF2289	hypothetical prote
893	4	50.0	377	2	T12042	cysteine proteinas
894	4	50.0	377	2	A90482	conserved hypothet
895	4	50.0	378	2	T30435	very late factor 1
896	4	50.0	378	2	T50090	hypothetical prote
897	4	50.0	378	2	D83945	hypothetical prote
898	4	50.0	379	1	S04571	alcohol dehydrogen
899	4	50.0	379	1	DEILSP	alcohol dehydrogen
900	4	50.0	379	1	S01893	alcohol dehydrogen
901	4	50.0	379	2	T50969	probable DELTA(24)
902	4	50.0	379	2	A82101	lipid-A-disacchari
903	4	50.0	379	2	H82284	queueine tRNA-ribos
904	4	50.0	379	2	C84253	hypothetical prote
905	4	50.0	381	1	KIRBCB	creatine kinase (E
906	4	50.0	381	2	T45940	hypothetical prote
907	4	50.0	381	2	T20890	hypothetical prote
908	4	50.0	382	1	I39848	cell division init
909	4	50.0	382	2	AD2981	isomerase/lactoniz
910	4	50.0	383	1	RDECLA	lactaldehyde reduc
911	4	50.0	383	2	C91086	L-1,2-propanediol
912	4	50.0	383	2	E85931	L-1,2-propanediol
913	4	50.0	383	2	JC2472	brain and reproduc
914	4	50.0	383	2	C70845	probable nagA prot
915	4	50.0	384	2	S58446	sigma S - Salmonel
916	4	50.0	384	2	T50921	carbamoyl-phosphat
917	4	50.0	384	2	AI1843	hypothetical prote
918	4	50.0	384	2	S45592	ERD1 protein - yea
919	4	50.0	384	2	D87471	ROK family protein
920	4	50.0	384	2	D69548	conserved hypothet
921	4	50.0	385	2	G83817	coproporphyrinogen
922	4	50.0	385	2	S78100	MAPK-activated pro
923	4	50.0	385	2	G72659	probable type II D
924	4	50.0	385	2	C90368	proteinase, probab
925	4	50.0	385	2	T23980	hypothetical prote

926	4	50.0	386	2	H71701	succinyl-CoA synth
927	4	50.0	386	2	G97774	succinate-CoA liga
928	4	50.0	386	2	T26108	hypothetical prote
929	4	50.0	387	2	H71708	pol (A) POLYMERASE
930	4	50.0	387	2	T38876	probable ribosomal
931	4	50.0	387	2	C71827	hypothetical prote
932	4	50.0	387	2	E64688	hypothetical prote
933	4	50.0	387	2	A47446	HNF-3/fork head fa
934	4	50.0	387	2	A86322	F6A14.9 protein -
935	4	50.0	388	2	D84962	tryptophan synthas
936	4	50.0	388	2	F70133	flagellar-associat
937	4	50.0	388	2	AF1162	hypothetical prote
938	4	50.0	388	2	AF1521	hypothetical prote
939	4	50.0	388	2	A87701	citrate synthase [
940	4	50.0	389	2	D90248	DNA topoisomerase
941	4	50.0	389	2	G84245	NADH dehydrogenase
942	4	50.0	389	2	T04390	NBS-LRR type resis
943	4	50.0	390	2	T41199	dom34 protein homo
944	4	50.0	390	2	C69276	coenzyme F420-quin
945	4	50.0	392	2	T38450	probable GTP-bindi
946	4	50.0	392	2	G84191	hypothetical prote
947	4	50.0	392	2	T25474	hypothetical prote
948	4	50.0	392	2	H97335	Na+ ABC transporte
949	4	50.0	393	2	T02069	probable DNA-bindi
950	4	50.0	393	2	T25908	hypothetical prote
951	4	50.0	393	2	S48381	RRD1 protein - yea
952	4	50.0	393	2	B97447	hypothetical prote
953	4	50.0	394	2	T20868	hypothetical prote
954	4	50.0	395	2	T47122	cell division prot
955	4	50.0	395	2	G75046	pyruvate synthase
956	4	50.0	395	2	A86458	probable elicitor
957	4	50.0	395	2	T22692	hypothetical prote
958	4	50.0	395	2	T31578	hypothetical prote
959	4	50.0	396	2	S39793	MAPK-activated pro
960	4	50.0	396	2	G87651	phosphoglycerate k
961	4	50.0	396	2	A34401	cathepsin E (EC 3.
962	4	50.0	396	2	C84394	argininosuccinate
963	4	50.0	396	2	S58161	probable translati
964	4	50.0	396	2	T45088	pyruvate synthase
965	4	50.0	397	1	A47489	4-hydroxybenzoate
966	4	50.0	397	2	S70987	dnaN protein - Myc
967	4	50.0	398	2	E71114	probable ferredoxi
968	4	50.0	398	2	B86353	protein F2E2.6 [im
969	4	50.0	399	2	T10002	DNA-directed DNA p
970	4	50.0	399	2	E71169	hypothetical prote
971	4	50.0	400	2	A39495	NADPH2 dehydrogena
972	4	50.0	400	2	G69143	conserved hypothet
973	4	50.0	401	2	A86251	hypothetical prote
974	4	50.0	402	1	BOHUS	sex steroid-bindin
975	4	50.0	402	2	F70850	DNA-directed DNA p
976	4	50.0	402	2	S58477	rds1 protein - fis
977	4	50.0	404	2	AI3350	isocitrate dehydro
978	4	50.0	404	2	T09606	probable LFY flora
979	4	50.0	404	2	AB2188	hypothetical prote
980	4	50.0	405	2	H75085	probable RNA methy
981	4	50.0	405	2	T29639	hypothetical prote
982	4	50.0	405	2	D75135	hypothetical prote

983	4	50.0	406	2	JC4600	isocitrate dehydro
984	4	50.0	406	2	AF2631	hypothetical prote
985	4	50.0	406	2	B89942	conserved hypothet
986	4	50.0	407	2	T41708	gtp binding protei
987	4	50.0	407	2	H97413	hypothetical prote
988	4	50.0	407	2	D98302	hypothetical prote
989	4	50.0	408	2	C86799	hypothetical prote
990	4	50.0	409	2	PN0007	phosphoglycerate k
991	4	50.0	409	2	A84733	hypothetical prote
992	4	50.0	410	1	I40755	trigger factor 2 [
993	4	50.0	410	2	AD2553	hypothetical prote
994	4	50.0	411	2	H69139	hypothetical prote
995	4	50.0	411	2	T15705	hypothetical prote
996	4	50.0	412	2	C88923	protein W03F9.1 [i
997	4	50.0	412	2	T15214	hypothetical prote
998	4	50.0	412	2	F87624	peptidase, M20/M25
999	4	50.0	412	2	C96816	hypothetical prote
1000	4	50.0	412	2	T40295	fructosyl amine -

ALIGNMENTS

RESULT 1

S23094

beta-amyloid protein precursor - rat

C;Species: Rattus norvegicus (Norway rat)

C;Date: 22-Nov-1993 #sequence_revision 10-Nov-1995 #text_change 03-May-1996

C;Accession: S23094

R;Kojima, S.; Omori, M.

FEBS Lett. 304, 57-60, 1992

A;Title: Two-way cleavage of beta-amyloid protein precursor by multicatalytic proteinase.

A;Reference number: S23094; MUID:92316198; PMID:1618299

A;Accession: S23094

A;Molecule type: protein

A;Residues: 1-33 <KOJ>

C;Superfamily: Alzheimer's disease amyloid beta protein; animal Kunitz-type proteinase inhibitor homology

Query Match 100.0%; Score 8; DB 2; Length 33;

Best Local Similarity 100.0%; Pred. No. 0.0062;

Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMDAEF 8

|||||||

Db 2 EVKMDAEF 9

RESULT 2

E60045

Alzheimer's disease amyloid beta/A4 protein precursor - sheep (fragment)

C;Species: Ovis sp. (sheep)

C;Date: 01-Dec-1992 #sequence_revision 01-Dec-1992 #text_change 28-Jul-1995

C;Accession: E60045

R;Johnstone, E.M.; Chaney, M.O.; Norris, F.H.; Pascual, R.; Little, S.P.

Brain Res. Mol. Brain Res. 10, 299-305, 1991

A;Title: Conservation of the sequence of the Alzheimer's disease amyloid peptide in dog, polar bear and five other mammals by cross-species polymerase chain reaction analysis.

A;Reference number: A60045; MUID:92017079; PMID:1656157

A;Accession: E60045

A;Molecule type: mRNA

A;Residues: 1-57 <JOH>

A;Cross-references: EMBL:X56130

C;Superfamily: Alzheimer's disease amyloid beta protein; animal Kunitz-type proteinase inhibitor homology

C;Keywords: alternative splicing; Alzheimer's disease; amyloid; brain

Query Match 100.0%; Score 8; DB 2; Length 57;
Best Local Similarity 100.0%; Pred. No. 0.0095;
Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMDAEF 8
| | | | | | | |
Db 2 EVKMDAEF 9

RESULT 3

F60045

Alzheimer's disease amyloid beta/A4 protein precursor - pig (fragment)

C;Species: Sus scrofa domestica (domestic pig)

C;Date: 01-Dec-1992 #sequence_revision 01-Dec-1992 #text_change 13-Aug-1999

C;Accession: F60045

R;Johnstone, E.M.; Chaney, M.O.; Norris, F.H.; Pascual, R.; Little, S.P.

Brain Res. Mol. Brain Res. 10, 299-305, 1991

A;Title: Conservation of the sequence of the Alzheimer's disease amyloid peptide in dog, polar bear and five other mammals by cross-species polymerase chain reaction analysis.

A;Reference number: A60045; MUID:92017079; PMID:1656157

A;Accession: F60045

A;Molecule type: mRNA

A;Residues: 1-57 <JOH>

A;Cross-references: EMBL:X56127; NID:g1895; PIDN:CAA39592.1; PID:g1896

C;Superfamily: Alzheimer's disease amyloid beta protein; animal Kunitz-type proteinase inhibitor homology

C;Keywords: alternative splicing; Alzheimer's disease; amyloid; brain

Query Match 100.0%; Score 8; DB 2; Length 57;
Best Local Similarity 100.0%; Pred. No. 0.0095;
Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMDAEF 8
| | | | | | | |
Db 2 EVKMDAEF 9

RESULT 4

G60045

Alzheimer's disease amyloid beta/A4 protein precursor - guinea pig (fragment)

C;Species: Cavia porcellus (guinea pig)

C;Date: 01-Dec-1992 #sequence_revision 01-Dec-1992 #text_change 28-Jul-1995

C;Accession: G60045

R;Johnstone, E.M.; Chaney, M.O.; Norris, F.H.; Pascual, R.; Little, S.P.

Brain Res. Mol. Brain Res. 10, 299-305, 1991

A;Title: Conservation of the sequence of the Alzheimer's disease amyloid peptide in dog, polar bear and five other mammals by cross-species polymerase chain reaction analysis.

A;Reference number: A60045; MUID:92017079; PMID:1656157

A;Accession: G60045

A;Molecule type: mRNA

A;Residues: 1-57 <JOH>

A;Cross-references: EMBL:X56126

C;Superfamily: Alzheimer's disease amyloid beta protein; animal Kunitz-type proteinase inhibitor homology

C;Keywords: alternative splicing; Alzheimer's disease; amyloid; brain

Query Match 100.0%; Score 8; DB 2; Length 57;
Best Local Similarity 100.0%; Pred. No. 0.0095;
Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMDAEF 8
| | | | | | | |
Db 2 EVKMDAEF 9

RESULT 5

D60045

Alzheimer's disease amyloid beta/A4 protein precursor - bovine (fragment)

C;Species: Bos primigenius taurus (cattle)

C;Date: 01-Dec-1992 #sequence_revision 01-Dec-1992 #text_change 28-Jul-1995

C;Accession: D60045

R;Johnstone, E.M.; Chaney, M.O.; Norris, F.H.; Pascual, R.; Little, S.P.

Brain Res. Mol. Brain Res. 10, 299-305, 1991

A;Title: Conservation of the sequence of the Alzheimer's disease amyloid peptide in dog, polar bear and five other mammals by cross-species polymerase chain reaction analysis.

A;Reference number: A60045; MUID:92017079; PMID:1656157

A;Accession: D60045

A;Molecule type: mRNA

A;Residues: 1-57 <JOH>

A;Cross-references: EMBL:X56124

C;Superfamily: Alzheimer's disease amyloid beta protein; animal Kunitz-type proteinase inhibitor homology

C;Keywords: alternative splicing; Alzheimer's disease; amyloid; brain

Query Match 100.0%; Score 8; DB 2; Length 57;
Best Local Similarity 100.0%; Pred. No. 0.0095;
Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMDAEF 8
| | | | | | | |
Db 2 EVKMDAEF 9

RESULT 6

A60045

Alzheimer's disease amyloid beta/A4 protein precursor - dog (fragment)

C;Species: Canis lupus familiaris (dog)

C;Date: 01-Dec-1992 #sequence_revision 01-Dec-1992 #text_change 28-Jul-1995

C;Accession: A60045

R;Johnstone, E.M.; Chaney, M.O.; Norris, F.H.; Pascual, R.; Little, S.P.
Brain Res. Mol. Brain Res. 10, 299-305, 1991
A;Title: Conservation of the sequence of the Alzheimer's disease amyloid peptide
in dog, polar bear and five other mammals by cross-species polymerase chain
reaction analysis.
A;Reference number: A60045; MUID:92017079; PMID:1656157
A;Accession: A60045
A;Molecule type: mRNA
A;Residues: 1-57 <JOH>
A;Cross-references: EMBL:X56125
C;Superfamily: Alzheimer's disease amyloid beta protein; animal Kunitz-type
proteinase inhibitor homology
C;Keywords: alternative splicing; Alzheimer's disease; amyloid; brain

Query Match 100.0%; Score 8; DB 2; Length 57;
Best Local Similarity 100.0%; Pred. No. 0.0095;
Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMDAEF 8
| | | | | | | |
Db 2 EVKMDAEF 9

RESULT 7

B60045

Alzheimer's disease amyloid beta/A4 protein precursor - polar bear (fragment)

C;Species: Ursus maritimus (polar bear)

C;Date: 01-Dec-1992 #sequence_revision 01-Dec-1992 #text_change 13-Aug-1999

C;Accession: B60045

R;Johnstone, E.M.; Chaney, M.O.; Norris, F.H.; Pascual, R.; Little, S.P.

Brain Res. Mol. Brain Res. 10, 299-305, 1991

A;Title: Conservation of the sequence of the Alzheimer's disease amyloid peptide
in dog, polar bear and five other mammals by cross-species polymerase chain
reaction analysis.

A;Reference number: A60045; MUID:92017079; PMID:1656157

A;Accession: B60045

A;Molecule type: mRNA

A;Residues: 1-57 <JOH>

A;Cross-references: EMBL:X56128; NID:g2165; PIDN:CAA39593.1; PID:g2166

C;Superfamily: Alzheimer's disease amyloid beta protein; animal Kunitz-type
proteinase inhibitor homology

C;Keywords: alternative splicing; Alzheimer's disease; amyloid; brain

Query Match 100.0%; Score 8; DB 2; Length 57;
Best Local Similarity 100.0%; Pred. No. 0.0095;
Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMDAEF 8
| | | | | | | |
Db 2 EVKMDAEF 9

RESULT 8

PQ0438

Alzheimer's disease amyloid A4 protein precursor - rabbit (fragment)

C;Species: Oryctolagus cuniculus (domestic rabbit)

C;Date: 30-Sep-1993 #sequence_revision 19-Oct-1995 #text_change 19-Oct-1995

C;Accession: PQ0438; C60045
 R;Davidson, J.S.; West, R.L.; Kotikalapudi, P.; Maroun, L.E.
 Biochem. Biophys. Res. Commun. 188, 905-911, 1992
 A;Title: Sequence and methylation in the beta/A4 region of the rabbit amyloid precursor protein gene.
 A;Reference number: PQ0438; MUID:93075180; PMID:1445331
 A;Accession: PQ0438
 A;Molecule type: DNA
 A;Residues: 1-82 <DAV>
 A;Cross-references: GB:M83558; GB:M83657
 R;Johnstone, E.M.; Chaney, M.O.; Norris, F.H.; Pascual, R.; Little, S.P.
 Brain Res. Mol. Brain Res. 10, 299-305, 1991
 A;Title: Conservation of the sequence of the Alzheimer's disease amyloid peptide in dog, polar bear and five other mammals by cross-species polymerase chain reaction analysis.
 A;Reference number: A60045; MUID:92017079; PMID:1656157
 A;Accession: C60045
 A;Molecule type: mRNA
 A;Residues: 12-68 <JOH>
 A;Cross-references: EMBL:X56129
 C;Superfamily: Alzheimer's disease amyloid beta protein; animal Kunitz-type proteinase inhibitor homology
 C;Keywords: alternative splicing; Alzheimer's disease; amyloid; Down's syndrome

Query Match 100.0%; Score 8; DB 2; Length 82;
 Best Local Similarity 100.0%; Pred. No. 0.013;
 Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMDAEF 8
 |||||
 Db 13 EVKMDAEF 20

RESULT 9

A49795
 Alzheimer's disease amyloid beta protein precursor - crab-eating macaque
 C;Species: Macaca fascicularis (crab-eating macaque)
 C;Date: 10-Sep-1999 #sequence_revision 10-Sep-1999 #text_change 10-Sep-1999
 C;Accession: A49795
 R;Podlisny, M.B.; Tolan, D.R.; Selkoe, D.J.
 Am. J. Pathol. 138, 1423-1435, 1991
 A;Title: Homology of the amyloid beta protein precursor in monkey and human supports a primate model for beta amyloidosis in Alzheimer's disease.
 A;Reference number: A49795; MUID:91273117; PMID:1905108
 A;Accession: A49795
 A;Status: preliminary
 A;Molecule type: mRNA
 A;Residues: 1-695 <POD>
 A;Cross-references: GB:M58727; NID:g342062; PIDN:AAA36829.1; PID:g342063
 C;Superfamily: Alzheimer's disease amyloid beta protein; animal Kunitz-type proteinase inhibitor homology
 C;Keywords: alternative splicing

Query Match 100.0%; Score 8; DB 1; Length 695;
 Best Local Similarity 100.0%; Pred. No. 0.066;
 Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMDAEF 8
| | | | |
Db 593 EVKMDAEF 600

RESULT 10

A27485

Alzheimer's disease amyloid beta/A4 protein homolog precursor - mouse

N;Alternate names: proteinase nexin II

C;Species: Mus musculus (house mouse)

C;Date: 31-Mar-1989 #sequence_revision 31-Mar-1989 #text_change 13-Aug-1999

C;Accession: A27485; S19727; I49485

R;Yamada, T.; Sasaki, H.; Furuya, H.; Miyata, T.; Goto, I.; Sakaki, Y.

Biochem. Biophys. Res. Commun. 149, 665-671, 1987

A;Title: Complementary DNA for the mouse homolog of the human amyloid beta protein precursor.

A;Reference number: A27485; MUID:88106489; PMID:3322280

A;Accession: A27485

A;Molecule type: mRNA

A;Residues: 1-695 <YAM>

A;Cross-references: GB:M18373; NID:g191568; PIDN:AAA37139.1; PID:g309085

A;Experimental source: brain

R;de Strooper, B.; van Leuven, F.; van den Berghe, H.

Biochim. Biophys. Acta 1129, 141-143, 1991

A;Title: The amyloid beta protein precursor or proteinase nexin II from mouse is closer related to its human homolog than previously reported.

A;Reference number: S19727; MUID:92096458; PMID:1756177

A;Accession: S19727

A;Molecule type: mRNA

A;Residues: 1-210,'G',212-220,'S',222-396,'A',398-402,'T',404-448,'A',450-695
<STR>

A;Cross-references: EMBL:X59379

R;Izumi, R.; Yamada, T.; Yoshikai, S.; Sasaki, H.; Hattori, M.; Sakaki, Y.

Gene 112, 189-195, 1992

A;Title: Positive and negative regulatory elements for the expression of the Alzheimer's disease amyloid precursor-encoding gene in mouse.

A;Reference number: I49485; MUID:92209998; PMID:1555768

A;Accession: I49485

A;Status: translated from GB/EMBL/DDBJ

A;Molecule type: DNA

A;Residues: 1-19 <RES>

A;Cross-references: GB:D10603; NID:g220328; PIDN:BAA01456.1; PID:g220329

C;Genetics:

A;Map position: 16C3

C;Superfamily: Alzheimer's disease amyloid beta protein; animal Kunitz-type proteinase inhibitor homology

C;Keywords: alternative splicing; amyloid; transmembrane protein

Query Match 100.0%; Score 8; DB 2; Length 695;
Best Local Similarity 100.0%; Pred. No. 0.066;
Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMDAEF 8
| | | | |
Db 593 EVKMDAEF 600

RESULT 11

S00550

Alzheimer's disease amyloid beta protein precursor - rat

N;Alternate names: beta-A4 amyloid protein

C;Species: Rattus norvegicus (Norway rat)

C;Date: 30-Jun-1989 #sequence_revision 30-Jun-1989 #text_change 13-Aug-1999

C;Accession: S00550; A41245; A39820; S46251

R;Shivers, B.D.; Hilbich, C.; Multhaup, G.; Salbaum, M.; Beyreuther, K.; Seeburg, P.H.

EMBO J. 7, 1365-1370, 1988

A;Title: Alzheimer's disease amyloidogenic glycoprotein: expression pattern in rat brain suggests a role in cell contact.

A;Reference number: S00550; MUID:88312583; PMID:2900758

A;Accession: S00550

A;Molecule type: mRNA

A;Residues: 1-695 <SHI>

A;Cross-references: EMBL:X07648; NID:g55616; PIDN:CAA30488.1; PID:g55617

R;Schubert, D.; Schroeder, R.; LaCorbiere, M.; Saitoh, T.; Cole, G.

Science 241, 223-226, 1988

A;Title: Amyloid beta protein precursor is possibly a heparan sulfate proteoglycan core protein.

A;Reference number: A41245; MUID:88264430; PMID:2968652

A;Accession: A41245

A;Molecule type: protein

A;Residues: 18-37,'X',39-40,'X',42-44 <SCH>

A;Note: evidence for heparan sulfate attachment

R;Hesse, L.; Beher, D.; Masters, C.L.; Multhaup, G.

FEBS Lett. 349, 109-116, 1994

A;Title: The beta-A4 amyloid precursor protein binding to copper.

A;Reference number: S46251; MUID:94320627; PMID:7913895

A;Contents: annotation; copper binding sites

A;Note: rat peptides were isolated but not sequenced

R;Potempska, A.; Styles, J.; Mehta, P.; Kim, K.S.; Miller, D.L.

J. Biol. Chem. 266, 8464-8469, 1991

A;Title: Purification and tissue level of the beta-amyloid peptide precursor of rat brain.

A;Reference number: A39820; MUID:91217087; PMID:1673681

A;Accession: A39820

A;Status: preliminary

A;Molecule type: protein

A;Residues: 18-32 <POT>

A;Experimental source: brain

C;Comment: Deposition of amyloid protein as neurofibrillary tangles and/or plaques is characteristic of both Alzheimer's disease and Down's syndrome.

C;Superfamily: Alzheimer's disease amyloid beta protein; animal Kunitz-type proteinase inhibitor homology

C;Keywords: alternative splicing; amyloid; glycoprotein; transmembrane protein

F;625-648/Domain: transmembrane #status predicted <TMM>

Query Match 100.0%; Score 8; DB 2; Length 695;

Best Local Similarity 100.0%; Pred. No. 0.066;

Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMDAEF 8

|||||||

Db 593 EVKMDAEF 600

RESULT 12

QRHUA4

Alzheimer's disease amyloid beta protein precursor [validated] - human
 N;Alternate names: Alzheimer's disease amyloid A4 protein; coagulation factor
 XIa inhibitor; proteinase nexin II (PN-II)
 N;Contains: amyloid beta protein long, plaque form; amyloid beta protein short,
 vascular form; amyloid protein precursor splice form APP(695); amyloid protein
 precursor splice form APP(751); amyloid protein precursor splice form APP(770)
 C;Species: Homo sapiens (man)
 C;Date: 30-Jun-1987 #sequence_revision 28-Jul-1995 #text_change 15-Sep-2000
 C;Accession: S02260; S05194; A32277; A33260; A35486; I39452; I39451; I39453;
 I59562; A44017; B44017; A03134; A29030; A47584; A47585; S02638; S00707; S00925;
 A38949; A30320; B30320; C30320; A31087; A24668; A28583; A29302; A60805; JL0038;
 S06121; A60355; A59011; A38384; S29076; S38252; S32539; S48148; S48692; S51186;
 S51185; S51184; S51183; A54238; I58075; I52250; S09010; S10737; S24127; S43644
 R;Lemaire, H.G.; Salbaum, J.M.; Multhaup, G.; Kang, J.; Bayney, R.M.; Unterbeck,
 A.; Beyreuther, K.; Mueller-Hill, B.
 Nucleic Acids Res. 17, 517-522, 1989
 A;Title: The PreA4(695) precursor protein of Alzheimer's disease A4 amyloid is
 encoded by 16 exons.
 A;Reference number: S02260; MUID:89128427; PMID:2783775
 A;Accession: S02260
 A;Molecule type: DNA
 A;Residues: 1-288,'V',365-770 <LEM1>
 A;Cross-references: EMBL:X13466
 A;Note: alternative splice form APP(695)
 R;Lemaire, H.G.
 submitted to the EMBL Data Library, November 1988
 A;Reference number: S05194
 A;Accession: S05194
 A;Molecule type: DNA
 A;Residues: 1-14,'VW',17-288,'V',365-770 <LEM2>
 A;Cross-references: EMBL:X13466; NID:g35598; PIDN:CAA31830.1; PID:g871360
 A;Note: alternative splice form APP(695)
 R;La Fauci, G.; Lahiri, D.K.; Salton, S.R.J.; Robakis, N.K.
 Biochem. Biophys. Res. Commun. 159, 297-304, 1989
 A;Title: Characterization of the 5'-end region and the first two exons of the
 beta-protein precursor gene.
 A;Reference number: A32277; MUID:89165870; PMID:2538123
 A;Accession: A32277
 A;Molecule type: DNA
 A;Residues: 1-75 <LAF>
 A;Cross-references: GB:M24546; GB:M24547; NID:g341202; PIDN:AAC13654.1;
 PID:g516074
 R;Johnstone, E.M.; Chaney, M.O.; Moore, R.E.; Ward, K.E.; Norris, F.H.; Little,
 S.P.
 Biochem. Biophys. Res. Commun. 163, 1248-1255, 1989
 A;Title: Alzheimer's disease amyloid peptide is encoded by two exons and shows
 similarity to soybean trypsin inhibitor.
 A;Reference number: A33260; MUID:89392030; PMID:2675837
 A;Accession: A33260
 A;Molecule type: DNA
 A;Residues: 656-737 <JOH>
 A;Cross-references: GB:M29270; NID:g178863; PIDN:AAA51768.1; PID:g178865
 R;Prelli, F.; Levy, E.; van Duinen, S.G.; Bots, G.T.A.M.; Luyendijk, W.;
 Frangione, B.

Biochem. Biophys. Res. Commun. 170, 301-307, 1990

A;Title: Expression of a normal and variant Alzheimer's beta-protein gene in amyloid of hereditary cerebral hemorrhage, Dutch type: DNA and protein diagnostic assays.

A;Reference number: A35486; MUID:90321244; PMID:2196878

A;Accession: A35486

A;Molecule type: DNA

A;Residues: 672-710 <PRE1>

A;Note: 693-Gln was found in DNA isolated from HCHWA-D patients

R;Yoshikai, S.I.; Sasaki, H.; Doh-ura, K.; Furuya, H.; Sakaki, Y.

Gene 87, 257-263, 1990

A;Title: Genomic organization of the human amyloid beta-protein precursor gene.

A;Reference number: I39451; MUID:90236318; PMID:2110105

A;Accession: I39452

A;Status: nucleic acid sequence not shown; translation not shown; translated from GB/EMBL/DDBJ

A;Molecule type: DNA

A;Residues: 1-770 <YOS1>

A;Cross-references: GB:M33112; NID:g178613; PIDN:AAB59502.1; PID:g178616

A;Accession: I39451

A;Status: nucleic acid sequence not shown; translation not shown; translated from GB/EMBL/DDBJ

A;Molecule type: DNA

A;Residues: 1-530,'QWLMPVIPAFWEAKVGR' <YOS2>

A;Cross-references: GB:M34875; NID:g178608; PIDN:AAB59501.1; PID:g178615

R;Yoshikai, S.I.; Sasaki, H.; Doh-ura, K.; Furuya, H.; Sakaki, Y.

Gene 102, 291-292, 1991

A;Reference number: A59020; MUID:91340168; PMID:1908403

A;Contents: annotation; erratum

A;Note: revised physical map for reference I39451

R;Levy, E.; Carman, M.D.; Fernandez-Madrid, I.J.; Power, M.D.; Lieberburg, I.; van Duinen, S.G.; Bots, G.T.; Luyendijk, W.; Frangione, B.

Science 248, 1124-1126, 1990

A;Title: Mutation of the Alzheimer's disease amyloid gene in hereditary cerebral hemorrhage, Dutch type.

A;Reference number: I39453; MUID:90260663; PMID:2111584

A;Accession: I39453

A;Status: translated from GB/EMBL/DDBJ

A;Molecule type: DNA

A;Residues: 656-737 <LEV>

A;Cross-references: GB:M37896; NID:g178618; PIDN:AAA51727.1; PID:g178620

A;Note: a mutation with 693-Gln is presented

R;Murrell, J.; Farlow, M.; Ghetti, B.; Benson, M.D.

Science 254, 97-99, 1991

A;Title: A mutation in the amyloid precursor protein associated with hereditary Alzheimer's disease.

A;Reference number: I59562; MUID:92022553; PMID:1925564

A;Accession: I59562

A;Status: translated from GB/EMBL/DDBJ

A;Molecule type: DNA

A;Residues: 689-716,'F',718-737 <MUR>

A;Cross-references: GB:S57665; NID:g236720; PIDN:AAB19991.1; PID:g236721

R;Kamino, K.; Orr, H.T.; Payami, H.; Wijsman, E.M.; Alonso, M.E.; Pulst, S.M.; Anderson, L.; O'dahl, S.; Nemens, E.; White, J.A.; Sadovnick, A.D.; Ball, M.J.; Kaye, J.; Warren, A.; McInnis, M.; Antonarakis, S.E.; Korenberg, J.R.; Sharma, V.; Kukull, W.; Larson, E.; Heston, L.L.; Martin, G.M.; Bird, T.D.; Schellenberg, G.D.

Am. J. Hum. Genet. 51, 998-1014, 1992
A;Title: Linkage and mutational analysis of familial Alzheimer disease kindreds for the APP gene region.
A;Reference number: A44017; MUID:93035397; PMID:1415269
A;Accession: A44017
A;Molecule type: DNA
A;Residues: 687-692,'G',694-718 <KAM1>
A;Cross-references: GB:S45135; NID:g257377; PIDN:AAB23645.1; PID:g257378
A;Experimental source: familial Alzheimer disease family SB
A;Note: sequence extracted from NCBI backbone (NCBIP:115374)
A;Accession: B44017
A;Molecule type: DNA
A;Residues: 687-718 <KAM2>
A;Cross-references: GB:S45136; NID:g257379; PIDN:AAB23646.1; PID:g257380
A;Experimental source: familial Alzheimer disease family LIT
A;Note: sequence extracted from NCBI backbone (NCBIP:115376)
A;Note: this sequence has a silent mutation
R;Kang, J.; Lemaire, H.G.; Unterbeck, A.; Salbaum, J.M.; Masters, C.L.; Grzeschik, K.H.; Multhaup, G.; Beyreuther, K.; Muller-Hill, B.
Nature 325, 733-736, 1987
A;Title: The precursor of Alzheimer's disease amyloid A4 protein resembles a cell-surface receptor.
A;Reference number: A03134; MUID:87144572; PMID:2881207
A;Accession: A03134
A;Molecule type: mRNA
A;Residues: 1-288,'V',365-770 <KAN>
A;Cross-references: GB:Y00264; NID:g28525; PIDN:CAA68374.1; PID:g28526
A;Note: alternative splice form APP(695)
R;Robakis, N.K.; Ramakrishna, N.; Wolfe, G.; Wisniewski, H.M.
Proc. Natl. Acad. Sci. U.S.A. 84, 4190-4194, 1987
A;Title: Molecular cloning and characterization of a cDNA encoding the cerebrovascular and the neuritic plaque amyloid peptides.
A;Reference number: A29030; MUID:87231971; PMID:3035574
A;Accession: A29030
A;Molecule type: mRNA
A;Residues: 284-288,'V',365-646,'E',648-770 <ROB>
A;Cross-references: GB:M16765; NID:g178539; PIDN:AAA51722.1; PID:g178540
A;Note: the authors translated the codon GAG for residue 647 as Asp
R;Goldgaber, D.; Lerman, M.I.; McBride, O.W.; Saffiotti, U.; Gajdusek, D.C.
Science 235, 877-880, 1987
A;Title: Characterization and chromosomal localization of a cDNA encoding brain amyloid of Alzheimer's disease.
A;Reference number: A47584; MUID:87120328; PMID:3810169
A;Accession: A47584
A;Molecule type: mRNA
A;Residues: 674-756,'S',758-770 <GOL>
A;Cross-references: GB:M15533; NID:g178706; PIDN:AAA35540.1; PID:g178707
A;Experimental source: brain
R;Tanzi, R.E.; Gusella, J.F.; Watkins, P.C.; Bruns, G.A.P.; St George-Hyslop, P.; Van Keuren, M.L.; Patterson, D.; Pagan, S.; Kurnit, D.M.; Neve, R.L.
Science 235, 880-884, 1987
A;Title: Amyloid beta protein gene: cDNA, mRNA distribution, and genetic linkage near the Alzheimer locus.
A;Reference number: A47585; MUID:87120329; PMID:2949367
A;Accession: A47585
A;Molecule type: mRNA
A;Residues: 674-703 <TAN1>

A;Cross-references: GB:M15532; NID:g177957; PIDN:AAA51564.1; PID:g177958
 R;Dyrks, T.; Weidemann, A.; Multhaup, G.; Salbaum, J.M.; Lemaire, H.G.; Kang, J.; Mueller-Hill, B.; Masters, C.L.; Beyreuther, K.
 EMBO J. 7, 949-957, 1988
 A;Title: Identification, transmembrane orientation and biogenesis of the amyloid A4 precursor of Alzheimer's disease.
 A;Reference number: S02638; MUID:88296437; PMID:2900137
 A;Accession: S02638
 A;Molecule type: mRNA
 A;Residues: 672-678 <DYP>
 R;Tanzi, R.E.; McClatchey, A.I.; Lamperti, E.D.; Villa-Komaroff, L.; Gusella, J.F.; Neve, R.L.
 Nature 331, 528-530, 1988
 A;Title: Protease inhibitor domain encoded by an amyloid protein precursor mRNA associated with Alzheimer's disease.
 A;Reference number: S00707; MUID:88122640; PMID:2893290
 A;Accession: S00707
 A;Molecule type: mRNA
 A;Residues: 286-344, 'I', 365-366 <TAN2>
 A;Cross-references: EMBL:X06982; NID:g28817; PIDN:CAA30042.1; PID:g929612
 A;Experimental source: promyelocytic leukemia cell line HL60
 A;Note: alternative splice form APP(751)
 R;Ponte, P.; Gonzalez-DeWhitt, P.; Schilling, J.; Miller, J.; Hsu, D.; Greenberg, B.; Davis, K.; Wallace, W.; Lieberburg, I.; Fuller, F.; Cordell, B.
 Nature 331, 525-527, 1988
 A;Title: A new A4 amyloid mRNA contains a domain homologous to serine proteinase inhibitors.
 A;Reference number: S00925; MUID:88122639; PMID:2893289
 A;Accession: S00925
 A;Molecule type: mRNA
 A;Residues: 1-344, 'I', 365-770 <PO2>
 A;Cross-references: GB:X06989; EMBL:Y00297; NID:g28720; PIDN:CAA30050.1; PID:g28721
 A;Note: alternative splice form APP(751)
 R;Kitaguchi, N.; Takahashi, Y.; Tokushima, Y.; Shiojiri, S.; Ito, H.
 Nature 331, 530-532, 1988
 A;Title: Novel precursor of Alzheimer's disease amyloid protein shows protease inhibitory activity.
 A;Reference number: A38949; MUID:88122641; PMID:2893291
 A;Accession: A38949
 A;Molecule type: mRNA
 A;Residues: 287-367 <KIT>
 A;Cross-references: GB:X06981; NID:g28816; PIDN:CAA30041.1; PID:g929611
 A;Experimental source: glioblastoma cell line
 A;Note: alternative splice form APP(770)
 R;Vitek, M.P.; Rasool, C.G.; de Sauvage, F.; Vitek, S.M.; Bartus, R.T.; Beer, B.; Ashton, R.A.; Macq, A.F.; Maloteaux, J.M.; Blume, A.J.; Octave, J.N.
 Brain Res. Mol. Brain Res. 4, 121-131, 1988
 A;Title: Absence of mutation in the beta-amyloid cDNAs cloned from the brains of three patients with sporadic Alzheimer's disease.
 A;Reference number: A30320
 A;Accession: A30320
 A;Status: not compared with conceptual translation
 A;Molecule type: mRNA
 A;Residues: 284-288, 'V', 365-770 <VIT1>
 A;Accession: B30320
 A;Status: not compared with conceptual translation

A;Molecule type: mRNA
 A;Residues: 122-288, 'V', 365-770 <VIT2>
 A;Accession: C30320
 A;Status: not compared with conceptual translation
 A;Molecule type: mRNA
 A;Residues: 606-770 <VIT3>
 R;Zain, S.B.; Salim, M.; Chou, W.G.; Sajdel-Sulkowska, E.M.; Majocha, R.E.; Marotta, C.A.
 Proc. Natl. Acad. Sci. U.S.A. 85, 929-933, 1988
 A;Title: Molecular cloning of amyloid cDNA derived from mRNA of the Alzheimer disease brain: coding and noncoding regions of the fetal precursor mRNA are expressed in the cortex.
 A;Reference number: A31087; MUID:88124954; PMID:2893379
 A;Accession: A31087
 A;Molecule type: mRNA
 A;Residues: 507-770 <ZAI>
 A;Cross-references: GB:M18734; NID:g178572; PIDN:AAA51726.1; PID:g178573
 A;Note: the authors translated the codon GAA for residue 599 as Gly, ACC for residue 603 as Val, GTG for residue 604 as Glu, GAG for residue 605 as Leu, CTT for residue 607 as Pro, CCC for residue 608 as Val, GTG for residue 609 as Asn, AAT for residue 610 as Gly, and GGT for residue 655 as Ser
 A;Note: the cited Genbank accession number, J03594, is not in release 101.0
 R;Masters, C.L.; Multhaup, G.; Simms, G.; Pottgiesser, J.; Martins, R.N.; Beyreuther, K.

Query Match 100.0%; Score 8; DB 1; Length 770;
 Best Local Similarity 100.0%; Pred. No. 0.072;
 Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMDAEF 8
 |||||
 Db 668 EVKMDAEF 675

RESULT 13

T27174

hypothetical protein Y54G11A.11 - Caenorhabditis elegans

C;Species: Caenorhabditis elegans

C;Date: 15-Oct-1999 #sequence_revision 15-Oct-1999 #text_change 15-Oct-1999

C;Accession: T27174

R;Wallis, J.

submitted to the EMBL Data Library, December 1998

A;Reference number: Z20322

A;Accession: T27174

A;Status: preliminary; translated from GB/EMBL/DDBJ

A;Molecule type: DNA

A;Residues: 1-84 <WIL>

A;Cross-references: EMBL:AL034488; NID:e1359895; PIDN:CAA22454.1;

CESP:Y54G11A.11

A;Experimental source: clone Y54G11A

C;Genetics:

A;Gene: CESP:Y54G11A.11

A;Introns: 39/2

Query Match 62.5%; Score 5; DB 2; Length 84;
 Best Local Similarity 100.0%; Pred. No. 37;
 Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMD 5
|||||
Db 36 EVKMD 40

RESULT 14

PH1526

gamma-aminobutyric acid receptor NB4.1 - fruit fly (*Drosophila* sp.) (fragments)

C;Species: *Drosophila* sp.

C;Date: 03-Feb-1994 #sequence_revision 03-Feb-1994 #text_change 17-Mar-1999

C;Accession: PH1526

R;Ffrench-Constant, R.H.; Rocheleau, T.A.

J. Neurochem. 60, 2323-2326, 1993

A;Title: *Drosophila* gamma-aminobutyric acid receptor gene *Rdl* shows extensive alternative splicing.

A;Reference number: PH1526; MUID:93260477; PMID:7684073

A;Accession: PH1526

A;Molecule type: mRNA

A;Residues: 1-44,45-105 <FFR>

A;Experimental source: embryo

C;Genetics:

A;Gene: *Rdl*

A;Cross-references: FlyBase:FBgn0004244

C;Superfamily: acetylcholine receptor

C;Keywords: alternative splicing; receptor

Query Match 62.5%; Score 5; DB 2; Length 105;
Best Local Similarity 100.0%; Pred. No. 44;
Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMD 5
|||||
Db 30 EVKMD 34

RESULT 15

H90315

conserved hypothetical protein [imported] - *Sulfolobus solfataricus*

C;Species: *Sulfolobus solfataricus*

C;Date: 24-May-2001 #sequence_revision 24-May-2001 #text_change 24-May-2001

C;Accession: H90315

R;She, Q.; Singh, R.K.; Confalonieri, F.; Zivanovic, Y.; Allard, G.; Awayez, M.J.; Chan-Weiher, C.C.Y.; Clausen, I.G.; Curtis, B.A.; De Moors, A.; Erauso, G.; Fletcher, C.; Gordon, P.M.K.; Heikamp-de Jong, I.; Jeffries, A.C.; Kozera, C.J.; Medina, N.; Peng, X.; Thi-Ngoc, H.P.; Redder, P.; Schenk, M.E.; Theriault, C.; Tolstrup, N.; Charlebois, R.L.; Doolittle, W.F.; Duguet, M.; Gaasterland, T.; Garrett, R.A.; Ragan, M.A.; Sensen, C.W.; Van der Oost, J.
submitted to GenBank, April 2001

A;Description: *Sulfolobus solfataricus* complete genome.

A;Reference number: A99139

A;Accession: H90315

A;Status: preliminary

A;Molecule type: DNA

A;Residues: 1-127 <KUR>

A;Cross-references: GB:AE006641; NID:g13814799; PIDN:AAK41783.1; GSPDB:GN00155

C;Genetics:

A;Gene: SS01570

Query Match 62.5%; Score 5; DB 2; Length 127;
Best Local Similarity 100.0%; Pred. No. 51;
Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMD 5
|||||
Db 11 EVKMD 15

RESULT 16

T21857

hypothetical protein F36D3.10 - *Caenorhabditis elegans*

C;Species: *Caenorhabditis elegans*

C;Date: 15-Oct-1999 #sequence_revision 15-Oct-1999 #text_change 15-Oct-1999

C;Accession: T21857

R;McMurray, A.

submitted to the EMBL Data Library, November 1996

A;Reference number: Z19478

A;Accession: T21857

A;Status: preliminary; translated from GB/EMBL/DDBJ

A;Molecule type: DNA

A;Residues: 1-140 <WIL>

A;Cross-references: EMBL:Z81531; PIDN:CAB04323.1; GSPDB:GN00023; CESP:F36D3.10

A;Experimental source: clone F36D3

C;Genetics:

A;Gene: CESP:F36D3.10

A;Map position: 5

A;Introns: 24/3; 46/3; 87/3

Query Match 62.5%; Score 5; DB 2; Length 140;
Best Local Similarity 100.0%; Pred. No. 55;
Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 3 KMDAE 7
|||||
Db 55 KMDAE 59

RESULT 17

C69136

hypothetical protein MTH286 - *Methanobacterium thermoautotrophicum* (strain Delta H)

C;Species: *Methanobacterium thermoautotrophicum*

C;Date: 05-Dec-1997 #sequence_revision 05-Dec-1997 #text_change 22-Oct-1999

C;Accession: C69136

R;Smith, D.R.; Doucette-Stamm, L.A.; Deloughery, C.; Lee, H.; Dubois, J.;
Aldredge, T.; Bashirzadeh, R.; Blakely, D.; Cook, R.; Gilbert, K.; Harrison, D.;
Hoang, L.; Keagle, P.; Lumm, W.; Pothier, B.; Qiu, D.; Spadafora, R.; Vicaire,
R.; Wang, Y.; Wierzbowski, J.; Gibson, R.; Jiواني, N.; Caruso, A.; Bush, D.;
Safer, H.; Patwell, D.; Prabhakar, S.; McDougall, S.; Shimer, G.; Goyal, A.;
Pietrokovski, S.; Church, G.M.; Daniels, C.J.; Mao, J.; Rice, P.; Noelling, J.;
Reeve, J.N.

J. Bacteriol. 179, 7135-7155, 1997

A;Title: Complete genome sequence of *Methanobacterium thermoautotrophicum* Delta H: functional analysis and comparative genomics.

A;Reference number: A69000; MUID:98037514; PMID:9371463
A;Accession: C69136
A;Status: preliminary; nucleic acid sequence not shown; translation not shown
A;Molecule type: DNA
A;Residues: 1-146 <MTH>
A;Cross-references: GB:AE000814; GB:AE000666; NID:g2621334; PIDN:AAB84792.1;
PID:g2621338
A;Experimental source: strain Delta H
C;Genetics:
A;Gene: MTH286
A;Start codon: GTG
C;Superfamily: Methanobacterium thermoautotrophicum hypothetical protein MTH286

Query Match 62.5%; Score 5; DB 2; Length 146;
Best Local Similarity 100.0%; Pred. No. 56;
Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMD 5
|||||
Db 129 EVKMD 133

RESULT 18

A95928

probable amine oxidase (flavin-containing) (EC 1.4.3.4) [imported] -
Sinorhizobium meliloti (strain 1021) megaplasmid pSymB

C;Species: Sinorhizobium meliloti

C;Date: 24-Aug-2001 #sequence_revision 24-Aug-2001 #text_change 14-Sep-2001

C;Accession: A95928

R;Finan, T.M.; Weidner, S.; Wong, K.; Buhrmester, J.; Chain, P.; Vorholter, F.J.; Hernandez-Lucas, I.; Becker, A.; Cowie, A.; Gouzy, J.; Golding, B.; Puhler, A.

Proc. Natl. Acad. Sci. U.S.A. 98, 9889-9894, 2001

A;Title: The complete sequence of the 1,683-kb pSymB megaplasmid from the N2-fixing endosymbiont Sinorhizobium meliloti.

A;Reference number: A95842; MUID:21396508; PMID:11481431

A;Accession: A95928

A;Status: preliminary

A;Molecule type: DNA

A;Residues: 1-153 <KUR>

A;Cross-references: GB:AL591985; PIDN:CAC49089.1; PID:g15140574; GSPDB:GN00167

A;Experimental source: strain 1021, megaplasmid pSymB

R;Galibert, F.; Finan, T.M.; Long, S.R.; Puhler, A.; Abola, P.; Ampe, F.; Barloy-Hubler, F.; Barnett, M.J.; Becker, A.; Boistard, P.; Bothe, G.; Boutry, M.; Bowser, L.; Buhrmester, J.; Cadieu, E.; Capela, D.; Chain, P.; Cowie, A.; Davis, R.W.; Dreano, S.; Federspiel, N.A.; Fisher, R.F.; Gloux, S.; Godrie, T.; Goffeau, A.; Golding, B.; Gouzy, J.; Gurjal, M.; Hernandez-Lucas, I.; Hong, A.; Huizar, L.; Hyman, R.W.; Jones, T.

Science 293, 668-672, 2001

A;Authors: Kahn, D.; Kahn, M.L.; Kalman, S.; Keating, D.H.; Kiss, E.; Komp, C.; Lelaure, V.; Masuy, D.; Palm, C.; Peck, M.C.; Pohl, T.M.; Portetelle, D.; Purnelle, B.; Ramsperger, U.; Surzycki, R.; Thebault, P.; Vandenbol, M.; Vorholter, F.J.; Weidner, S.; Wells, D.H.; Wong, K.; Yeh, K.C.; Batut, J.

A;Title: The composite genome of the legume symbiont Sinorhizobium meliloti.

A;Reference number: A96039; MUID:21368234; PMID:11474104

A;Contents: annotation

C;Genetics:

A;Gene: SMb21110
A;Genome: plasmid
C;Superfamily: maoC protein
C;Keywords: oxidoreductase

Query Match 62.5%; Score 5; DB 2; Length 153;
Best Local Similarity 100.0%; Pred. No. 58;
Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 4 MDAEF 8
|||||
Db 44 MDAEF 48

RESULT 19

S73644

hypothetical protein Gl2_orf168 - *Mycoplasma pneumoniae* (strain ATCC 29342)

C;Species: *Mycoplasma pneumoniae*

A;Variety: ATCC 29342

C;Date: 27-Feb-1997 #sequence_revision 25-Apr-1997 #text_change 07-Dec-1999

C;Accession: S73644

R;Himmelreich, R.; Hilbert, H.; Plagens, H.; Pirkel, E.; Li, B.C.; Herrmann, R.
Nucleic Acids Res. 24, 4420-4449, 1996

A;Title: Complete sequence analysis of the genome of the bacterium *Mycoplasma pneumoniae*.

A;Reference number: S73327; MUID:97105885; PMID:8948633

A;Accession: S73644

A;Status: preliminary; nucleic acid sequence not shown; translation not shown

A;Molecule type: DNA

A;Residues: 1-168 <HIM>

A;Cross-references: EMBL:AE000029; GB:U00089; NID:g1673986; PIDN:AAB95966.1;
PID:g1673991

A;Note: the nucleotide sequence was submitted to the EMBL Data Library, November 1996

C;Genetics:

A;Genetic code: SGC3

C;Superfamily: conserved hypothetical protein C09_orf180

Query Match 62.5%; Score 5; DB 2; Length 168;
Best Local Similarity 100.0%; Pred. No. 63;
Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMD 5
|||||
Db 124 EVKMD 128

RESULT 20

C95230

hypothetical protein SP1969 [imported] - *Streptococcus pneumoniae* (strain TIGR4)

C;Species: *Streptococcus pneumoniae*

C;Date: 03-Aug-2001 #sequence_revision 03-Aug-2001 #text_change 24-Aug-2001

C;Accession: C95230

R;Tettelin, H.; Nelson, K.E.; Paulsen, I.T.; Eisen, J.A.; Read, T.D.; Peterson, S.; Heidelberg, J.; DeBoy, R.T.; Haft, D.H.; Dodson, R.J.; Durkin, A.S.; Gwinn, M.; Kolonay, J.F.; Nelson, W.C.; Peterson, J.D.; Umayam, L.A.; White, O.; Salzberg, S.L.; Lewis, M.R.; Radune, D.; Holtzapple, E.; Khouri, H.; Wolf, A.M.;

Utterback, T.R.; Hansen, C.L.; McDonald, L.A.; Feldblyum, T.V.; Angiuoli, S.; Dickinson, T.; Hickey, E.K.; Holt, I.E.
 Science 293, 498-506, 2001
 A;Authors: Loftus, B.J.; Yang, F.; Smith, H.O.; Venter, J.C.; Dougherty, B.A.; Morrison, D.A.; Hollingshead, S.K.; Fraser, C.M.
 A;Title: Complete Genome Sequence of a virulent isolate of *Streptococcus pneumoniae*.
 A;Reference number: A95000; MUID:21357209; PMID:11463916
 A;Accession: C95230
 A;Status: preliminary
 A;Molecule type: DNA
 A;Residues: 1-179 <KUR>
 A;Cross-references: GB:AE005672; PIDN:AAK76036.1; PID:g14973476; GSPDB:GN00164; TIGR:SP4SP1969
 A;Experimental source: strain TIGR4
 C;Genetics:
 A;Gene: SP1969
 C;Superfamily: *Escherichia coli* hypothetical 21.7K protein (ftsY-nikA intergenic region)

Query Match 62.5%; Score 5; DB 2; Length 179;
 Best Local Similarity 100.0%; Pred. No. 66;
 Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 3 KMDAE 7
 |||||
 Db 97 KMDAE 101

RESULT 21

F98094

conserved hypothetical protein sprl784 [imported] - *Streptococcus pneumoniae* (strain R6)

C;Species: *Streptococcus pneumoniae*

C;Date: 22-Oct-2001 #sequence_revision 22-Oct-2001 #text_change 02-Nov-2001

C;Accession: F98094

R;Hoskins, J.A.; Alborn Jr., W.; Arnold, J.; Blaszczyk, L.; Burgett, S.; DeHoff, B.S.; Estrem, S.; Fritz, L.; Fu, D.J.; Fuller, W.; Geringer, C.; Gilmour, R.; Glass, J.S.; Khoja, H.; Kraft, A.; LaGace, R.; LeBlanc, D.J.; Lee, L.N.; Lefkowitz, E.J.; Lu, J.; Matsushima, P.; McAhren, S.; McHenney, M.; McLeaster, K.; Mundy, C.; Nicas, T.I.; Norris, F.H.; O'Gara, M.; Peery, R.; Robertson, G.T.; Rockey, P.; Sun, P.M.; Winkler, M.E.
 J. Bacteriol. 183, 5709-5717, 2001

A;Authors: Yang, Y.; Young-Bellido, M.; Zhao, G.; Zook, C.; Baltz, R.H.; Jaskunas, S.R.; Rosteck Jr., P.R.; Skatrud, P.L.; Glass, J.I.

A;Title: Genome of the Bacterium *Streptococcus pneumoniae* Strain R6.

A;Reference number: A97872; MUID:21429245; PMID:11544234

A;Accession: F98094

A;Status: preliminary

A;Molecule type: DNA

A;Residues: 1-179 <KUR>

A;Cross-references: GB:AE007317; PIDN:AAL00587.1; PID:g15459468; GSPDB:GN00174

C;Genetics:

A;Gene: sprl784

C;Superfamily: *Escherichia coli* hypothetical 21.7K protein (ftsY-nikA intergenic region)

Query Match 62.5%; Score 5; DB 2; Length 179;
Best Local Similarity 100.0%; Pred. No. 66;
Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 3 KMDAE 7
|||||
Db 97 KMDAE 101

RESULT 22

S73668

hypothetical protein P02_orf196 - Mycoplasma pneumoniae (strain ATCC 29342)

C;Species: Mycoplasma pneumoniae

A;Variety: ATCC 29342

C;Date: 27-Feb-1997 #sequence_revision 25-Apr-1997 #text_change 07-Dec-1999

C;Accession: S73668

R;Himmelreich, R.; Hilbert, H.; Plagens, H.; Pirkel, E.; Li, B.C.; Herrmann, R.
Nucleic Acids Res. 24, 4420-4449, 1996

A;Title: Complete sequence analysis of the genome of the bacterium Mycoplasma pneumoniae.

A;Reference number: S73327; MUID:97105885; PMID:8948633

A;Accession: S73668

A;Status: preliminary; nucleic acid sequence not shown; translation not shown

A;Molecule type: DNA

A;Residues: 1-196 <HIM>

A;Cross-references: EMBL:AE000032; GB:U00089; NID:g1674011; PIDN:AAB95989.1;
PID:g1674017

A;Note: the nucleotide sequence was submitted to the EMBL Data Library, November 1996

C;Genetics:

A;Genetic code: SGC3

C;Superfamily: conserved hypothetical protein C09_orf180

Query Match 62.5%; Score 5; DB 2; Length 196;
Best Local Similarity 100.0%; Pred. No. 71;
Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMD 5
|||||
Db 166 EVKMD 170

RESULT 23

T11657

rho GDP dissociation inhibitor. - fission yeast (Schizosaccharomyces pombe)

C;Species: Schizosaccharomyces pombe

C;Date: 16-Jul-1999 #sequence_revision 16-Jul-1999 #text_change 18-Aug-2000

C;Accession: T11657

R;Barrell, B.G.; Rajandream, M.A.; Wood, V.

submitted to the EMBL Data Library, August 1997

A;Reference number: Z17305

A;Accession: T11657

A;Status: preliminary; translated from GB/EMBL/DDBJ

A;Molecule type: DNA

A;Residues: 1-205 <BAR>

A;Cross-references: EMBL:Z98533

C;Genetics:

A;Map position: 1L
A;Note: SPAC6F12.06
C;Superfamily: human rho GDP dissociation inhibitor

Query Match 62.5%; Score 5; DB 2; Length 205;
Best Local Similarity 100.0%; Pred. No. 73;
Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 3 KMDAE 7
|||||
Db 40 KMDAE 44

RESULT 24

T30415

host range factor 1 - Lymantria dispar nuclear polyhedrosis virus
C;Species: Lymantria dispar nuclear polyhedrosis virus, LdMNPV
C;Date: 29-Oct-1999 #sequence_revision 29-Oct-1999 #text_change 21-Jul-2000
C;Accession: T30415
R;Kuzio, J.; Pearson, M.N.; Harwood, S.H.; Funk, C.J.; Evans, J.T.; Slavicek, J.M.; Rohrmann, G.F.
Virology 253, 17-34, 1999
A;Title: Sequence and analysis of the genome of a baculovirus pathogenic for Lymantria dispar.
A;Reference number: Z20836; MUID:99124785; PMID:9887315
A;Accession: T30415
A;Status: preliminary; translated from GB/EMBL/DDBJ
A;Molecule type: DNA
A;Residues: 1-218 <KUZ>
A;Cross-references: EMBL:AF081810; NID:g3822234; PIDN:AAC70253.1; PID:g3822302
C;Superfamily: Lymantria dispar nuclear polyhedrosis virus host range factor 1

Query Match 62.5%; Score 5; DB 2; Length 218;
Best Local Similarity 100.0%; Pred. No. 77;
Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 4 MDAEF 8
|||||
Db 3 MDAEF 7

RESULT 25

I55963

Lyt-2.1 lymphocyte differentiation antigen - mouse (fragment)
C;Species: Mus musculus (house mouse)
C;Date: 26-Jul-1996 #sequence_revision 26-Jul-1996 #text_change 21-Jan-2000
C;Accession: I55963
R;Liaw, C.W.; Zamoyska, R.; Parnes, J.R.
J. Immunol. 137, 1037-1043, 1986
A;Title: Structure, sequence, and polymorphism of the Lyt-2 T cell differentiation antigen gene.
A;Reference number: I55963; MUID:86252252; PMID:3487583
A;Accession: I55963
A;Status: preliminary; translated from GB/EMBL/DDBJ
A;Molecule type: DNA
A;Residues: 1-220 <RES>
A;Cross-references: GB:M12979; NID:g198960; PIDN:AAA39474.1; PID:g198962

C;Genetics:

A;Introns: 149/1; 184/1

C;Superfamily: immunoglobulin V region; immunoglobulin homology

F;46-131/Domain: immunoglobulin homology <IMM>

Query Match 62.5%; Score 5; DB 2; Length 220;
Best Local Similarity 100.0%; Pred. No. 78;
Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 3 KMDAE 7
|||||
Db 40 KMDAE 44

RESULT 26

S59147

cytochrome-c oxidase (EC 1.9.3.1) chain II - land snail mitochondrion

C;Species: mitochondrion Albinaria coerulea (land snail)

C;Date: 19-Mar-1997 #sequence_revision 19-Mar-1997 #text_change 18-Aug-2003

C;Accession: S59147

R;Hatzoglou, E.; Rodakis, G.C.; Lecanidou, R.

Genetics 140, 1353-1366, 1995

A;Title: Complete sequence and gene organization of the mitochondrial genome of the land snail Albinaria coerulea.

A;Reference number: S59143; MUID:96120351; PMID:7498775

A;Accession: S59147

A;Status: translation not shown

A;Molecule type: DNA

A;Residues: 1-224 <HAT>

A;Cross-references: EMBL:X83390; NID:g975668; PIDN:CAA58300.1; PID:g975673; GSPDB:GN00133

C;Genetics:

A;Gene: COII

A;Genome: mitochondrion

A;Genetic code: SGC4

C;Superfamily: cytochrome-c oxidase chain II, mitochondrial type; cytochrome-c oxidase chain II homology

C;Keywords: copper; electron transfer; membrane-associated complex; mitochondrial inner membrane; mitochondrion; oxidative phosphorylation; oxidoreductase; respiratory chain; transmembrane protein

F;9-214/Domain: cytochrome-c oxidase chain II homology <CO2>

F;27-47/Domain: transmembrane #status predicted <TM1>

F;63-85/Domain: transmembrane #status predicted <TM2>

F;161,196,200,207/Binding site: copper 1 (His, Cys, Cys, Met) #status predicted

F;196,198,200,204/Binding site: copper 2 (Cys, Glu, Cys, His) #status predicted

F;198/Binding site: magnesium (Glu) (shared with chain I) #status predicted

Query Match 62.5%; Score 5; DB 2; Length 224;
Best Local Similarity 100.0%; Pred. No. 79;
Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 2 VKMDA 6
|||||
Db 170 VKMDA 174

RESULT 27

E34284
 cytochrome-c oxidase (EC 1.9.3.1) chain II - sea urchin (*Paracentrotus lividus*)
 mitochondrion
 C;Species: mitochondrion *Paracentrotus lividus* (common urchin)
 C;Date: 29-Jun-1990 #sequence_revision 29-Jun-1990 #text_change 18-Aug-2003
 C;Accession: E34284; D26510; T01675
 R;Cantatore, P.; Roberti, M.; Rainaldi, G.; Gadaleta, M.N.; Saccone, C.
 J. Biol. Chem. 264, 10965-10975, 1989
 A;Title: The complete nucleotide sequence, gene organization, and genetic code
 of the mitochondrial genome of *Paracentrotus lividus*.
 A;Reference number: A34284; MUID:89291831; PMID:2544576
 A;Accession: E34284
 A;Molecule type: DNA
 A;Residues: 1-229 <CAN1>
 A;Cross-references: GB:J04815; NID:g342913; PIDN:AAA68137.1; PID:g854690
 R;Cantatore, P.; Roberti, M.; Morisco, P.; Rainaldi, G.; Gadaleta, M.N.;
 Saccone, C.
 Gene 53, 41-54, 1987
 A;Title: A novel gene order in the *Paracentrotus lividus* mitochondrial genome.
 A;Reference number: A26510; MUID:87248108; PMID:3596250
 A;Accession: D26510
 A;Status: not compared with conceptual translation
 A;Molecule type: DNA
 A;Residues: 1-8,'P',10,'H' <CAN2>
 A;Cross-references: GB:M16520; NID:g342888; PIDN:AAA31991.1; PID:g342903
 C;Genetics:
 A;Genome: mitochondrion
 A;Genetic code: SGC8
 C;Superfamily: cytochrome-c oxidase chain II, mitochondrial type; cytochrome-c
 oxidase chain II homology
 C;Keywords: copper; electron transfer; heme; membrane-associated complex;
 mitochondrial inner membrane; mitochondrion; oxidative phosphorylation;
 oxidoreductase; respiratory chain; transmembrane protein
 F;9-214/Domain: cytochrome-c oxidase chain II homology <CO2>
 F;161,196,200,207/Binding site: copper 1 (His, Cys, Cys, Met) #status predicted
 F;196,198,200,204/Binding site: copper 2 (Cys, Glu, Cys, His) #status predicted
 F;198/Binding site: magnesium (Glu) (shared with chain I) #status predicted

Query Match 62.5%; Score 5; DB 2; Length 229;
 Best Local Similarity 100.0%; Pred. No. 80;
 Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 2 VKMDA 6
 |||||
 Db 170 VKMDA 174

RESULT 28
 T11796
 cytochrome-c oxidase (EC 1.9.3.1) chain II - sea urchin (*Arbacia lixula*)
 mitochondrion
 C;Species: mitochondrion *Arbacia lixula* (black urchin)
 C;Date: 16-Jul-1999 #sequence_revision 16-Jul-1999 #text_change 18-Aug-2003
 C;Accession: T11796
 R;De Giorgi, C.; Martiradonna, A.; Lanave, C.; Saccone, C.
 Mol. Phylogenet. Evol. 5, 323-332, 1996

A;Title: Complete sequence of the mitochondrial DNA in the sea urchin *Arbacia lixula*: Conserved features of the echinoid mitochondrial genome.
 A;Reference number: Z17346; MUID:96292527; PMID:8728390
 A;Accession: T11796
 A;Status: preliminary; translated from GB/EMBL/DDBJ
 A;Molecule type: DNA
 A;Residues: 1-229 <DEG>
 A;Cross-references: EMBL:X80396; NID:g1321876; PIDN:CAA56611.1
 A;Experimental source: eggs
 C;Genetics:
 A;Genome: mitochondrion
 A;Genetic code: SGC8
 A;Note: cytochrome C oxidase subunit 4L
 C;Superfamily: cytochrome-c oxidase chain II, mitochondrial type; cytochrome-c oxidase chain II homology
 C;Keywords: copper; electron transfer; membrane-associated complex; mitochondrial inner membrane; mitochondrion; oxidative phosphorylation; oxidoreductase; respiratory chain; transmembrane protein
 F;9-214/Domain: cytochrome-c oxidase chain II homology <CO2>
 F;161,196,200,207/Binding site: copper 1 (His, Cys, Cys, Met) #status predicted
 F;196,198,200,204/Binding site: copper 2 (Cys, Glu, Cys, His) #status predicted
 F;198/Binding site: magnesium (Glu) (shared with chain I) #status predicted

Query Match 62.5%; Score 5; DB 2; Length 229;
 Best Local Similarity 100.0%; Pred. No. 80;
 Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 2 VKMDA 6
 |||||
 Db 170 VKMDA 174

RESULT 29

D58892

cytochrome-c oxidase (EC 1.9.3.1) chain II - coelacanth mitochondrion

C;Species: mitochondrion *Latimeria chalumnae* (coelacanth)

C;Date: 30-Oct-1998 #sequence_revision 30-Oct-1998 #text_change 18-Aug-2003

C;Accession: D58892

R;Zardoya, R.; Meyer, A.

Genetics 146, 995-1010, 1997

A;Title: The complete DNA sequence of the mitochondrial genome of a "living fossil," the coelacanth (*Latimeria chalumnae*).

A;Reference number: A58892; MUID:97358858; PMID:9215903

A;Accession: D58892

A;Status: preliminary; nucleic acid sequence not shown; translation not shown; not compared with conceptual translation

A;Molecule type: DNA

A;Residues: 1-230 <ZAR>

A;Cross-references: GB:U82228; NID:g1916817; PIDN:AAC60321.1; PID:g1916821

A;Note: submitted to GenBank/EMBL/DDBJ December, 1996

C;Genetics:

A;Gene: COII

A;Map position: FOR7180-7872

A;Genome: mitochondrion

A;Genetic code: SGC1

C;Superfamily: cytochrome-c oxidase chain II, mitochondrial type; cytochrome-c oxidase chain II homology

C;Keywords: copper; electron transfer; magnesium; membrane-associated complex; metalloprotein; mitochondrial inner membrane; mitochondrion; oxidative phosphorylation; oxidoreductase; respiratory chain; transmembrane protein
 F;9-214/Domain: cytochrome-c oxidase chain II homology <CO2>
 F;15-35/Domain: transmembrane helix #status predicted <TR01>
 F;60-87/Domain: transmembrane helix #status predicted <TR02>
 F;161,196,200,207/Binding site: copper 1 (His, Cys, Cys, Met) #status predicted
 F;196,198,200,204/Binding site: copper 2 (Cys, Glu, Cys, His) #status predicted
 F;198/Binding site: magnesium (Glu) (shared with chain I) #status predicted

Query Match 62.5%; Score 5; DB 2; Length 230;
 Best Local Similarity 100.0%; Pred. No. 80;
 Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 2 VKMDA 6
 |||||
 Db 170 VKMDA 174

RESULT 30

S36009

cytochrome-c oxidase (EC 1.9.3.1) chain II - common carp mitochondrion

C;Species: mitochondrion Cyprinus carpio (common carp)

C;Date: 31-Dec-1993 #sequence_revision 31-Dec-1993 #text_change 18-Aug-2003

C;Accession: S36009; D44650

R;Chang, Y.S.; Huang, F.L.

submitted to the EMBL Data Library, July 1991

A;Description: The cDNA and primary structure of pregrowth hormones of three species of Cyprinidae: silver carp, bighead carp and grass carp.

A;Reference number: S21910

A;Accession: S36009

A;Molecule type: DNA

A;Residues: 1-230 <CHA1>

A;Cross-references: EMBL:X61010; NID:g436882; PIDN:CAA43340.1; PID:g12842

R;Chang, Y.S.; Huang, F.L.; Lo, T.B.

J. Mol. Evol. 38, 138-155, 1994

A;Title: The complete nucleotide sequence and gene organization of carp (Cyprinus carpio) mitochondrial genome.

A;Reference number: A44650; MUID:94223691; PMID:8169959

A;Accession: D44650

A;Status: nucleic acid sequence not shown; not compared with conceptual translation

A;Molecule type: DNA

A;Residues: 1-219,'F',221-230 <CHA2>

A;Cross-references: EMBL:X61010; NID:g436882

C;Genetics:

A;Genome: mitochondrion

A;Genetic code: SGC1

C;Superfamily: cytochrome-c oxidase chain II, mitochondrial type; cytochrome-c oxidase chain II homology

C;Keywords: copper; electron transfer; heme; membrane-associated complex; mitochondrial inner membrane; mitochondrion; oxidative phosphorylation; oxidoreductase; respiratory chain; transmembrane protein

F;9-214/Domain: cytochrome-c oxidase chain II homology <CO2>

F;161,196,200,207/Binding site: copper 1 (His, Cys, Cys, Met) #status predicted

F;196,198,200,204/Binding site: copper 2 (Cys, Glu, Cys, His) #status predicted

F;198/Binding site: magnesium (Glu) (shared with chain I) #status predicted

Query Match 62.5%; Score 5; DB 2; Length 230;
Best Local Similarity 100.0%; Pred. No. 80;
Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 2 VKMDA 6
|||||
Db 170 VKMDA 174

RESULT 31

S45491
cytochrome-c oxidase (EC 1.9.3.1) chain II - European seabass mitochondrion
C;Species: mitochondrion Dicentrarchus labrax (European seabass)
C;Date: 19-Mar-1997 #sequence_revision 19-Mar-1997 #text_change 18-Aug-2003
C;Accession: S45491
R;Venanzetti, F.; Cecconi, F.; Giorgi, M.; Cesaroni, D.; Sbordoni, V.;
Mariottini, P.
Curr. Genet. 26, 139-145, 1994
A;Title: Cloning and characterization of the European seabass, Dicentrarchus
labrax, mitochondrial genome.
A;Reference number: S45489; MUID:95094310; PMID:8001168
A;Accession: S45491
A;Molecule type: DNA
A;Residues: 1-230 <VEN>
A;Cross-references: EMBL:X74149; NID:g521078; PIDN:CAA52246.1; PID:g521079
C;Genetics:
A;Genome: mitochondrion
A;Genetic code: SGCl
C;Superfamily: cytochrome-c oxidase chain II, mitochondrial type; cytochrome-c
oxidase chain II homology
C;Keywords: copper; electron transfer; heme; membrane-associated complex;
mitochondrial inner membrane; mitochondrion; oxidative phosphorylation;
oxidoreductase; respiratory chain; transmembrane protein
F;9-214/Domain: cytochrome-c oxidase chain II homology <CO2>
F;15-35/Domain: transmembrane helix #status predicted <TR01>
F;60-87/Domain: transmembrane helix #status predicted <TR02>
F;161,196,200,207/Binding site: copper 1 (His, Cys, Cys, Met) #status predicted
F;196,198,200,204/Binding site: copper 2 (Cys, Glu, Cys, His) #status predicted
F;198/Binding site: magnesium (Glu) (shared with chain I) #status predicted

Query Match 62.5%; Score 5; DB 2; Length 230;
Best Local Similarity 100.0%; Pred. No. 80;
Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 2 VKMDA 6
|||||
Db 170 VKMDA 174

RESULT 32

T09860
cytochrome-c oxidase (EC 1.9.3.1) chain II - rainbow trout mitochondrion
(fragment)
C;Species: mitochondrion Oncorhynchus mykiss (rainbow trout)
C;Date: 16-Jul-1999 #sequence_revision 16-Jul-1999 #text_change 18-Aug-2003
C;Accession: T09860

R;Zardoya, R.; Garrido-Pertierra, A.; Bautista, J.M.
 J. Mol. Evol. 41, 942-951, 1995
 A;Title: The complete nucleotide sequence of the mitochondrial DNA genome of the rainbow trout, *Oncorhynchus mykiss*.
 A;Reference number: Z16890; MUID:96139027; PMID:8587139
 A;Accession: T09860
 A;Status: preliminary; translated from GB/EMBL/DDBJ
 A;Molecule type: DNA
 A;Residues: 1-230 <ZAR>
 A;Cross-references: EMBL:L29771; NID:g1246865; PIDN:AAB03350.1; PID:g463157
 C;Genetics:
 A;Gene: COII
 A;Genome: mitochondrion
 A;Genetic code: SGC1
 C;Superfamily: cytochrome-c oxidase chain II, mitochondrial type; cytochrome-c oxidase chain II homology
 C;Keywords: copper; electron transfer; membrane-associated complex; mitochondrial inner membrane; mitochondrion; oxidative phosphorylation; oxidoreductase; respiratory chain; transmembrane protein
 F;9-214/Domain: cytochrome-c oxidase chain II homology <CO2>
 F;161,196,200,207/Binding site: copper 1 (His, Cys, Cys, Met) #status predicted
 F;196,198,200,204/Binding site: copper 2 (Cys, Glu, Cys, His) #status predicted
 F;198/Binding site: magnesium (Glu) (shared with chain I) #status predicted

Query Match 62.5%; Score 5; DB 2; Length 230;
 Best Local Similarity 100.0%; Pred. No. 80;
 Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 2 VKMDA 6
 |||||
 Db 170 VKMDA 174

RESULT 33

T09950
 cytochrome-c oxidase (EC 1.9.3.1) chain II - Atlantic salmon mitochondrion
 C;Species: mitochondrion *Salmo salar* (Atlantic salmon)
 C;Date: 16-Jul-1999 #sequence_revision 16-Jul-1999 #text_change 18-Aug-2003
 C;Accession: T09950
 R;Hurst, C.D.; Bartlett, S.E.; Bruce, I.J.; Davidson, W.S.
 submitted to the EMBL Data Library, October 1998
 A;Description: The complete nucleotide sequence of the mitochondrial DNA of the Atlantic salmon, *Salmo salar*.
 A;Reference number: Z16904
 A;Accession: T09950
 A;Status: preliminary; translated from GB/EMBL/DDBJ
 A;Molecule type: DNA
 A;Residues: 1-230 <HUR>
 A;Cross-references: EMBL:U12143; NID:g3775976; PID:g3776538
 A;Experimental source: liver
 C;Genetics:
 A;Gene: COII
 A;Genome: mitochondrion
 A;Genetic code: SGC1
 C;Superfamily: cytochrome-c oxidase chain II, mitochondrial type; cytochrome-c oxidase chain II homology

C;Keywords: copper; electron transfer; membrane-associated complex;
mitochondrial inner membrane; mitochondrion; oxidative phosphorylation;
oxidoreductase; respiratory chain; transmembrane protein
F;9-214/Domain: cytochrome-c oxidase chain II homology <CO2>
F;161,196,200,207/Binding site: copper 1 (His, Cys, Cys, Met) #status predicted
F;196,198,200,204/Binding site: copper 2 (Cys, Glu, Cys, His) #status predicted
F;198/Binding site: magnesium (Glu) (shared with chain I) #status predicted

Query Match 62.5%; Score 5; DB 2; Length 230;
Best Local Similarity 100.0%; Pred. No. 80;
Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 2 VKMDA 6
|
|
|
|
Db 170 VKMDA 174

RESULT 34

T11290

cytochrome-c oxidase (EC 1.9.3.1) chain II - Raja radiata mitochondrion

C;Species: mitochondrion Raja radiata

C;Date: 16-Jul-1999 #sequence_revision 16-Jul-1999 #text_change 18-Aug-2003

C;Accession: T11290

R;Rasmussen, A.S.; Arnason, U.

Proc. Natl. Acad. Sci. U.S.A. 96, 2177-2182, 1999

A;Title: Molecular studies suggest that cartilaginous fishes have an apical position in the piscine tree.

A;Reference number: Z17259; MUID:99162577; PMID:10051614

A;Accession: T11290

A;Status: preliminary; translated from GB/EMBL/DDBJ

A;Molecule type: DNA

A;Residues: 1-230 <RAS>

A;Cross-references: EMBL:AF106038; NID:g4406269; PID:g4406273; PIDN:AAD19932.1

C;Genetics:

A;Gene: COX-II

A;Genome: mitochondrion

A;Genetic code: SGCl

C;Superfamily: cytochrome-c oxidase chain II, mitochondrial type; cytochrome-c oxidase chain II homology

C;Keywords: copper; electron transfer; membrane-associated complex;
mitochondrial inner membrane; mitochondrion; oxidative phosphorylation;
oxidoreductase; respiratory chain; transmembrane protein

F;9-214/Domain: cytochrome-c oxidase chain II homology <CO2>

F;161,196,200,207/Binding site: copper 1 (His, Cys, Cys, Met) #status predicted

F;196,198,200,204/Binding site: copper 2 (Cys, Glu, Cys, His) #status predicted

F;198/Binding site: magnesium (Glu) (shared with chain I) #status predicted

Query Match 62.5%; Score 5; DB 2; Length 230;
Best Local Similarity 100.0%; Pred. No. 80;
Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 2 VKMDA 6
|
|
|
|
Db 170 VKMDA 174

RESULT 35

T11303
 cytochrome-c oxidase (EC 1.9.3.1) chain II - smaller spotted catshark
 mitochondrion (fragment)
 C;Species: mitochondrion *Scyliorhinus canicula* (smaller spotted catshark,
 smaller spotted dogfish)
 C;Date: 16-Jul-1999 #sequence_revision 16-Jul-1999 #text_change 18-Aug-2003
 C;Accession: T11303
 R;Delarbre, C.; Spruyt, N.; Delmarre, C.; Gallut, C.; Barriel, V.; Janvier, P.;
 Laudet, V.; Gachelin, G.
 Genetics 150, 331-344, 1998
 A;Title: The complete nucleotide sequence of the mitochondrial DNA of the
 Dogfish, *Scyliorhinus canicula*.
 A;Reference number: Z17260; MUID:98393590; PMID:9725850
 A;Accession: T11303
 A;Status: preliminary; translated from GB/EMBL/DDBJ
 A;Molecule type: DNA
 A;Residues: 1-230
 A;Cross-references: EMBL:Y16067; NID:g3618230; PIDN:CAA76022.1; PID:g3618234
 A;Experimental source: muscle
 C;Genetics:
 A;Genome: mitochondrion
 A;Genetic code: SGCl
 A;Note: CO II
 C;Superfamily: cytochrome-c oxidase chain II, mitochondrial type; cytochrome-c
 oxidase chain II homology
 C;Keywords: copper; electron transfer; membrane-associated complex;
 mitochondrial inner membrane; mitochondrion; oxidative phosphorylation;
 oxidoreductase; respiratory chain; transmembrane protein
 F;9-214/Domain: cytochrome-c oxidase chain II homology <CO2>
 F;196,198,200,204/Binding site: copper 2 (Cys, Glu, Cys, His) #status predicted
 F;198/Binding site: magnesium (Glu) (shared with chain I) #status predicted

Query Match 62.5%; Score 5; DB 2; Length 230;
 Best Local Similarity 100.0%; Pred. No. 80;
 Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 2 VKMDA 6
 |||||
 Db 170 VKMDA 174

RESULT 36

T11537
 cytochrome-c oxidase (EC 1.9.3.1) chain II - spiny dogfish mitochondrion
 (fragment)
 C;Species: mitochondrion *Squalus acanthias* (spiny dogfish)
 C;Date: 16-Jul-1999 #sequence_revision 16-Jul-1999 #text_change 18-Aug-2003
 C;Accession: T11537
 R;Rasmussen, A.S.; Arnason, U.
 J. Mol. Evol. 48, 118-123, 1999
 A;Title: Phylogenetic studies of complete mitochondrial DNA molecules place
 cartilaginous fishes within the tree of bony fishes.
 A;Reference number: Z17281; MUID:99091711; PMID:9873084
 A;Accession: T11537
 A;Status: preliminary; translated from GB/EMBL/DDBJ
 A;Molecule type: DNA
 A;Residues: 1-230 <RAS>

A;Cross-references: EMBL:Y18134; NID:g4186095; PIDN:CAA77052.1; PID:g4186099
 C;Genetics:
 A;Genome: mitochondrion
 A;Genetic code: SGCl
 C;Superfamily: cytochrome-c oxidase chain II, mitochondrial type; cytochrome-c oxidase chain II homology
 C;Keywords: copper; electron transfer; membrane-associated complex; mitochondrial inner membrane; mitochondrion; oxidative phosphorylation; oxidoreductase; respiratory chain; transmembrane protein
 F;9-214/Domain: cytochrome-c oxidase chain II homology <CO2>
 F;161,196,200,207/Binding site: copper 1 (His, Cys, Cys, Met) #status predicted
 F;196,198,200,204/Binding site: copper 2 (Cys, Glu, Cys, His) #status predicted
 F;198/Binding site: magnesium (Glu) (shared with chain I) #status predicted

Query Match 62.5%; Score 5; DB 2; Length 230;
 Best Local Similarity 100.0%; Pred. No. 80;
 Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 2 VKMDA 6
 |||||
 Db 170 VKMDA 174

RESULT 37

T11767

cytochrome-c oxidase (EC 1.9.3.1) chain II - Mustelus manazo mitochondrion (fragment)

C;Species: mitochondrion Mustelus manazo

C;Date: 16-Jul-1999 #sequence_revision 16-Jul-1999 #text_change 18-Aug-2003

C;Accession: T11767

R;Cao, Y.; Waddell, P.J.; Okada, N.; Hasegawa, M.

Mol. Biol. Evol. 15, 1637-1646, 1998

A;Title: The complete mitochondrial DNA sequence of the shark (Mustelus manazo): Evaluating rooting contradictions to living bony vertebrates.

A;Reference number: Z17338; MUID:99083431; PMID:9866199

A;Accession: T11767

A;Status: preliminary; translated from GB/EMBL/DDBJ

A;Molecule type: DNA

A;Residues: 1-230 <CAO>

A;Cross-references: EMBL:AB015962; PIDN:BAA33055.1

A;Experimental source: liver

C;Genetics:

A;Genome: mitochondrion

A;Note: COII

C;Superfamily: cytochrome-c oxidase chain II, mitochondrial type; cytochrome-c oxidase chain II homology

C;Keywords: copper; electron transfer; membrane-associated complex; mitochondrial inner membrane; mitochondrion; oxidative phosphorylation; oxidoreductase; respiratory chain; transmembrane protein

F;9-214/Domain: cytochrome-c oxidase chain II homology <CO2>

F;161,196,200,207/Binding site: copper 1 (His, Cys, Cys, Met) #status predicted

F;196,198,200,204/Binding site: copper 2 (Cys, Glu, Cys, His) #status predicted

F;198/Binding site: magnesium (Glu) (shared with chain I) #status predicted

Query Match 62.5%; Score 5; DB 2; Length 230;
 Best Local Similarity 100.0%; Pred. No. 80;
 Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 2 VKMDA 6
|||||
Db 170 VKMDA 174

RESULT 38

E84673

hypothetical protein At2g27490 [imported] - Arabidopsis thaliana

C;Species: Arabidopsis thaliana (mouse-ear cress)

C;Date: 02-Feb-2001 #sequence_revision 02-Feb-2001 #text_change 02-Feb-2001

C;Accession: E84673

R;Lin, X.; Kaul, S.; Rounsley, S.D.; Shea, T.P.; Benito, M.I.; Town, C.D.; Fujii, C.Y.; Mason, T.M.; Bowman, C.L.; Barnstead, M.E.; Feldblyum, T.V.; Buell, C.R.; Ketchum, K.A.; Lee, J.J.; Ronning, C.M.; Koo, H.; Moffat, K.S.; Cronin, L.A.; Shen, M.; VanAken, S.E.; Umayam, L.; Tallon, L.J.; Gill, J.E.; Adams, M.D.; Carrera, A.J.; Creasy, T.H.; Goodman, H.M.; Somerville, C.R.; Copenhaver, G.P.; Preuss, D.; Nierman, W.C.; White, O.; Eisen, J.A.; Salzberg, S.L.; Fraser, C.M.; Venter, J.C.

Nature 402, 761-768, 1999

A;Title: Sequence and analysis of chromosome 2 of the plant Arabidopsis thaliana.

A;Reference number: A84420; MUID:20083487; PMID:10617197

A;Accession: E84673

A;Status: preliminary

A;Molecule type: DNA

A;Residues: 1-232 <STO>

A;Cross-references: GB:AE002093; NID:g4314391; PIDN:AAD15601.1; GSPDB:GN00139

C;Genetics:

A;Gene: At2g27490

A;Map position: 2

Query Match 62.5%; Score 5; DB 2; Length 232;
Best Local Similarity 100.0%; Pred. No. 81;
Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMD 5
|||||
Db 119 EVKMD 123

RESULT 39

S35465

cytochrome-c oxidase (EC 1.9.3.1) chain II - hillstream loach (Crossostoma lacustre) mitochondrion

C;Species: mitochondrion Crossostoma lacustre

C;Date: 03-Feb-1994 #sequence_revision 03-Feb-1994 #text_change 18-Aug-2003

C;Accession: S35465; S60274

R;Tzeng, C.S.; Hui, C.F.; Shen, S.C.; Huang, P.C.

Nucleic Acids Res. 20, 4853-4858, 1992

A;Title: The complete nucleotide sequence of the Crossostoma lacustre mitochondrial genome: conservation and variations among vertebrates.

A;Reference number: S35462; MUID:93027205; PMID:1408800

A;Accession: S35465

A;Status: nucleic acid sequence not shown; translation not shown

A;Molecule type: DNA

A;Residues: 1-234 <TZE1>

A;Cross-references: EMBL:M91245
 A;Note: the nucleotide sequence was submitted to the EMBL Data Library, November 1992
 R;Tzeng, C.S.; Shen, S.C.; Huang, P.C.
 Bull. Inst. Zool. Acad. Sin. 29, 11-19, 1990
 A;Title: Mitochondrial DNA identity of Crossostoma (Homalopteridae, Pisces) from two river systems of the same geographical origin.
 A;Reference number: S60271
 A;Accession: S60274
 A;Status: nucleic acid sequence not shown; translation not shown
 A;Molecule type: DNA
 A;Residues: 1-230 <TZE2>
 A;Cross-references: GB:M91245; NID:g1381122; PIDN:AAB96814.1; PID:g336707
 C;Genetics:
 A;Genome: mitochondrion
 A;Genetic code: SGCl
 C;Superfamily: cytochrome-c oxidase chain II, mitochondrial type; cytochrome-c oxidase chain II homology
 C;Keywords: copper; electron transfer; heme; membrane-associated complex; mitochondrial inner membrane; mitochondrion; oxidative phosphorylation; oxidoreductase; respiratory chain; transmembrane protein
 F;9-214/Domain: cytochrome-c oxidase chain II homology <CO2>
 F;161,196,200,207/Binding site: copper 1 (His, Cys, Cys, Met) #status predicted
 F;196,198,200,204/Binding site: copper 2 (Cys, Glu, Cys, His) #status predicted
 F;198/Binding site: magnesium (Glu) (shared with chain I) #status predicted

Query Match 62.5%; Score 5; DB 2; Length 234;
 Best Local Similarity 100.0%; Pred. No. 81;
 Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 2 VKMDA 6
 |||||
 Db 170 VKMDA 174

RESULT 40

A29523
 T-cell surface glycoprotein Lyt-2 precursor - mouse
 C;Species: Mus musculus (house mouse)
 C;Date: 15-Dec-1988 #sequence_revision 15-Dec-1988 #text_change 21-Jul-2000
 C;Accession: A29523
 R;Nakauchi, H.; Tagawa, M.; Nolan, G.P.; Herzenberg, L.A.
 Nucleic Acids Res. 15, 4337-4347, 1987
 A;Title: Isolation and characterization of the gene for the murine T cell differentiation antigen and immunoglobulin-related molecule, Lyt-2.
 A;Reference number: A29523; MUID:87231009; PMID:3495785
 A;Accession: A29523
 A;Molecule type: DNA
 A;Residues: 1-246 <NAK>
 A;Cross-references: GB:Y00157; NID:g52967; PIDN:CAA68352.2; PID:g4688926
 C;Genetics:
 A;Introns: 148/1; 183/1; 220/1; 230/2
 C;Superfamily: immunoglobulin V region; immunoglobulin homology
 C;Keywords: glycoprotein; transmembrane protein
 F;46-130/Domain: immunoglobulin homology <IMM>

Query Match 62.5%; Score 5; DB 2; Length 246;

Best Local Similarity 100.0%; Pred. No. 85;
Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 3 KMDAE 7
|||||
Db 40 KMDAE 44

Search completed: March 26, 2004, 15:35:42
Job time : 49.5 secs

OM protein - protein search, using sw model

Run on: March 26, 2004, 15:35:53 ; Search time 35.5 Seconds
(without alignments)
58.966 Million cell updates/sec

Title: US-09-668-314C-70
Perfect score: 8
Sequence: 1 EVKMDAEF 8

Scoring table: OLIGO
Gapop 60.0 , Gapext 60.0

Searched: 1065169 seqs, 261661801 residues

Word size : 0

Total number of hits satisfying chosen parameters: 1065169

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Listing first 1000 summaries

Database : Published Applications_AA:*

- 1: /cgn2_6/ptodata/2/pubpaa/US07_PUBCOMB.pep:*
- 2: /cgn2_6/ptodata/2/pubpaa/PCT_NEW_PUB.pep:*
- 3: /cgn2_6/ptodata/2/pubpaa/US06_NEW_PUB.pep:*
- 4: /cgn2_6/ptodata/2/pubpaa/US06_PUBCOMB.pep:*
- 5: /cgn2_6/ptodata/2/pubpaa/US07_NEW_PUB.pep:*
- 6: /cgn2_6/ptodata/2/pubpaa/PCTUS_PUBCOMB.pep:*
- 7: /cgn2_6/ptodata/2/pubpaa/US08_NEW_PUB.pep:*
- 8: /cgn2_6/ptodata/2/pubpaa/US08_PUBCOMB.pep:*
- 9: /cgn2_6/ptodata/2/pubpaa/US09A_PUBCOMB.pep:*
- 10: /cgn2_6/ptodata/2/pubpaa/US09B_PUBCOMB.pep:*
- 11: /cgn2_6/ptodata/2/pubpaa/US09C_PUBCOMB.pep:*
- 12: /cgn2_6/ptodata/2/pubpaa/US09_NEW_PUB.pep:*
- 13: /cgn2_6/ptodata/2/pubpaa/US10A_PUBCOMB.pep:*
- 14: /cgn2_6/ptodata/2/pubpaa/US10B_PUBCOMB.pep:*
- 15: /cgn2_6/ptodata/2/pubpaa/US10C_PUBCOMB.pep:*
- 16: /cgn2_6/ptodata/2/pubpaa/US10_NEW_PUB.pep:*
- 17: /cgn2_6/ptodata/2/pubpaa/US60_NEW_PUB.pep:*
- 18: /cgn2_6/ptodata/2/pubpaa/US60_PUBCOMB.pep:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result	Query	
No.	Score	Match Length DB ID Description

1	8	100.0	8	9	US-09-794-927-67	Sequence 67, Appl
2	8	100.0	8	9	US-09-795-847-67	Sequence 67, Appl
3	8	100.0	8	9	US-09-794-743-67	Sequence 67, Appl
4	8	100.0	8	9	US-09-794-748-67	Sequence 67, Appl
5	8	100.0	8	9	US-09-794-925-67	Sequence 67, Appl
6	8	100.0	8	9	US-09-681-442-67	Sequence 67, Appl
7	8	100.0	8	10	US-09-869-414-67	Sequence 67, Appl
8	8	100.0	8	12	US-10-652-927-67	Sequence 67, Appl
9	8	100.0	8	12	US-10-652-830-67	Sequence 67, Appl
10	8	100.0	8	15	US-10-427-208-52	Sequence 52, Appl
11	8	100.0	9	13	US-10-016-717-6	Sequence 6, Appli
12	8	100.0	9	14	US-10-066-319-3	Sequence 3, Appli
13	8	100.0	10	9	US-09-794-927-64	Sequence 64, Appl
14	8	100.0	10	9	US-09-795-847-64	Sequence 64, Appl
15	8	100.0	10	9	US-09-794-743-64	Sequence 64, Appl
16	8	100.0	10	9	US-09-794-748-64	Sequence 64, Appl
17	8	100.0	10	9	US-09-796-264-4	Sequence 4, Appli
18	8	100.0	10	9	US-09-794-925-64	Sequence 64, Appl
19	8	100.0	10	9	US-09-681-442-64	Sequence 64, Appl
20	8	100.0	10	9	US-09-845-226-4	Sequence 4, Appli
21	8	100.0	10	9	US-09-795-903A-4	Sequence 4, Appli
22	8	100.0	10	10	US-09-869-414-64	Sequence 64, Appl
23	8	100.0	10	10	US-09-548-366-64	Sequence 64, Appl
24	8	100.0	10	12	US-10-652-927-64	Sequence 64, Appl
25	8	100.0	10	12	US-10-652-830-64	Sequence 64, Appl
26	8	100.0	10	14	US-10-032-818-7	Sequence 7, Appli
27	8	100.0	10	15	US-10-427-208-53	Sequence 53, Appl
28	8	100.0	11	14	US-10-354-955-1	Sequence 1, Appli
29	8	100.0	11	14	US-10-354-955-3	Sequence 3, Appli
30	8	100.0	12	9	US-09-896-874-2	Sequence 2, Appli
31	8	100.0	12	9	US-09-896-139-2	Sequence 2, Appli
32	8	100.0	12	9	US-09-895-843-2	Sequence 2, Appli
33	8	100.0	12	10	US-09-895-871-2	Sequence 2, Appli
34	8	100.0	12	15	US-10-427-208-54	Sequence 54, Appl
35	8	100.0	13	12	US-10-299-739-2	Sequence 2, Appli
36	8	100.0	13	14	US-10-084-380A-7	Sequence 7, Appli
37	8	100.0	13	14	US-10-192-625-2	Sequence 2, Appli
38	8	100.0	13	14	US-10-192-424-2	Sequence 2, Appli
39	8	100.0	13	14	US-10-183-126A-2	Sequence 2, Appli
40	8	100.0	13	14	US-10-171-343-2	Sequence 2, Appli
41	8	100.0	13	14	US-10-264-707-2	Sequence 2, Appli
42	8	100.0	13	14	US-10-337-075-2	Sequence 2, Appli
43	8	100.0	13	14	US-10-160-777-2	Sequence 2, Appli
44	8	100.0	13	15	US-10-192-543-2	Sequence 2, Appli
45	8	100.0	14	15	US-10-427-208-55	Sequence 55, Appl
46	8	100.0	15	9	US-09-794-927-71	Sequence 71, Appl
47	8	100.0	15	9	US-09-795-847-71	Sequence 71, Appl
48	8	100.0	15	9	US-09-794-743-71	Sequence 71, Appl
49	8	100.0	15	9	US-09-794-748-71	Sequence 71, Appl
50	8	100.0	15	9	US-09-794-925-71	Sequence 71, Appl
51	8	100.0	15	9	US-09-681-442-71	Sequence 71, Appl
52	8	100.0	15	10	US-09-869-414-71	Sequence 71, Appl
53	8	100.0	15	12	US-10-652-927-71	Sequence 71, Appl
54	8	100.0	15	12	US-10-652-830-71	Sequence 71, Appl
55	8	100.0	16	14	US-10-189-437-580	Sequence 580, App
56	8	100.0	16	15	US-10-427-208-56	Sequence 56, Appl

57	8	100.0	23	14	US-10-354-955-6	Sequence 6, Appli
58	8	100.0	24	14	US-10-189-437-581	Sequence 581, App
59	8	100.0	59	14	US-10-084-380A-1	Sequence 1, Appli
60	8	100.0	67	14	US-10-437-706-1	Sequence 1, Appli
61	8	100.0	82	10	US-09-848-616-173	Sequence 173, App
62	8	100.0	82	14	US-10-050-902-219	Sequence 219, App
63	8	100.0	82	14	US-10-050-898-219	Sequence 219, App
64	8	100.0	103	9	US-09-972-475-2	Sequence 2, Appli
65	8	100.0	103	9	US-09-895-443-2	Sequence 2, Appli
66	8	100.0	103	15	US-10-395-290-2	Sequence 2, Appli
67	8	100.0	103	15	US-10-463-729-2	Sequence 2, Appli
68	8	100.0	534	10	US-09-998-491-2	Sequence 2, Appli
69	8	100.0	695	9	US-09-794-927-10	Sequence 10, Appl
70	8	100.0	695	9	US-09-794-927-14	Sequence 14, Appl
71	8	100.0	695	9	US-09-795-847-10	Sequence 10, Appl
72	8	100.0	695	9	US-09-795-847-14	Sequence 14, Appl
73	8	100.0	695	9	US-09-794-743-10	Sequence 10, Appl
74	8	100.0	695	9	US-09-794-743-14	Sequence 14, Appl
75	8	100.0	695	9	US-09-794-748-10	Sequence 10, Appl
76	8	100.0	695	9	US-09-794-748-14	Sequence 14, Appl
77	8	100.0	695	9	US-09-794-925-10	Sequence 10, Appl
78	8	100.0	695	9	US-09-794-925-14	Sequence 14, Appl
79	8	100.0	695	9	US-09-681-442-10	Sequence 10, Appl
80	8	100.0	695	9	US-09-681-442-14	Sequence 14, Appl
81	8	100.0	695	9	US-09-149-718-2	Sequence 2, Appli
82	8	100.0	695	10	US-09-869-414-10	Sequence 10, Appl
83	8	100.0	695	10	US-09-869-414-14	Sequence 14, Appl
84	8	100.0	695	10	US-09-548-366-10	Sequence 10, Appl
85	8	100.0	695	10	US-09-548-366-14	Sequence 14, Appl
86	8	100.0	695	10	US-09-998-491-1	Sequence 1, Appli
87	8	100.0	695	12	US-10-652-927-10	Sequence 10, Appl
88	8	100.0	695	12	US-10-652-927-14	Sequence 14, Appl
89	8	100.0	695	12	US-10-652-830-10	Sequence 10, Appl
90	8	100.0	695	12	US-10-652-830-14	Sequence 14, Appl
91	8	100.0	695	14	US-10-169-580-3	Sequence 3, Appli
92	8	100.0	695	14	US-10-357-935-1	Sequence 1, Appli
93	8	100.0	695	15	US-10-427-208-45	Sequence 45, Appl
94	8	100.0	697	9	US-09-794-927-16	Sequence 16, Appl
95	8	100.0	697	9	US-09-794-927-20	Sequence 20, Appl
96	8	100.0	697	9	US-09-795-847-16	Sequence 16, Appl
97	8	100.0	697	9	US-09-795-847-20	Sequence 20, Appl
98	8	100.0	697	9	US-09-794-743-16	Sequence 16, Appl
99	8	100.0	697	9	US-09-794-743-20	Sequence 20, Appl
100	8	100.0	697	9	US-09-794-748-16	Sequence 16, Appl
101	8	100.0	697	9	US-09-794-748-20	Sequence 20, Appl
102	8	100.0	697	9	US-09-794-925-16	Sequence 16, Appl
103	8	100.0	697	9	US-09-794-925-20	Sequence 20, Appl
104	8	100.0	697	9	US-09-681-442-16	Sequence 16, Appl
105	8	100.0	697	9	US-09-681-442-20	Sequence 20, Appl
106	8	100.0	697	10	US-09-869-414-16	Sequence 16, Appl
107	8	100.0	697	10	US-09-869-414-20	Sequence 20, Appl
108	8	100.0	697	10	US-09-548-366-16	Sequence 16, Appl
109	8	100.0	697	10	US-09-548-366-20	Sequence 20, Appl
110	8	100.0	697	12	US-10-652-927-16	Sequence 16, Appl
111	8	100.0	697	12	US-10-652-927-20	Sequence 20, Appl
112	8	100.0	697	12	US-10-652-830-16	Sequence 16, Appl
113	8	100.0	697	12	US-10-652-830-20	Sequence 20, Appl

114	8	100.0	751	9	US-09-794-927-57	Sequence 57, Appl
115	8	100.0	751	9	US-09-795-847-57	Sequence 57, Appl
116	8	100.0	751	9	US-09-794-743-57	Sequence 57, Appl
117	8	100.0	751	9	US-09-794-748-57	Sequence 57, Appl
118	8	100.0	751	9	US-09-794-925-57	Sequence 57, Appl
119	8	100.0	751	9	US-09-681-442-57	Sequence 57, Appl
120	8	100.0	751	9	US-09-149-718-4	Sequence 4, Appli
121	8	100.0	751	10	US-09-869-414-57	Sequence 57, Appl
122	8	100.0	751	10	US-09-548-366-57	Sequence 57, Appl
123	8	100.0	751	12	US-10-652-927-57	Sequence 57, Appl
124	8	100.0	751	12	US-10-652-830-57	Sequence 57, Appl
125	8	100.0	751	14	US-10-169-580-4	Sequence 4, Appli
126	8	100.0	751	14	US-10-357-935-2	Sequence 2, Appli
127	8	100.0	751	15	US-10-427-208-74	Sequence 74, Appl
128	8	100.0	753	9	US-09-794-927-61	Sequence 61, Appl
129	8	100.0	753	9	US-09-795-847-61	Sequence 61, Appl
130	8	100.0	753	9	US-09-794-743-61	Sequence 61, Appl
131	8	100.0	753	9	US-09-794-748-61	Sequence 61, Appl
132	8	100.0	753	9	US-09-794-925-61	Sequence 61, Appl
133	8	100.0	753	9	US-09-681-442-61	Sequence 61, Appl
134	8	100.0	753	10	US-09-869-414-61	Sequence 61, Appl
135	8	100.0	753	10	US-09-548-366-61	Sequence 61, Appl
136	8	100.0	753	12	US-10-652-927-61	Sequence 61, Appl
137	8	100.0	753	12	US-10-652-830-61	Sequence 61, Appl
138	8	100.0	770	9	US-09-794-927-55	Sequence 55, Appl
139	8	100.0	770	9	US-09-795-847-55	Sequence 55, Appl
140	8	100.0	770	9	US-09-794-743-55	Sequence 55, Appl
141	8	100.0	770	9	US-09-794-748-55	Sequence 55, Appl
142	8	100.0	770	9	US-09-904-987-2	Sequence 2, Appli
143	8	100.0	770	9	US-09-794-925-55	Sequence 55, Appl
144	8	100.0	770	9	US-09-681-442-55	Sequence 55, Appl
145	8	100.0	770	9	US-09-149-718-6	Sequence 6, Appli
146	8	100.0	770	9	US-09-785-215-2	Sequence 2, Appli
147	8	100.0	770	10	US-09-848-616-172	Sequence 172, App
148	8	100.0	770	10	US-09-869-414-55	Sequence 55, Appl
149	8	100.0	770	10	US-09-548-366-55	Sequence 55, Appl
150	8	100.0	770	12	US-10-652-927-55	Sequence 55, Appl
151	8	100.0	770	12	US-10-652-830-55	Sequence 55, Appl
152	8	100.0	770	14	US-10-217-584-5	Sequence 5, Appli
153	8	100.0	770	14	US-10-204-362-2	Sequence 2, Appli
154	8	100.0	770	14	US-10-169-580-5	Sequence 5, Appli
155	8	100.0	770	14	US-10-335-035-3	Sequence 3, Appli
156	8	100.0	770	14	US-10-223-809A-2	Sequence 2, Appli
157	8	100.0	770	14	US-10-010-942B-38	Sequence 38, Appl
158	8	100.0	770	14	US-10-357-935-3	Sequence 3, Appli
159	8	100.0	770	14	US-10-050-902-218	Sequence 218, App
160	8	100.0	770	14	US-10-050-898-218	Sequence 218, App
161	8	100.0	770	15	US-10-427-208-75	Sequence 75, Appl
162	8	100.0	770	15	US-10-428-487-12	Sequence 12, Appl
163	8	100.0	772	9	US-09-794-927-59	Sequence 59, Appl
164	8	100.0	772	9	US-09-795-847-59	Sequence 59, Appl
165	8	100.0	772	9	US-09-794-743-59	Sequence 59, Appl
166	8	100.0	772	9	US-09-794-748-59	Sequence 59, Appl
167	8	100.0	772	9	US-09-794-925-59	Sequence 59, Appl
168	8	100.0	772	9	US-09-681-442-59	Sequence 59, Appl
169	8	100.0	772	10	US-09-869-414-59	Sequence 59, Appl
170	8	100.0	772	10	US-09-548-366-59	Sequence 59, Appl

171	8	100.0	772	12	US-10-652-927-59	Sequence 59, Appl
172	8	100.0	772	12	US-10-652-830-59	Sequence 59, Appl
173	7	87.5	7	13	US-10-057-505-10	Sequence 10, Appl
174	7	87.5	7	14	US-10-293-580-44	Sequence 44, Appl
175	7	87.5	53	9	US-09-797-543-5	Sequence 5, Appli
176	7	87.5	53	13	US-10-016-717-1	Sequence 1, Appli
177	6	75.0	6	14	US-10-214-932-106	Sequence 106, App
178	6	75.0	70	9	US-09-155-076-14	Sequence 14, Appl
179	5	62.5	14	14	US-10-281-478-21	Sequence 21, Appl
180	5	62.5	58	9	US-09-864-761-44097	Sequence 44097, A
181	5	62.5	69	12	US-10-424-599-144037	Sequence 144037,
182	5	62.5	74	12	US-10-424-599-257693	Sequence 257693,
183	5	62.5	86	12	US-10-424-599-216985	Sequence 216985,
184	5	62.5	92	10	US-09-764-891-4802	Sequence 4802, Ap
185	5	62.5	92	14	US-10-083-357-716	Sequence 716, App
186	5	62.5	92	14	US-10-091-572-357	Sequence 357, App
187	5	62.5	95	12	US-10-425-114-47655	Sequence 47655, A
188	5	62.5	100	15	US-10-275-025-1	Sequence 1, Appli
189	5	62.5	100	15	US-10-275-025-2	Sequence 2, Appli
190	5	62.5	100	15	US-10-275-025-3	Sequence 3, Appli
191	5	62.5	100	15	US-10-275-025-4	Sequence 4, Appli
192	5	62.5	100	15	US-10-275-025-5	Sequence 5, Appli
193	5	62.5	100	15	US-10-275-025-6	Sequence 6, Appli
194	5	62.5	100	15	US-10-275-025-7	Sequence 7, Appli
195	5	62.5	108	15	US-10-275-025-9	Sequence 9, Appli
196	5	62.5	108	15	US-10-275-025-10	Sequence 10, Appl
197	5	62.5	108	15	US-10-275-025-11	Sequence 11, Appl
198	5	62.5	108	15	US-10-275-025-12	Sequence 12, Appl
199	5	62.5	108	15	US-10-275-025-13	Sequence 13, Appl
200	5	62.5	108	15	US-10-275-025-14	Sequence 14, Appl
201	5	62.5	108	15	US-10-275-025-15	Sequence 15, Appl
202	5	62.5	120	12	US-10-425-114-39420	Sequence 39420, A
203	5	62.5	125	12	US-10-424-599-149867	Sequence 149867,
204	5	62.5	139	12	US-10-424-599-205825	Sequence 205825,
205	5	62.5	143	15	US-10-460-594-52	Sequence 52, Appl
206	5	62.5	200	12	US-10-424-599-150623	Sequence 150623,
207	5	62.5	205	15	US-10-369-493-2132	Sequence 2132, Ap
208	5	62.5	234	12	US-10-424-599-234249	Sequence 234249,
209	5	62.5	237	12	US-10-425-114-38137	Sequence 38137, A
210	5	62.5	255	15	US-10-369-493-8971	Sequence 8971, Ap
211	5	62.5	261	9	US-09-789-561-169	Sequence 169, App
212	5	62.5	295	12	US-10-424-599-239171	Sequence 239171,
213	5	62.5	309	15	US-10-108-260A-4698	Sequence 4698, Ap
214	5	62.5	317	9	US-09-738-626-6927	Sequence 6927, Ap
215	5	62.5	334	14	US-10-156-761-9716	Sequence 9716, Ap
216	5	62.5	354	12	US-10-425-114-41720	Sequence 41720, A
217	5	62.5	355	12	US-10-425-114-44229	Sequence 44229, A
218	5	62.5	377	15	US-10-104-047-3189	Sequence 3189, Ap
219	5	62.5	377	15	US-10-289-762-1000	Sequence 1000, Ap
220	5	62.5	377	16	US-10-344-738-41	Sequence 41, Appl
221	5	62.5	409	15	US-10-289-762-554	Sequence 554, App
222	5	62.5	415	12	US-10-425-114-60835	Sequence 60835, A
223	5	62.5	419	15	US-10-369-493-985	Sequence 985, App
224	5	62.5	456	12	US-10-424-599-200275	Sequence 200275,
225	5	62.5	478	12	US-10-282-122A-67716	Sequence 67716, A
226	5	62.5	478	15	US-10-369-493-13870	Sequence 13870, A
227	5	62.5	500	12	US-10-425-114-56879	Sequence 56879, A

228	5	62.5	506	15	US-10-369-493-2253	Sequence 2253, Ap
229	5	62.5	582	12	US-10-425-114-72607	Sequence 72607, A
230	5	62.5	635	9	US-09-949-842-18	Sequence 18, Appl
231	5	62.5	641	12	US-10-425-114-39055	Sequence 39055, A
232	5	62.5	655	12	US-10-112-944-294	Sequence 294, App
233	5	62.5	655	15	US-10-231-913-24	Sequence 24, Appl
234	5	62.5	673	15	US-10-231-913-26	Sequence 26, Appl
235	5	62.5	695	15	US-10-427-208-41	Sequence 41, Appl
236	5	62.5	709	15	US-10-264-049-2396	Sequence 2396, Ap
237	5	62.5	715	14	US-10-138-927-81	Sequence 81, Appl
238	5	62.5	855	15	US-10-369-493-2692	Sequence 2692, Ap
239	5	62.5	867	12	US-10-282-122A-57767	Sequence 57767, A
240	5	62.5	883	12	US-10-282-122A-48382	Sequence 48382, A
241	5	62.5	905	15	US-10-369-493-22577	Sequence 22577, A
242	5	62.5	996	15	US-10-369-493-6555	Sequence 6555, Ap
243	5	62.5	1029	15	US-10-369-493-2141	Sequence 2141, Ap
244	5	62.5	1209	16	US-10-389-566-1200	Sequence 1200, Ap
245	5	62.5	1381	14	US-10-233-131-25	Sequence 25, Appl
246	5	62.5	1381	15	US-10-240-145-77	Sequence 77, Appl
247	5	62.5	1743	15	US-10-460-545-2	Sequence 2, Appli
248	5	62.5	2120	13	US-10-051-311A-2	Sequence 2, Appli
249	5	62.5	2120	14	US-10-320-175-3	Sequence 3, Appli
250	5	62.5	7746	14	US-10-156-761-7965	Sequence 7965, Ap
251	4	50.0	4	9	US-09-797-543-1	Sequence 1, Appli
252	4	50.0	4	13	US-10-016-717-2	Sequence 2, Appli
253	4	50.0	4	14	US-10-100-957A-92	Sequence 92, Appl
254	4	50.0	4	15	US-10-427-208-1	Sequence 1, Appli
255	4	50.0	5	9	US-09-794-927-72	Sequence 72, Appl
256	4	50.0	5	9	US-09-795-847-72	Sequence 72, Appl
257	4	50.0	5	9	US-09-794-743-72	Sequence 72, Appl
258	4	50.0	5	9	US-09-794-748-72	Sequence 72, Appl
259	4	50.0	5	9	US-09-794-925-72	Sequence 72, Appl
260	4	50.0	5	9	US-09-681-442-72	Sequence 72, Appl
261	4	50.0	5	10	US-09-869-414-72	Sequence 72, Appl
262	4	50.0	5	12	US-10-652-927-72	Sequence 72, Appl
263	4	50.0	5	12	US-10-652-830-72	Sequence 72, Appl
264	4	50.0	5	15	US-10-427-208-61	Sequence 61, Appl
265	4	50.0	6	10	US-09-825-242-3	Sequence 3, Appli
266	4	50.0	6	14	US-10-084-380A-2	Sequence 2, Appli
267	4	50.0	6	14	US-10-084-380A-6	Sequence 6, Appli
268	4	50.0	7	9	US-09-867-847-5	Sequence 5, Appli
269	4	50.0	7	14	US-10-337-970-8	Sequence 8, Appli
270	4	50.0	7	15	US-10-457-839-10	Sequence 10, Appl
271	4	50.0	8	9	US-09-149-718-10	Sequence 10, Appl
272	4	50.0	8	14	US-10-084-380A-3	Sequence 3, Appli
273	4	50.0	8	15	US-10-457-839-83	Sequence 83, Appl
274	4	50.0	9	9	US-09-896-874-8	Sequence 8, Appli
275	4	50.0	9	9	US-09-896-139-8	Sequence 8, Appli
276	4	50.0	9	9	US-09-895-843-8	Sequence 8, Appli
277	4	50.0	9	10	US-09-895-871-8	Sequence 8, Appli
278	4	50.0	9	12	US-10-299-739-8	Sequence 8, Appli
279	4	50.0	9	14	US-10-192-625-8	Sequence 8, Appli
280	4	50.0	9	14	US-10-192-424-8	Sequence 8, Appli
281	4	50.0	9	14	US-10-183-126A-8	Sequence 8, Appli
282	4	50.0	9	14	US-10-171-343-8	Sequence 8, Appli
283	4	50.0	9	14	US-10-264-707-8	Sequence 8, Appli
284	4	50.0	9	14	US-10-066-319-4	Sequence 4, Appli

285	4	50.0	9	14	US-10-337-075-8	Sequence 8, Appli
286	4	50.0	9	14	US-10-160-777-8	Sequence 8, Appli
287	4	50.0	9	15	US-10-192-543-8	Sequence 8, Appli
288	4	50.0	10	9	US-09-794-927-63	Sequence 63, Appl
289	4	50.0	10	9	US-09-795-847-63	Sequence 63, Appl
290	4	50.0	10	9	US-09-794-743-63	Sequence 63, Appl
291	4	50.0	10	9	US-09-794-748-63	Sequence 63, Appl
292	4	50.0	10	9	US-09-796-264-5	Sequence 5, Appli
293	4	50.0	10	9	US-09-794-925-63	Sequence 63, Appl
294	4	50.0	10	9	US-09-681-442-63	Sequence 63, Appl
295	4	50.0	10	9	US-09-845-226-5	Sequence 5, Appli
296	4	50.0	10	9	US-09-795-903A-5	Sequence 5, Appli
297	4	50.0	10	10	US-09-865-294-69	Sequence 69, Appl
298	4	50.0	10	10	US-09-869-414-63	Sequence 63, Appl
299	4	50.0	10	10	US-09-548-366-63	Sequence 63, Appl
300	4	50.0	10	12	US-10-652-927-63	Sequence 63, Appl
301	4	50.0	10	12	US-10-652-830-63	Sequence 63, Appl
302	4	50.0	10	14	US-10-032-818-8	Sequence 8, Appli
303	4	50.0	10	14	US-10-369-736-44	Sequence 44, Appl
304	4	50.0	10	14	US-10-010-942B-33	Sequence 33, Appl
305	4	50.0	10	14	US-10-050-200-22	Sequence 22, Appl
306	4	50.0	10	14	US-10-369-738-44	Sequence 44, Appl
307	4	50.0	10	15	US-10-411-544-24	Sequence 24, Appl
308	4	50.0	10	15	US-10-457-839-84	Sequence 84, Appl
309	4	50.0	11	14	US-10-354-955-2	Sequence 2, Appli
310	4	50.0	11	14	US-10-354-955-4	Sequence 4, Appli
311	4	50.0	11	15	US-10-411-544-23	Sequence 23, Appl
312	4	50.0	12	9	US-09-896-874-1	Sequence 1, Appli
313	4	50.0	12	9	US-09-896-139-1	Sequence 1, Appli
314	4	50.0	12	9	US-09-895-843-1	Sequence 1, Appli
315	4	50.0	12	10	US-09-865-294-68	Sequence 68, Appl
316	4	50.0	12	10	US-09-895-871-1	Sequence 1, Appli
317	4	50.0	12	12	US-10-362-527-48	Sequence 48, Appl
318	4	50.0	12	14	US-10-032-818-26	Sequence 26, Appl
319	4	50.0	12	15	US-10-457-839-85	Sequence 85, Appl
320	4	50.0	12	15	US-10-400-273-3	Sequence 3, Appli
321	4	50.0	13	10	US-09-792-079-2	Sequence 2, Appli
322	4	50.0	13	10	US-09-825-242-2	Sequence 2, Appli
323	4	50.0	13	12	US-10-299-739-1	Sequence 1, Appli
324	4	50.0	13	14	US-10-033-741-68	Sequence 68, Appl
325	4	50.0	13	14	US-10-192-625-1	Sequence 1, Appli
326	4	50.0	13	14	US-10-192-424-1	Sequence 1, Appli
327	4	50.0	13	14	US-10-183-126A-1	Sequence 1, Appli
328	4	50.0	13	14	US-10-171-343-1	Sequence 1, Appli
329	4	50.0	13	14	US-10-264-707-1	Sequence 1, Appli
330	4	50.0	13	14	US-10-159-279-2	Sequence 2, Appli
331	4	50.0	13	14	US-10-337-075-1	Sequence 1, Appli
332	4	50.0	13	14	US-10-160-777-1	Sequence 1, Appli
333	4	50.0	13	15	US-10-372-473-12	Sequence 12, Appl
334	4	50.0	13	15	US-10-192-543-1	Sequence 1, Appli
335	4	50.0	14	10	US-09-865-294-67	Sequence 67, Appl
336	4	50.0	14	10	US-09-792-079-1	Sequence 1, Appli
337	4	50.0	14	14	US-10-173-461-68	Sequence 68, Appl
338	4	50.0	14	14	US-10-159-279-1	Sequence 1, Appli
339	4	50.0	14	15	US-10-457-839-86	Sequence 86, Appl
340	4	50.0	16	9	US-09-155-076-2	Sequence 2, Appli
341	4	50.0	16	9	US-09-969-125-3	Sequence 3, Appli

342	4	50.0	16	15	US-10-411-544-22	Sequence 22, Appl
343	4	50.0	16	15	US-10-457-839-87	Sequence 87, Appl
344	4	50.0	17	9	US-09-992-800-2	Sequence 2, Appli
345	4	50.0	17	9	US-09-992-994-2	Sequence 2, Appli
346	4	50.0	17	10	US-09-930-915A-188	Sequence 188, App
347	4	50.0	17	14	US-10-106-698-7522	Sequence 7522, Ap
348	4	50.0	17	14	US-10-082-014-82	Sequence 82, Appl
349	4	50.0	17	14	US-10-372-076-83	Sequence 83, Appl
350	4	50.0	17	15	US-10-385-065-2	Sequence 2, Appli
351	4	50.0	18	10	US-09-792-079-3	Sequence 3, Appli
352	4	50.0	18	14	US-10-159-279-3	Sequence 3, Appli
353	4	50.0	19	9	US-09-864-761-40545	Sequence 40545, A
354	4	50.0	19	10	US-09-792-079-4	Sequence 4, Appli
355	4	50.0	19	14	US-10-159-279-4	Sequence 4, Appli
356	4	50.0	20	10	US-09-792-079-6	Sequence 6, Appli
357	4	50.0	20	14	US-10-163-415-23	Sequence 23, Appl
358	4	50.0	20	14	US-10-159-279-6	Sequence 6, Appli
359	4	50.0	23	14	US-10-354-955-7	Sequence 7, Appli
360	4	50.0	23	15	US-10-372-473-13	Sequence 13, Appl
361	4	50.0	24	10	US-09-756-247-11	Sequence 11, Appl
362	4	50.0	26	13	US-10-001-879-196	Sequence 196, App
363	4	50.0	27	9	US-09-939-980-335	Sequence 335, App
364	4	50.0	28	9	US-09-867-847-4	Sequence 4, Appli
365	4	50.0	28	10	US-09-865-294-66	Sequence 66, Appl
366	4	50.0	28	10	US-09-792-079-5	Sequence 5, Appli
367	4	50.0	28	12	US-10-363-082-2	Sequence 2, Appli
368	4	50.0	28	12	US-10-433-385-7	Sequence 7, Appli
369	4	50.0	28	14	US-10-159-279-5	Sequence 5, Appli
370	4	50.0	30	9	US-09-896-874-9	Sequence 9, Appli
371	4	50.0	30	9	US-09-861-847-1	Sequence 1, Appli
372	4	50.0	30	9	US-09-861-847-12	Sequence 12, Appl
373	4	50.0	30	9	US-09-861-847-13	Sequence 13, Appl
374	4	50.0	30	9	US-09-896-139-9	Sequence 9, Appli
375	4	50.0	30	9	US-09-895-843-9	Sequence 9, Appli
376	4	50.0	30	10	US-09-865-294-71	Sequence 71, Appl
377	4	50.0	30	10	US-09-895-871-9	Sequence 9, Appli
378	4	50.0	30	12	US-10-299-739-9	Sequence 9, Appli
379	4	50.0	30	12	US-10-666-423-1	Sequence 1, Appli
380	4	50.0	30	12	US-10-666-423-12	Sequence 12, Appl
381	4	50.0	30	12	US-10-666-423-13	Sequence 13, Appl
382	4	50.0	30	12	US-10-666-423-15	Sequence 15, Appl
383	4	50.0	30	14	US-10-192-625-9	Sequence 9, Appli
384	4	50.0	30	14	US-10-192-424-9	Sequence 9, Appli
385	4	50.0	30	14	US-10-183-126A-9	Sequence 9, Appli
386	4	50.0	30	14	US-10-171-343-9	Sequence 9, Appli
387	4	50.0	30	14	US-10-264-707-9	Sequence 9, Appli
388	4	50.0	30	14	US-10-301-488A-1	Sequence 1, Appli
389	4	50.0	30	14	US-10-301-488A-12	Sequence 12, Appl
390	4	50.0	30	14	US-10-301-488A-13	Sequence 13, Appl
391	4	50.0	30	14	US-10-337-075-9	Sequence 9, Appli
392	4	50.0	30	14	US-10-160-777-9	Sequence 9, Appli
393	4	50.0	30	15	US-10-192-543-9	Sequence 9, Appli
394	4	50.0	31	9	US-09-864-761-47180	Sequence 47180, A
395	4	50.0	32	9	US-09-896-874-4	Sequence 4, Appli
396	4	50.0	32	9	US-09-896-139-4	Sequence 4, Appli
397	4	50.0	32	9	US-09-895-843-4	Sequence 4, Appli
398	4	50.0	32	10	US-09-865-294-72	Sequence 72, Appl

399	4	50.0	32	10	US-09-895-871-4	Sequence 4, Appli
400	4	50.0	33	9	US-09-896-874-6	Sequence 6, Appli
401	4	50.0	33	9	US-09-896-139-6	Sequence 6, Appli
402	4	50.0	33	9	US-09-895-843-6	Sequence 6, Appli
403	4	50.0	33	10	US-09-895-871-6	Sequence 6, Appli
404	4	50.0	33	10	US-09-930-915A-295	Sequence 295, App
405	4	50.0	33	12	US-10-299-739-6	Sequence 6, Appli
406	4	50.0	33	14	US-10-192-625-6	Sequence 6, Appli
407	4	50.0	33	14	US-10-192-424-6	Sequence 6, Appli
408	4	50.0	33	14	US-10-183-126A-6	Sequence 6, Appli
409	4	50.0	33	14	US-10-171-343-6	Sequence 6, Appli
410	4	50.0	33	14	US-10-264-707-6	Sequence 6, Appli
411	4	50.0	33	14	US-10-337-075-6	Sequence 6, Appli
412	4	50.0	33	14	US-10-160-777-6	Sequence 6, Appli
413	4	50.0	33	14	US-10-082-014-84	Sequence 84, Appl
414	4	50.0	33	14	US-10-372-076-85	Sequence 85, Appl
415	4	50.0	33	15	US-10-192-543-6	Sequence 6, Appli
416	4	50.0	34	9	US-09-864-761-38139	Sequence 38139, A
417	4	50.0	34	10	US-09-865-294-73	Sequence 73, Appl
418	4	50.0	34	10	US-09-865-294-75	Sequence 75, Appl
419	4	50.0	34	10	US-09-865-294-76	Sequence 76, Appl
420	4	50.0	34	12	US-10-299-739-4	Sequence 4, Appli
421	4	50.0	34	14	US-10-192-625-4	Sequence 4, Appli
422	4	50.0	34	14	US-10-192-424-4	Sequence 4, Appli
423	4	50.0	34	14	US-10-183-126A-4	Sequence 4, Appli
424	4	50.0	34	14	US-10-171-343-4	Sequence 4, Appli
425	4	50.0	34	14	US-10-264-707-4	Sequence 4, Appli
426	4	50.0	34	14	US-10-337-075-4	Sequence 4, Appli
427	4	50.0	34	14	US-10-160-777-4	Sequence 4, Appli
428	4	50.0	34	15	US-10-192-543-4	Sequence 4, Appli
429	4	50.0	35	9	US-09-867-847-3	Sequence 3, Appli
430	4	50.0	35	9	US-09-972-475-15	Sequence 15, Appl
431	4	50.0	35	12	US-10-424-599-238705	Sequence 238705,
432	4	50.0	35	15	US-10-463-729-15	Sequence 15, Appl
433	4	50.0	36	9	US-09-861-847-6	Sequence 6, Appli
434	4	50.0	36	9	US-09-861-847-11	Sequence 11, Appl
435	4	50.0	36	12	US-10-666-423-6	Sequence 6, Appli
436	4	50.0	36	12	US-10-666-423-11	Sequence 11, Appl
437	4	50.0	36	14	US-10-301-488A-6	Sequence 6, Appli
438	4	50.0	36	14	US-10-301-488A-11	Sequence 11, Appl
439	4	50.0	37	9	US-09-726-643-132	Sequence 132, App
440	4	50.0	37	12	US-10-424-599-231312	Sequence 231312,
441	4	50.0	37	13	US-10-042-141-132	Sequence 132, App
442	4	50.0	38	12	US-10-424-599-173381	Sequence 173381,
443	4	50.0	39	9	US-09-864-761-47707	Sequence 47707, A
444	4	50.0	39	12	US-10-424-599-216250	Sequence 216250,
445	4	50.0	39	13	US-10-051-496-5	Sequence 5, Appli
446	4	50.0	39	14	US-10-190-548A-5	Sequence 5, Appli
447	4	50.0	40	9	US-09-861-847-2	Sequence 2, Appli
448	4	50.0	40	9	US-09-861-847-4	Sequence 4, Appli
449	4	50.0	40	9	US-09-861-847-7	Sequence 7, Appli
450	4	50.0	40	9	US-09-861-847-8	Sequence 8, Appli
451	4	50.0	40	9	US-09-867-847-2	Sequence 2, Appli
452	4	50.0	40	9	US-09-988-842-3	Sequence 3, Appli
453	4	50.0	40	9	US-09-851-071-3	Sequence 3, Appli
454	4	50.0	40	10	US-09-962-955C-36	Sequence 36, Appl
455	4	50.0	40	10	US-09-792-079-12	Sequence 12, Appl

456	4	50.0	40	12	US-10-337-261-1	Sequence 1, Appli
457	4	50.0	40	12	US-10-424-599-145621	Sequence 145621,
458	4	50.0	40	12	US-10-424-599-243203	Sequence 243203,
459	4	50.0	40	12	US-10-666-423-2	Sequence 2, Appli
460	4	50.0	40	12	US-10-666-423-4	Sequence 4, Appli
461	4	50.0	40	12	US-10-666-423-7	Sequence 7, Appli
462	4	50.0	40	12	US-10-666-423-8	Sequence 8, Appli
463	4	50.0	40	13	US-10-007-779A-1	Sequence 1, Appli
464	4	50.0	40	13	US-10-051-496-4	Sequence 4, Appli
465	4	50.0	40	14	US-10-217-584-3	Sequence 3, Appli
466	4	50.0	40	14	US-10-326-049-5	Sequence 5, Appli
467	4	50.0	40	14	US-10-169-580-1	Sequence 1, Appli
468	4	50.0	40	14	US-10-143-534-3	Sequence 3, Appli
469	4	50.0	40	14	US-10-190-548A-4	Sequence 4, Appli
470	4	50.0	40	14	US-10-051-663-3	Sequence 3, Appli
471	4	50.0	40	14	US-10-151-614-1	Sequence 1, Appli
472	4	50.0	40	14	US-10-159-279-12	Sequence 12, Appl
473	4	50.0	40	14	US-10-301-488A-2	Sequence 2, Appli
474	4	50.0	40	14	US-10-301-488A-4	Sequence 4, Appli
475	4	50.0	40	14	US-10-301-488A-7	Sequence 7, Appli
476	4	50.0	40	14	US-10-301-488A-8	Sequence 8, Appli
477	4	50.0	40	14	US-10-301-488A-15	Sequence 15, Appl
478	4	50.0	40	14	US-10-301-488A-17	Sequence 17, Appl
479	4	50.0	40	15	US-10-366-125-27	Sequence 27, Appl
480	4	50.0	41	8	US-08-424-550B-336	Sequence 336, App
481	4	50.0	41	13	US-10-051-496-3	Sequence 3, Appli
482	4	50.0	41	14	US-10-190-548A-3	Sequence 3, Appli
483	4	50.0	41	14	US-10-173-461-3	Sequence 3, Appli
484	4	50.0	42	8	US-08-923-055-2	Sequence 2, Appli
485	4	50.0	42	9	US-09-867-847-1	Sequence 1, Appli
486	4	50.0	42	9	US-09-956-625-26	Sequence 26, Appl
487	4	50.0	42	9	US-09-731-460-1	Sequence 1, Appli
488	4	50.0	42	9	US-09-899-815-1	Sequence 1, Appli
489	4	50.0	42	10	US-09-962-955C-37	Sequence 37, Appl
490	4	50.0	42	10	US-09-848-616-174	Sequence 174, App
491	4	50.0	42	10	US-09-865-294-65	Sequence 65, Appl
492	4	50.0	42	10	US-09-792-079-13	Sequence 13, Appl
493	4	50.0	42	10	US-09-825-242-1	Sequence 1, Appli
494	4	50.0	42	10	US-09-930-915A-293	Sequence 293, App
495	4	50.0	42	12	US-10-337-261-2	Sequence 2, Appli
496	4	50.0	42	12	US-10-363-082-1	Sequence 1, Appli
497	4	50.0	42	12	US-10-424-599-271702	Sequence 271702,
498	4	50.0	42	12	US-10-433-385-6	Sequence 6, Appli
499	4	50.0	42	13	US-10-051-496-2	Sequence 2, Appli
500	4	50.0	42	13	US-10-082-804-7	Sequence 7, Appli
501	4	50.0	42	14	US-10-217-584-2	Sequence 2, Appli
502	4	50.0	42	14	US-10-217-584-7	Sequence 7, Appli
503	4	50.0	42	14	US-10-217-584-8	Sequence 8, Appli
504	4	50.0	42	14	US-10-217-584-9	Sequence 9, Appli
505	4	50.0	42	14	US-10-217-584-10	Sequence 10, Appl
506	4	50.0	42	14	US-10-217-584-11	Sequence 11, Appl
507	4	50.0	42	14	US-10-169-580-2	Sequence 2, Appli
508	4	50.0	42	14	US-10-278-181-1	Sequence 1, Appli
509	4	50.0	42	14	US-10-143-534-2	Sequence 2, Appli
510	4	50.0	42	14	US-10-190-548A-1	Sequence 1, Appli
511	4	50.0	42	14	US-10-051-663-2	Sequence 2, Appli
512	4	50.0	42	14	US-10-159-279-13	Sequence 13, Appl

513	4	50.0	42	14	US-10-318-302-4	Sequence 4, Appli
514	4	50.0	42	14	US-10-050-902-220	Sequence 220, App
515	4	50.0	42	14	US-10-050-898-220	Sequence 220, App
516	4	50.0	42	14	US-10-082-014-81	Sequence 81, Appl
517	4	50.0	42	14	US-10-372-076-82	Sequence 82, Appl
518	4	50.0	42	15	US-10-231-298B-15	Sequence 15, Appl
519	4	50.0	42	15	US-10-231-470C-15	Sequence 15, Appl
520	4	50.0	42	15	US-10-366-125-28	Sequence 28, Appl
521	4	50.0	42	15	US-10-411-544-2	Sequence 2, Appli
522	4	50.0	42	15	US-10-231-213D-15	Sequence 15, Appl
523	4	50.0	42	15	US-10-231-114C-15	Sequence 15, Appl
524	4	50.0	43	9	US-09-280-966-1	Sequence 1, Appli
525	4	50.0	43	9	US-09-904-987-1	Sequence 1, Appli
526	4	50.0	43	9	US-09-808-037-3	Sequence 3, Appli
527	4	50.0	43	9	US-09-866-712-3	Sequence 3, Appli
528	4	50.0	43	9	US-09-972-475-1	Sequence 1, Appli
529	4	50.0	43	9	US-09-972-475-3	Sequence 3, Appli
530	4	50.0	43	9	US-09-992-800-1	Sequence 1, Appli
531	4	50.0	43	9	US-09-895-443-1	Sequence 1, Appli
532	4	50.0	43	9	US-09-996-357-1	Sequence 1, Appli
533	4	50.0	43	9	US-09-992-994-1	Sequence 1, Appli
534	4	50.0	43	9	US-09-984-834-1	Sequence 1, Appli
535	4	50.0	43	10	US-09-425-956-1	Sequence 1, Appli
536	4	50.0	43	10	US-09-942-253-1	Sequence 1, Appli
537	4	50.0	43	12	US-10-424-599-255323	Sequence 255323,
538	4	50.0	43	12	US-10-618-856-3	Sequence 3, Appli
539	4	50.0	43	13	US-10-041-605-1	Sequence 1, Appli
540	4	50.0	43	13	US-10-076-708-7	Sequence 7, Appli
541	4	50.0	43	13	US-10-051-496-1	Sequence 1, Appli
542	4	50.0	43	14	US-10-217-459-1	Sequence 1, Appli
543	4	50.0	43	14	US-10-162-889-3	Sequence 3, Appli
544	4	50.0	43	14	US-10-217-584-1	Sequence 1, Appli
545	4	50.0	43	14	US-10-326-049-1	Sequence 1, Appli
546	4	50.0	43	14	US-10-190-548A-2	Sequence 2, Appli
547	4	50.0	43	14	US-10-197-954-22	Sequence 22, Appl
548	4	50.0	43	14	US-10-335-035-1	Sequence 1, Appli
549	4	50.0	43	14	US-10-267-017-1	Sequence 1, Appli
550	4	50.0	43	14	US-10-314-221-1	Sequence 1, Appli
551	4	50.0	43	14	US-10-437-706-2	Sequence 2, Appli
552	4	50.0	43	15	US-10-385-065-1	Sequence 1, Appli
553	4	50.0	43	15	US-10-395-290-1	Sequence 1, Appli
554	4	50.0	43	15	US-10-463-729-1	Sequence 1, Appli
555	4	50.0	43	15	US-10-463-729-3	Sequence 3, Appli
556	4	50.0	43	15	US-10-355-700-1	Sequence 1, Appli
557	4	50.0	43	15	US-10-384-788-3	Sequence 3, Appli
558	4	50.0	43	15	US-10-375-253-24	Sequence 24, Appl
559	4	50.0	45	10	US-09-865-294-70	Sequence 70, Appl
560	4	50.0	47	12	US-10-424-599-163451	Sequence 163451,
561	4	50.0	48	10	US-09-865-294-74	Sequence 74, Appl
562	4	50.0	48	12	US-10-424-599-212192	Sequence 212192,
563	4	50.0	48	12	US-10-424-599-253269	Sequence 253269,
564	4	50.0	48	14	US-10-106-698-4911	Sequence 4911, Ap
565	4	50.0	49	10	US-09-820-649-251	Sequence 251, App
566	4	50.0	49	12	US-10-424-599-204872	Sequence 204872,
567	4	50.0	49	14	US-10-160-162-251	Sequence 251, App
568	4	50.0	50	9	US-09-861-847-9	Sequence 9, Appli
569	4	50.0	50	12	US-10-666-423-9	Sequence 9, Appli

570	4	50.0	50	14	US-10-301-488A-9	Sequence 9, Appli
571	4	50.0	50	14	US-10-301-488A-19	Sequence 19, Appl
572	4	50.0	51	12	US-10-424-599-155346	Sequence 155346,
573	4	50.0	51	12	US-10-424-599-188723	Sequence 188723,
574	4	50.0	53	9	US-09-205-658-181	Sequence 181, App
575	4	50.0	53	10	US-09-963-693-181	Sequence 181, App
576	4	50.0	53	12	US-10-424-599-191531	Sequence 191531,
577	4	50.0	53	12	US-10-424-599-241671	Sequence 241671,
578	4	50.0	53	12	US-10-424-599-272362	Sequence 272362,
579	4	50.0	54	12	US-10-424-599-151341	Sequence 151341,
580	4	50.0	55	9	US-09-823-153-10	Sequence 10, Appl
581	4	50.0	55	12	US-10-424-599-173500	Sequence 173500,
582	4	50.0	55	12	US-10-424-599-259833	Sequence 259833,
583	4	50.0	56	11	US-09-864-408A-3600	Sequence 3600, Ap
584	4	50.0	56	12	US-10-424-599-147561	Sequence 147561,
585	4	50.0	57	10	US-09-764-891-4392	Sequence 4392, Ap
586	4	50.0	57	12	US-10-424-599-282755	Sequence 282755,
587	4	50.0	58	12	US-10-424-599-245388	Sequence 245388,
588	4	50.0	59	12	US-10-424-599-208706	Sequence 208706,
589	4	50.0	59	12	US-10-424-599-284235	Sequence 284235,
590	4	50.0	60	11	US-09-864-408A-1492	Sequence 1492, Ap
591	4	50.0	60	12	US-10-424-599-269096	Sequence 269096,
592	4	50.0	60	14	US-10-179-784-20	Sequence 20, Appl
593	4	50.0	60	14	US-10-179-784-22	Sequence 22, Appl
594	4	50.0	62	9	US-09-205-658-188	Sequence 188, App
595	4	50.0	62	10	US-09-963-693-188	Sequence 188, App
596	4	50.0	63	12	US-10-424-599-203457	Sequence 203457,
597	4	50.0	65	12	US-10-424-599-182081	Sequence 182081,
598	4	50.0	65	12	US-10-424-599-188736	Sequence 188736,
599	4	50.0	66	12	US-10-424-599-284684	Sequence 284684,
600	4	50.0	67	9	US-09-864-761-46899	Sequence 46899, A
601	4	50.0	67	12	US-10-424-599-279518	Sequence 279518,
602	4	50.0	68	9	US-09-864-761-45307	Sequence 45307, A
603	4	50.0	69	12	US-10-424-599-173022	Sequence 173022,
604	4	50.0	70	9	US-09-861-847-3	Sequence 3, Appli
605	4	50.0	70	9	US-09-861-847-5	Sequence 5, Appli
606	4	50.0	70	12	US-10-424-599-184192	Sequence 184192,
607	4	50.0	70	12	US-10-424-599-253008	Sequence 253008,
608	4	50.0	70	12	US-10-424-599-277389	Sequence 277389,
609	4	50.0	70	12	US-10-666-423-3	Sequence 3, Appli
610	4	50.0	70	12	US-10-666-423-5	Sequence 5, Appli
611	4	50.0	70	14	US-10-301-488A-3	Sequence 3, Appli
612	4	50.0	70	14	US-10-301-488A-5	Sequence 5, Appli
613	4	50.0	70	14	US-10-301-488A-16	Sequence 16, Appl
614	4	50.0	70	14	US-10-301-488A-18	Sequence 18, Appl
615	4	50.0	71	11	US-09-864-408A-7206	Sequence 7206, Ap
616	4	50.0	71	12	US-10-424-599-183899	Sequence 183899,
617	4	50.0	71	12	US-10-424-599-248906	Sequence 248906,
618	4	50.0	72	9	US-09-864-761-35375	Sequence 35375, A
619	4	50.0	72	9	US-09-929-924-17	Sequence 17, Appl
620	4	50.0	72	12	US-10-424-599-169318	Sequence 169318,
621	4	50.0	72	14	US-10-178-213-203	Sequence 203, App
622	4	50.0	73	12	US-10-424-599-151782	Sequence 151782,
623	4	50.0	73	12	US-10-424-599-164822	Sequence 164822,
624	4	50.0	73	14	US-10-029-386-27998	Sequence 27998, A
625	4	50.0	74	12	US-10-282-122A-60656	Sequence 60656, A
626	4	50.0	74	12	US-10-425-114-69701	Sequence 69701, A

627	4	50.0	75	12	US-10-424-599-174905	Sequence 174905,
628	4	50.0	75	12	US-10-424-599-229088	Sequence 229088,
629	4	50.0	76	12	US-10-424-599-210812	Sequence 210812,
630	4	50.0	76	12	US-10-424-599-240026	Sequence 240026,
631	4	50.0	76	12	US-10-424-599-244268	Sequence 244268,
632	4	50.0	77	9	US-09-864-761-36250	Sequence 36250, A
633	4	50.0	77	12	US-10-083-919A-164	Sequence 164, App
634	4	50.0	78	12	US-10-424-599-146707	Sequence 146707,
635	4	50.0	80	9	US-09-861-847-10	Sequence 10, Appl
636	4	50.0	80	12	US-10-424-599-205276	Sequence 205276,
637	4	50.0	80	12	US-10-666-423-10	Sequence 10, Appl
638	4	50.0	80	14	US-10-101-464A-985	Sequence 985, App
639	4	50.0	80	14	US-10-301-488A-10	Sequence 10, Appl
640	4	50.0	80	14	US-10-301-488A-20	Sequence 20, Appl
641	4	50.0	81	9	US-09-864-761-46681	Sequence 46681, A
642	4	50.0	81	12	US-10-424-599-282227	Sequence 282227,
643	4	50.0	82	12	US-10-424-599-170001	Sequence 170001,
644	4	50.0	82	12	US-10-424-599-175301	Sequence 175301,
645	4	50.0	82	12	US-10-424-599-265395	Sequence 265395,
646	4	50.0	83	12	US-10-424-599-243973	Sequence 243973,
647	4	50.0	84	9	US-09-864-761-44669	Sequence 44669, A
648	4	50.0	84	10	US-09-764-891-2828	Sequence 2828, Ap
649	4	50.0	85	9	US-09-280-030-65	Sequence 65, Appl
650	4	50.0	85	11	US-09-864-408A-3366	Sequence 3366, Ap
651	4	50.0	86	9	US-09-987-108-22	Sequence 22, Appl
652	4	50.0	86	9	US-09-987-108-23	Sequence 23, Appl
653	4	50.0	86	9	US-09-987-108-24	Sequence 24, Appl
654	4	50.0	86	12	US-10-424-599-174785	Sequence 174785,
655	4	50.0	87	12	US-10-083-919A-158	Sequence 158, App
656	4	50.0	87	12	US-10-083-919A-159	Sequence 159, App
657	4	50.0	87	12	US-10-083-919A-160	Sequence 160, App
658	4	50.0	88	12	US-10-424-599-151344	Sequence 151344,
659	4	50.0	88	12	US-10-425-114-50915	Sequence 50915, A
660	4	50.0	89	12	US-10-424-599-251976	Sequence 251976,
661	4	50.0	89	12	US-10-083-919A-12	Sequence 12, Appl
662	4	50.0	89	12	US-10-083-919A-98	Sequence 98, Appl
663	4	50.0	89	12	US-10-083-919A-149	Sequence 149, App
664	4	50.0	89	14	US-10-317-832-131	Sequence 131, App
665	4	50.0	90	12	US-10-424-599-199057	Sequence 199057,
666	4	50.0	90	14	US-10-317-832-23	Sequence 23, Appl
667	4	50.0	91	9	US-09-764-860-460	Sequence 460, App
668	4	50.0	91	12	US-10-424-599-228702	Sequence 228702,
669	4	50.0	91	12	US-10-424-599-261818	Sequence 261818,
670	4	50.0	91	14	US-10-074-095-460	Sequence 460, App
671	4	50.0	91	15	US-10-212-872-460	Sequence 460, App
672	4	50.0	92	12	US-10-424-599-155024	Sequence 155024,
673	4	50.0	92	12	US-10-424-599-181601	Sequence 181601,
674	4	50.0	93	9	US-09-814-777A-124	Sequence 124, App
675	4	50.0	93	12	US-10-424-599-148814	Sequence 148814,
676	4	50.0	94	12	US-10-424-599-161658	Sequence 161658,
677	4	50.0	94	12	US-10-424-599-214667	Sequence 214667,
678	4	50.0	94	13	US-10-029-180-86	Sequence 86, Appl
679	4	50.0	95	12	US-10-424-599-182269	Sequence 182269,
680	4	50.0	95	14	US-10-128-714-3550	Sequence 3550, Ap
681	4	50.0	96	12	US-10-424-599-195174	Sequence 195174,
682	4	50.0	97	9	US-09-764-869-1022	Sequence 1022, Ap
683	4	50.0	97	12	US-10-424-599-176863	Sequence 176863,

684	4	50.0	97	14	US-10-091-504-1022	Sequence 1022, Ap
685	4	50.0	97	15	US-10-227-577-1022	Sequence 1022, Ap
686	4	50.0	98	12	US-10-424-599-159327	Sequence 159327,
687	4	50.0	98	12	US-10-424-599-261655	Sequence 261655,
688	4	50.0	99	14	US-10-183-119-2	Sequence 2, Appli
689	4	50.0	100	9	US-09-794-975-4	Sequence 4, Appli
690	4	50.0	101	8	US-08-424-550B-60	Sequence 60, Appl
691	4	50.0	101	12	US-10-424-599-169398	Sequence 169398,
692	4	50.0	101	12	US-10-424-599-240527	Sequence 240527,
693	4	50.0	102	9	US-09-864-761-48556	Sequence 48556, A
694	4	50.0	102	12	US-10-424-599-190606	Sequence 190606,
695	4	50.0	102	12	US-10-424-599-283661	Sequence 283661,
696	4	50.0	102	14	US-10-106-698-5209	Sequence 5209, Ap
697	4	50.0	103	10	US-09-764-891-3883	Sequence 3883, Ap
698	4	50.0	103	14	US-10-032-201B-124	Sequence 124, App
699	4	50.0	104	9	US-09-823-153-4	Sequence 4, Appli
700	4	50.0	104	12	US-10-424-599-184718	Sequence 184718,
701	4	50.0	104	12	US-10-424-599-243068	Sequence 243068,
702	4	50.0	105	12	US-10-424-599-237321	Sequence 237321,
703	4	50.0	106	9	US-09-764-855-140	Sequence 140, App
704	4	50.0	106	12	US-10-424-599-151718	Sequence 151718,
705	4	50.0	106	12	US-10-425-114-68224	Sequence 68224, A
706	4	50.0	106	14	US-10-072-349-140	Sequence 140, App
707	4	50.0	107	12	US-10-083-919A-2	Sequence 2, Appli
708	4	50.0	107	14	US-10-185-050-130	Sequence 130, App
709	4	50.0	108	12	US-10-424-599-179761	Sequence 179761,
710	4	50.0	108	12	US-10-424-599-212358	Sequence 212358,
711	4	50.0	108	14	US-10-006-869-43	Sequence 43, Appl
712	4	50.0	108	15	US-10-395-032-43	Sequence 43, Appl
713	4	50.0	109	12	US-10-424-599-276877	Sequence 276877,
714	4	50.0	109	14	US-10-032-201B-141	Sequence 141, App
715	4	50.0	109	14	US-10-032-201B-185	Sequence 185, App
716	4	50.0	110	9	US-09-989-920-241	Sequence 241, App
717	4	50.0	110	9	US-09-738-626-6571	Sequence 6571, Ap
718	4	50.0	110	14	US-10-032-201B-77	Sequence 77, Appl
719	4	50.0	111	12	US-10-424-599-285622	Sequence 285622,
720	4	50.0	112	12	US-10-424-599-199711	Sequence 199711,
721	4	50.0	112	12	US-10-424-599-264446	Sequence 264446,
722	4	50.0	112	14	US-10-156-761-12290	Sequence 12290, A
723	4	50.0	113	12	US-10-425-114-46937	Sequence 46937, A
724	4	50.0	113	14	US-10-128-714-8550	Sequence 8550, Ap
725	4	50.0	114	12	US-10-424-599-190268	Sequence 190268,
726	4	50.0	114	12	US-10-424-599-272452	Sequence 272452,
727	4	50.0	115	12	US-10-424-599-159854	Sequence 159854,
728	4	50.0	117	9	US-09-794-975-6	Sequence 6, Appli
729	4	50.0	117	9	US-09-823-153-2	Sequence 2, Appli
730	4	50.0	117	10	US-09-422-569-10	Sequence 10, Appl
731	4	50.0	117	14	US-10-029-386-28358	Sequence 28358, A
732	4	50.0	118	12	US-10-424-599-258039	Sequence 258039,
733	4	50.0	119	9	US-09-738-626-6807	Sequence 6807, Ap
734	4	50.0	119	12	US-10-424-599-231707	Sequence 231707,
735	4	50.0	122	15	US-10-369-324-106	Sequence 106, App
736	4	50.0	123	12	US-10-424-599-194852	Sequence 194852,
737	4	50.0	123	12	US-10-424-599-205784	Sequence 205784,
738	4	50.0	123	12	US-10-425-114-44826	Sequence 44826, A
739	4	50.0	124	12	US-10-424-599-171037	Sequence 171037,
740	4	50.0	125	9	US-09-738-626-6343	Sequence 6343, Ap

741	4	50.0	125	12	US-10-424-599-165081	Sequence 165081,
742	4	50.0	125	12	US-10-424-599-197143	Sequence 197143,
743	4	50.0	125	15	US-10-094-749-1830	Sequence 1830, Ap
744	4	50.0	125	15	US-10-108-260A-4824	Sequence 4824, Ap
745	4	50.0	126	12	US-10-424-599-150636	Sequence 150636,
746	4	50.0	127	12	US-10-424-599-161905	Sequence 161905,
747	4	50.0	128	12	US-10-058-270A-70	Sequence 70, Appl
748	4	50.0	128	12	US-10-424-599-239285	Sequence 239285,
749	4	50.0	128	15	US-10-264-049-3484	Sequence 3484, Ap
750	4	50.0	129	12	US-10-424-599-185189	Sequence 185189,
751	4	50.0	130	12	US-10-424-599-237318	Sequence 237318,
752	4	50.0	130	12	US-10-424-599-280176	Sequence 280176,
753	4	50.0	131	12	US-10-424-599-252224	Sequence 252224,
754	4	50.0	132	12	US-10-424-599-200500	Sequence 200500,
755	4	50.0	132	15	US-10-289-762-249	Sequence 249, App
756	4	50.0	133	9	US-09-839-894-39	Sequence 39, Appl
757	4	50.0	133	12	US-10-282-122A-44187	Sequence 44187, A
758	4	50.0	133	12	US-10-282-122A-70720	Sequence 70720, A
759	4	50.0	133	12	US-10-282-122A-71640	Sequence 71640, A
760	4	50.0	133	12	US-10-424-599-199403	Sequence 199403,
761	4	50.0	134	11	US-09-981-151A-18	Sequence 18, Appl
762	4	50.0	134	12	US-10-282-122A-57853	Sequence 57853, A
763	4	50.0	134	12	US-10-424-599-242058	Sequence 242058,
764	4	50.0	134	12	US-10-276-774-2361	Sequence 2361, Ap
765	4	50.0	137	10	US-09-756-247-22	Sequence 22, Appl
766	4	50.0	137	11	US-09-833-245-1627	Sequence 1627, Ap
767	4	50.0	137	12	US-10-424-599-238287	Sequence 238287,
768	4	50.0	138	12	US-10-424-599-164626	Sequence 164626,
769	4	50.0	138	14	US-10-213-880-20	Sequence 20, Appl
770	4	50.0	138	15	US-10-369-493-1293	Sequence 1293, Ap
771	4	50.0	138	15	US-10-369-493-20359	Sequence 20359, A
772	4	50.0	140	9	US-09-280-030-64	Sequence 64, Appl
773	4	50.0	140	11	US-09-864-408A-1376	Sequence 1376, Ap
774	4	50.0	140	12	US-10-424-599-230995	Sequence 230995,
775	4	50.0	141	12	US-10-424-599-207259	Sequence 207259,
776	4	50.0	142	12	US-10-296-115-1391	Sequence 1391, Ap
777	4	50.0	143	12	US-10-424-599-215481	Sequence 215481,
778	4	50.0	144	15	US-10-369-493-21606	Sequence 21606, A
779	4	50.0	145	12	US-10-424-599-220558	Sequence 220558,
780	4	50.0	145	12	US-10-424-599-259981	Sequence 259981,
781	4	50.0	145	14	US-10-156-761-10756	Sequence 10756, A
782	4	50.0	146	9	US-09-731-872-392	Sequence 392, App
783	4	50.0	146	10	US-09-876-997-392	Sequence 392, App
784	4	50.0	146	12	US-10-424-599-171257	Sequence 171257,
785	4	50.0	146	12	US-10-424-599-218241	Sequence 218241,
786	4	50.0	146	12	US-10-424-599-280175	Sequence 280175,
787	4	50.0	147	12	US-10-424-599-143168	Sequence 143168,
788	4	50.0	147	12	US-10-424-599-212168	Sequence 212168,
789	4	50.0	147	12	US-10-425-114-48587	Sequence 48587, A
790	4	50.0	147	15	US-10-264-237-1701	Sequence 1701, Ap
791	4	50.0	148	12	US-09-939-853A-32	Sequence 32, Appl
792	4	50.0	148	12	US-10-282-122A-60597	Sequence 60597, A
793	4	50.0	149	12	US-10-424-599-266421	Sequence 266421,
794	4	50.0	149	12	US-10-425-114-60278	Sequence 60278, A
795	4	50.0	150	12	US-10-424-599-192665	Sequence 192665,
796	4	50.0	151	12	US-10-282-122A-77717	Sequence 77717, A
797	4	50.0	151	12	US-10-424-599-220091	Sequence 220091,

798	4	50.0	151	12	US-10-424-599-263110	Sequence 263110,
799	4	50.0	151	12	US-10-425-114-56523	Sequence 56523, A
800	4	50.0	151	15	US-10-108-260A-3451	Sequence 3451, Ap
801	4	50.0	152	12	US-10-424-599-145200	Sequence 145200,
802	4	50.0	152	12	US-10-424-599-165295	Sequence 165295,
803	4	50.0	152	14	US-10-156-761-11770	Sequence 11770, A
804	4	50.0	153	12	US-10-424-599-176051	Sequence 176051,
805	4	50.0	153	12	US-10-424-599-281858	Sequence 281858,
806	4	50.0	153	14	US-10-213-880-19	Sequence 19, Appl
807	4	50.0	153	14	US-10-298-638-12	Sequence 12, Appl
808	4	50.0	154	12	US-10-425-114-72249	Sequence 72249, A
809	4	50.0	154	12	US-10-335-977-9387	Sequence 9387, Ap
810	4	50.0	154	14	US-10-213-880-18	Sequence 18, Appl
811	4	50.0	155	12	US-10-282-122A-54455	Sequence 54455, A
812	4	50.0	155	12	US-10-424-599-222706	Sequence 222706,
813	4	50.0	155	12	US-10-425-114-67691	Sequence 67691, A
814	4	50.0	155	14	US-10-101-464A-497	Sequence 497, App
815	4	50.0	155	14	US-10-106-698-4494	Sequence 4494, Ap
816	4	50.0	156	12	US-10-424-599-152412	Sequence 152412,
817	4	50.0	157	15	US-10-385-415-111	Sequence 111, App
818	4	50.0	158	14	US-10-213-880-12	Sequence 12, Appl
819	4	50.0	159	12	US-10-282-122A-63169	Sequence 63169, A
820	4	50.0	159	12	US-10-424-599-266163	Sequence 266163,
821	4	50.0	160	12	US-10-282-122A-59810	Sequence 59810, A
822	4	50.0	160	12	US-10-282-122A-60931	Sequence 60931, A
823	4	50.0	160	12	US-10-425-114-69439	Sequence 69439, A
824	4	50.0	161	12	US-10-424-599-206217	Sequence 206217,
825	4	50.0	161	14	US-10-213-880-4	Sequence 4, Appli
826	4	50.0	162	12	US-10-424-599-205358	Sequence 205358,
827	4	50.0	164	9	US-09-738-626-6141	Sequence 6141, Ap
828	4	50.0	165	12	US-10-424-599-145048	Sequence 145048,
829	4	50.0	165	12	US-10-424-599-213411	Sequence 213411,
830	4	50.0	167	12	US-10-424-599-177842	Sequence 177842,
831	4	50.0	167	12	US-10-424-599-219618	Sequence 219618,
832	4	50.0	167	15	US-10-369-493-6631	Sequence 6631, Ap
833	4	50.0	168	9	US-09-981-876-184	Sequence 184, App
834	4	50.0	168	10	US-09-148-545-184	Sequence 184, App
835	4	50.0	168	12	US-10-424-599-159620	Sequence 159620,
836	4	50.0	168	12	US-10-424-599-248343	Sequence 248343,
837	4	50.0	169	12	US-10-425-114-67434	Sequence 67434, A
838	4	50.0	169	15	US-10-094-749-1819	Sequence 1819, Ap
839	4	50.0	170	14	US-10-102-627-71	Sequence 71, Appl
840	4	50.0	171	9	US-09-864-761-36995	Sequence 36995, A
841	4	50.0	171	12	US-10-424-599-146187	Sequence 146187,
842	4	50.0	171	12	US-10-424-599-189357	Sequence 189357,
843	4	50.0	171	12	US-10-335-977-8613	Sequence 8613, Ap
844	4	50.0	172	15	US-10-085-198-74	Sequence 74, Appl
845	4	50.0	173	12	US-10-282-122A-58478	Sequence 58478, A
846	4	50.0	173	12	US-10-424-599-203100	Sequence 203100,
847	4	50.0	173	12	US-10-424-599-272480	Sequence 272480,
848	4	50.0	173	12	US-10-627-476-210	Sequence 210, App
849	4	50.0	173	14	US-10-017-161-1122	Sequence 1122, Ap
850	4	50.0	173	15	US-10-292-798-950	Sequence 950, App
851	4	50.0	174	12	US-10-424-599-202238	Sequence 202238,
852	4	50.0	174	12	US-10-424-599-249055	Sequence 249055,
853	4	50.0	174	12	US-10-276-774-2249	Sequence 2249, Ap
854	4	50.0	175	12	US-10-424-599-165120	Sequence 165120,

855	4	50.0	175	12	US-10-424-599-210839	Sequence 210839,
856	4	50.0	175	15	US-10-094-749-1997	Sequence 1997, Ap
857	4	50.0	176	12	US-10-282-122A-70202	Sequence 70202, A
858	4	50.0	176	12	US-10-424-599-174774	Sequence 174774,
859	4	50.0	176	12	US-10-424-599-208230	Sequence 208230,
860	4	50.0	176	12	US-10-424-599-242060	Sequence 242060,
861	4	50.0	177	9	US-09-738-973-202	Sequence 202, App
862	4	50.0	177	9	US-09-738-973-208	Sequence 208, App
863	4	50.0	177	9	US-09-854-133-202	Sequence 202, App
864	4	50.0	177	9	US-09-854-133-208	Sequence 208, App
865	4	50.0	177	12	US-10-425-114-61477	Sequence 61477, A
866	4	50.0	177	14	US-10-144-649A-202	Sequence 202, App
867	4	50.0	177	14	US-10-144-649A-208	Sequence 208, App
868	4	50.0	179	12	US-10-424-599-157069	Sequence 157069,
869	4	50.0	180	12	US-10-424-599-145049	Sequence 145049,
870	4	50.0	180	12	US-10-424-599-270405	Sequence 270405,
871	4	50.0	181	14	US-10-151-484-155	Sequence 155, App
872	4	50.0	182	12	US-10-424-599-196675	Sequence 196675,
873	4	50.0	182	12	US-10-425-114-55167	Sequence 55167, A
874	4	50.0	183	9	US-09-738-626-5491	Sequence 5491, Ap
875	4	50.0	183	12	US-10-424-599-157798	Sequence 157798,
876	4	50.0	183	12	US-10-424-599-208584	Sequence 208584,
877	4	50.0	183	12	US-10-424-599-217881	Sequence 217881,
878	4	50.0	183	12	US-10-424-599-280877	Sequence 280877,
879	4	50.0	184	12	US-09-939-853A-27	Sequence 27, Appl
880	4	50.0	184	12	US-09-939-853A-29	Sequence 29, Appl
881	4	50.0	184	12	US-10-282-122A-69208	Sequence 69208, A
882	4	50.0	184	12	US-10-221-926-1	Sequence 1, Appli
883	4	50.0	186	12	US-09-939-853A-30	Sequence 30, Appl
884	4	50.0	186	12	US-09-939-853A-31	Sequence 31, Appl
885	4	50.0	187	12	US-10-282-122A-47382	Sequence 47382, A
886	4	50.0	187	12	US-10-424-599-273212	Sequence 273212,
887	4	50.0	188	15	US-10-369-493-21453	Sequence 21453, A
888	4	50.0	189	15	US-10-369-493-5158	Sequence 5158, Ap
889	4	50.0	190	9	US-09-815-242-5877	Sequence 5877, Ap
890	4	50.0	190	10	US-09-791-279-213	Sequence 213, App
891	4	50.0	190	12	US-10-424-599-194052	Sequence 194052,
892	4	50.0	191	12	US-10-083-919A-49	Sequence 49, Appl
893	4	50.0	191	12	US-10-083-919A-151	Sequence 151, App
894	4	50.0	193	9	US-09-880-192-56	Sequence 56, Appl
895	4	50.0	193	14	US-10-427-348-56	Sequence 56, Appl
896	4	50.0	194	12	US-10-112-944-713	Sequence 713, App
897	4	50.0	195	14	US-10-080-170-506	Sequence 506, App
898	4	50.0	196	12	US-10-424-599-271253	Sequence 271253,
899	4	50.0	196	14	US-10-080-170-158	Sequence 158, App
900	4	50.0	197	9	US-09-925-300-1178	Sequence 1178, Ap
901	4	50.0	197	12	US-10-424-599-264529	Sequence 264529,
902	4	50.0	198	12	US-10-424-599-240254	Sequence 240254,
903	4	50.0	198	14	US-10-156-761-8424	Sequence 8424, Ap
904	4	50.0	198	15	US-10-369-493-11293	Sequence 11293, A
905	4	50.0	199	9	US-09-815-242-11285	Sequence 11285, A
906	4	50.0	199	9	US-09-815-242-11467	Sequence 11467, A
907	4	50.0	199	12	US-10-282-122A-46126	Sequence 46126, A
908	4	50.0	199	12	US-10-282-122A-58609	Sequence 58609, A
909	4	50.0	199	12	US-10-424-599-200618	Sequence 200618,
910	4	50.0	199	12	US-10-335-977-8614	Sequence 8614, Ap
911	4	50.0	199	15	US-10-369-493-16559	Sequence 16559, A

912	4	50.0	199	15	US-10-460-923-7	Sequence 7, Appli
913	4	50.0	200	12	US-10-424-599-205982	Sequence 205982,
914	4	50.0	201	12	US-10-335-977-7330	Sequence 7330, Ap
915	4	50.0	201	14	US-10-286-264-138	Sequence 138, App
916	4	50.0	201	15	US-10-374-780A-2632	Sequence 2632, Ap
917	4	50.0	204	9	US-09-815-242-12067	Sequence 12067, A
918	4	50.0	204	9	US-09-738-626-5706	Sequence 5706, Ap
919	4	50.0	204	12	US-10-282-122A-66747	Sequence 66747, A
920	4	50.0	204	12	US-10-424-599-177901	Sequence 177901,
921	4	50.0	204	12	US-10-425-114-41502	Sequence 41502, A
922	4	50.0	204	12	US-10-425-114-53952	Sequence 53952, A
923	4	50.0	205	9	US-09-925-297-775	Sequence 775, App
924	4	50.0	205	12	US-10-424-599-192264	Sequence 192264,
925	4	50.0	205	12	US-10-425-114-50502	Sequence 50502, A
926	4	50.0	205	14	US-10-101-464A-492	Sequence 492, App
927	4	50.0	206	12	US-10-424-599-144218	Sequence 144218,
928	4	50.0	206	12	US-10-425-114-38878	Sequence 38878, A
929	4	50.0	206	15	US-10-369-493-1647	Sequence 1647, Ap
930	4	50.0	207	12	US-10-424-599-263121	Sequence 263121,
931	4	50.0	207	12	US-10-335-977-5685	Sequence 5685, Ap
932	4	50.0	207	12	US-10-335-977-5686	Sequence 5686, Ap
933	4	50.0	207	15	US-10-334-143-84	Sequence 84, Appl
934	4	50.0	208	12	US-10-282-122A-44984	Sequence 44984, A
935	4	50.0	208	12	US-10-335-977-5687	Sequence 5687, Ap
936	4	50.0	209	12	US-10-222-566-33	Sequence 33, Appl
937	4	50.0	209	12	US-10-222-566-45	Sequence 45, Appl
938	4	50.0	209	14	US-10-222-162-33	Sequence 33, Appl
939	4	50.0	209	14	US-10-222-162-45	Sequence 45, Appl
940	4	50.0	209	14	US-10-143-024-33	Sequence 33, Appl
941	4	50.0	209	14	US-10-143-024-45	Sequence 45, Appl
942	4	50.0	210	9	US-09-925-301-1168	Sequence 1168, Ap
943	4	50.0	210	12	US-10-282-122A-71449	Sequence 71449, A
944	4	50.0	210	12	US-10-424-599-268841	Sequence 268841,
945	4	50.0	210	12	US-10-425-114-40797	Sequence 40797, A
946	4	50.0	211	12	US-10-424-599-193388	Sequence 193388,
947	4	50.0	211	12	US-10-425-114-36639	Sequence 36639, A
948	4	50.0	211	12	US-10-425-114-67965	Sequence 67965, A
949	4	50.0	211	14	US-10-106-698-6312	Sequence 6312, Ap
950	4	50.0	212	12	US-10-424-599-195405	Sequence 195405,
951	4	50.0	212	12	US-10-424-599-241652	Sequence 241652,
952	4	50.0	212	12	US-10-425-114-60882	Sequence 60882, A
953	4	50.0	213	12	US-10-424-599-233132	Sequence 233132,
954	4	50.0	213	15	US-10-369-493-7618	Sequence 7618, Ap
955	4	50.0	213	15	US-10-264-237-1541	Sequence 1541, Ap
956	4	50.0	214	9	US-09-764-868-658	Sequence 658, App
957	4	50.0	215	9	US-09-815-242-13061	Sequence 13061, A
958	4	50.0	215	12	US-10-296-115-1068	Sequence 1068, Ap
959	4	50.0	216	15	US-10-369-493-4859	Sequence 4859, Ap
960	4	50.0	216	15	US-10-369-493-11859	Sequence 11859, A
961	4	50.0	217	14	US-10-317-832-100	Sequence 100, App
962	4	50.0	217	15	US-10-264-237-2481	Sequence 2481, Ap
963	4	50.0	218	12	US-10-424-599-247577	Sequence 247577,
964	4	50.0	219	12	US-10-425-114-57385	Sequence 57385, A
965	4	50.0	219	12	US-10-425-114-64250	Sequence 64250, A
966	4	50.0	220	12	US-10-425-114-46403	Sequence 46403, A
967	4	50.0	220	12	US-10-425-114-64931	Sequence 64931, A
968	4	50.0	220	15	US-10-418-007-6	Sequence 6, Appli

969	4	50.0	221	12	US-10-282-122A-48664	Sequence 48664, A
970	4	50.0	221	12	US-10-335-977-7331	Sequence 7331, Ap
971	4	50.0	222	12	US-10-424-599-264655	Sequence 264655,
972	4	50.0	222	14	US-10-156-761-8982	Sequence 8982, Ap
973	4	50.0	223	12	US-10-424-599-186306	Sequence 186306,
974	4	50.0	224	12	US-10-425-114-65539	Sequence 65539, A
975	4	50.0	224	14	US-10-156-761-9708	Sequence 9708, Ap
976	4	50.0	224	15	US-10-369-493-2074	Sequence 2074, Ap
977	4	50.0	225	9	US-09-815-242-11045	Sequence 11045, A
978	4	50.0	225	12	US-10-282-122A-58208	Sequence 58208, A
979	4	50.0	225	12	US-10-424-599-166829	Sequence 166829,
980	4	50.0	225	12	US-10-424-599-202183	Sequence 202183,
981	4	50.0	225	12	US-10-424-599-202671	Sequence 202671,
982	4	50.0	225	12	US-10-424-599-220124	Sequence 220124,
983	4	50.0	225	12	US-10-424-599-223771	Sequence 223771,
984	4	50.0	226	9	US-09-738-626-3601	Sequence 3601, Ap
985	4	50.0	226	14	US-10-233-607-4	Sequence 4, Appli
986	4	50.0	227	12	US-10-282-122A-53783	Sequence 53783, A
987	4	50.0	227	12	US-10-424-599-182314	Sequence 182314,
988	4	50.0	227	12	US-10-335-977-8034	Sequence 8034, Ap
989	4	50.0	227	14	US-10-196-793A-15	Sequence 15, Appl
990	4	50.0	227	14	US-10-156-761-14637	Sequence 14637, A
991	4	50.0	228	11	US-09-764-875-628	Sequence 628, App
992	4	50.0	228	12	US-10-282-122A-70001	Sequence 70001, A
993	4	50.0	228	12	US-10-083-919A-47	Sequence 47, Appl
994	4	50.0	228	12	US-10-083-919A-150	Sequence 150, App
995	4	50.0	228	12	US-10-083-919A-157	Sequence 157, App
996	4	50.0	228	14	US-10-317-832-4	Sequence 4, Appli
997	4	50.0	229	12	US-10-424-599-284691	Sequence 284691,
998	4	50.0	229	12	US-10-425-114-68972	Sequence 68972, A
999	4	50.0	230	12	US-10-425-114-41472	Sequence 41472, A
1000	4	50.0	230	14	US-10-156-761-10759	Sequence 10759, A

ALIGNMENTS

RESULT 1

US-09-794-927-67

; Sequence 67, Application US/09794927

; Patent No. US20010016324A1

; GENERAL INFORMATION:

; APPLICANT: Gurney, Mark E.

; APPLICANT: Bienkowski, Michael J.

; APPLICANT: Heinrikson, Robert L.

; APPLICANT: Parodi, Luis A.

; APPLICANT: Yan, Riqiang

; TITLE OF INVENTION: ALZHEIMER'S DISEASE SECRETASE, APP SUBSTRATES THEREFOR,

AND

; TITLE OF INVENTION: USES

; TITLE OF INVENTION: THEREFOR

; FILE REFERENCE: 28341/6280FG

; CURRENT APPLICATION NUMBER: US/09/794,927

; CURRENT FILING DATE: 2001-02-27

; PRIOR APPLICATION NUMBER: 09/416,901

; PRIOR FILING DATE: 1999-10-13

; PRIOR APPLICATION NUMBER: 60/155,493

```
; PRIOR FILING DATE: 1999-09-23
; PRIOR APPLICATION NUMBER: 09/404,133
; PRIOR FILING DATE: 1999-09-23
; PRIOR APPLICATION NUMBER: PCT/US99/20881
; PRIOR FILING DATE: 1999-09-23
; PRIOR APPLICATION NUMBER: 60/101,594
; PRIOR FILING DATE: 1998-09-24
; NUMBER OF SEQ ID NOS: 73
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 67
; LENGTH: 8
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence: Peptide
US-09-794-927-67
```

```
Query Match          100.0%; Score 8; DB 9; Length 8;
Best Local Similarity 100.0%; Pred. No. 9.6e+05;
Matches      8; Conservative      0; Mismatches      0; Indels      0; Gaps      0;
```

```
Qy      1 EVKMDAEF 8
        |||||
Db      1 EVKMDAEF 8
```

RESULT 2

US-09-795-847-67

```
; Sequence 67, Application US/09795847
; Patent No. US20010018208A1
; GENERAL INFORMATION:
; APPLICANT: Gurney, Mark E.
; APPLICANT: Bienkowski, Michael J.
; APPLICANT: Heinrikson, Robert L.
; APPLICANT: Parodi, Luis A.
; APPLICANT: Yan, Riqiang
; TITLE OF INVENTION: ALZHEIMER'S DISEASE SECRETASE, APP SUBSTRATES THEREFOR,
AND
; TITLE OF INVENTION: USES
; TITLE OF INVENTION: THEREFOR
; FILE REFERENCE: 28341/6280DE
; CURRENT APPLICATION NUMBER: US/09/795,847
; CURRENT FILING DATE: 2001-02-28
; PRIOR APPLICATION NUMBER: 09/416,901
; PRIOR FILING DATE: 1999-10-13
; PRIOR APPLICATION NUMBER: 60/155,493
; PRIOR FILING DATE: 1999-09-23
; PRIOR APPLICATION NUMBER: 09/404,133
; PRIOR FILING DATE: 1999-09-23
; PRIOR APPLICATION NUMBER: PCT/US99/20881
; PRIOR FILING DATE: 1999-09-23
; PRIOR APPLICATION NUMBER: 60/101,594
; PRIOR FILING DATE: 1998-09-24
; NUMBER OF SEQ ID NOS: 73
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 67
; LENGTH: 8
```

; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence: Peptide
US-09-795-847-67

Query Match 100.0%; Score 8; DB 9; Length 8;
Best Local Similarity 100.0%; Pred. No. 9.6e+05;
Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMDAEF 8
|||
Db 1 EVKMDAEF 8

RESULT 3

US-09-794-743-67

; Sequence 67, Application US/09794743
; Patent No. US20010021391A1

; GENERAL INFORMATION:

; APPLICANT: Gurney, Mark E.
; APPLICANT: Bienkowski, Michael J.
; APPLICANT: Heinrikson, Robert L.
; APPLICANT: Parodi, Luis A.
; APPLICANT: Yan, Riqiang

; TITLE OF INVENTION: ALZHEIMER'S DISEASE SECRETASE, APP SUBSTRATES THEREFOR,
AND

; TITLE OF INVENTION: USES
; TITLE OF INVENTION: THEREFOR
; FILE REFERENCE: 28341/6280BC
; CURRENT APPLICATION NUMBER: US/09/794,743
; CURRENT FILING DATE: 2001-02-27
; PRIOR APPLICATION NUMBER: 09/416,901
; PRIOR FILING DATE: 1999-10-13
; PRIOR APPLICATION NUMBER: 60/155,493
; PRIOR FILING DATE: 1999-09-23
; PRIOR APPLICATION NUMBER: 09/404,133
; PRIOR FILING DATE: 1999-09-23
; PRIOR APPLICATION NUMBER: PCT/US99/20881
; PRIOR FILING DATE: 1999-09-23
; PRIOR APPLICATION NUMBER: 60/101,594
; PRIOR FILING DATE: 1998-09-24
; NUMBER OF SEQ ID NOS: 73
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 67

; LENGTH: 8
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence: Peptide
US-09-794-743-67

Query Match 100.0%; Score 8; DB 9; Length 8;
Best Local Similarity 100.0%; Pred. No. 9.6e+05;
Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMDAEF 8

Db |||||
 1 EVKMDAEF 8

RESULT 4

US-09-794-748-67

; Sequence 67, Application US/09794748

; Patent No. US20020037315A1

; GENERAL INFORMATION:

; APPLICANT: Gurney, Mark E.

; APPLICANT: Bienkowski, Michael J.

; APPLICANT: Heinrikson, Robert L.

; APPLICANT: Parodi, Luis A.

; APPLICANT: Yan, Riqiang

; TITLE OF INVENTION: ALZHEIMER'S DISEASE SECRETASE, APP SUBSTRATES THEREFOR,

AND

; TITLE OF INVENTION: USES

; TITLE OF INVENTION: THEREFOR

; FILE REFERENCE: 28341/6280JL

; CURRENT APPLICATION NUMBER: US/09/794,748

; CURRENT FILING DATE: 2001-02-27

; PRIOR APPLICATION NUMBER: 09/416,901

; PRIOR FILING DATE: 1999-10-13

; PRIOR APPLICATION NUMBER: 60/155,493

; PRIOR FILING DATE: 1999-09-23

; PRIOR APPLICATION NUMBER: 09/404,133

; PRIOR FILING DATE: 1999-09-23

; PRIOR APPLICATION NUMBER: PCT/US99/20881

; PRIOR FILING DATE: 1999-09-23

; PRIOR APPLICATION NUMBER: 60/101,594

; PRIOR FILING DATE: 1998-09-24

; NUMBER OF SEQ ID NOS: 73

; SOFTWARE: PatentIn Ver. 2.0

; SEQ ID NO 67

; LENGTH: 8

; TYPE: PRT

; ORGANISM: Artificial Sequence

; FEATURE:

; OTHER INFORMATION: Description of Artificial Sequence: Peptide

US-09-794-748-67

Query Match 100.0%; Score 8; DB 9; Length 8;

Best Local Similarity 100.0%; Pred. No. 9.6e+05;

Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMDAEF 8

|||||

Db 1 EVKMDAEF 8

RESULT 5

US-09-794-925-67

; Sequence 67, Application US/09794925

; Patent No. US20020064819A1

; GENERAL INFORMATION:

; APPLICANT: Gurney, Mark E.

; APPLICANT: Bienkowski, Michael J.

```

; APPLICANT:  Heinrikson, Robert L.
; APPLICANT:  Parodi, Luis A.
; APPLICANT:  Yan, Riqiang
; TITLE OF INVENTION:  ALZHEIMER'S DISEASE SECRETASE, APP SUBSTRATES THEREFOR,
AND USES
; TITLE OF INVENTION:  THEREFOR
; FILE REFERENCE:  28341/6280HI
; CURRENT APPLICATION NUMBER:  US/09/794,925
; CURRENT FILING DATE:  2001-02-27
; PRIOR APPLICATION NUMBER:  09/416,901
; PRIOR FILING DATE:  1999-10-13
; PRIOR APPLICATION NUMBER:  60/155,493
; PRIOR FILING DATE:  1999-09-23
; PRIOR APPLICATION NUMBER:  09/404,133
; PRIOR FILING DATE:  1999-09-23
; PRIOR APPLICATION NUMBER:  PCT/US99/20881
; PRIOR FILING DATE:  1999-09-23
; PRIOR APPLICATION NUMBER:  60/101,594
; PRIOR FILING DATE:  1998-09-24
; NUMBER OF SEQ ID NOS:  73
; SOFTWARE:  PatentIn Ver. 2.0
; SEQ ID NO 67
; LENGTH:  8
; TYPE:  PRT
; ORGANISM:  Artificial Sequence
; FEATURE:
; OTHER INFORMATION:  Description of Artificial Sequence:  Peptide
US-09-794-925-67

```

```

Query Match          100.0%;  Score 8;  DB 9;  Length 8;
Best Local Similarity 100.0%;  Pred. No. 9.6e+05;
Matches      8;  Conservative    0;  Mismatches    0;  Indels      0;  Gaps      0;

```

```

Qy      1 EVKMDAEF 8
        |||||
Db      1 EVKMDAEF 8

```

RESULT 6

US-09-681-442-67

; Sequence 67, Application US/09681442

; Patent No. US20020081634A1

; GENERAL INFORMATION:

; APPLICANT: Gurney, Mark E.

; APPLICANT: Bienkowski, Michael J.

; APPLICANT: Heinrikson, Robert L.

; APPLICANT: Parodi, Luis A.

; APPLICANT: Yan, Riqiang

; TITLE OF INVENTION: ALZHEIMER'S DISEASE SECRETASE, APP SUBSTRATES THEREFOR,
AND USES

; TITLE OF INVENTION: THEREFOR

; FILE REFERENCE: 28341/6280FG

; CURRENT APPLICATION NUMBER: US/09/681,442

; CURRENT FILING DATE: 2001-04-05

; PRIOR APPLICATION NUMBER: 09/416,901

; PRIOR FILING DATE: 1999-10-13

; PRIOR APPLICATION NUMBER: 60/155,493

```

; PRIOR FILING DATE: 1999-09-23
; PRIOR APPLICATION NUMBER: 09/404,133
; PRIOR FILING DATE: 1999-09-23
; PRIOR APPLICATION NUMBER: PCT/US99/20881
; PRIOR FILING DATE: 1999-09-23
; PRIOR APPLICATION NUMBER: 60/101,594
; PRIOR FILING DATE: 1998-09-24
; NUMBER OF SEQ ID NOS: 73
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 67
;   LENGTH: 8
;   TYPE: PRT
;   ORGANISM: Artificial Sequence
;   FEATURE:
;   OTHER INFORMATION: Description of Artificial Sequence: Peptide
US-09-681-442-67

```

```

Query Match          100.0%; Score 8; DB 9; Length 8;
Best Local Similarity 100.0%; Pred. No. 9.6e+05;
Matches      8; Conservative    0; Mismatches    0; Indels      0; Gaps      0;

```

```

Qy      1 EVKMDAEF 8
        |||||
Db      1 EVKMDAEF 8

```

RESULT 7

US-09-869-414-67

```

; Sequence 67, Application US/09869414
; Publication No. US20030077226A1
; GENERAL INFORMATION:
; APPLICANT: Beinkowski et al.
; TITLE OF INVENTION: ALZHEIMER'S DISEASE SECRETASE, APP SUBSTRATES THEREFOR,
AND USES
; TITLE OF INVENTION: THEREFOR
; FILE REFERENCE: 28341/6280M
; CURRENT APPLICATION NUMBER: US/09/869,414
; CURRENT FILING DATE: 2001-06-27
; PRIOR APPLICATION NUMBER: 09/416,901
; PRIOR FILING DATE: 1999-10-13
; PRIOR APPLICATION NUMBER: 60/155,493
; PRIOR FILING DATE: 1999-09-23
; PRIOR APPLICATION NUMBER: 09/404,133
; PRIOR FILING DATE: 1999-09-23
; PRIOR APPLICATION NUMBER: PCT/US99/20881
; PRIOR FILING DATE: 1999-09-23
; PRIOR APPLICATION NUMBER: 60/101,594
; PRIOR FILING DATE: 1998-09-24
; NUMBER OF SEQ ID NOS: 73
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 67
;   LENGTH: 8
;   TYPE: PRT
;   ORGANISM: Artificial Sequence
;   FEATURE:
;   OTHER INFORMATION: Description of Artificial Sequence: Peptide
US-09-869-414-67

```

Query Match 100.0%; Score 8; DB 10; Length 8;
Best Local Similarity 100.0%; Pred. No. 9.6e+05;
Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMDAEF 8
| | | | | | | |
Db 1 EVKMDAEF 8

RESULT 8

US-10-652-927-67

; Sequence 67, Application US/10652927

; Publication No. US20040043408A1

; GENERAL INFORMATION:

; APPLICANT: Gurney et al.

; TITLE OF INVENTION: Alzheimer's Disease Secretase, APP Substrates Therefor
and Uses

; TITLE OF INVENTION: Therefor

; FILE REFERENCE: 29915/6280N3

; CURRENT APPLICATION NUMBER: US/10/652,927

; CURRENT FILING DATE: 2003-08-29

; PRIOR APPLICATION NUMBER: 09/794,925

; PRIOR FILING DATE: 2001-02-27

; PRIOR APPLICATION NUMBER: 09/416,901

; PRIOR FILING DATE: 1999-10-13

; PRIOR APPLICATION NUMBER: 60/155,493

; PRIOR FILING DATE: 1999-09-23

; PRIOR APPLICATION NUMBER: 09/404,133

; PRIOR FILING DATE: 1999-09-23

; PRIOR APPLICATION NUMBER: PCT/US99/20881

; PRIOR FILING DATE: 1999-09-23

; PRIOR APPLICATION NUMBER: 60/101,594

; PRIOR FILING DATE: 1998-09-24

; NUMBER OF SEQ ID NOS: 74

; SOFTWARE: PatentIn Ver. 2.0

; SEQ ID NO 67

; LENGTH: 8

; TYPE: PRT

; ORGANISM: Artificial sequence

; FEATURE:

; OTHER INFORMATION: Synthetic peptide

US-10-652-927-67

Query Match 100.0%; Score 8; DB 12; Length 8;
Best Local Similarity 100.0%; Pred. No. 9.6e+05;
Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMDAEF 8
| | | | | | | |
Db 1 EVKMDAEF 8

RESULT 9

US-10-652-830-67

; Sequence 67, Application US/10652830

; Publication No. US20040048303A1


```

; GENERAL INFORMATION:
; APPLICANT: Gurney et al.
; TITLE OF INVENTION: Alzheimer's Disease Secretase, APP Substrates Therefor
and Uses
; TITLE OF INVENTION: Therefor
; FILE REFERENCE: 29915/6280N1
; CURRENT APPLICATION NUMBER: US/10/652,830
; CURRENT FILING DATE: 2003-08-29
; PRIOR APPLICATION NUMBER: 09/794,925
; PRIOR FILING DATE: 2001-02-27
; PRIOR APPLICATION NUMBER: 09/416,901
; PRIOR FILING DATE: 1999-10-13
; PRIOR APPLICATION NUMBER: 60/155,493
; PRIOR FILING DATE: 1999-09-23
; PRIOR APPLICATION NUMBER: 09/404,133
; PRIOR FILING DATE: 1999-09-23
; PRIOR APPLICATION NUMBER: PCT/US99/20881
; PRIOR FILING DATE: 1999-09-23
; PRIOR APPLICATION NUMBER: 60/101,594
; PRIOR FILING DATE: 1998-09-24
; NUMBER OF SEQ ID NOS: 74
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 67
; LENGTH: 8
; TYPE: PRT
; ORGANISM: Artificial sequence
; FEATURE:
; OTHER INFORMATION: Synthetic peptide
US-10-652-830-67

```

```

Query Match          100.0%;  Score 8;  DB 12;  Length 8;
Best Local Similarity 100.0%;  Pred. No. 9.6e+05;
Matches      8;  Conservative    0;  Mismatches    0;  Indels      0;  Gaps      0;

```

```

Qy      1 EVKMDAEF 8
        |||||
Db      1 EVKMDAEF 8

```

RESULT 10

US-10-427-208-52

; Sequence 52, Application US/10427208

; Publication No. US20030200555A1

; GENERAL INFORMATION:

; APPLICANT: Merck & Co., Inc.

; APPLICANT: Hazuda, Daria J

; APPLICANT: Chen Dodson, Elizabeth

; APPLICANT: Lai, Ming-Tain

; APPLICANT: Xu, Min

; APPLICANT: Shi, Xiao-Ping

; APPLICANT: Simon, Adam J.

; APPLICANT: Wu, Guoxin

; APPLICANT: Li, Yueming

; APPLICANT: Register, Robert B.

; TITLE OF INVENTION: ASSAYS USING AMYLOID PRECURSOR PROTEINS WITH MODIFIED

; TITLE OF INVENTION: BETA-SECRETASE CLEAVAGE SITES TO MONITOR BETA-SECRETASE
ACTIVITY

; FILE REFERENCE: 21052
; CURRENT APPLICATION NUMBER: US/10/427,208
; CURRENT FILING DATE: 2003-04-30
; NUMBER OF SEQ ID NOS: 75
; SOFTWARE: PatentIn version 3.2
; SEQ ID NO 52
; LENGTH: 8
; TYPE: PRT
; ORGANISM: Homo sapiens
US-10-427-208-52

Query Match 100.0%; Score 8; DB 15; Length 8;
Best Local Similarity 100.0%; Pred. No. 9.6e+05;
Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMDAEF 8
| | | | | | | |
Db 1 EVKMDAEF 8

RESULT 11

US-10-016-717-6
; Sequence 6, Application US/10016717
; Publication No. US20020132281A1
; GENERAL INFORMATION:
; APPLICANT: Hook, Vivian Y.H.
; TITLE OF INVENTION: SECRETASES RELATED TO ALZHEIMER'S DEMENTIA
; FILE REFERENCE: P-AS 5031
; CURRENT APPLICATION NUMBER: US/10/016,717
; CURRENT FILING DATE: 2002-03-12
; PRIOR APPLICATION NUMBER: US 09/173,887
; PRIOR FILING DATE: 1998-10-16
; PRIOR APPLICATION NUMBER: US 09/294,987
; PRIOR FILING DATE: 1999-04-20
; NUMBER OF SEQ ID NOS: 6
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 6
; LENGTH: 9
; TYPE: PRT
; ORGANISM: mammalian
US-10-016-717-6

Query Match 100.0%; Score 8; DB 13; Length 9;
Best Local Similarity 100.0%; Pred. No. 9.6e+05;
Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMDAEF 8
| | | | | | | |
Db 2 EVKMDAEF 9

RESULT 12

US-10-066-319-3
; Sequence 3, Application US/10066319
; Publication No. US20030147810A1
; GENERAL INFORMATION:
; APPLICANT: Ross, Brian D.

```
; APPLICANT: Rehemtulla, Alnawaz
; TITLE OF INVENTION: COMPOSITIONS AND METHODS FOR REPORTING
; TITLE OF INVENTION: OF PROTEASE ACTIVITY WITHIN THE SECRETORY PATHWAY
; FILE REFERENCE: 11203-007001
; CURRENT APPLICATION NUMBER: US/10/066,319
; CURRENT FILING DATE: 2002-06-17
; NUMBER OF SEQ ID NOS: 18
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 3
;   LENGTH: 9
;   TYPE: PRT
;   ORGANISM: Homo sapiens
US-10-066-319-3
```

```
Query Match          100.0%; Score 8; DB 14; Length 9;
Best Local Similarity 100.0%; Pred. No. 9.6e+05;
Matches      8; Conservative    0; Mismatches    0; Indels    0; Gaps    0;
```

```
Qy      1 EVKMDAEF 8
          |||||
Db      2 EVKMDAEF 9
```

RESULT 13

US-09-794-927-64

```
; Sequence 64, Application US/09794927
; Patent No. US20010016324A1
; GENERAL INFORMATION:
; APPLICANT: Gurney, Mark E.
; APPLICANT: Bienkowski, Michael J.
; APPLICANT: Heinrikson, Robert L.
; APPLICANT: Parodi, Luis A.
; APPLICANT: Yan, Riqiang
; TITLE OF INVENTION: ALZHEIMER'S DISEASE SECRETASE, APP SUBSTRATES THEREFOR,
AND
; TITLE OF INVENTION: USES
; TITLE OF INVENTION: THEREFOR
; FILE REFERENCE: 28341/6280FG
; CURRENT APPLICATION NUMBER: US/09/794,927
; CURRENT FILING DATE: 2001-02-27
; PRIOR APPLICATION NUMBER: 09/416,901
; PRIOR FILING DATE: 1999-10-13
; PRIOR APPLICATION NUMBER: 60/155,493
; PRIOR FILING DATE: 1999-09-23
; PRIOR APPLICATION NUMBER: 09/404,133
; PRIOR FILING DATE: 1999-09-23
; PRIOR APPLICATION NUMBER: PCT/US99/20881
; PRIOR FILING DATE: 1999-09-23
; PRIOR APPLICATION NUMBER: 60/101,594
; PRIOR FILING DATE: 1998-09-24
; NUMBER OF SEQ ID NOS: 73
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 64
;   LENGTH: 10
;   TYPE: PRT
;   ORGANISM: Artificial Sequence
;   FEATURE:
```

; OTHER INFORMATION: Description of Artificial Sequence: synthetic
US-09-794-927-64

Query Match 100.0%; Score 8; DB 9; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.0068;
Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMDAEF 8
| | | | | | | |
Db 2 EVKMDAEF 9

RESULT 14

US-09-795-847-64

; Sequence 64, Application US/09795847

; Patent No. US20010018208A1

; GENERAL INFORMATION:

; APPLICANT: Gurney, Mark E.

; APPLICANT: Bienkowski, Michael J.

; APPLICANT: Heinrikson, Robert L.

; APPLICANT: Parodi, Luis A.

; APPLICANT: Yan, Riqiang

; TITLE OF INVENTION: ALZHEIMER'S DISEASE SECRETASE, APP SUBSTRATES THEREFOR,
AND

; TITLE OF INVENTION: USES

; TITLE OF INVENTION: THEREFOR

; FILE REFERENCE: 28341/6280DE

; CURRENT APPLICATION NUMBER: US/09/795,847

; CURRENT FILING DATE: 2001-02-28

; PRIOR APPLICATION NUMBER: 09/416,901

; PRIOR FILING DATE: 1999-10-13

; PRIOR APPLICATION NUMBER: 60/155,493

; PRIOR FILING DATE: 1999-09-23

; PRIOR APPLICATION NUMBER: 09/404,133

; PRIOR FILING DATE: 1999-09-23

; PRIOR APPLICATION NUMBER: PCT/US99/20881

; PRIOR FILING DATE: 1999-09-23

; PRIOR APPLICATION NUMBER: 60/101,594

; PRIOR FILING DATE: 1998-09-24

; NUMBER OF SEQ ID NOS: 73

; SOFTWARE: PatentIn Ver. 2.0

; SEQ ID NO 64

; LENGTH: 10

; TYPE: PRT

; ORGANISM: Artificial Sequence

; FEATURE:

; OTHER INFORMATION: Description of Artificial Sequence: synthetic

US-09-795-847-64

Query Match 100.0%; Score 8; DB 9; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.0068;
Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMDAEF 8
| | | | | | | |
Db 2 EVKMDAEF 9

RESULT 15

US-09-794-743-64

; Sequence 64, Application US/09794743

; Patent No. US20010021391A1

; GENERAL INFORMATION:

; APPLICANT: Gurney, Mark E.

; APPLICANT: Bienkowski, Michael J.

; APPLICANT: Heinrikson, Robert L.

; APPLICANT: Parodi, Luis A.

; APPLICANT: Yan, Riqiang

; TITLE OF INVENTION: ALZHEIMER'S DISEASE SECRETASE, APP SUBSTRATES THEREFOR,
AND

; TITLE OF INVENTION: USES

; TITLE OF INVENTION: THEREFOR

; FILE REFERENCE: 28341/6280BC

; CURRENT APPLICATION NUMBER: US/09/794,743

; CURRENT FILING DATE: 2001-02-27

; PRIOR APPLICATION NUMBER: 09/416,901

; PRIOR FILING DATE: 1999-10-13

; PRIOR APPLICATION NUMBER: 60/155,493

; PRIOR FILING DATE: 1999-09-23

; PRIOR APPLICATION NUMBER: 09/404,133

; PRIOR FILING DATE: 1999-09-23

; PRIOR APPLICATION NUMBER: PCT/US99/20881

; PRIOR FILING DATE: 1999-09-23

; PRIOR APPLICATION NUMBER: 60/101,594

; PRIOR FILING DATE: 1998-09-24

; NUMBER OF SEQ ID NOS: 73

; SOFTWARE: PatentIn Ver. 2.0

; SEQ ID NO 64

; LENGTH: 10

; TYPE: PRT

; ORGANISM: Artificial Sequence

; FEATURE:

; OTHER INFORMATION: Description of Artificial Sequence: synthetic

US-09-794-743-64

Query Match 100.0%; Score 8; DB 9; Length 10;

Best Local Similarity 100.0%; Pred. No. 0.0068;

Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMDAEF 8

|||||||

Db 2 EVKMDAEF 9

RESULT 16

US-09-794-748-64

; Sequence 64, Application US/09794748

; Patent No. US20020037315A1

; GENERAL INFORMATION:

; APPLICANT: Gurney, Mark E.

; APPLICANT: Bienkowski, Michael J.

; APPLICANT: Heinrikson, Robert L.

; APPLICANT: Parodi, Luis A.

; APPLICANT: Yan, Riqiang

```

; TITLE OF INVENTION:  ALZHEIMER'S DISEASE SECRETASE, APP SUBSTRATES THEREFOR,
AND
; TITLE OF INVENTION:  USES
; TITLE OF INVENTION:  THEREFOR
; FILE REFERENCE:  28341/6280JL
; CURRENT APPLICATION NUMBER:  US/09/794,748
; CURRENT FILING DATE:  2001-02-27
; PRIOR APPLICATION NUMBER:  09/416,901
; PRIOR FILING DATE:  1999-10-13
; PRIOR APPLICATION NUMBER:  60/155,493
; PRIOR FILING DATE:  1999-09-23
; PRIOR APPLICATION NUMBER:  09/404,133
; PRIOR FILING DATE:  1999-09-23
; PRIOR APPLICATION NUMBER:  PCT/US99/20881
; PRIOR FILING DATE:  1999-09-23
; PRIOR APPLICATION NUMBER:  60/101,594
; PRIOR FILING DATE:  1998-09-24
; NUMBER OF SEQ ID NOS:  73
; SOFTWARE:  PatentIn Ver. 2.0
; SEQ ID NO 64
;   LENGTH: 10
;   TYPE: PRT
;   ORGANISM: Artificial Sequence
;   FEATURE:
;   OTHER INFORMATION: Description of Artificial Sequence: synthetic
US-09-794-748-64

```

```

Query Match          100.0%;  Score 8;  DB 9;  Length 10;
Best Local Similarity 100.0%;  Pred. No. 0.0068;
Matches      8;  Conservative    0;  Mismatches    0;  Indels      0;  Gaps      0;

```

```

Qy      1 EVKMDAEF 8
        |||||
Db      2 EVKMDAEF 9

```

RESULT 17

US-09-796-264-4

```

; Sequence 4, Application US/09796264
; Patent No. US20020049303A1
; GENERAL INFORMATION:
; APPLICANT: Tang, Jordan J.N.
; APPLICANT: Lin, Xinli
; APPLICANT: Koelsch, Gerald
; TITLE OF INVENTION: Catalytically Active Recombinant Memapsin and Methods
; TITLE OF INVENTION:  of Use Thereof
; FILE REFERENCE: OMRF 179
; CURRENT APPLICATION NUMBER:  US/09/796,264
; CURRENT FILING DATE:  2001-02-28
; PRIOR APPLICATION NUMBER:  09/604,608
; PRIOR FILING DATE:  2000-06-27
; PRIOR APPLICATION NUMBER:  60/168,060
; PRIOR FILING DATE:  1999-11-30
; PRIOR APPLICATION NUMBER:  60/177,836
; PRIOR FILING DATE:  2000-01-25
; PRIOR APPLICATION NUMBER:  60/178,368
; PRIOR FILING DATE:  2000-01-27

```

; PRIOR APPLICATION NUMBER: 60/210,292
; PRIOR FILING DATE: 2000-06-08
; NUMBER OF SEQ ID NOS: 31
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 4
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence: Primer
US-09-796-264-4

Query Match 100.0%; Score 8; DB 9; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.0068;
Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMDAEF 8
| | | | | | | |
Db 2 EVKMDAEF 9

RESULT 18

US-09-794-925-64

; Sequence 64, Application US/09794925
; Patent No. US20020064819A1
; GENERAL INFORMATION:
; APPLICANT: Gurney, Mark E.
; APPLICANT: Bienkowski, Michael J.
; APPLICANT: Heinrikson, Robert L.
; APPLICANT: Parodi, Luis A.
; APPLICANT: Yan, Riqiang
; TITLE OF INVENTION: ALZHEIMER'S DISEASE SECRETASE, APP SUBSTRATES THEREFOR,
AND USES
; TITLE OF INVENTION: THEREFOR
; FILE REFERENCE: 28341/6280HI
; CURRENT APPLICATION NUMBER: US/09/794,925
; CURRENT FILING DATE: 2001-02-27
; PRIOR APPLICATION NUMBER: 09/416,901
; PRIOR FILING DATE: 1999-10-13
; PRIOR APPLICATION NUMBER: 60/155,493
; PRIOR FILING DATE: 1999-09-23
; PRIOR APPLICATION NUMBER: 09/404,133
; PRIOR FILING DATE: 1999-09-23
; PRIOR APPLICATION NUMBER: PCT/US99/20881
; PRIOR FILING DATE: 1999-09-23
; PRIOR APPLICATION NUMBER: 60/101,594
; PRIOR FILING DATE: 1998-09-24
; NUMBER OF SEQ ID NOS: 73
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 64
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence: synthetic
US-09-794-925-64

Query Match 100.0%; Score 8; DB 9; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.0068;
Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMDAEF 8
|||||||
Db 2 EVKMDAEF 9

RESULT 19

US-09-681-442-64

; Sequence 64, Application US/09681442

; Patent No. US20020081634A1

; GENERAL INFORMATION:

; APPLICANT: Gurney, Mark E.

; APPLICANT: Bienkowski, Michael J.

; APPLICANT: Heinrikson, Robert L.

; APPLICANT: Parodi, Luis A.

; APPLICANT: Yan, Riqiang

; TITLE OF INVENTION: ALZHEIMER'S DISEASE SECRETASE, APP SUBSTRATES THEREFOR,
AND USES

; TITLE OF INVENTION: THEREFOR

; FILE REFERENCE: 28341/6280FG

; CURRENT APPLICATION NUMBER: US/09/681,442

; CURRENT FILING DATE: 2001-04-05

; PRIOR APPLICATION NUMBER: 09/416,901

; PRIOR FILING DATE: 1999-10-13

; PRIOR APPLICATION NUMBER: 60/155,493

; PRIOR FILING DATE: 1999-09-23

; PRIOR APPLICATION NUMBER: 09/404,133

; PRIOR FILING DATE: 1999-09-23

; PRIOR APPLICATION NUMBER: PCT/US99/20881

; PRIOR FILING DATE: 1999-09-23

; PRIOR APPLICATION NUMBER: 60/101,594

; PRIOR FILING DATE: 1998-09-24

; NUMBER OF SEQ ID NOS: 73

; SOFTWARE: PatentIn Ver. 2.0

; SEQ ID NO 64

; LENGTH: 10

; TYPE: PRT

; ORGANISM: Artificial Sequence

; FEATURE:

; OTHER INFORMATION: Description of Artificial Sequence: synthetic

US-09-681-442-64

Query Match 100.0%; Score 8; DB 9; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.0068;
Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMDAEF 8
|||||||
Db 2 EVKMDAEF 9

RESULT 20

US-09-845-226-4

; Sequence 4, Application US/09845226


```

; Patent No. US20020115600A1
; GENERAL INFORMATION:
; APPLICANT: Tang, Jordan J.N.
; APPLICANT: Hong, Lin
; APPLICANT: Ghosh, Arun K.
; TITLE OF INVENTION: Inhibitors of Memapsin 2 and Use Thereof
; FILE REFERENCE: OMRF 182
; CURRENT APPLICATION NUMBER: US/09/845,226
; CURRENT FILING DATE: 2001-04-30
; PRIOR APPLICATION NUMBER: 09/603,713
; PRIOR FILING DATE: 2000-06-27
; PRIOR APPLICATION NUMBER: 60/168,060
; PRIOR FILING DATE: 1999-11-30
; PRIOR APPLICATION NUMBER: 60/177,836
; PRIOR FILING DATE: 2000-01-25
; PRIOR APPLICATION NUMBER: 60/178,368
; PRIOR FILING DATE: 2000-01-27
; PRIOR APPLICATION NUMBER: 60/210,292
; PRIOR FILING DATE: 2000-06-08
; NUMBER OF SEQ ID NOS: 31
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 4
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence: Primer
US-09-845-226-4

```

```

Query Match          100.0%; Score 8; DB 9; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.0068;
Matches      8; Conservative      0; Mismatches      0; Indels      0; Gaps      0;

```

```

Qy      1 EVKMDAEF 8
        |||||
Db      2 EVKMDAEF 9

```

RESULT 21

```

US-09-795-903A-4
; Sequence 4, Application US/09795903A
; Patent No. US20020164760A1
; GENERAL INFORMATION:
; APPLICANT: Tang, Jordan J.N.
; APPLICANT: Lin, Xinli
; APPLICANT: Koelsch, Gerald
; TITLE OF INVENTION: Catalytically Active Recombinant Memapsin and Methods
; TITLE OF INVENTION: of Use Thereof
; FILE REFERENCE: OMRF 179
; CURRENT APPLICATION NUMBER: US/09/795,903A
; CURRENT FILING DATE: 2001-02-28
; PRIOR APPLICATION NUMBER: 09/604,608
; PRIOR FILING DATE: 2000-06-27
; PRIOR APPLICATION NUMBER: 60/168,060
; PRIOR FILING DATE: 1999-11-30
; PRIOR APPLICATION NUMBER: 60/177,836
; PRIOR FILING DATE: 2000-01-25

```

; PRIOR APPLICATION NUMBER: 60/178,368
 ; PRIOR FILING DATE: 2000-01-27
 ; PRIOR APPLICATION NUMBER: 60/210,292
 ; PRIOR FILING DATE: 2000-06-08
 ; NUMBER OF SEQ ID NOS: 31
 ; SOFTWARE: PatentIn Ver. 2.1
 ; SEQ ID NO 4
 ; LENGTH: 10
 ; TYPE: PRT
 ; ORGANISM: Artificial Sequence
 ; FEATURE:
 ; OTHER INFORMATION: Description of Artificial Sequence: Primer
 US-09-795-903A-4

Query Match 100.0%; Score 8; DB 9; Length 10;
 Best Local Similarity 100.0%; Pred. No. 0.0068;
 Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMDAEF 8
 |||||
 Db 2 EVKMDAEF 9

RESULT 22

US-09-869-414-64

; Sequence 64, Application US/09869414
 ; Publication No. US20030077226A1
 ; GENERAL INFORMATION:
 ; APPLICANT: Beinkowski et al.
 ; TITLE OF INVENTION: ALZHEIMER'S DISEASE SECRETASE, APP SUBSTRATES THEREFOR,
 AND USES
 ; TITLE OF INVENTION: THEREFOR
 ; FILE REFERENCE: 28341/6280M
 ; CURRENT APPLICATION NUMBER: US/09/869,414
 ; CURRENT FILING DATE: 2001-06-27
 ; PRIOR APPLICATION NUMBER: 09/416,901
 ; PRIOR FILING DATE: 1999-10-13
 ; PRIOR APPLICATION NUMBER: 60/155,493
 ; PRIOR FILING DATE: 1999-09-23
 ; PRIOR APPLICATION NUMBER: 09/404,133
 ; PRIOR FILING DATE: 1999-09-23
 ; PRIOR APPLICATION NUMBER: PCT/US99/20881
 ; PRIOR FILING DATE: 1999-09-23
 ; PRIOR APPLICATION NUMBER: 60/101,594
 ; PRIOR FILING DATE: 1998-09-24
 ; NUMBER OF SEQ ID NOS: 73
 ; SOFTWARE: PatentIn Ver. 2.0
 ; SEQ ID NO 64
 ; LENGTH: 10
 ; TYPE: PRT
 ; ORGANISM: Artificial Sequence
 ; FEATURE:
 ; OTHER INFORMATION: Description of Artificial Sequence: synthetic
 US-09-869-414-64

Query Match 100.0%; Score 8; DB 10; Length 10;
 Best Local Similarity 100.0%; Pred. No. 0.0068;

Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMDAEF 8
| | | | | | | |
Db 2 EVKMDAEF 9

RESULT 23

US-09-548-366-64

; Sequence 64, Application US/09548366

; Publication No. US20030104365A1

; GENERAL INFORMATION:

; APPLICANT: Gurney, Mark E.

; APPLICANT: Bienkowski, Michael J.

; APPLICANT: Heinrikson, Robert L.

; APPLICANT: Parodi, Luis A.

; APPLICANT: Yan, Riqiang

; TITLE OF INVENTION: ALZHEIMER'S DISEASE SECRETASE, APP SUBSTRATES THEREFOR,
AND

; TITLE OF INVENTION: USES THEREFOR

; FILE REFERENCE: 28341/6280A

; CURRENT APPLICATION NUMBER: US/09/548,366

; CURRENT FILING DATE: 2000-04-12

; PRIOR APPLICATION NUMBER: 60/155,493

; PRIOR FILING DATE: 1999-09-23

; PRIOR APPLICATION NUMBER: 09/404,133

; PRIOR FILING DATE: 1999-09-23

; PRIOR APPLICATION NUMBER: PCT/US99/20881

; PRIOR FILING DATE: 1999-09-23

; PRIOR APPLICATION NUMBER: 60/101,594

; PRIOR FILING DATE: 1998-09-24

; NUMBER OF SEQ ID NOS: 65

; SOFTWARE: PatentIn Ver. 2.0

; SEQ ID NO 64

; LENGTH: 10

; TYPE: PRT

; ORGANISM: Artificial Sequence

; FEATURE:

; OTHER INFORMATION: Description of Artificial Sequence: synthetic

US-09-548-366-64

Query Match 100.0%; Score 8; DB 10; Length 10;

Best Local Similarity 100.0%; Pred. No. 0.0068;

Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMDAEF 8
| | | | | | | |
Db 2 EVKMDAEF 9

RESULT 24

US-10-652-927-64

; Sequence 64, Application US/10652927

; Publication No. US20040043408A1

; GENERAL INFORMATION:

; APPLICANT: Gurney et al.

```

; TITLE OF INVENTION: Alzheimer's Disease Secretase, APP Substrates Therefor
and Uses
; TITLE OF INVENTION: Therefor
; FILE REFERENCE: 29915/6280N3
; CURRENT APPLICATION NUMBER: US/10/652,927
; CURRENT FILING DATE: 2003-08-29
; PRIOR APPLICATION NUMBER: 09/794,925
; PRIOR FILING DATE: 2001-02-27
; PRIOR APPLICATION NUMBER: 09/416,901
; PRIOR FILING DATE: 1999-10-13
; PRIOR APPLICATION NUMBER: 60/155,493
; PRIOR FILING DATE: 1999-09-23
; PRIOR APPLICATION NUMBER: 09/404,133
; PRIOR FILING DATE: 1999-09-23
; PRIOR APPLICATION NUMBER: PCT/US99/20881
; PRIOR FILING DATE: 1999-09-23
; PRIOR APPLICATION NUMBER: 60/101,594
; PRIOR FILING DATE: 1998-09-24
; NUMBER OF SEQ ID NOS: 74
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 64
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Artificial sequence
; FEATURE:
; OTHER INFORMATION: Synthetic peptide
US-10-652-927-64

```

```

Query Match          100.0%; Score 8; DB 12; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.0068;
Matches      8; Conservative    0; Mismatches    0; Indels      0; Gaps      0;

```

```

Qy      1 EVKMDAEF 8
        |||||
Db      2 EVKMDAEF 9

```

RESULT 25

US-10-652-830-64

```

; Sequence 64, Application US/10652830
; Publication No. US20040048303A1
; GENERAL INFORMATION:
; APPLICANT: Gurney et al.
; TITLE OF INVENTION: Alzheimer's Disease Secretase, APP Substrates Therefor
and Uses
; TITLE OF INVENTION: Therefor
; FILE REFERENCE: 29915/6280N1
; CURRENT APPLICATION NUMBER: US/10/652,830
; CURRENT FILING DATE: 2003-08-29
; PRIOR APPLICATION NUMBER: 09/794,925
; PRIOR FILING DATE: 2001-02-27
; PRIOR APPLICATION NUMBER: 09/416,901
; PRIOR FILING DATE: 1999-10-13
; PRIOR APPLICATION NUMBER: 60/155,493
; PRIOR FILING DATE: 1999-09-23
; PRIOR APPLICATION NUMBER: 09/404,133
; PRIOR FILING DATE: 1999-09-23

```

; PRIOR APPLICATION NUMBER: PCT/US99/20881
; PRIOR FILING DATE: 1999-09-23
; PRIOR APPLICATION NUMBER: 60/101,594
; PRIOR FILING DATE: 1998-09-24
; NUMBER OF SEQ ID NOS: 74
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 64
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Artificial sequence
; FEATURE:
; OTHER INFORMATION: Synthetic peptide
US-10-652-830-64

Query Match 100.0%; Score 8; DB 12; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.0068;
Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMDAEF 8
| | | | | | | |
Db 2 EVKMDAEF 9

RESULT 26

US-10-032-818-7

; Sequence 7, Application US/10032818
; Publication No. US20030092629A1
; GENERAL INFORMATION:
; APPLICANT: Tang, Jordan J.N.
; APPLICANT: Koelsch, Gerald
; APPLICANT: Ghosh, Arun K.
; TITLE OF INVENTION: Inhibitors of Memapsin 2 and Use Thereof
; FILE REFERENCE: 2932.1006-007
; CURRENT APPLICATION NUMBER: US/10/032,818
; CURRENT FILING DATE: 2001-12-28
; PRIOR APPLICATION NUMBER: US 60/275,756
; PRIOR FILING DATE: 2001-03-14
; PRIOR APPLICATION NUMBER: US 60/258,705
; PRIOR FILING DATE: 2000-12-28
; NUMBER OF SEQ ID NOS: 83
; SOFTWARE: FastSEQ for Windows Version 4.0
; SEQ ID NO 7
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Synthetic peptide
US-10-032-818-7

Query Match 100.0%; Score 8; DB 14; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.0068;
Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMDAEF 8
| | | | | | | |
Db 2 EVKMDAEF 9

RESULT 27

US-10-427-208-53

```
; Sequence 53, Application US/10427208
; Publication No. US20030200555A1
; GENERAL INFORMATION:
; APPLICANT: Merck & Co., Inc.
; APPLICANT: Hazuda, Daria J
; APPLICANT: Chen Dodson, Elizabeth
; APPLICANT: Lai, Ming-Tain
; APPLICANT: Xu, Min
; APPLICANT: Shi, Xiao-Ping
; APPLICANT: Simon, Adam J.
; APPLICANT: Wu, Guoxin
; APPLICANT: Li, Yueming
; APPLICANT: Register, Robert B.
; TITLE OF INVENTION: ASSAYS USING AMYLOID PRECURSOR PROTEINS WITH MODIFIED
; TITLE OF INVENTION: BETA-SECRETASE CLEAVAGE SITES TO MONITOR BETA-SECRETASE
ACTIVITY
; FILE REFERENCE: 21052
; CURRENT APPLICATION NUMBER: US/10/427,208
; CURRENT FILING DATE: 2003-04-30
; NUMBER OF SEQ ID NOS: 75
; SOFTWARE: PatentIn version 3.2
; SEQ ID NO 53
; LENGTH: 10
; TYPE: PRT
; ORGANISM: Homo sapiens
US-10-427-208-53
```

```
Query Match          100.0%; Score 8; DB 15; Length 10;
Best Local Similarity 100.0%; Pred. No. 0.0068;
Matches      8; Conservative      0; Mismatches      0; Indels      0; Gaps      0;
```

```
Qy      1 EVKMDAEF 8
        |||||
Db      2 EVKMDAEF 9
```

RESULT 28

US-10-354-955-1

```
; Sequence 1, Application US/10354955
; Publication No. US20030171291A1
; GENERAL INFORMATION:
; APPLICANT: Gary Christie
; APPLICANT: Ishrut Hussain
; APPLICANT: David J. Powell
; TITLE OF INVENTION: No. US20030171291A1el Treatment
; FILE REFERENCE: P32448
; CURRENT APPLICATION NUMBER: US/10/354,955
; CURRENT FILING DATE: 2003-01-30
; PRIOR APPLICATION NUMBER: 09/693,744
; PRIOR FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 9925136.5
; PRIOR FILING DATE: 1999-10-22
; NUMBER OF SEQ ID NOS: 9
; SOFTWARE: FastSEQ for Windows Version 3.0
```

; SEQ ID NO 1
; LENGTH: 11
; TYPE: PRT
; ORGANISM: human
US-10-354-955-1

Query Match 100.0%; Score 8; DB 14; Length 11;
Best Local Similarity 100.0%; Pred. No. 0.0074;
Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMDAEF 8
| | | | | | | |
Db 3 EVKMDAEF 10

RESULT 29

US-10-354-955-3

; Sequence 3, Application US/10354955
; Publication No. US20030171291A1
; GENERAL INFORMATION:
; APPLICANT: Gary Christie
; APPLICANT: Ishrut Hussain
; APPLICANT: David J. Powell
; TITLE OF INVENTION: No. US20030171291A1el Treatment
; FILE REFERENCE: P32448
; CURRENT APPLICATION NUMBER: US/10/354,955
; CURRENT FILING DATE: 2003-01-30
; PRIOR APPLICATION NUMBER: 09/693,744
; PRIOR FILING DATE: 2000-10-20
; PRIOR APPLICATION NUMBER: 9925136.5
; PRIOR FILING DATE: 1999-10-22
; NUMBER OF SEQ ID NOS: 9
; SOFTWARE: FastSEQ for Windows Version 3.0
; SEQ ID NO 3
; LENGTH: 11
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: fusion protein with maltose binding protein attached at
residue 1'
US-10-354-955-3

Query Match 100.0%; Score 8; DB 14; Length 11;
Best Local Similarity 100.0%; Pred. No. 0.0074;
Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMDAEF 8
| | | | | | | |
Db 3 EVKMDAEF 10

RESULT 30

US-09-896-874-2

; Sequence 2, Application US/09896874
; Patent No. US20020016320A1
; GENERAL INFORMATION:
; APPLICANT: Fang, Lawrence Y.

```
; APPLICANT: John, Varghese
; TITLE OF INVENTION: COMPOUNDS TO TREAT ALZHEIMER'S DISEASE
; FILE REFERENCE: 13615.40USU1
; CURRENT APPLICATION NUMBER: US/09/896,874
; CURRENT FILING DATE: 2001-06-29
; PRIOR APPLICATION NUMBER: US 60/215,323
; PRIOR FILING DATE: 2000-06-30
; NUMBER OF SEQ ID NOS: 9
; SOFTWARE: PatentIn version 3.1
; SEQ ID NO 2
; LENGTH: 12
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Synthetic
US-09-896-874-2
```

```
Query Match          100.0%; Score 8; DB 9; Length 12;
Best Local Similarity 100.0%; Pred. No. 0.0079;
Matches      8; Conservative    0; Mismatches    0; Indels      0; Gaps      0;
```

```
Qy      1 EVKMDAEF 8
        |||||
Db      2 EVKMDAEF 9
```

RESULT 31

US-09-896-139-2

```
; Sequence 2, Application US/09896139
; Patent No. US20020128255A1
; GENERAL INFORMATION:
; APPLICANT: Beck, James P.
; APPLICANT: Fang, Lawrence Y.
; APPLICANT: Freskos, John N.
; APPLICANT: Gailunas, Andrea
; APPLICANT: Hom, Roy
; APPLICANT: Jagodzinska, Barbara
; APPLICANT: John, Varghese
; APPLICANT: Maillaird, Michel
; APPLICANT: Pulley, Shon R.
; APPLICANT: TenBrink, Ruth E.
; TITLE OF INVENTION: COMPOUNDS TO TREAT ALZHEIMER'S DISEASE
; FILE REFERENCE: 13615.25USU4
; CURRENT APPLICATION NUMBER: US/09/896,139
; CURRENT FILING DATE: 2001-06-29
; PRIOR APPLICATION NUMBER: US 60/215,323
; PRIOR FILING DATE: 2000-06-30
; PRIOR APPLICATION NUMBER: US 60/252,736
; PRIOR FILING DATE: 2000-11-22
; PRIOR APPLICATION NUMBER: US 60/255,956
; PRIOR FILING DATE: 2000-12-15
; PRIOR APPLICATION NUMBER: US 60/268,497
; PRIOR FILING DATE: 2001-02-13
; PRIOR APPLICATION NUMBER: US 60/279,779
; PRIOR FILING DATE: 2001-03-29
; PRIOR APPLICATION NUMBER: US 60/295,589
; PRIOR FILING DATE: 2001-06-04
```


; NUMBER OF SEQ ID NOS: 9
; SOFTWARE: PatentIn version 3.1
; SEQ ID NO 2
; LENGTH: 12
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Synthetic
US-09-896-139-2

Query Match 100.0%; Score 8; DB 9; Length 12;
Best Local Similarity 100.0%; Pred. No. 0.0079;
Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMDAEF 8
| | | | | | | |
Db 2 EVKMDAEF 9

RESULT 32

US-09-895-843-2

; Sequence 2, Application US/09895843
; Patent No. US20020143177A1
; GENERAL INFORMATION:
; APPLICANT: Beck, James P.
; APPLICANT: Fang, Lawrence Y.
; APPLICANT: Freskos, John N.
; APPLICANT: Gailunas, Andrea
; APPLICANT: Hom, Roy
; APPLICANT: Jagodzinska, Barbara
; APPLICANT: John, Varghese
; APPLICANT: Maillaird, Michel
; APPLICANT: Pulley, Shon R.
; APPLICANT: TenBrink, Ruth E.
; TITLE OF INVENTION: COMPOUNDS TO TREAT ALZHEIMER'S DISEASE
; FILE REFERENCE: 13615.41USU1
; CURRENT APPLICATION NUMBER: US/09/895,843
; CURRENT FILING DATE: 2001-06-29
; PRIOR APPLICATION NUMBER: US 60/215,323
; PRIOR FILING DATE: 2000-06-30
; NUMBER OF SEQ ID NOS: 9
; SOFTWARE: PatentIn version 3.1
; SEQ ID NO 2
; LENGTH: 12
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Synthetic
US-09-895-843-2

Query Match 100.0%; Score 8; DB 9; Length 12;
Best Local Similarity 100.0%; Pred. No. 0.0079;
Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMDAEF 8
| | | | | | | |
Db 2 EVKMDAEF 9

RESULT 33

US-09-895-871-2

; Sequence 2, Application US/09895871
 ; Publication No. US20030096864A1
 ; GENERAL INFORMATION:
 ; APPLICANT: Fang, Lawrence Y.
 ; APPLICANT: Hom, Roy
 ; APPLICANT: John, Varghese
 ; APPLICANT: Maillaird, Michel
 ; TITLE OF INVENTION: COMPOUNDS TO TREAT ALZHEIMER'S DISEASE
 ; FILE REFERENCE: 13615.21USU1
 ; CURRENT APPLICATION NUMBER: US/09/895,871
 ; CURRENT FILING DATE: 2001-06-29
 ; PRIOR APPLICATION NUMBER: US 60/215,323
 ; PRIOR FILING DATE: 2000-06-30
 ; NUMBER OF SEQ ID NOS: 9
 ; SOFTWARE: PatentIn version 3.1
 ; SEQ ID NO 2
 ; LENGTH: 12
 ; TYPE: PRT
 ; ORGANISM: Artificial Sequence
 ; FEATURE:
 ; OTHER INFORMATION: Synthetic
 US-09-895-871-2

Query Match 100.0%; Score 8; DB 10; Length 12;
 Best Local Similarity 100.0%; Pred. No. 0.0079;
 Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMDAEF 8
 |||||
 Db 2 EVKMDAEF 9

RESULT 34

US-10-427-208-54

; Sequence 54, Application US/10427208
 ; Publication No. US20030200555A1
 ; GENERAL INFORMATION:
 ; APPLICANT: Merck & Co., Inc.
 ; APPLICANT: Hazuda, Daria J
 ; APPLICANT: Chen Dodson, Elizabeth
 ; APPLICANT: Lai, Ming-Tain
 ; APPLICANT: Xu, Min
 ; APPLICANT: Shi, Xiao-Ping
 ; APPLICANT: Simon, Adam J.
 ; APPLICANT: Wu, Guoxin
 ; APPLICANT: Li, Yueming
 ; APPLICANT: Register, Robert B.
 ; TITLE OF INVENTION: ASSAYS USING AMYLOID PRECURSOR PROTEINS WITH MODIFIED
 ; TITLE OF INVENTION: BETA-SECRETASE CLEAVAGE SITES TO MONITOR BETA-SECRETASE
 ACTIVITY
 ; FILE REFERENCE: 21052
 ; CURRENT APPLICATION NUMBER: US/10/427,208
 ; CURRENT FILING DATE: 2003-04-30

; NUMBER OF SEQ ID NOS: 75
; SOFTWARE: PatentIn version 3.2
; SEQ ID NO 54
; LENGTH: 12
; TYPE: PRT
; ORGANISM: Homo sapiens
US-10-427-208-54

Query Match 100.0%; Score 8; DB 15; Length 12;
Best Local Similarity 100.0%; Pred. No. 0.0079;
Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMDAEF 8
| | | | | | | |
Db 3 EVKMDAEF 10

RESULT 35

US-10-299-739-2

; Sequence 2, Application US/10299739
; Publication No. US20040039064A1
; GENERAL INFORMATION:
; APPLICANT: Elan Pharmaceuticals, Inc.
; APPLICANT: Pharmacia & Upjohn Company
; APPLICANT: Romero, Arthur G.
; APPLICANT: Schostarez, Heinrich J.
; APPLICANT: Christina, McGrain M.
; TITLE OF INVENTION: Amine 1,2- and 1,3-Diol Compounds
; FILE REFERENCE: 01-1724-B
; CURRENT APPLICATION NUMBER: US/10/299,739
; CURRENT FILING DATE: 2003-11-19
; PRIOR APPLICATION NUMBER: 60/333,081
; PRIOR FILING DATE: 2001-11-19
; PRIOR APPLICATION NUMBER: 60/334,000
; PRIOR FILING DATE: 2001-11-18
; PRIOR APPLICATION NUMBER: 60/362,752
; PRIOR FILING DATE: 2002-03-08
; NUMBER OF SEQ ID NOS: 9
; SOFTWARE: PatentIn version 3.2
; SEQ ID NO 2
; LENGTH: 13
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: synthetic peptide
; FEATURE:
; NAME/KEY: MISC_FEATURE
; LOCATION: (1)..(1)
; OTHER INFORMATION: N-terminal biotin
; FEATURE:
; NAME/KEY: MISC_FEATURE
; LOCATION: (11)..(11)
; OTHER INFORMATION: covalent attachment of oregon green
US-10-299-739-2

Query Match 100.0%; Score 8; DB 12; Length 13;
Best Local Similarity 100.0%; Pred. No. 0.0085;

Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMDAEF 8
 |||||
 Db 2 EVKMDAEF 9

RESULT 36

US-10-084-380A-7
 ; Sequence 7, Application US/10084380A
 ; Publication No. US20030073655A1
 ; GENERAL INFORMATION:
 ; APPLICANT: Mindset Biopharmaceutical Inc.
 ; APPLICANT: Chain, Daniel G.
 ; TITLE OF INVENTION: specific antibodies to amyloid beta peptide,
 pharmaceutical compositions
 ; TITLE OF INVENTION: and methods of use thereof
 ; FILE REFERENCE: P-4815-US1
 ; CURRENT APPLICATION NUMBER: US/10/084,380A
 ; CURRENT FILING DATE: 2002-02-28
 ; PRIOR APPLICATION NUMBER: 60/041,850
 ; PRIOR FILING DATE: 1997-04-09
 ; PRIOR APPLICATION NUMBER: 09/402,820
 ; PRIOR FILING DATE: 1999-10-12
 ; PRIOR APPLICATION NUMBER: pct/us98/06900
 ; PRIOR FILING DATE: 1998-04-09
 ; NUMBER OF SEQ ID NOS: 13
 ; SOFTWARE: PatentIn version 3.1
 ; SEQ ID NO 7
 ; LENGTH: 13
 ; TYPE: PRT
 ; ORGANISM: human
 US-10-084-380A-7

Query Match 100.0%; Score 8; DB 14; Length 13;
 Best Local Similarity 100.0%; Pred. No. 0.0085;
 Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMDAEF 8
 |||||
 Db 4 EVKMDAEF 11

RESULT 37

US-10-192-625-2
 ; Sequence 2, Application US/10192625
 ; Publication No. US20030083353A1
 ; GENERAL INFORMATION:
 ; APPLICANT: Schostarez, Heinrich J.
 ; APPLICANT: Chrusciel, Robert A
 ; TITLE OF INVENTION: Diaminediols for the Treatment of Alzheimer's Disease
 ; FILE REFERENCE: 01-1645-B
 ; CURRENT APPLICATION NUMBER: US/10/192,625
 ; CURRENT FILING DATE: 2002-07-10
 ; PRIOR APPLICATION NUMBER: 60/304,305
 ; PRIOR FILING DATE: 2001-07-10
 ; PRIOR APPLICATION NUMBER: 60/334,480

```
; PRIOR FILING DATE: 2001-07-10
; NUMBER OF SEQ ID NOS: 9
; SOFTWARE: PatentIn version 3.1
; SEQ ID NO 2
; LENGTH: 13
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: synthetic peptide
; FEATURE:
; NAME/KEY: MISC_FEATURE
; LOCATION: (1)..(1)
; OTHER INFORMATION: N-terminal biotin
; FEATURE:
; NAME/KEY: MISC_FEATURE
; LOCATION: (11)..(11)
; OTHER INFORMATION: covalent attachment of oregon green
US-10-192-625-2
```

```
Query Match          100.0%; Score 8; DB 14; Length 13;
Best Local Similarity 100.0%; Pred. No. 0.0085;
Matches      8; Conservative    0; Mismatches    0; Indels    0; Gaps    0;
```

```
Qy          1 EVKMDAEF 8
             |||||
Db          2 EVKMDAEF 9
```

RESULT 38

US-10-192-424-2

```
; Sequence 2, Application US/10192424
; Publication No. US20030083356A1
; GENERAL INFORMATION:
; APPLICANT: Schostarez, Heinrich J.
; APPLICANT: Chrusciel, Robert A.
; TITLE OF INVENTION: Statine Derivatives for the Treatment of Alzheimer's
Disease
; FILE REFERENCE: 02-154-A
; CURRENT APPLICATION NUMBER: US/10/192,424
; CURRENT FILING DATE: 2002-07-10
; PRIOR APPLICATION NUMBER: 60/204,128
; PRIOR FILING DATE: 2001-07-10
; PRIOR APPLICATION NUMBER: 60/327,424
; PRIOR FILING DATE: 2001-10-05
; NUMBER OF SEQ ID NOS: 9
; SOFTWARE: PatentIn version 3.1
; SEQ ID NO 2
; LENGTH: 13
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: synthetic peptide
; FEATURE:
; NAME/KEY: MISC_FEATURE
; LOCATION: (1)..(1)
; OTHER INFORMATION: N-terminal biotin
; FEATURE:
```

; NAME/KEY: MISC_FEATURE
; LOCATION: (11)..(11)
; OTHER INFORMATION: covalent attachment of oregon green
US-10-192-424-2

Query Match 100.0%; Score 8; DB 14; Length 13;
Best Local Similarity 100.0%; Pred. No. 0.0085;
Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMDAEF 8
| | | | | | | |
Db 2 EVKMDAEF 9

RESULT 39

US-10-183-126A-2

; Sequence 2, Application US/10183126A
; Publication No. US20030083518A1
; GENERAL INFORMATION:
; APPLICANT: Pharmacia and Upjohn Company
; APPLICANT: John, Varghese
; APPLICANT: Hom, Roy
; APPLICANT: Tucker, John
; TITLE OF INVENTION: Substituted Alcohols Useful in Treatment of Alzheimer's Disease
; FILE REFERENCE: 01-1704-C
; CURRENT APPLICATION NUMBER: US/10/183,126A
; CURRENT FILING DATE: 2002-09-11
; NUMBER OF SEQ ID NOS: 9
; SOFTWARE: PatentIn version 3.1
; SEQ ID NO 2
; LENGTH: 13
; TYPE: PRT
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: A synthetic APP substrate that can be cleaved by beta-secretase.
; FEATURE:
; NAME/KEY: MISC_FEATURE
; LOCATION: (1)..(1)
; OTHER INFORMATION: N-terminal biotin
; FEATURE:
; NAME/KEY: MISC_FEATURE
; LOCATION: (11)..(11)
; OTHER INFORMATION: Covalent attachment of Oregon green.
US-10-183-126A-2

Query Match 100.0%; Score 8; DB 14; Length 13;
Best Local Similarity 100.0%; Pred. No. 0.0085;
Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMDAEF 8
| | | | | | | |
Db 2 EVKMDAEF 9

RESULT 40

US-10-171-343-2
 ; Sequence 2, Application US/10171343
 ; Publication No. US20030092747A1
 ; GENERAL INFORMATION:
 ; APPLICANT: Schostarez, Heinrich J.
 ; APPLICANT: Chrusciel, Rober A.
 ; TITLE OF INVENTION: Aminediols for the Treatment of Alzheimer's Disease
 ; FILE REFERENCE: 01-1644-B
 ; CURRENT APPLICATION NUMBER: US/10/171,343
 ; CURRENT FILING DATE: 2002-06-13
 ; PRIOR APPLICATION NUMBER: US 60/297,827
 ; PRIOR FILING DATE: 2001-06-13
 ; PRIOR APPLICATION NUMBER: US 60/333,084
 ; PRIOR FILING DATE: 2001-11-19
 ; NUMBER OF SEQ ID NOS: 9
 ; SOFTWARE: PatentIn version 3.1
 ; SEQ ID NO 2
 ; LENGTH: 13
 ; TYPE: PRT
 ; ORGANISM: Artificial Sequence
 ; FEATURE:
 ; OTHER INFORMATION: synthetic peptide
 ; FEATURE:
 ; NAME/KEY: MISC_FEATURE
 ; LOCATION: (1)..(1)
 ; OTHER INFORMATION: N-terminal biotin
 ; FEATURE:
 ; NAME/KEY: MISC_FEATURE
 ; LOCATION: (11)..(11)
 ; OTHER INFORMATION: covalent attachment of oregon green
 US-10-171-343-2

Query Match 100.0%; Score 8; DB 14; Length 13;
 Best Local Similarity 100.0%; Pred. No. 0.0085;
 Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMDAEF 8
 |||||
 Db 2 EVKMDAEF 9

Search completed: March 26, 2004, 15:44:03
 Job time : 46.5 secs

GenCore version 5.1.6
Copyright (c) 1993 - 2004 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 26, 2004, 15:30:32 ; Search time 36 Seconds
(without alignments)
70.115 Million cell updates/sec

Title: US-09-668-314C-70
Perfect score: 8
Sequence: 1 EVKMDAEF 8

Scoring table: OLIGO
Gapop 60.0 , Gapext 60.0

Searched: 1017041 seqs, 315518202 residues

Word size : 0

Total number of hits satisfying chosen parameters: 1017041

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Listing first 1000 summaries

Database : SPTREMBL_25:*
1: sp_archaea:*
2: sp_bacteria:*
3: sp_fungi:*
4: sp_human:*
5: sp_invertebrate:*
6: sp_mammal:*
7: sp_mhc:*
8: sp_organelle:*
9: sp_phage:*
10: sp_plant:*
11: sp_rodent:*
12: sp_virus:*
13: sp Vertebrate:*
14: sp_unclassified:*
15: sp_rvirus:*
16: sp_bacteriap:*
17: sp_archeap:*

Pred. No. is the number of results predicted by chance to have a
score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.

SUMMARIES

%
Result Query
No. Score Match Length DB ID Description

1	8	100.0	35	4	Q8WZ99	Q8wz99 homo sapien
2	8	100.0	79	11	O35463	O35463 cricetulus
3	8	100.0	82	4	Q16020	Q16020 homo sapien
4	8	100.0	82	4	Q16014	Q16014 homo sapien
5	8	100.0	82	4	Q16019	Q16019 homo sapien
6	8	100.0	113	13	Q8JH58	Q8jh58 chelydra se
7	8	100.0	218	11	Q8BPV5	Q8bpv5 mus musculu
8	8	100.0	384	11	Q8BPC7	Q8bpc7 mus musculu
9	8	100.0	534	13	O93296	O93296 gallus gall
10	8	100.0	569	13	Q9PVL1	Q9pvl1 gallus gall
11	8	100.0	695	13	Q9DGJ8	Q9dgj8 gallus gall
12	8	100.0	751	13	Q9DGJ7	Q9dgj7 gallus gall
13	7	87.5	2148	5	Q8IPL5	Q8ipl5 drosophila
14	6	75.0	254	5	Q8IK90	Q8ik90 plasmodium
15	6	75.0	430	16	Q8A7J6	Q8a7j6 bacteroides
16	6	75.0	482	3	Q8NIL0	Q8nil0 cryptococcu
17	6	75.0	637	16	Q7WP80	Q7wp80 bordetella
18	6	75.0	637	16	Q7WLH0	Q7wlh0 bordetella
19	6	75.0	1080	16	Q898I7	Q898i7 clostridium
20	5	62.5	84	12	Q80LR6	Q80lr6 adoxophyes
21	5	62.5	98	16	Q9X9L6	Q9x9l6 salmonella
22	5	62.5	104	16	Q8RFK9	Q8rfk9 fusobacteri
23	5	62.5	127	17	Q97XY5	Q97xy5 sulfolobus
24	5	62.5	140	5	O45467	O45467 caenorhabdi
25	5	62.5	146	17	O26386	O26386 methanobact
26	5	62.5	147	5	Q8SU54	Q8su54 encephalito
27	5	62.5	149	10	Q9AU03	Q9au03 chlamydomon
28	5	62.5	150	13	Q9PSV2	Q9psv2 anguilla ja
29	5	62.5	153	10	Q9AYR9	Q9ayr9 chlamydomon
30	5	62.5	153	10	Q9AU02	Q9au02 chlamydomon
31	5	62.5	153	16	Q92VL2	Q92vl2 rhizobium m
32	5	62.5	155	10	Q8H004	Q8h004 oryza sativ
33	5	62.5	155	16	Q896C5	Q896c5 clostridium
34	5	62.5	163	17	Q8TX53	Q8tx53 methanopyru
35	5	62.5	174	8	Q9B2F3	Q9b2f3 beroe ovata
36	5	62.5	175	2	Q847P4	Q847p4 aster yello
37	5	62.5	179	16	Q97NQ1	Q97nq1 streptococc
38	5	62.5	179	16	Q8DNE5	Q8dne5 streptococc
39	5	62.5	184	8	Q9B2F6	Q9b2f6 halichondri
40	5	62.5	185	16	Q82W02	Q82w02 nitrosomona
41	5	62.5	194	8	Q8LZR7	Q8lzt7 copris luna
42	5	62.5	194	8	Q8LZR5	Q8lzt5 copris hisp
43	5	62.5	194	8	Q8LZR3	Q8lzt3 sisypheus sc
44	5	62.5	194	13	Q801G5	Q801g5 petromyzon
45	5	62.5	195	8	Q8M1C5	Q8mlc5 brugia timo
46	5	62.5	205	3	O14224	O14224 schizosacch
47	5	62.5	206	16	Q8VUW0	Q8vuww0 staphylococ
48	5	62.5	216	5	Q9NHN9	Q9nhn9 drosophila
49	5	62.5	216	5	Q9VZ23	Q9vz23 drosophila
50	5	62.5	216	16	Q8E9L6	Q8e9l6 shewanella
51	5	62.5	217	2	Q8VQG0	Q8vqq0 xenorhabdus
52	5	62.5	220	11	Q61816	Q61816 mus musculu
53	5	62.5	222	11	Q8CAX3	Q8cax3 mus musculu
54	5	62.5	222	11	Q8C2L1	Q8c2l1 mus musculu
55	5	62.5	224	8	Q8Hmw5	Q8hmw5 notacanthus
56	5	62.5	225	8	Q9MNJ2	Q9mnj2 helobdella
57	5	62.5	228	8	Q94T17	Q94t17 caelorinchu

58	5	62.5	228	8	Q9T9G2	Q9t9g2	pupa strigo
59	5	62.5	228	8	Q8HM76	Q8hm76	lophius lit
60	5	62.5	229	8	Q37394	Q37394	arbacia lix
61	5	62.5	229	8	Q8HL90	Q8hl90	synbranchus
62	5	62.5	229	8	Q8HKQ8	Q8hkq8	aspasma min
63	5	62.5	230	8	Q9ZY42	Q9zy42	raja radiat
64	5	62.5	230	8	Q95A22	Q95a22	conger myri
65	5	62.5	230	8	Q94RJ9	Q94rj9	chimaera mo
66	5	62.5	230	8	Q94SG5	Q94sg5	monopterus
67	5	62.5	230	8	Q94T04	Q94t04	mugil cepha
68	5	62.5	230	8	Q94ST2	Q94st2	danaceticht
69	5	62.5	230	8	Q94P17	Q94p17	saurida und
70	5	62.5	230	8	Q94YQ3	Q94yq3	osteoglossu
71	5	62.5	230	8	Q9B616	Q9b616	carassius a
72	5	62.5	230	8	Q9XK41	Q9xk41	salvelinus
73	5	62.5	230	8	Q94SY4	Q94sy4	cololabis s
74	5	62.5	230	8	Q94SU5	Q94su5	poromitra o
75	5	62.5	230	8	Q9XPF9	Q9xpf9	gonostoma g
76	5	62.5	230	8	Q94SJ1	Q94sj1	antigonias c
77	5	62.5	230	8	079562	079562	mustelus ma
78	5	62.5	230	8	Q94SP3	Q94sp3	beryx splen
79	5	62.5	230	8	Q94SN0	Q94sn0	myripristis
80	5	62.5	230	8	Q94SK4	Q94sk4	zenopsis ne
81	5	62.5	230	8	Q9B632	Q9b632	anguilla ja
82	5	62.5	230	8	Q94SR9	Q94sr9	rondeletia
83	5	62.5	230	8	Q94SB3	Q94sb3	pagrus majo
84	5	62.5	230	8	Q94TH9	Q94th9	ateleopus j
85	5	62.5	230	8	Q8WFX4	Q8wfx4	crenismugil
86	5	62.5	230	8	Q37716	Q37716	dicentrarch
87	5	62.5	230	8	Q94T39	Q94t39	polymixia l
88	5	62.5	230	8	Q94TJ2	Q94tj2	chauliodus
89	5	62.5	230	8	Q94SC6	Q94sc6	helicolenus
90	5	62.5	230	8	Q94RG5	Q94rg5	heterodontu
91	5	62.5	230	8	Q9G6R0	Q9g6r0	diplophos t
92	5	62.5	230	8	Q94TB6	Q94tb6	neoscopelus
93	5	62.5	230	8	Q9B9V2	Q9b9v2	aulopus jap
94	5	62.5	230	8	Q94SA0	Q94sa0	elassoma ev
95	5	62.5	230	8	Q9G6T4	Q9g6t4	sardinops m
96	5	62.5	230	8	Q94TG6	Q94tg6	ijimaia dof
97	5	62.5	230	8	Q951I2	Q951i2	oncorhynchu
98	5	62.5	230	8	Q94TF3	Q94tf3	chlorophtha
99	5	62.5	230	8	Q94YS1	Q94ys1	engraulis j
100	5	62.5	230	8	Q94S74	Q94s74	stephanolep
101	5	62.5	230	8	Q94SX1	Q94sx1	exocoetus v
102	5	62.5	230	8	Q9G6P7	Q9g6p7	polymixia j
103	5	62.5	230	8	Q94T64	Q94t64	trachipteru
104	5	62.5	230	8	Q94SQ6	Q94sq6	hoplostethu
105	5	62.5	230	8	Q94YP2	Q94yp2	pantodon bu
106	5	62.5	230	8	Q94SL7	Q94sl7	zeus faber
107	5	62.5	230	8	Q94T51	Q94t51	zu cristatu
108	5	62.5	230	8	Q9B606	Q9b606	plecoglossu
109	5	62.5	230	8	Q9G6S0	Q9g6s0	coregonus l
110	5	62.5	230	8	Q8HMV2	Q8hmv2	gymnothorax
111	5	62.5	230	8	Q8HML8	Q8hml8	hiodon alos
112	5	62.5	230	8	Q8HMK5	Q8hmk5	aphredoderu
113	5	62.5	230	8	Q8HMH9	Q8hmh9	bassozetus
114	5	62.5	230	8	Q8HMF3	Q8hmf3	cataetys ru

115	5	62.5	230	8	Q8HME0	Q8hme0	diplacantho
116	5	62.5	230	8	Q8HMB4	Q8hmb4	melanonus z
117	5	62.5	230	8	Q8HM63	Q8hm63	lophius ame
118	5	62.5	230	8	Q8HM50	Q8hm50	chaunax abe
119	5	62.5	230	8	Q8HM37	Q8hm37	chaunax tos
120	5	62.5	230	8	Q8HM24	Q8hm24	caulophryne
121	5	62.5	230	8	Q8HM11	Q8hm11	melanocetus
122	5	62.5	230	8	Q8HLZ8	Q8hlz8	melanotaeni
123	5	62.5	230	8	Q8HLY5	Q8hly5	hypoatherin
124	5	62.5	230	8	Q8HLX2	Q8hlx2	oryzias lat
125	5	62.5	230	8	Q8HLU7	Q8hlu7	cetostoma r
126	5	62.5	230	8	Q8HLT4	Q8hlt4	eutaeniopho
127	5	62.5	230	8	Q8HLS1	Q8hls1	anoplogaste
128	5	62.5	230	8	Q8HLN2	Q8hln2	anomalops k
129	5	62.5	230	8	Q8HLL9	Q8hll9	monocentris
130	5	62.5	230	8	Q8HLK6	Q8hlk6	beryx decad
131	5	62.5	230	8	Q8HLJ3	Q8hlj3	ostichthys
132	5	62.5	230	8	Q8HLI0	Q8hli0	sargocentro
133	5	62.5	230	8	Q8HLF4	Q8hlf4	zenion japo
134	5	62.5	230	8	Q8HLE1	Q8hle1	allocyttus
135	5	62.5	230	8	Q8HLC8	Q8hlc8	neocyttus r
136	5	62.5	230	8	Q8HLA2	Q8hla2	indostomus
137	5	62.5	230	8	Q8HL64	Q8hl64	satyrichthy
138	5	62.5	230	8	Q8HKZ9	Q8hkz9	emmelichthy
139	5	62.5	230	8	Q8HKY6	Q8hky6	pteroaesio
140	5	62.5	230	8	Q8HKW0	Q8hkw0	enedrias cr
141	5	62.5	230	8	Q8HKT4	Q8hkt4	salarias fa
142	5	62.5	230	8	Q8HKS1	Q8hks1	arcos sp. k
143	5	62.5	230	8	Q8HKP5	Q8hkp5	rhyacichthy
144	5	62.5	230	8	Q8HKN2	Q8hkn2	eleotris ac
145	5	62.5	230	8	Q8HKL9	Q8hkl9	sufflamen f
146	5	62.5	230	8	Q8HCW2	Q8hcw2	fugu rubrip
147	5	62.5	230	8	Q85UE8	Q85ue8	euthynnus a
148	5	62.5	230	8	Q85IP2	Q85ip2	cyprinus ca
149	5	62.5	230	8	Q85IP1	Q85ip1	cyprinus ca
150	5	62.5	230	8	Q85IP0	Q85ip0	cyprinus ca
151	5	62.5	230	8	Q85E83	Q85e83	sarcocheili
152	5	62.5	230	8	Q85E32	Q85e32	phenacogram
153	5	62.5	230	8	Q85E20	Q85e20	chalceus ma
154	5	62.5	230	8	Q85E07	Q85e07	eigenmannia
155	5	62.5	230	8	Q85D95	Q85d95	alepocephal
156	5	62.5	230	8	Q85D82	Q85d82	bathylagus
157	5	62.5	230	8	Q85D43	Q85d43	galaxias ma
158	5	62.5	230	8	Q85D30	Q85d30	glossanodon
159	5	62.5	230	8	Q85D17	Q85dl7	nansenia ar
160	5	62.5	230	8	Q85D04	Q85d04	platytrocte
161	5	62.5	230	8	Q85CZ1	Q85cz1	retropinna
162	5	62.5	230	8	Q85CX8	Q85cx8	salangichth
163	5	62.5	230	8	Q85CW5	Q85cw5	opisthoproc
164	5	62.5	230	8	Q85BZ2	Q85bz2	cyprinus ca
165	5	62.5	230	8	Q7YFF0	Q7yff0	thunnus thy
166	5	62.5	230	8	Q7YDB0	Q7ydb0	thunnus thy
167	5	62.5	230	8	Q7YC39	Q7yc39	etheostoma
168	5	62.5	230	10	Q8LCV1	Q8lcv1	arabidopsis
169	5	62.5	231	8	Q85MC4	Q85mc4	monoblephar
170	5	62.5	232	8	Q8HN46	Q8hn46	brugia mala
171	5	62.5	232	10	Q9ZQH0	Q9zqh0	arabidopsis

172	5	62.5	234	8	Q94XJ4	Q94xj4 neoceratodu
173	5	62.5	234	10	Q9FJZ8	Q9fjz8 arabidopsis
174	5	62.5	243	5	O17308	O17308 tribolium c
175	5	62.5	246	5	Q9VL11	Q9vl11 drosophila
176	5	62.5	246	5	Q8T9L2	Q8t9l2 drosophila
177	5	62.5	247	11	Q60965	Q60965 mus musculu
178	5	62.5	247	11	Q8C2Q0	Q8c2q0 mus musculu
179	5	62.5	255	5	Q8T9V7	Q8t9v7 aedes aegyp
180	5	62.5	262	10	O24503	O24503 muhlenbergi
181	5	62.5	279	2	Q9AET1	Q9aet1 aeromonas h
182	5	62.5	284	16	Q8G264	Q8g264 brucella su
183	5	62.5	288	10	Q9LZ55	Q9lz55 arabidopsis
184	5	62.5	292	10	Q9FNY3	Q9fny3 arabidopsis
185	5	62.5	301	5	Q8MRL9	Q8mrl9 drosophila
186	5	62.5	309	10	Q7XP75	Q7xp75 oryza sativ
187	5	62.5	313	10	Q93WT3	Q93wt3 sorghum bic
188	5	62.5	316	16	Q8FSV0	Q8fsv0 corynebacte
189	5	62.5	317	10	Q8VXN6	Q8vxn6 coleochaete
190	5	62.5	317	16	Q8NL52	Q8nl52 corynebacte
191	5	62.5	318	10	Q84K50	Q84k50 arabidopsis
192	5	62.5	319	16	Q8F1C0	Q8flc0 leptospira
193	5	62.5	320	16	Q8YFQ4	Q8yfq4 brucella me
194	5	62.5	320	17	Q8TS69	Q8ts69 methanosarc
195	5	62.5	320	17	Q8PVB7	Q8pzb7 methanosarc
196	5	62.5	323	5	Q9VL80	Q9vl80 drosophila
197	5	62.5	333	16	Q81RT8	Q81rt8 bacillus an
198	5	62.5	334	16	Q82L34	Q82l34 streptomyce
199	5	62.5	338	5	Q9VPU4	Q9vpu4 drosophila
200	5	62.5	362	16	Q89ZF7	Q89zf7 bacteroides
201	5	62.5	363	10	Q43032	Q43032 petroselinu
202	5	62.5	364	5	Q95T75	Q95t75 drosophila
203	5	62.5	366	16	Q9K1U7	Q9klu7 chlamydia p
204	5	62.5	369	16	Q9Z839	Q9z839 chlamydia p
205	5	62.5	370	10	Q9LYK0	Q9lyk0 arabidopsis
206	5	62.5	371	16	Q9RRJ3	Q9rrj3 deinococcus
207	5	62.5	373	2	Q9F2H7	Q9f2h7 staphylococ
208	5	62.5	375	16	Q9Z6X8	Q9z6x8 chlamydia p
209	5	62.5	381	16	Q88W94	Q88w94 lactobacill
210	5	62.5	384	16	Q7VPZ4	Q7vpz4 chlamydia p
211	5	62.5	384	16	Q7VEH7	Q7veh7 prochloroco
212	5	62.5	395	5	Q9VEK3	Q9vek3 drosophila
213	5	62.5	396	16	Q8Y3L8	Q8y3l8 listeria mo
214	5	62.5	399	11	Q8BZF1	Q8bzf1 mus musculu
215	5	62.5	400	16	Q7US24	Q7us24 rhodopirell
216	5	62.5	401	9	Q7Y4B3	Q7y4b3 bacterioph
217	5	62.5	404	16	Q9CML0	Q9cm10 pasteurella
218	5	62.5	408	16	O66985	O66985 aquifex ae
219	5	62.5	408	16	Q8K5E6	Q8k5e6 chlorobium
220	5	62.5	419	10	Q8LMI1	Q8lmil oryza sativ
221	5	62.5	427	10	O23188	O23188 arabidopsis
222	5	62.5	427	10	Q94AQ0	Q94aq0 arabidopsis
223	5	62.5	430	3	O13699	O13699 schizosacch
224	5	62.5	431	12	Q9Q8P7	Q9q8p7 myxoma viru
225	5	62.5	432	12	Q9Q922	Q9q922 shope fibro
226	5	62.5	432	16	Q8ENB7	Q8enb7 oceanobacil
227	5	62.5	443	2	Q842C0	Q842c0 escherichia
228	5	62.5	450	5	Q8I2P5	Q8i2p5 plasmodium

229	5	62.5	453	16	O66852	O66852 aquifex aeo
230	5	62.5	454	5	Q961R4	Q961r4 drosophila
231	5	62.5	461	4	Q7Z4J7	Q7z4j7 homo sapien
232	5	62.5	461	10	Q84M71	Q84m71 oryza sativ
233	5	62.5	462	10	Q8H2D1	Q8h2d1 arabidopsis
234	5	62.5	463	3	Q8WZN5	Q8wzn5 pleurotus o
235	5	62.5	468	16	Q8RDQ8	Q8rdq8 fusobacteri
236	5	62.5	469	5	Q8IQW6	Q8iqw6 drosophila
237	5	62.5	470	16	Q7U238	Q7u238 mycobacteri
238	5	62.5	472	16	Q89Z59	Q89z59 bacteroides
239	5	62.5	477	16	Q8RCS3	Q8rcs3 thermoanaer
240	5	62.5	478	10	O81779	O81779 arabidopsis
241	5	62.5	478	16	Q88FB1	Q88fb1 pseudomonas
242	5	62.5	484	10	Q7XWI6	Q7xwi6 oryza sativ
243	5	62.5	485	5	Q9NA31	Q9na31 caenorhabdi
244	5	62.5	487	5	Q8T368	Q8t368 ostertagia
245	5	62.5	488	5	Q9V630	Q9v630 drosophila
246	5	62.5	489	5	Q9TWZ1	Q9twz1 drosophila
247	5	62.5	492	5	Q8T093	Q8t093 drosophila
248	5	62.5	494	5	Q9XZW0	Q9xzw0 heliothis v
249	5	62.5	494	16	Q8YJQ7	Q8yjq7 brucella me
250	5	62.5	494	16	Q8FY45	Q8fy45 brucella su
251	5	62.5	496	5	O18468	O18468 heliothis v
252	5	62.5	502	16	Q92L01	Q92l01 rhizobium m
253	5	62.5	508	5	Q95Y52	Q95y52 caenorhabdi
254	5	62.5	509	16	Q8XVG1	Q8xvg1 ralstonia s
255	5	62.5	519	13	Q9PTY6	Q9pty6 anguilla ja
256	5	62.5	519	13	Q9PTY7	Q9pty7 anguilla ja
257	5	62.5	521	13	Q8QGI8	Q8qgi8 anguilla an
258	5	62.5	541	5	Q9U9B8	Q9u9b8 ceratitidis c
259	5	62.5	550	5	O17145	O17145 lucilia cup
260	5	62.5	572	5	Q8MRU3	Q8mru3 drosophila
261	5	62.5	572	5	Q9VYL1	Q9vyll drosophila
262	5	62.5	582	3	Q96UP6	Q96up6 emericella
263	5	62.5	585	5	Q8IQB5	Q8iqb5 drosophila
264	5	62.5	606	5	Q9BLY8	Q9bly8 drosophila
265	5	62.5	615	5	P91573	P91573 caenorhabdi
266	5	62.5	633	16	Q9I408	Q9i408 pseudomonas
267	5	62.5	640	11	Q8BTV5	Q8btv5 mus musculu
268	5	62.5	651	5	Q9VFA9	Q9vfa9 drosophila
269	5	62.5	655	4	Q8IZ32	Q8iz32 homo sapien
270	5	62.5	655	4	Q7Z6J4	Q7z6j4 homo sapien
271	5	62.5	655	16	Q81DA4	Q8lda4 bacillus ce
272	5	62.5	658	5	O97472	O97472 caenorhabdi
273	5	62.5	693	13	Q98SG0	Q98sg0 xenopus lae
274	5	62.5	695	13	Q98SF9	Q98sf9 xenopus lae
275	5	62.5	695	13	Q7ZXQ0	Q7zxq0 xenopus lae
276	5	62.5	703	16	Q81JV4	Q81jv4 bacillus an
277	5	62.5	703	16	Q814S5	Q814s5 bacillus ce
278	5	62.5	715	16	Q8YS58	Q8ys58 anabaena sp
279	5	62.5	725	10	Q7XF80	Q7xf80 oryza sativ
280	5	62.5	743	10	Q9SLB2	Q9slb2 arabidopsis
281	5	62.5	747	13	Q91963	Q91963 xenopus. ap
282	5	62.5	853	11	Q8CB40	Q8cb40 mus musculu
283	5	62.5	855	16	P73546	P73546 synechocyst
284	5	62.5	859	3	Q9HFI9	Q9hfi9 neurospora
285	5	62.5	930	5	Q8SWW0	Q8sww0 drosophila

286	5	62.5	938	10	O04660	O04660 arabidopsis
287	5	62.5	944	16	Q8PGQ7	Q8pgq7 xanthomonas
288	5	62.5	944	16	Q8PCR7	Q8pcr7 xanthomonas
289	5	62.5	947	10	O04494	O04494 arabidopsis
290	5	62.5	963	5	Q9GPM9	Q9gpm9 caenorhabdi
291	5	62.5	996	5	Q27461	Q27461 caenorhabdi
292	5	62.5	996	5	P90735	P90735 caenorhabdi
293	5	62.5	1007	17	Q9YF24	Q9yf24 aeropyrum p
294	5	62.5	1039	5	Q9VWG8	Q9vwg8 drosophila
295	5	62.5	1049	11	Q80TY4	Q80ty4 mus musculu
296	5	62.5	1061	17	Q8TM82	Q8tm82 methanosarc
297	5	62.5	1069	11	O54963	O54963 rattus norv
298	5	62.5	1075	10	Q9LNP5	Q9lnp5 arabidopsis
299	5	62.5	1092	16	Q8ZN12	Q8zn12 salmonella
300	5	62.5	1160	16	Q8XT75	Q8xt75 ralstonia s
301	5	62.5	1180	17	Q8TI57	Q8ti57 methanosarc
302	5	62.5	1209	10	Q94FG7	Q94fg7 chlamydomon
303	5	62.5	1241	5	Q9V505	Q9v505 drosophila
304	5	62.5	1247	5	Q8SRK6	Q8srk6 encephalito
305	5	62.5	1247	10	Q8H7X8	Q8h7x8 oryza sativ
306	5	62.5	1270	5	Q9GPN0	Q9gpn0 caenorhabdi
307	5	62.5	1290	2	Q48756	Q48756 leuconostoc
308	5	62.5	1313	4	Q9HCK6	Q9hck6 homo sapien
309	5	62.5	1334	5	Q9XTS7	Q9xts7 caenorhabdi
310	5	62.5	1386	17	Q8TI72	Q8ti72 methanosarc
311	5	62.5	1412	13	Q8UW84	Q8uw84 paralichthy
312	5	62.5	1418	13	O93457	O93457 scopthalmu
313	5	62.5	1418	13	Q8UW83	Q8uw83 paralichthy
314	5	62.5	1449	10	Q94DD5	Q94dd5 oryza sativ
315	5	62.5	1496	5	Q9NFV5	Q9nfv5 drosophila
316	5	62.5	1496	5	Q9VIT9	Q9vit9 drosophila
317	5	62.5	1564	5	Q9XW49	Q9xw49 caenorhabdi
318	5	62.5	1630	10	Q8H3L8	Q8h3l8 oryza sativ
319	5	62.5	1640	12	Q80J95	Q80j95 murine noro
320	5	62.5	1743	4	Q9BYP7	Q9byp7 homo sapien
321	5	62.5	1800	4	Q8TCX6	Q8tcx6 homo sapien
322	5	62.5	1816	5	Q8IJL6	Q8ijl6 plasmodium
323	5	62.5	1876	2	Q9R686	Q9r686 bacillus su
324	5	62.5	2245	5	Q86A36	Q86a36 dictyosteli
325	5	62.5	2262	5	Q9V4P4	Q9v4p4 drosophila
326	5	62.5	2480	5	Q86MR6	Q86mr6 plasmodium
327	5	62.5	3103	5	Q9GV77	Q9gv77 lytechinus
328	5	62.5	3190	2	Q93NW7	Q93nw7 streptomyce
329	5	62.5	3192	2	Q9L4W4	Q9l4w4 streptomyce
330	5	62.5	3351	5	Q9V496	Q9v496 drosophila
331	5	62.5	3351	5	Q94907	Q94907 drosophila
332	5	62.5	4450	2	Q44928	Q44928 bacillus br
333	5	62.5	6048	2	Q93H87	Q93h87 streptomyce
334	5	62.5	7746	16	Q82QT4	Q82qt4 streptomyce
335	4	50.0	19	4	Q9UCC8	Q9ucc8 homo sapien
336	4	50.0	21	4	Q9UCC3	Q9ucc3 homo sapien
337	4	50.0	24	5	Q9U9B7	Q9u9b7 ceratitidis c
338	4	50.0	28	4	Q9UCD1	Q9ucd1 homo sapien
339	4	50.0	30	4	Q9UCA9	Q9uca9 homo sapien
340	4	50.0	30	11	Q9QV42	Q9qv42 rattus sp.
341	4	50.0	33	4	Q9UC33	Q9uc33 homo sapien
342	4	50.0	34	17	Q9HMS8	Q9hms8 halobacteri

343	4	50.0	36	16	Q8EIW6	Q8eiw6 shewanella
344	4	50.0	38	4	Q9NRW8	Q9nrw8 homo sapien
345	4	50.0	41	2	O31327	O31327 bacillus br
346	4	50.0	43	16	Q88YU4	Q88yu4 lactobacill
347	4	50.0	44	2	Q47324	Q47324 escherichia
348	4	50.0	44	16	Q8E9C1	Q8e9c1 shewanella
349	4	50.0	46	13	Q98UE4	Q98ue4 xenopus lae
350	4	50.0	46	16	Q88UM4	Q88um4 lactobacill
351	4	50.0	46	16	Q7VNN1	Q7vnn1 haemophilus
352	4	50.0	47	10	Q7XS03	Q7xs03 oryza sativ
353	4	50.0	47	16	Q8E9U6	Q8e9u6 shewanella
354	4	50.0	50	16	Q7UKK2	Q7ukk2 rhodopirell
355	4	50.0	51	16	Q8G1Q7	Q8glq7 brucella su
356	4	50.0	52	7	Q9XR67	Q9xr67 oncorhynch
357	4	50.0	52	7	Q9XR64	Q9xr64 oncorhynch
358	4	50.0	52	7	Q9XR66	Q9xr66 oncorhynch
359	4	50.0	52	7	Q9XR65	Q9xr65 oncorhynch
360	4	50.0	53	12	Q8V3J3	Q8v3j3 swinepox vi
361	4	50.0	53	16	Q81TE4	Q81te4 bacillus an
362	4	50.0	53	16	Q81G86	Q81g86 bacillus ce
363	4	50.0	53	16	Q7UMV1	Q7umv1 rhodopirell
364	4	50.0	54	10	Q8GWS1	Q8gws1 arabidopsis
365	4	50.0	58	4	Q8WYD6	Q8wyd6 homo sapien
366	4	50.0	59	5	Q8ISA4	Q8isa4 plasmodium
367	4	50.0	60	5	Q9BMS3	Q9bms3 plasmodium
368	4	50.0	60	16	Q7VDW8	Q7vdw8 prochloroco
369	4	50.0	61	16	Q9KPP8	Q9kpp8 vibrio chol
370	4	50.0	62	5	Q9BJJ6	Q9bjj6 plasmodium
371	4	50.0	62	5	Q9BJJ4	Q9bjj4 plasmodium
372	4	50.0	62	10	Q9XF78	Q9xf78 oryza sativ
373	4	50.0	63	17	Q8ZY13	Q8zyl3 pyrobaculum
374	4	50.0	64	13	Q8AXL3	Q8axl3 micropterus
375	4	50.0	65	5	Q8IH85	Q8ih85 drosophila
376	4	50.0	65	11	O54696	O54696 mus musculu
377	4	50.0	66	12	Q8QIA7	Q8qia7 hepatitis c
378	4	50.0	67	9	Q7Y3X4	Q7y3x4 bacterioph
379	4	50.0	68	2	Q9AFY2	Q9afy2 shigella fl
380	4	50.0	68	5	Q9BL96	Q9bl96 caenorhabdi
381	4	50.0	69	8	Q36132	Q36132 tuberaphis
382	4	50.0	69	16	Q9WY53	Q9wy53 thermotoga
383	4	50.0	71	2	Q9AE14	Q9ael4 acetobacter
384	4	50.0	71	6	Q29305	Q29305 sus scrofa
385	4	50.0	71	16	Q9JQW9	Q9jqw9 neisseria m
386	4	50.0	71	16	Q8FLH2	Q8flh2 corynebacte
387	4	50.0	72	2	Q44953	Q44953 bacillus br
388	4	50.0	72	9	Q855R4	Q855r4 mycobacteri
389	4	50.0	72	9	Q855G5	Q855g5 mycobacteri
390	4	50.0	72	16	Q8PGL2	Q8pgl2 xanthomonas
391	4	50.0	72	16	Q8CVC8	Q8cvc8 streptococc
392	4	50.0	73	16	Q9PFQ5	Q9pfq5 xylella fas
393	4	50.0	73	16	Q87BA9	Q87ba9 xylella fas
394	4	50.0	74	10	Q9XIR8	Q9xir8 arabidopsis
395	4	50.0	74	16	Q92A64	Q92a64 listeria in
396	4	50.0	74	16	Q8Y5W1	Q8y5w1 listeria mo
397	4	50.0	74	16	Q7UQ30	Q7uq30 rhodopirell
398	4	50.0	74	17	Q9HQU2	Q9hqu2 halobacteri
399	4	50.0	75	9	Q38636	Q38636 bacterioph

400	4	50.0	75	9	Q38648	Q38648 bacterioph
401	4	50.0	75	16	Q9PDG5	Q9pdg5 xylella fas
402	4	50.0	75	16	Q97LV7	Q97lv7 clostridium
403	4	50.0	75	16	Q92HH8	Q92hh8 rickettsia
404	4	50.0	75	16	Q8PID2	Q8pid2 xanthomonas
405	4	50.0	75	16	Q8P718	Q8p718 xanthomonas
406	4	50.0	75	16	Q87UE9	Q87ue9 pseudomonas
407	4	50.0	75	16	Q87UB3	Q87ub3 pseudomonas
408	4	50.0	75	16	Q87DN9	Q87dn9 xylella fas
409	4	50.0	75	16	Q7VCN1	Q7vcn1 prochloroco
410	4	50.0	76	9	Q38628	Q38628 bacterioph
411	4	50.0	76	9	Q38626	Q38626 bacterioph
412	4	50.0	76	15	Q991R9	Q991r9 human immun
413	4	50.0	76	15	Q991R8	Q991r8 human immun
414	4	50.0	77	17	O26981	O26981 methanobact
415	4	50.0	78	5	Q9NFF6	Q9nff6 plasmodium
416	4	50.0	78	16	Q81E52	Q81e52 bacillus ce
417	4	50.0	78	17	Q9HNM4	Q9hnm4 halobacteri
418	4	50.0	79	2	Q8KIY2	Q8kiy2 lactococcus
419	4	50.0	81	9	Q8HAI0	Q8hai0 salmonella
420	4	50.0	81	11	Q9D2G3	Q9d2g3 mus musculu
421	4	50.0	81	13	Q98TN9	Q98tn9 platichthys
422	4	50.0	81	16	Q8ESV9	Q8esv9 oceanobacil
423	4	50.0	82	4	Q9UI77	Q9ui77 homo sapien
424	4	50.0	82	11	Q8VI12	Q8vil2 mus musculu
425	4	50.0	82	16	Q8ZEE2	Q8zee2 yersinia pe
426	4	50.0	84	2	Q9RN90	Q9rn90 salmonella
427	4	50.0	84	5	Q9VS22	Q9vs22 drosophila
428	4	50.0	84	9	Q38141	Q38141 bacterioph
429	4	50.0	84	16	Q81R87	Q81r87 bacillus an
430	4	50.0	85	5	Q86CT3	Q86ct3 branchiosto
431	4	50.0	85	10	Q9LF86	Q9lf86 arabidopsis
432	4	50.0	85	12	Q8VB15	Q8vb15 white spot
433	4	50.0	85	16	Q7VHS8	Q7vhs8 helicobacte
434	4	50.0	86	1	Q9C4V4	Q9c4v4 sulfolobus
435	4	50.0	87	2	Q9RBR8	Q9rbr8 pseudomonas
436	4	50.0	87	5	Q9GS26	Q9gs26 ancylostoma
437	4	50.0	87	5	Q21171	Q21171 caenorhabdi
438	4	50.0	88	12	Q9IF56	Q9if56 human enter
439	4	50.0	88	16	Q7VAW2	Q7vaw2 prochloroco
440	4	50.0	89	6	Q9TS76	Q9ts76 bos taurus
441	4	50.0	89	7	O62863	O62863 gallus gall
442	4	50.0	89	7	O19500	O19500 gallus gall
443	4	50.0	89	7	O19492	O19492 gallus gall
444	4	50.0	89	12	Q9IF57	Q9if57 human enter
445	4	50.0	89	12	Q80H65	Q80h65 human coxsa
446	4	50.0	90	5	Q8WST0	Q8wst0 ciona intes
447	4	50.0	90	5	Q9W5F9	Q9w5f9 drosophila
448	4	50.0	90	9	Q853U5	Q853u5 mycobacteri
449	4	50.0	90	11	P70443	P70443 mus musculu
450	4	50.0	90	16	Q9K0N3	Q9k0n3 neisseria m
451	4	50.0	90	16	Q9JVQ8	Q9jvq8 neisseria m
452	4	50.0	90	16	Q8YBH5	Q8ybh5 brucella me
453	4	50.0	90	16	Q8FWX0	Q8fwx0 brucella su
454	4	50.0	90	16	Q7UTU7	Q7utu7 rhodopirell
455	4	50.0	91	7	Q7YP43	Q7yp43 cervus nipp
456	4	50.0	91	7	Q7YP42	Q7yp42 cervus nipp

457	4	50.0	91	12	Q9IF55	Q9if55 human enter
458	4	50.0	91	16	Q8F784	Q8f784 leptospira
459	4	50.0	91	16	Q89LY8	Q89ly8 bradyrhizob
460	4	50.0	92	2	Q9KJF5	Q9kjf5 thauera aro
461	4	50.0	92	5	Q8IS88	Q8is88 trypanosoma
462	4	50.0	92	5	Q7YZC6	Q7yzc6 trypanosoma
463	4	50.0	92	5	Q7YZC5	Q7yzc5 trypanosoma
464	4	50.0	92	9	O64108	O64108 bacterioph
465	4	50.0	92	16	O34730	O34730 bacillus su
466	4	50.0	92	16	Q7WKG7	Q7wkg7 bordetella
467	4	50.0	92	16	Q7W922	Q7w922 bordetella
468	4	50.0	92	17	O30237	O30237 archaeoglob
469	4	50.0	93	5	Q21047	Q21047 caenorhabdi
470	4	50.0	94	2	Q8VRZ7	Q8vrz7 shigella fl
471	4	50.0	94	5	P81260	P81260 plasmodium
472	4	50.0	94	10	Q84PF2	Q84pf2 gossypium h
473	4	50.0	94	10	Q84PF1	Q84pfl gossypium r
474	4	50.0	94	10	Q84PF0	Q84pf0 gossypium b
475	4	50.0	94	10	Q84PE9	Q84pe9 gossypium b
476	4	50.0	94	10	Q84PE8	Q84pe8 gossypioide
477	4	50.0	94	16	Q88YV3	Q88yv3 lactobacill
478	4	50.0	94	16	Q87MS7	Q87ms7 vibrio para
479	4	50.0	95	5	Q94751	Q94751 schistosoma
480	4	50.0	95	9	Q858U1	Q858ul bacterioph
481	4	50.0	95	15	P90439	P90439 human immun
482	4	50.0	95	15	P90440	P90440 human immun
483	4	50.0	95	15	P89570	P89570 human immun
484	4	50.0	95	15	P89571	P89571 human immun
485	4	50.0	95	15	P89582	P89582 human immun
486	4	50.0	95	15	Q7ZRM5	Q7zrm5 chimpanzee
487	4	50.0	95	15	Q7ZRM4	Q7zrm4 chimpanzee
488	4	50.0	95	15	Q7ZRM3	Q7zrm3 chimpanzee
489	4	50.0	95	15	Q7ZRM2	Q7zrm2 chimpanzee
490	4	50.0	95	15	Q7ZRM1	Q7zrm1 chimpanzee
491	4	50.0	95	15	Q7ZRM0	Q7zrm0 chimpanzee
492	4	50.0	95	15	Q7ZRL9	Q7zrl9 chimpanzee
493	4	50.0	95	15	Q7ZRL8	Q7zrl8 chimpanzee
494	4	50.0	95	15	Q7ZRL7	Q7zrl7 chimpanzee
495	4	50.0	95	15	Q7ZRL6	Q7zrl6 chimpanzee
496	4	50.0	95	16	Q8EVE5	Q8eve5 mycoplasma
497	4	50.0	96	2	Q8VSK4	Q8vsk4 shigella fl
498	4	50.0	96	2	Q9AFU9	Q9afu9 shigella fl
499	4	50.0	96	10	Q8GSC3	Q8gsc3 oryza sativ
500	4	50.0	96	16	Q89U21	Q89u21 bradyrhizob
501	4	50.0	96	17	Q8TI75	Q8ti75 methanosarc
502	4	50.0	97	5	O02114	O02114 caenorhabdi
503	4	50.0	97	16	Q8ECY5	Q8ecy5 shewanella
504	4	50.0	97	16	Q8A4Z9	Q8a4z9 bacteroides
505	4	50.0	98	5	Q9GP45	Q9gp45 drosophila
506	4	50.0	98	16	Q8PCV6	Q8pcv6 xanthomonas
507	4	50.0	99	13	Q9PSS3	Q9pss3 gallus gall
508	4	50.0	99	16	Q7UMF6	Q7umf6 rhodopirell
509	4	50.0	99	17	Q8ZTT7	Q8ztt7 pyrobaculum
510	4	50.0	100	5	Q9U2F4	Q9u2f4 caenorhabdi
511	4	50.0	100	11	Q8C8T4	Q8c8t4 mus musculu
512	4	50.0	100	12	Q91LA4	Q91la4 white spot
513	4	50.0	101	3	Q96U65	Q96u65 neurospora

514	4	50.0	101	12	Q9IZR8	Q9izr8 tick-borne
515	4	50.0	101	12	Q80PA8	Q80pa8 spodoptera
516	4	50.0	103	10	Q7XU26	Q7xu26 oryza sativ
517	4	50.0	103	16	Q8FH22	Q8fh22 escherichia
518	4	50.0	103	16	O84895	O84895 salmonella
519	4	50.0	104	5	Q9GP72	Q9gp72 drosophila
520	4	50.0	104	5	Q9GP75	Q9gp75 drosophila
521	4	50.0	104	5	Q9GN84	Q9gn84 drosophila
522	4	50.0	104	5	Q9GN82	Q9gn82 drosophila
523	4	50.0	104	5	Q9GN83	Q9gn83 drosophila
524	4	50.0	104	8	Q8SLI8	Q8sli8 dunaliella
525	4	50.0	104	10	Q84XQ7	Q84xq7 brassica ra
526	4	50.0	104	12	Q80GB9	Q80gb9 human coxsa
527	4	50.0	104	16	Q97P68	Q97p68 streptococc
528	4	50.0	104	16	Q8DNP9	Q8dnp9 streptococc
529	4	50.0	104	16	Q835H2	Q835h2 enterococcu
530	4	50.0	105	3	O13706	O13706 schizosacch
531	4	50.0	105	5	Q9GP79	Q9gp79 drosophila
532	4	50.0	105	5	Q9GP78	Q9gp78 drosophila
533	4	50.0	105	5	Q9GNH2	Q9gnh2 drosophila
534	4	50.0	105	12	Q7T5F7	Q7t5f7 antheraea p
535	4	50.0	105	16	Q8YQ72	Q8yq72 anabaena sp
536	4	50.0	105	16	Q8ZQG4	Q8zqg4 salmonella
537	4	50.0	105	16	Q88G02	Q88g02 pseudomonas
538	4	50.0	106	5	Q9GP80	Q9gp80 drosophila
539	4	50.0	106	16	Q8XSX7	Q8xsx7 ralstonia s
540	4	50.0	106	16	Q8E803	Q8e803 shewanella
541	4	50.0	107	12	Q80GJ3	Q80gj3 human enter
542	4	50.0	107	12	Q80GH8	Q80gh8 human coxsa
543	4	50.0	107	12	Q80GC2	Q80gc2 human coxsa
544	4	50.0	107	16	Q8G636	Q8g636 bifidobacte
545	4	50.0	108	12	Q80GC0	Q80gc0 human coxsa
546	4	50.0	108	16	Q8PML8	Q8pml8 xanthomonas
547	4	50.0	109	10	Q8W4S0	Q8w4s0 arabidopsis
548	4	50.0	109	11	Q61064	Q61064 mus musculu
549	4	50.0	109	16	Q8ZQ87	Q8zq87 salmonella
550	4	50.0	110	9	Q9ZWZ9	Q9zww9 mycobacteri
551	4	50.0	110	10	Q93XD0	Q93xd0 zea mays (m
552	4	50.0	110	10	Q8H429	Q8h429 oryza sativ
553	4	50.0	111	2	Q8KJB4	Q8kjb4 rhizobium l
554	4	50.0	111	2	Q9RIH2	Q9rih2 xenorhabdus
555	4	50.0	111	2	Q9F8D1	Q9f8dl rhizobium e
556	4	50.0	111	12	Q8VA98	Q8va98 white spot
557	4	50.0	111	12	Q80GH9	Q80gh9 human coxsa
558	4	50.0	111	12	Q80GC1	Q80gc1 human coxsa
559	4	50.0	111	16	Q8PAC7	Q8pac7 xanthomonas
560	4	50.0	111	16	Q7VKT5	Q7vkt5 haemophilus
561	4	50.0	111	16	Q7V725	Q7v725 prochloroco
562	4	50.0	112	12	Q80GJ1	Q80gj1 human enter
563	4	50.0	112	12	Q80GB8	Q80gb8 human coxsa
564	4	50.0	112	12	Q80GB6	Q80gb6 human coxsa
565	4	50.0	112	16	Q98IK9	Q98ik9 rhizobium l
566	4	50.0	112	16	Q8ZN06	Q8zn06 salmonella
567	4	50.0	112	16	Q87LW5	Q87lw5 vibrio para
568	4	50.0	112	16	Q82E60	Q82e60 streptomyce
569	4	50.0	113	10	Q9M3N2	Q9m3n2 vicia faba
570	4	50.0	113	12	Q9IX40	Q9ix40 human enter

571	4	50.0	113	12	Q9IX31	Q9ix31 human enter
572	4	50.0	113	12	Q9IX34	Q9ix34 human enter
573	4	50.0	113	12	Q9IX45	Q9ix45 human enter
574	4	50.0	113	12	Q9IX46	Q9ix46 human enter
575	4	50.0	113	12	Q9IX44	Q9ix44 human enter
576	4	50.0	113	12	Q9IX47	Q9ix47 human enter
577	4	50.0	113	12	Q9IX52	Q9ix52 human enter
578	4	50.0	113	12	Q9IX33	Q9ix33 human enter
579	4	50.0	113	12	Q9IX50	Q9ix50 human enter
580	4	50.0	113	12	Q9IX42	Q9ix42 human enter
581	4	50.0	113	12	Q9IX39	Q9ix39 human enter
582	4	50.0	113	12	Q9IX43	Q9ix43 human enter
583	4	50.0	113	12	Q9IX49	Q9ix49 human enter
584	4	50.0	113	12	Q9IX48	Q9ix48 human enter
585	4	50.0	113	12	Q9IX41	Q9ix41 human enter
586	4	50.0	113	12	Q9IX32	Q9ix32 human enter
587	4	50.0	113	12	Q9IX51	Q9ix51 human enter
588	4	50.0	113	12	Q80GJ2	Q80gj2 human enter
589	4	50.0	113	16	Q89W55	Q89w55 bradyrhizob
590	4	50.0	114	10	Q9FKC5	Q9fkc5 arabidopsis
591	4	50.0	115	2	Q8VMD4	Q8vmd4 pseudanabae
592	4	50.0	115	15	Q74763	Q74763 human immun
593	4	50.0	115	15	O90619	O90619 human immun
594	4	50.0	115	16	Q8U5F4	Q8u5f4 agrobacteri
595	4	50.0	115	17	Q9HNY1	Q9hny1 halobacteri
596	4	50.0	116	2	Q9FA31	Q9fa31 salmonella
597	4	50.0	116	10	Q9AT59	Q9at59 lolium pere
598	4	50.0	117	4	Q7Z6X4	Q7z6x4 homo sapien
599	4	50.0	117	10	Q9FKC6	Q9fkc6 arabidopsis
600	4	50.0	117	10	Q9M3N4	Q9m3n4 hordeum vul
601	4	50.0	117	11	Q8BL85	Q8bl85 mus musculu
602	4	50.0	118	16	Q92C20	Q92c20 listeria in
603	4	50.0	119	2	Q9RN88	Q9rn88 salmonella
604	4	50.0	119	10	O48571	O48571 antirrhinum
605	4	50.0	119	16	Q92CI9	Q92ci9 listeria in
606	4	50.0	119	16	Q8NLF5	Q8nlf5 corynebacte
607	4	50.0	119	16	Q7WEL7	Q7wel7 bordetella
608	4	50.0	119	16	Q7W399	Q7w399 bordetella
609	4	50.0	119	16	Q7VU55	Q7vu55 bordetella
610	4	50.0	119	16	Q7VJ39	Q7vj39 helicobacte
611	4	50.0	120	2	Q9LAL3	Q9lal3 moraxella c
612	4	50.0	120	12	Q7TFF9	Q7tff9 rhesus cyto
613	4	50.0	121	8	Q37671	Q37671 schlechtend
614	4	50.0	121	13	Q800I7	Q800i7 oryzias lat
615	4	50.0	121	17	O27846	O27846 methanobact
616	4	50.0	122	16	Q87WB4	Q87wb4 pseudomonas
617	4	50.0	123	5	Q9VMH6	Q9vmh6 drosophila
618	4	50.0	123	5	Q9N8P9	Q9n8p9 trypanosoma
619	4	50.0	123	9	Q9G043	Q9g043 bacterioph
620	4	50.0	123	10	Q7XXI4	Q7xxi4 oryza sativ
621	4	50.0	124	16	Q9AA35	Q9aa35 caulobacter
622	4	50.0	124	16	Q8EAU5	Q8eau5 shewanella
623	4	50.0	124	16	Q7WKI1	Q7wkil bordetella
624	4	50.0	124	16	Q7W936	Q7w936 bordetella
625	4	50.0	124	16	Q7VY79	Q7vy79 bordetella
626	4	50.0	124	16	Q7UKV7	Q7ukv7 rhodopirell
627	4	50.0	125	2	Q9RCJ4	Q9rcj4 streptococc

628	4	50.0	125	12	Q9J0E5	Q9j0e5	tick-borne
629	4	50.0	125	16	Q9HV13	Q9hvl3	pseudomonas
630	4	50.0	125	16	Q9CHE8	Q9che8	lactococcus
631	4	50.0	125	16	Q8YW04	Q8yw04	anabaena sp
632	4	50.0	125	16	Q8NMI8	Q8nmi8	corynebacte
633	4	50.0	126	16	Q8DIY5	Q8diy5	synechococc
634	4	50.0	126	16	Q8D9C5	Q8d9c5	vibrio vuln
635	4	50.0	127	8	Q9MIB0	Q9mib0	schistosoma
636	4	50.0	128	16	Q9KMM0	Q9kmm0	vibrio chol
637	4	50.0	128	17	Q9HLU0	Q9hlu0	thermoplasm
638	4	50.0	129	2	Q9S3I8	Q9s3i8	haemophilus
639	4	50.0	129	2	O32626	O32626	haemophilus
640	4	50.0	129	5	Q9N8P8	Q9n8p8	trypanosoma
641	4	50.0	129	12	Q89674	Q89674	turkey herp
642	4	50.0	129	12	Q80IV5	Q80iv5	human adeno
643	4	50.0	129	12	Q9DPP6	Q9dpp6	meleagrid h
644	4	50.0	130	9	Q94M43	Q94m43	streptococc
645	4	50.0	130	10	Q8L894	Q8l894	cicer ariet
646	4	50.0	130	10	Q84Z83	Q84z83	oryza sativ
647	4	50.0	130	17	Q9HS36	Q9hs36	halobacteri
648	4	50.0	131	3	Q871B4	Q871b4	neurospora
649	4	50.0	131	5	Q8I8R9	Q8i8r9	anopheles g
650	4	50.0	131	16	Q8XX67	Q8xx67	ralstonia s
651	4	50.0	131	16	Q8XFZ2	Q8xfz2	salmonella
652	4	50.0	131	17	Q8TUP9	Q8tup9	methanosarc
653	4	50.0	132	3	Q9P6S6	Q9p6s6	schizosacch
654	4	50.0	132	3	P78948	P78948	schizosacch
655	4	50.0	132	16	Q8DKW9	Q8dkw9	synechococc
656	4	50.0	133	2	Q47121	Q47121	escherichia
657	4	50.0	133	10	Q7XY30	Q7xy30	griffithsia
658	4	50.0	133	12	Q9DVZ8	Q9dvz8	plutella xy
659	4	50.0	133	12	O39438	O39438	rabies viru
660	4	50.0	133	12	O41853	O41853	duvenhage v
661	4	50.0	133	16	Q98IY9	Q98iy9	rhizobium l
662	4	50.0	133	16	O07321	O07321	staphylococ
663	4	50.0	133	16	Q8CPK9	Q8cpk9	staphylococ
664	4	50.0	133	16	Q87GA4	Q87ga4	vibrio para
665	4	50.0	134	10	Q8H517	Q8h517	oryza sativ
666	4	50.0	134	12	Q991M4	Q991m4	cetacean mo
667	4	50.0	134	16	Q88DT9	Q88dt9	pseudomonas
668	4	50.0	135	12	Q8QPB9	Q8qpb9	duvenhage v
669	4	50.0	135	12	Q8QPC0	Q8qpc0	duvenhage v
670	4	50.0	135	12	Q8QPC1	Q8qpc1	duvenhage v
671	4	50.0	135	16	Q9PFX0	Q9pfx0	xylella fas
672	4	50.0	136	5	Q8MQ89	Q8mq89	caenorhabdi
673	4	50.0	136	16	Q92PX3	Q92px3	rhizobium m
674	4	50.0	136	17	O28314	O28314	archaeoglob
675	4	50.0	137	12	Q9IZF1	Q9izf1	tick-borne
676	4	50.0	137	12	Q91E36	Q91e36	phocid herp
677	4	50.0	137	12	Q83000	Q83000	bunyavirus
678	4	50.0	138	2	Q9XDG5	Q9xdg5	escherichia
679	4	50.0	138	4	Q9NSN2	Q9nsn2	homo sapien
680	4	50.0	138	8	Q9MH42	Q9mh42	peperomia a
681	4	50.0	138	9	Q8W6Z9	Q8w6z9	cyanophage
682	4	50.0	138	10	Q9ZRD7	Q9zrd7	glycine max
683	4	50.0	138	12	Q7TAD9	Q7tad9	human enter
684	4	50.0	138	12	Q7TAD8	Q7tad8	human enter

685	4	50.0	138	12	Q7TAD7	Q7tad7	human enter
686	4	50.0	138	12	Q7TAD6	Q7tad6	human enter
687	4	50.0	138	12	Q7TAD5	Q7tad5	human enter
688	4	50.0	138	12	Q7TAD4	Q7tad4	human enter
689	4	50.0	138	12	Q7TAD3	Q7tad3	human enter
690	4	50.0	138	12	Q7TAD2	Q7tad2	human enter
691	4	50.0	138	12	Q7TAD1	Q7tad1	human enter
692	4	50.0	138	12	Q7TAC9	Q7tac9	human enter
693	4	50.0	138	12	Q7TAC8	Q7tac8	human enter
694	4	50.0	138	12	Q7TAC5	Q7tac5	human enter
695	4	50.0	138	12	Q7TAC4	Q7tac4	human enter
696	4	50.0	138	12	Q7TAC3	Q7tac3	human enter
697	4	50.0	138	12	Q7TAC2	Q7tac2	human enter
698	4	50.0	138	12	Q7TAC1	Q7tac1	human enter
699	4	50.0	138	12	Q7TAC0	Q7tac0	human enter
700	4	50.0	138	12	Q7TAB9	Q7tab9	human enter
701	4	50.0	138	12	Q7TAB7	Q7tab7	human enter
702	4	50.0	138	12	Q7TAB6	Q7tab6	human enter
703	4	50.0	138	12	Q7TA98	Q7ta98	human enter
704	4	50.0	138	16	Q8UE72	Q8ue72	agrobacteri
705	4	50.0	138	16	Q81TH2	Q81th2	bacillus an
706	4	50.0	138	16	Q81GB5	Q81gb5	bacillus ce
707	4	50.0	139	2	Q9RCH8	Q9rch8	azotobacter
708	4	50.0	139	9	Q855M1	Q855m1	mycobacteri
709	4	50.0	139	10	Q941G0	Q941g0	theobroma c
710	4	50.0	139	10	Q941G1	Q941g1	theobroma c
711	4	50.0	139	10	Q941G2	Q941g2	theobroma c
712	4	50.0	139	10	Q941F9	Q941f9	theobroma c
713	4	50.0	139	17	Q8TPP3	Q8tpp3	methanosarc
714	4	50.0	140	10	Q9FWM1	Q9fwm1	oryza sativ
715	4	50.0	140	10	Q7XDJ8	Q7xdj8	oryza sativ
716	4	50.0	141	12	Q91GF6	Q91gf6	epiphyas po
717	4	50.0	141	16	Q92D32	Q92d32	listeria in
718	4	50.0	141	16	Q8Y8B9	Q8y8b9	listeria mo
719	4	50.0	141	16	Q8ERS2	Q8ers2	oceanobacil
720	4	50.0	141	16	Q8CXS0	Q8cxs0	leptospira
721	4	50.0	141	17	Q8PX95	Q8px95	methanosarc
722	4	50.0	142	2	Q8RQK1	Q8rqk1	bacillus ce
723	4	50.0	142	5	O16896	O16896	caenorhabdi
724	4	50.0	142	12	Q9IZ44	Q9iz44	tick-borne
725	4	50.0	142	16	Q9K7K4	Q9k7k4	bacillus ha
726	4	50.0	142	16	Q9A6Q4	Q9a6q4	caulobacter
727	4	50.0	143	4	Q9H935	Q9h935	homo sapien
728	4	50.0	143	5	Q25610	Q25610	onchocerca
729	4	50.0	143	9	Q853S0	Q853s0	mycobacteri
730	4	50.0	143	16	Q9CEL1	Q9cell1	lactococcus
731	4	50.0	143	16	Q836M6	Q836m6	enterococcu
732	4	50.0	144	10	Q9ZWM1	Q9zwm1	raphanus sa
733	4	50.0	144	16	Q97NG2	Q97ng2	streptococc
734	4	50.0	144	16	Q8FEK0	Q8fek0	escherichia
735	4	50.0	144	16	Q8DN75	Q8dn75	streptococc
736	4	50.0	145	10	O23823	O23823	nicotiana t
737	4	50.0	145	10	Q852T8	Q852t8	brassica ju
738	4	50.0	145	12	Q91MX8	Q91mx8	lumpy skin
739	4	50.0	145	12	Q8JTW9	Q8jtw9	lumpy skin
740	4	50.0	145	16	Q8KE98	Q8ke98	chlorobium
741	4	50.0	145	16	Q82ID9	Q82id9	streptomyce

742	4	50.0	145	17	Q9V2N3	Q9v2n3 pyrococcus
743	4	50.0	146	1	Q9C4S4	Q9c4s4 halobacteri
744	4	50.0	146	2	Q7WX31	Q7wx31 alcaligenes
745	4	50.0	146	5	Q9XUA6	Q9xua6 caenorhabdi
746	4	50.0	146	5	Q26260	Q26260 onchocerca
747	4	50.0	146	8	Q36135	Q36135 tuberaphis
748	4	50.0	146	12	Q7TAB8	Q7tab8 human enter
749	4	50.0	146	16	Q8F4T6	Q8f4t6 leptospira
750	4	50.0	146	17	Q96X70	Q96x70 sulfolobus
751	4	50.0	147	2	Q9RNE9	Q9rne9 escherichia
752	4	50.0	147	2	Q8KK65	Q8kk65 proteus vul
753	4	50.0	147	10	Q9SXT9	Q9sxt9 cicer ariet
754	4	50.0	147	10	Q7XIA0	Q7xia0 oryza sativ
755	4	50.0	147	15	Q8QFJ4	Q8qfj4 chimpanzee
756	4	50.0	147	16	P74066	P74066 synechocyst
757	4	50.0	147	16	Q8E7L4	Q8e7l4 streptococc
758	4	50.0	147	16	Q8E254	Q8e254 streptococc
759	4	50.0	147	16	Q81YF3	Q81yf3 bacillus an
760	4	50.0	148	6	Q862Y7	Q862y7 bos taurus
761	4	50.0	148	10	Q7XLG5	Q7xlg5 oryza sativ
762	4	50.0	148	11	Q9CXA5	Q9cxa5 mus musculu
763	4	50.0	148	12	Q9WIJ2	Q9wij2 human enter
764	4	50.0	148	12	Q9WIJ3	Q9wij3 human enter
765	4	50.0	148	15	Q8QFJ1	Q8qfj1 chimpanzee
766	4	50.0	148	15	Q8QFJ9	Q8qfj9 human immun
767	4	50.0	148	15	Q8QFJ3	Q8qfj3 chimpanzee
768	4	50.0	148	15	Q8QFJ2	Q8qfj2 chimpanzee
769	4	50.0	148	15	Q8QFK0	Q8qfk0 human immun
770	4	50.0	148	16	Q986Z7	Q986z7 rhizobium l
771	4	50.0	148	16	Q8Y906	Q8y906 listeria mo
772	4	50.0	149	10	Q9LF57	Q9lf57 arabidopsis
773	4	50.0	149	10	Q9FXK6	Q9fxk6 arabidopsis
774	4	50.0	149	12	Q81056	Q81056 human papil
775	4	50.0	149	12	Q81057	Q81057 human papil
776	4	50.0	149	12	Q81058	Q81058 human papil
777	4	50.0	149	12	Q81054	Q81054 human papil
778	4	50.0	149	12	Q81055	Q81055 human papil
779	4	50.0	149	12	Q81059	Q81059 human papil
780	4	50.0	149	16	Q927T1	Q927t1 listeria mo
781	4	50.0	149	16	Q8RH25	Q8rh25 fusobacteri
782	4	50.0	149	16	Q8CM93	Q8cm93 streptococc
783	4	50.0	150	5	Q8MPI2	Q8mpi2 patella vul
784	4	50.0	150	10	Q8LJT7	Q8ljt7 striga herm
785	4	50.0	150	10	Q9SL65	Q9sl65 arabidopsis
786	4	50.0	150	10	Q7XQJ9	Q7xqj9 oryza sativ
787	4	50.0	150	11	Q9Z0X0	Q9z0x0 mus musculu
788	4	50.0	150	11	Q9QZT9	Q9qzt9 mus musculu
789	4	50.0	150	12	Q8UYI9	Q8uyi9 swinepox vi
790	4	50.0	150	16	Q8YXB5	Q8yxb5 anabaena sp
791	4	50.0	151	4	Q8N8Z4	Q8n8z4 homo sapien
792	4	50.0	151	5	O77003	O77003 biomphalari
793	4	50.0	151	5	Q9U0U4	Q9u0u4 leishmania
794	4	50.0	151	10	Q8LJL3	Q8ljl3 oryza sativ
795	4	50.0	151	10	Q84L62	Q84l62 hordeum vul
796	4	50.0	151	10	Q84L61	Q84l61 hordeum vul
797	4	50.0	151	12	O89810	O89810 epiphyas po
798	4	50.0	151	12	Q7TAC7	Q7tac7 human enter

799	4	50.0	151	13	Q90YS5	Q90ys5 brachydanio
800	4	50.0	151	15	Q8QFK2	Q8qfk2 human immun
801	4	50.0	151	16	Q98E58	Q98e58 rhizobium l
802	4	50.0	151	16	Q8ZBQ4	Q8zbq4 yersinia pe
803	4	50.0	151	16	Q7USR4	Q7usr4 rhodopirell
804	4	50.0	151	17	Q27971	Q27971 archaeoglob
805	4	50.0	152	2	Q84A39	Q84a39 serratia pr
806	4	50.0	152	5	Q8I557	Q8i557 plasmodium
807	4	50.0	152	7	Q860T5	Q860t5 gallus gall
808	4	50.0	152	8	Q9T8E1	Q9t8e1 varroa unde
809	4	50.0	152	10	Q8LPT8	Q8lpt8 helianthus
810	4	50.0	152	10	Q23981	Q23981 hordeum vul
811	4	50.0	152	10	Q9C9A3	Q9c9a3 arabidopsis
812	4	50.0	152	10	Q9LZK0	Q9lzk0 arabidopsis
813	4	50.0	152	11	Q9CQW6	Q9cqW6 mus musculu
814	4	50.0	152	12	Q7TAC6	Q7tac6 human enter
815	4	50.0	152	16	Q8UH39	Q8uh39 agrobacteri
816	4	50.0	152	16	Q82FL6	Q82fl6 streptomyce
817	4	50.0	152	17	Q972H6	Q972h6 sulfolobus
818	4	50.0	153	2	Q7WWU5	Q7wwu5 alcaligenes
819	4	50.0	153	6	Q28834	Q28834 oryctolagus
820	4	50.0	153	10	Q9AQY5	Q9aqy5 polytomella
821	4	50.0	153	10	Q9ZW31	Q9zw31 arabidopsis
822	4	50.0	153	10	Q8LGG1	Q8lgg1 arabidopsis
823	4	50.0	153	10	Q9SZN7	Q9szn7 arabidopsis
824	4	50.0	153	10	Q7XY47	Q7xy47 griffithsia
825	4	50.0	153	12	Q9J0E6	Q9j0e6 tick-borne
826	4	50.0	153	16	Q98PQ9	Q98pq9 mycoplasma
827	4	50.0	154	10	Q9MLX5	Q9mlx5 arabidopsis
828	4	50.0	154	11	Q99P99	Q99p99 rattus norv
829	4	50.0	154	12	Q7TAD0	Q7tad0 human enter
830	4	50.0	154	16	Q9JTD4	Q9jtd4 neisseria m
831	4	50.0	154	16	Q8ZF09	Q8zf09 yersinia pe
832	4	50.0	154	16	Q893B9	Q893b9 clostridium
833	4	50.0	154	16	Q81AM1	Q81am1 bacillus ce
834	4	50.0	154	17	Q58036	Q58036 pyrococcus
835	4	50.0	154	17	Q8ZVW6	Q8zvw6 pyrobaculum
836	4	50.0	155	2	Q93EL9	Q93el9 borrelia bu
837	4	50.0	155	2	Q9JPE9	Q9jpe9 neisseria m
838	4	50.0	155	5	Q8IGE1	Q8igel drosophila
839	4	50.0	155	8	Q85JJ4	Q85jj4 sphaerospir
840	4	50.0	155	10	Q9XIE3	Q9xie3 arabidopsis
841	4	50.0	155	10	Q8LBH7	Q8lbh7 arabidopsis
842	4	50.0	155	11	Q7TML4	Q7tml4 mus musculu
843	4	50.0	155	16	Q9PP27	Q9pp27 campylobact
844	4	50.0	155	16	Q89SD9	Q89sd9 bradyrhizob
845	4	50.0	155	16	Q883M4	Q883m4 pseudomonas
846	4	50.0	155	17	Q9UZ40	Q9uz40 pyrococcus
847	4	50.0	155	17	Q8PSB3	Q8psb3 methanosarc
848	4	50.0	156	2	Q8KY19	Q8ky19 pseudomonas
849	4	50.0	156	2	Q8KRE2	Q8kre2 pseudomonas
850	4	50.0	156	2	Q9R9C0	Q9r9c0 bacillus th
851	4	50.0	156	2	Q30895	Q30895 bacillus th
852	4	50.0	156	2	Q30969	Q30969 bacillus th
853	4	50.0	156	11	Q8K4Y2	Q8k4y2 mus musculu
854	4	50.0	156	11	Q88557	Q88557 mus musculu
855	4	50.0	156	11	Q8BSN4	Q8bsn4 mus musculu

856	4	50.0	156	16	Q98HV1	Q98hvl rhizobium l
857	4	50.0	156	16	O35016	O35016 bacillus su
858	4	50.0	156	16	Q88QF8	Q88qf8 pseudomonas
859	4	50.0	156	16	Q88EB4	Q88eb4 pseudomonas
860	4	50.0	157	2	O52298	O52298 bacillus th
861	4	50.0	157	8	Q85JG9	Q85jg9 varohadra o
862	4	50.0	157	8	Q85JG8	Q85jg8 varohadra o
863	4	50.0	157	9	Q7Y463	Q7y463 enterobacte
864	4	50.0	157	10	Q8H5C9	Q8h5c9 oryza sativ
865	4	50.0	157	10	Q9LNW0	Q9lnw0 arabidopsis
866	4	50.0	158	4	Q96LQ8	Q96lq8 homo sapien
867	4	50.0	158	5	Q19343	Q19343 caenorhabdi
868	4	50.0	158	5	Q8T751	Q8t751 branchiosto
869	4	50.0	158	8	Q85JJ7	Q85jj7 sphaerospir
870	4	50.0	158	10	Q9SRS0	Q9srs0 arabidopsis
871	4	50.0	158	10	Q8RUZ5	Q8ruz5 arabidopsis
872	4	50.0	159	2	Q9RQD9	Q9rqd9 zymomonas m
873	4	50.0	159	5	Q9ULY9	Q9uly9 caenorhabdi
874	4	50.0	159	8	Q85JJ9	Q85jj9 sphaerospir
875	4	50.0	159	8	Q85JI2	Q85ji2 sphaerospir
876	4	50.0	159	8	Q85JH5	Q85jh5 sphaerospir
877	4	50.0	159	8	Q85A55	Q85a55 sphaerospir
878	4	50.0	159	16	Q8ZSG0	Q8zsg0 anabaena sp
879	4	50.0	159	16	Q88K77	Q88k77 pseudomonas
880	4	50.0	159	17	O29141	O29141 archaeoglob
881	4	50.0	160	8	Q8WAG4	Q8wag4 hadra belle
882	4	50.0	160	8	Q8WAH0	Q8wah0 hadra belle
883	4	50.0	160	8	Q8W824	Q8w824 hadra belle
884	4	50.0	160	8	Q8WAG9	Q8wag9 hadra belle
885	4	50.0	160	8	Q8WAG7	Q8wag7 hadra belle
886	4	50.0	160	8	Q8W8L1	Q8w8l1 hadra belle
887	4	50.0	160	8	Q8W8S3	Q8w8s3 hadra belle
888	4	50.0	160	8	Q8WAG2	Q8wag2 hadra belle
889	4	50.0	160	8	Q8W7D4	Q8w7d4 hadra belle
890	4	50.0	160	8	Q8W8P5	Q8w8p5 hadra belle
891	4	50.0	160	8	Q8WAG1	Q8wag1 sphaerospir
892	4	50.0	160	8	Q8WAG3	Q8wag3 hadra belle
893	4	50.0	160	8	Q8W8P0	Q8w8p0 hadra belle
894	4	50.0	160	8	Q8W823	Q8w823 hadra belle
895	4	50.0	160	8	Q8WAG6	Q8wag6 hadra belle
896	4	50.0	160	8	Q8WAG5	Q8wag5 hadra belle
897	4	50.0	160	8	Q8WAF7	Q8waf7 sphaerospir
898	4	50.0	160	8	Q8W8P6	Q8w8p6 hadra belle
899	4	50.0	160	8	Q8WAF6	Q8waf6 hadra webbi
900	4	50.0	160	8	Q8WAF8	Q8waf8 sphaerospir
901	4	50.0	160	8	Q85JK1	Q85jk1 camaenid sp
902	4	50.0	160	8	Q85JJ8	Q85jj8 sphaerospir
903	4	50.0	160	8	Q85JJ5	Q85jj5 camaenid sp
904	4	50.0	160	8	Q85JJ2	Q85jj2 sphaerospir
905	4	50.0	160	8	Q85JJ0	Q85jj0 varohadra o
906	4	50.0	160	8	Q85JI8	Q85ji8 sphaerospir
907	4	50.0	160	8	Q85JI7	Q85ji7 sphaerospir
908	4	50.0	160	8	Q85JI6	Q85ji6 sphaerospir
909	4	50.0	160	8	Q85JI5	Q85ji5 sphaerospir
910	4	50.0	160	8	Q85JI4	Q85ji4 sphaerospir
911	4	50.0	160	8	Q85JI3	Q85ji3 sphaerospir
912	4	50.0	160	8	Q85JI1	Q85ji1 sphaerospir

913	4	50.0	160	8	Q85JI0	Q85ji0	sphaerospir
914	4	50.0	160	8	Q85JH9	Q85jh9	sphaerospir
915	4	50.0	160	8	Q85JH8	Q85jh8	sphaerospir
916	4	50.0	160	8	Q85JH7	Q85jh7	sphaerospir
917	4	50.0	160	8	Q85JH6	Q85jh6	sphaerospir
918	4	50.0	160	8	Q85JH4	Q85jh4	sphaerospir
919	4	50.0	160	8	Q85JH3	Q85jh3	sphaerospir
920	4	50.0	160	8	Q85JH2	Q85jh2	sphaerospir
921	4	50.0	160	8	Q85JH0	Q85jh0	varohadra o
922	4	50.0	160	8	Q85CL2	Q85cl2	sphaerospir
923	4	50.0	160	8	Q85CD3	Q85cd3	sphaerospir
924	4	50.0	160	8	Q85AZ1	Q85az1	sphaerospir
925	4	50.0	160	8	Q85AE8	Q85ae8	varohadra o
926	4	50.0	160	8	Q85AE7	Q85ae7	varohadra o
927	4	50.0	160	8	Q859X9	Q859x9	sphaerospir
928	4	50.0	160	10	Q852T7	Q852t7	brassica ju
929	4	50.0	160	10	Q852T5	Q852t5	brassica ju
930	4	50.0	160	10	Q852T4	Q852t4	brassica ju
931	4	50.0	160	11	Q9D0Z5	Q9d0z5	mus musculu
932	4	50.0	160	16	O66445	O66445	aquifex aeo
933	4	50.0	160	16	Q92AD5	Q92ad5	listeria in
934	4	50.0	160	16	Q8Y627	Q8y627	listeria mo
935	4	50.0	160	16	Q8XGZ4	Q8xgz4	ralstonia s
936	4	50.0	160	17	O27749	O27749	methanobact
937	4	50.0	161	5	Q8SWK6	Q8swk6	encephalito
938	4	50.0	161	10	Q8LCS1	Q8lcs1	arabidopsis
939	4	50.0	161	10	Q852T9	Q852t9	brassica ju
940	4	50.0	161	10	Q9LZ38	Q9lz38	arabidopsis
941	4	50.0	161	10	Q7XIU9	Q7xiu9	oryza sativ
942	4	50.0	161	13	Q9DD52	Q9dd52	parexocoetu
943	4	50.0	161	13	Q9DD60	Q9dd60	cypselurus
944	4	50.0	161	16	Q8PNV7	Q8pnv7	xanthomonas
945	4	50.0	161	16	Q8PJK6	Q8pjk6	xanthomonas
946	4	50.0	161	16	Q8PC79	Q8pc79	xanthomonas
947	4	50.0	161	16	Q8P858	Q8p858	xanthomonas
948	4	50.0	161	16	Q7UTB5	Q7utb5	rhodopirell
949	4	50.0	162	5	Q7YZU5	Q7yzu5	eptatretus
950	4	50.0	162	12	Q99BH5	Q99bh5	human cytom
951	4	50.0	162	12	Q99BI6	Q99bi6	human cytom
952	4	50.0	163	4	Q9Y2Y0	Q9y2y0	homo sapien
953	4	50.0	163	5	Q8IQW8	Q8iqw8	drosophila
954	4	50.0	163	10	Q8H210	Q8h210	citrus gran
955	4	50.0	163	11	Q9D385	Q9d385	mus musculu
956	4	50.0	164	2	Q93S78	Q93s78	xanthomonas
957	4	50.0	164	2	Q9RFK2	Q9rfk2	australian
958	4	50.0	164	5	Q9TVN8	Q9tvn8	choristoneu
959	4	50.0	164	5	Q25609	Q25609	onchocerca
960	4	50.0	164	5	Q9TVT8	Q9tvt8	choristoneu
961	4	50.0	164	10	Q8H5C3	Q8h5c3	oryza sativ
962	4	50.0	164	10	O81029	O81029	arabidopsis
963	4	50.0	164	16	Q8NN08	Q8nn08	corynebacte
964	4	50.0	164	16	Q7UBK4	Q7ubk4	shigella fl
965	4	50.0	165	13	Q7SYL1	Q7syll	brachydanio
966	4	50.0	166	5	Q8MUL4	Q8mul4	strongyloce
967	4	50.0	166	10	Q8LEN4	Q8len4	arabidopsis
968	4	50.0	166	10	Q9T038	Q9t038	arabidopsis
969	4	50.0	166	16	Q8XA37	Q8xa37	escherichia

970	4	50.0	166	16	Q8FLA8	Q8fla8 escherichia
971	4	50.0	166	16	Q82U85	Q82u85 nitrosomona
972	4	50.0	167	3	Q9C487	Q9c487 pneumocysti
973	4	50.0	167	5	O45517	O45517 caenorhabdi
974	4	50.0	168	8	Q85QL2	Q85ql2 pachycara b
975	4	50.0	168	8	Q85QL1	Q85ql1 zoarces viv
976	4	50.0	168	10	Q94FC6	Q94fc6 tripsacum d
977	4	50.0	168	10	Q8RW11	Q8rwl1 rumex obtus
978	4	50.0	168	16	O68792	O68792 yersinia pe
979	4	50.0	169	4	Q96NP4	Q96np4 homo sapien
980	4	50.0	169	5	Q25611	Q25611 onchocerca
981	4	50.0	169	5	Q7YZA6	Q7yza6 drosophila
982	4	50.0	169	10	Q8GVW5	Q8gvw5 oryza sativ
983	4	50.0	169	12	Q9J0E2	Q9j0e2 tick-borne
984	4	50.0	169	12	Q9IZR6	Q9izr6 tick-borne
985	4	50.0	169	12	Q9IZ43	Q9iz43 tick-borne
986	4	50.0	169	16	Q9K3W8	Q9k3w8 streptomyce
987	4	50.0	169	16	Q82V41	Q82v41 nitrosomona
988	4	50.0	170	2	Q9RQS0	Q9rqs0 escherichia
989	4	50.0	170	2	Q9AH21	Q9ah21 salmonella
990	4	50.0	170	2	Q8KLA2	Q8kla2 rhizobium e
991	4	50.0	170	5	Q86AA0	Q86aa0 dictyosteli
992	4	50.0	170	10	O81055	O81055 arabidopsis
993	4	50.0	170	12	Q9QTE9	Q9qte9 porcine epi
994	4	50.0	170	12	Q9QTE8	Q9qte8 porcine epi
995	4	50.0	170	16	Q89F52	Q89f52 bradyrhizob
996	4	50.0	170	17	O52035	O52035 halobacteri
997	4	50.0	171	2	Q8VP76	Q8vp76 vibrio angu
998	4	50.0	171	5	Q9W1Q0	Q9wlq0 drosophila
999	4	50.0	171	16	Q88F12	Q88f12 pseudomonas
1000	4	50.0	171	16	Q81UM2	Q8lum2 bacillus an

ALIGNMENTS

RESULT 1

Q8WZ99

ID Q8WZ99 PRELIMINARY; PRT; 35 AA.

AC Q8WZ99;

DT 01-MAR-2002 (TrEMBLrel. 20, Created)

DT 01-MAR-2002 (TrEMBLrel. 20, Last sequence update)

DT 01-MAR-2002 (TrEMBLrel. 20, Last annotation update)

DE Amyloid protein (Fragment).

GN APP.

OS Homo sapiens (Human).

OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;

OC Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.

OX NCBI_TaxID=9606;

RN [1]

RP SEQUENCE FROM N.A.

RA Wakutani Y., Ninomiya H., Iwata H., Tanaka S., Urakami K., Adachi Y.,

RA Wada-Isoe K., Yamagata K., Ohono K., Tsubuki S., Saido T.,

RA Hashimoto T., Iwatsubo T., Nakashima K.;

RT "Novel missense mutation (D678N) of amyloid precursor protein gene in

RT a Japanese pedigree of familial Alzheimer's disease.";

RL Submitted (JUL-2001) to the EMBL/GenBank/DDBJ databases.

DR EMBL; AB066441; BAB71958.1; -.

FT NON_TER 1 1

FT NON_TER 35 35

SQ SEQUENCE 35 AA; 4084 MW; 49D7D17289743B71 CRC64;

Query Match 100.0%; Score 8; DB 4; Length 35;

Best Local Similarity 100.0%; Pred. No. 0.022;

Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMDAEF 8

|||||||

Db 13 EVKMDAEF 20

RESULT 2

O35463

ID O35463 PRELIMINARY; PRT; 79 AA.

AC O35463;

DT 01-JAN-1998 (TrEMBLrel. 05, Created)

DT 01-JAN-1998 (TrEMBLrel. 05, Last sequence update)

DT 01-JUN-2003 (TrEMBLrel. 24, Last annotation update)

DE Alzheimer's amyloid beta protein (Fragment).

GN BETA APP.

OS Cricetulus griseus (Chinese hamster).

OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;

OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Cricetinae;

OC Cricetulus.

OX NCBI_TaxID=10029;

RN [1]

RP SEQUENCE FROM N.A.

RA Sambamurti K., Pinnix I., Gandhi S.;

RL Submitted (OCT-1997) to the EMBL/GenBank/DDBJ databases.

DR EMBL; AF030413; AAB86608.1; -.

DR HSSP; P05067; 1BA4.

DR GO; GO:0016020; C:membrane; IEA.

DR InterPro; IPR001255; Beta-APP.

DR Pfam; PF03494; Beta-APP; 1.

FT NON_TER 1 1

FT NON_TER 79 79

SQ SEQUENCE 79 AA; 8538 MW; 37F2C6C3BFF3F597 CRC64;

Query Match 100.0%; Score 8; DB 11; Length 79;

Best Local Similarity 100.0%; Pred. No. 0.042;

Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMDAEF 8

|||||||

Db 17 EVKMDAEF 24

RESULT 3

Q16020

ID Q16020 PRELIMINARY; PRT; 82 AA.

AC Q16020;

DT 01-NOV-1996 (TrEMBLrel. 01, Created)

DT 01-NOV-1996 (TrEMBLrel. 01, Last sequence update)

DT 01-JUN-2003 (TrEMBLrel. 24, Last annotation update)

DE Beta-amyloid peptide (Fragment).
 GN BETA APP.
 OS Homo sapiens (Human).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
 OX NCBI_TaxID=9606;
 RN [1]
 RP SEQUENCE FROM N.A.
 RX MEDLINE=93236601; PubMed=8476439;
 RA Denman R.B., Rosenzwaig R., Miller D.L.;
 RT "A system for studying the effect(s) of familial Alzheimer disease
 RT mutations on the processing of the beta-amyloid peptide precursor.";
 RL Biochem. Biophys. Res. Commun. 192:96-103(1993).
 DR EMBL; S61383; AAB26265.2; -.
 DR HSSP; P05067; 1BA4.
 DR GO; GO:0016020; C:membrane; IEA.
 DR InterPro; IPR001255; Beta-APP.
 DR Pfam; PF03494; Beta-APP; 1.
 FT NON_TER 1 1
 FT NON_TER 82 82
 SQ SEQUENCE 82 AA; 8882 MW; F534AA5AE5D9230A CRC64;

Query Match 100.0%; Score 8; DB 4; Length 82;
 Best Local Similarity 100.0%; Pred. No. 0.043;
 Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMDAEF 8
 |||||
 Db 14 EVKMDAEF 21

RESULT 4

Q16014

ID Q16014 PRELIMINARY; PRT; 82 AA.
 AC Q16014;
 DT 01-NOV-1996 (TrEMBLrel. 01, Created)
 DT 01-NOV-1996 (TrEMBLrel. 01, Last sequence update)
 DT 01-JUN-2003 (TrEMBLrel. 24, Last annotation update)
 DE Beta-amyloid peptide (Fragment).
 OS Homo sapiens (Human).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
 OX NCBI_TaxID=9606;
 RN [1]
 RP SEQUENCE FROM N.A.
 RX MEDLINE=93236601; PubMed=8476439;
 RA Denman R.B., Rosenzwaig R., Miller D.L.;
 RT "A system for studying the effect(s) of familial Alzheimer disease
 RT mutations on the processing of the beta-amyloid peptide precursor.";
 RL Biochem. Biophys. Res. Commun. 192:96-103(1993).
 DR EMBL; S60721; AAB26263.2; -.
 DR HSSP; P05067; 1BA4.
 DR GO; GO:0016020; C:membrane; IEA.
 DR InterPro; IPR001255; Beta-APP.
 DR Pfam; PF03494; Beta-APP; 1.
 FT NON_TER 1 1
 FT NON_TER 82 82

SQ SEQUENCE 82 AA; 8972 MW; F534AA5B3EA9230A CRC64;

Query Match 100.0%; Score 8; DB 4; Length 82;
Best Local Similarity 100.0%; Pred. No. 0.043;
Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMDAEF 8
| | | | | | | |
Db 14 EVKMDAEF 21

RESULT 5

Q16019

ID Q16019 PRELIMINARY; PRT; 82 AA.
AC Q16019;
DT 01-NOV-1996 (TrEMBLrel. 01, Created)
DT 01-NOV-1996 (TrEMBLrel. 01, Last sequence update)
DT 01-JUN-2003 (TrEMBLrel. 24, Last annotation update)
DE Beta-amyloid peptide (Fragment).
GN BETA APP.
OS Homo sapiens (Human).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
OX NCBI_TaxID=9606;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=93236601; PubMed=8476439;
RA Denman R.B., Rosenzwaig R., Miller D.L.;
RT "A system for studying the effect(s) of familial Alzheimer disease
RT mutations on the processing of the beta-amyloid peptide precursor.";
RL Biochem. Biophys. Res. Commun. 192:96-103(1993).
DR EMBL; S61380; AAB26264.2; -.
DR HSSP; P05067; 1BA4.
DR GO; GO:0016020; C:membrane; IEA.
DR InterPro; IPR001255; Beta-APP.
DR Pfam; PF03494; Beta-APP; 1.
FT NON_TER 1 1
FT NON_TER 82 82
SQ SEQUENCE 82 AA; 8938 MW; F534AA50E579230A CRC64;

Query Match 100.0%; Score 8; DB 4; Length 82;
Best Local Similarity 100.0%; Pred. No. 0.043;
Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMDAEF 8
| | | | | | | |
Db 14 EVKMDAEF 21

RESULT 6

Q8JH58

ID Q8JH58 PRELIMINARY; PRT; 113 AA.
AC Q8JH58;
DT 01-OCT-2002 (TrEMBLrel. 22, Created)
DT 01-OCT-2002 (TrEMBLrel. 22, Last sequence update)
DT 01-JUN-2003 (TrEMBLrel. 24, Last annotation update)
DE Amyloid beta protein (Fragment).

OS Chelydra serpentina serpentina (common snapping turtle).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Testudines; Cryptodira; Testudinoidea; Chelydridae; Chelydra.
 OX NCBI_TaxID=134619;
 RN [1]
 RP SEQUENCE FROM N.A.
 RX MEDLINE=21876906; PubMed=11882478;
 RA Trudeau V.L., Chiu S., Kennedy S.W., Brooks R.J.;
 RT "Octylphenol (OP) alters the expression of members of the amyloid
 RT protein family in the hypothalamus of the snapping turtle, Chelydra
 RT serpentina serpentina.";
 RL Environ. Health Perspect. 110:269-275(2002).
 DR EMBL; AF541917; AAN04908.1; -.
 DR GO; GO:0016020; C:membrane; IEA.
 DR InterPro; IPR008155; A4_APP.
 DR InterPro; IPR001255; Beta-APP.
 DR Pfam; PF03494; Beta-APP; 1.
 DR PRINTS; PR00203; AMYLOIDA4.
 DR PROSITE; PS00320; A4_INTRA; 1.
 FT NON_TER 1 1
 SQ SEQUENCE 113 AA; 12750 MW; 72515C930496E053 CRC64;

Query Match 100.0%; Score 8; DB 13; Length 113;
 Best Local Similarity 100.0%; Pred. No. 0.055;
 Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 EVKMDAEF 8
 |||||
 Db 11 EVKMDAEF 18

RESULT 7

Q8BPV5

ID Q8BPV5 PRELIMINARY; PRT; 218 AA.
 AC Q8BPV5;
 DT 01-MAR-2003 (TrEMBLrel. 23, Created)
 DT 01-MAR-2003 (TrEMBLrel. 23, Last sequence update)
 DT 01-OCT-2003 (TrEMBLrel. 25, Last annotation update)
 DE Amyloid beta (Fragment).
 GN APP.
 OS Mus musculus (Mouse).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
 OX NCBI_TaxID=10090;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=C57BL/6J; TISSUE=Lung;
 RX MEDLINE=22354683; PubMed=12466851;
 RA The FANTOM Consortium,
 RA the RIKEN Genome Exploration Research Group Phase I & II Team;
 RT "Analysis of the mouse transcriptome based on functional annotation of
 RT 60,770 full-length cDNAs.";
 RL Nature 420:563-573(2002).
 DR EMBL; AK052448; BAC34997.1; -.
 DR MGD; MGI:88059; App.
 DR GO; GO:0005515; F:protein binding; IPI.
 DR InterPro; IPR008155; A4_APP.

DR InterPro; IPR001255; Beta-APP.
DR Pfam; PF03494; Beta-APP; 1.
DR PRINTS; PR00203; AMYLOIDA4.
DR PROSITE; PS00320; A4_INTRA; 1.
FT NON_TER 1 1
SQ SEQUENCE 218 AA; 24118 MW; 95B55AFDAE1D0EF5 CRC64;

Query Match 100.0%; Score 8; DB 11; Length 218;
Best Local Similarity 100.0%; Pred. No. 0.093;
Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMDAEF 8
|||||||
Db 116 EVKMDAEF 123

RESULT 8

Q8BPC7

ID Q8BPC7 PRELIMINARY; PRT; 384 AA.
AC Q8BPC7;
DT 01-MAR-2003 (TrEMBLrel. 23, Created)
DT 01-MAR-2003 (TrEMBLrel. 23, Last sequence update)
DT 01-OCT-2003 (TrEMBLrel. 25, Last annotation update)
DE Amyloid beta (Fragment).
GN APP.
OS Mus musculus (Mouse).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
OX NCBI_TaxID=10090;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=C57BL/6J; TISSUE=Head;
RX MEDLINE=22354683; PubMed=12466851;
RA The FANTOM Consortium,
RA the RIKEN Genome Exploration Research Group Phase I & II Team;
RT "Analysis of the mouse transcriptome based on functional annotation of
RT 60,770 full-length cDNAs.";
RL Nature 420:563-573(2002).
DR EMBL; AK076506; BAC36369.1; -.
DR MGD; MGI:88059; App.
DR GO; GO:0005515; F:protein binding; IPI.
DR InterPro; IPR008155; A4_APP.
DR InterPro; IPR001255; Beta-APP.
DR Pfam; PF03494; Beta-APP; 1.
DR PRINTS; PR00203; AMYLOIDA4.
DR PROSITE; PS00320; A4_INTRA; 1.
FT NON_TER 1 1
SQ SEQUENCE 384 AA; 43990 MW; A81B1AD8AE683173 CRC64;

Query Match 100.0%; Score 8; DB 11; Length 384;
Best Local Similarity 100.0%; Pred. No. 0.15;
Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMDAEF 8
|||||||
Db 282 EVKMDAEF 289

RESULT 9

O93296

ID O93296 PRELIMINARY; PRT; 534 AA.
AC O93296;
DT 01-NOV-1998 (TrEMBLrel. 08, Created)
DT 01-NOV-1998 (TrEMBLrel. 08, Last sequence update)
DT 01-JUN-2003 (TrEMBLrel. 24, Last annotation update)
DE Amyloid protein (Fragment).
OS Gallus gallus (Chicken).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Archosauria; Aves; Neognathae; Galliformes; Phasianidae; Phasianinae;
OC Gallus.
OX NCBI_TaxID=9031;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=98337885; PubMed=9671674;
RA Barnes N.Y., Li L., Yoshikawa K., Schwartz L.M., Oppenheim R.W.,
RA Milligan C.E.;
RT "Increased production of amyloid precursor protein provides a
RT substrate for caspase-3 in dying motoneurons."
RL J. Neurosci. 18:5869-5880(1998).
DR EMBL; AF042098; AAC25052.1; -.
DR HSSP; P05067; 1BA4.
DR GO; GO:0016020; C:membrane; IEA.
DR InterPro; IPR008155; A4_APP.
DR InterPro; IPR008154; A4_extra.
DR InterPro; IPR001255; Beta-APP.
DR Pfam; PF02177; A4_EXTRA; 1.
DR Pfam; PF03494; Beta-APP; 1.
DR PRINTS; PR00203; AMYLOIDA4.
DR PROSITE; PS00319; A4_EXTRA; 1.
DR PROSITE; PS00320; A4_INTRA; 1.
FT NON_TER 1 1
SQ SEQUENCE 534 AA; 60597 MW; FB53ECC2E66D4C92 CRC64;

Query Match 100.0%; Score 8; DB 13; Length 534;
Best Local Similarity 100.0%; Pred. No. 0.19;
Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMDAEF 8
| | | | | | | |
Db 432 EVKMDAEF 439

RESULT 10

Q9PVL1

ID Q9PVL1 PRELIMINARY; PRT; 569 AA.
AC Q9PVL1;
DT 01-MAY-2000 (TrEMBLrel. 13, Created)
DT 01-MAY-2000 (TrEMBLrel. 13, Last sequence update)
DT 01-JUN-2003 (TrEMBLrel. 24, Last annotation update)
DE Amyloid protein (Fragment).
GN APP.
OS Gallus gallus (Chicken).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Archosauria; Aves; Neognathae; Galliformes; Phasianidae; Phasianinae;

OC Gallus.
 OX NCBI_TaxID=9031;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC TISSUE=Brain;
 RA Coulson E.J., Paliga K., Beyreuther K., Masters C.L.;
 RT "What the evolution of the amyloid protein precursor supergene family
 RT tells us about its function.";
 RL Neurochem. Int. 0:0-0(2000).
 DR EMBL; AF030341; AAF12698.1; -.
 DR HSSP; P05067; 1BA4.
 DR GO; GO:0016020; C:membrane; IEA.
 DR InterPro; IPR008155; A4_APP.
 DR InterPro; IPR008154; A4_extra.
 DR InterPro; IPR001255; Beta-APP.
 DR Pfam; PF02177; A4_EXTRA; 1.
 DR Pfam; PF03494; Beta-APP; 1.
 DR PRINTS; PR00203; AMYLOIDA4.
 DR PROSITE; PS00319; A4_EXTRA; 1.
 DR PROSITE; PS00320; A4_INTRA; 1.
 FT NON_TER 1 1
 SQ SEQUENCE 569 AA; 64753 MW; 0AB8BB851863A19D CRC64;

Query Match 100.0%; Score 8; DB 13; Length 569;
 Best Local Similarity 100.0%; Pred. No. 0.2;
 Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMDAEF 8
 |||||
 Db 468 EVKMDAEF 475

RESULT 11

Q9DGJ8

ID Q9DGJ8 PRELIMINARY; PRT; 695 AA.
 AC Q9DGJ8;
 DT 01-MAR-2001 (TrEMBLrel. 16, Created)
 DT 01-MAR-2001 (TrEMBLrel. 16, Last sequence update)
 DT 01-JUN-2003 (TrEMBLrel. 24, Last annotation update)
 DE Beta-amyloid precursor protein 695 isoform.
 OS Gallus gallus (Chicken).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Archosauria; Aves; Neognathae; Galliformes; Phasianidae; Phasianinae;
 OC Gallus.
 OX NCBI_TaxID=9031;
 RN [1]
 RP SEQUENCE FROM N.A.
 RA Sarasa M., Rodolosse A., Sorribas V.;
 RT "Cloning of full-length chicken beta-amyloid precursor protein
 RT isoforms.";
 RL Submitted (JUL-2000) to the EMBL/GenBank/DDBJ databases.
 DR EMBL; AF289218; AAG00593.1; -.
 DR HSSP; P05067; 1BA4.
 DR GO; GO:0016020; C:membrane; IEA.
 DR InterPro; IPR008155; A4_APP.
 DR InterPro; IPR008154; A4_extra.
 DR InterPro; IPR001255; Beta-APP.

DR Pfam; PF02177; A4_EXTRA; 1.
 DR Pfam; PF03494; Beta-APP; 1.
 DR PRINTS; PR00203; AMYLOIDA4.
 DR SMART; SM00006; A4_EXTRA; 1.
 DR PROSITE; PS00319; A4_EXTRA; 1.
 DR PROSITE; PS00320; A4_INTRA; 1.
 SQ SEQUENCE 695 AA; 78565 MW; F201ED02AEC86D95 CRC64;

Query Match 100.0%; Score 8; DB 13; Length 695;
 Best Local Similarity 100.0%; Pred. No. 0.23;
 Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMDAEF 8
 |||||
 Db 593 EVKMDAEF 600

RESULT 12

Q9DGJ7

ID Q9DGJ7 PRELIMINARY; PRT; 751 AA.
 AC Q9DGJ7;
 DT 01-MAR-2001 (TrEMBLrel. 16, Created)
 DT 01-MAR-2001 (TrEMBLrel. 16, Last sequence update)
 DT 01-JUN-2003 (TrEMBLrel. 24, Last annotation update)
 DE Beta-amyloid precursor protein 751 isoform.
 OS Gallus gallus (Chicken).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Archosauria; Aves; Neognathae; Galliformes; Phasianidae; Phasianinae;
 OC Gallus.
 OX NCBI_TaxID=9031;
 RN [1]
 RP SEQUENCE FROM N.A.
 RA Sarasa M., Rodolosse A., Sorribas V.;
 RT "Cloning of full-length chicken beta-amyloid precursor protein
 RT isoforms.";
 RL Submitted (JUL-2000) to the EMBL/GenBank/DDBJ databases.
 DR EMBL; AF289219; AAG00594.1; -.
 DR HSSP; P05067; 1BA4.
 DR GO; GO:0016020; C:membrane; IEA.
 DR GO; GO:0004867; F:serine protease inhibitor activity; IEA.
 DR InterPro; IPR008155; A4_APP.
 DR InterPro; IPR008154; A4_extra.
 DR InterPro; IPR001255; Beta-APP.
 DR InterPro; IPR002223; Kunitz_BPTI.
 DR Pfam; PF02177; A4_EXTRA; 1.
 DR Pfam; PF03494; Beta-APP; 1.
 DR Pfam; PF00014; Kunitz_BPTI; 1.
 DR PRINTS; PR00203; AMYLOIDA4.
 DR PRINTS; PR00759; BASICPTASE.
 DR ProDom; PD000222; Kunitz_BPTI; 1.
 DR SMART; SM00006; A4_EXTRA; 1.
 DR SMART; SM00131; KU; 1.
 DR PROSITE; PS00319; A4_EXTRA; 1.
 DR PROSITE; PS00320; A4_INTRA; 1.
 DR PROSITE; PS00280; BPTI_KUNITZ_1; 1.
 DR PROSITE; PS00279; BPTI_KUNITZ_2; 1.
 KW Protease inhibitor; Serine protease inhibitor.

SQ SEQUENCE 751 AA; 84705 MW; E78E9413A8033D84 CRC64;

Query Match 100.0%; Score 8; DB 13; Length 751;
Best Local Similarity 100.0%; Pred. No. 0.25;
Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMDAEF 8
|||
Db 649 EVKMDAEF 656

RESULT 13

Q8IPL5

ID Q8IPL5 PRELIMINARY; PRT; 2148 AA.
AC Q8IPL5;
DT 01-MAR-2003 (TrEMBLrel. 23, Created)
DT 01-MAR-2003 (TrEMBLrel. 23, Last sequence update)
DT 01-JUN-2003 (TrEMBLrel. 24, Last annotation update)
DE CG31652-PA.
GN CG31652.
OS Drosophila melanogaster (Fruit fly).
OC Eukaryota; Metazoa; Arthropoda; Hexapoda; Insecta; Pterygota;
OC Neoptera; Endopterygota; Diptera; Brachycera; Muscomorpha;
OC Ephydroidea; Drosophilidae; Drosophila.
OX NCBI_TaxID=7227;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=20196006; PubMed=10731132;
RA Adams M.D., Celniker S.E., Holt R.A., Evans C.A., Gocayne J.D.,
RA Amanatides P.G., Scherer S.E., Li P.W., Hoskins R.A., Galle R.F.,
RA George R.A., Lewis S.E., Richards S., Ashburner M., Henderson S.N.,
RA Sutton G.G., Wortman J.R., Yandell M.D., Zhang Q., Chen L.X.,
RA Brandon R.C., Rogers Y.H., Blazej R.G., Champe M., Pfeiffer B.D.,
RA Wan K.H., Doyle C., Baxter E.G., Helt G., Nelson C.R., Gabor G.L.,
RA Abril J.F., Agbayani A., An H.J., Andrews-Pfannkoch C., Baldwin D.,
RA Ballew R.M., Basu A., Baxendale J., Bayraktaroglu L., Beasley E.M.,
RA Beeson K.Y., Benos P.V., Berman B.P., Bhandari D., Bolshakov S.,
RA Borkova D., Botchan M.R., Bouck J., Brokstein P., Brottier P.,
RA Burtis K.C., Busam D.A., Butler H., Cadieu E., Center A., Chandra I.,
RA Cherry J.M., Cawley S., Dahlke C., Davenport L.B., Davies P.,
RA de Pablos B., Delcher A., Deng Z., Mays A.D., Dew I., Dietz S.M.,
RA Dodson K., Doup L.E., Downes M., Dugan-Rocha S., Dunkov B.C., Dunn P.,
RA Durbin K.J., Evangelista C.C., Ferraz C., Ferriera S., Fleischmann W.,
RA Fosler C., Gabrielian A.E., Garg N.S., Gelbart W.M., Glasser K.,
RA Glodek A., Gong F., Gorrell J.H., Gu Z., Guan P., Harris M.,
RA Harris N.L., Harvey D., Heiman T.J., Hernandez J.R., Houck J.,
RA Hosten D., Houston K.A., Howland T.J., Wei M.H., Ibegwam C.,
RA Jalali M., Kalush F., Karpen G.H., Ke Z., Kennison J.A., Ketchum K.A.,
RA Kimmel B.E., Kodira C.D., Kraft C., Kravitz S., Kulp D., Lai Z.,
RA Lasko P., Lei Y., Levitsky A.A., Li J., Li Z., Liang Y., Lin X.,
RA Liu X., Mattei B., McIntosh T.C., McLeod M.P., McPherson D.,
RA Merkulov G., Milshina N.V., Mobarry C., Morris J., Moshrefi A.,
RA Mount S.M., Moy M., Murphy B., Murphy L., Muzny D.M., Nelson D.L.,
RA Nelson D.R., Nelson K.A., Nixon K., Nusskern D.R., Pacleb J.M.,
RA Palazzolo M., Pittman G.S., Pan S., Pollard J., Puri V., Reese M.G.,
RA Reinert K., Remington K., Saunders R.D., Scheeler F., Shen H.,
RA Shue B.C., Siden-Kiamos I., Simpson M., Skupski M.P., Smith T.,

RA Spier E., Spradling A.C., Stapleton M., Strong R., Sun E.,
 RA Svirskas R., Tector C., Turner R., Venter E., Wang A.H., Wang X.,
 RA Wang Z.Y., Wassarman D.A., Weinstock G.M., Weissenbach J.,
 RA Williams S.M., Woodage T., Worley K.C., Wu D., Yang S., Yao Q.A., Ye J.,
 RA Yeh R.F., Zaveri J.S., Zhan M., Zhang G., Zhao Q., Zheng L.,
 RA Zheng X.H., Zhong F.N., Zhong W., Zhou X., Zhu S., Zhu X., Smith H.O.,
 RA Gibbs R.A., Myers E.W., Rubin G.M., Venter J.C.;
 RT "The genome sequence of *Drosophila melanogaster*.";
 RL Science 287:2185-2195 (2000).
 RN [2]
 RP SEQUENCE FROM N.A.
 RA Celniker S.E., Adams M.D., Kronmiller B., Wan K.H., Holt R.A.,
 RA Evans C.A., Gocayne J.D., Amanatides P.G., Brandon R.C., Rogers Y.,
 RA Banzon J., An H., Baldwin D., Banzon J., Beeson K.Y., Busam D.A.,
 RA Carlson J.W., Center A., Champe M., Davenport L.B., Dietz S.M.,
 RA Dodson K., Dorsett V., Doup L.E., Doyle C., Dresnek D., Farfan D.,
 RA Ferriera S., Frise E., Galle R.F., Garg N.S., George R.A.,
 RA Gonzalez M., Houck J., Hoskins R.A., Hostin D., Howland T.J.,
 RA Ibegwam C., Jalali M., Kruse D., Li P., Mattei B., Moshrefi A.,
 RA McIntosh T.C., Moy M., Murphy B., Nelson C., Nelson K.A., Nunoo J.,
 RA Pacleb J., Paragas V., Park S., Patel S., Pfeiffer B.,
 RA Phouanenvong S., Pittman G.S., Puri V., Richards S., Scheeler F.,
 RA Stapleton M., Strong R., Svirskas R., Tector C., Tyler D.,
 RA Williams S.M., Zaveri J.S., Smith H.O., Venter J.C., Rubin G.M.;
 RT "Sequencing of *Drosophila melanogaster* genome.";
 RL Submitted (MAR-2000) to the EMBL/GenBank/DDBJ databases.
 RN [3]
 RP SEQUENCE FROM N.A.
 RA Misra S., Crosby M.A., Matthews B.B., Bayraktaroglu L., Campbell K.,
 RA Hradecky P., Huang Y., Kaminker J.S., Prochnik S.E., Smith C.D.,
 RA Tupy J.L., Bergman C., Berman B., Carlson J.W., Celniker S.E.,
 RA Clamp M., Drysdale R., Emmert D., Frise E., de Grey A., Harris N.,
 RA Kronmiller B., Marshall B., Millburn G., Richter J., Russo S.,
 RA Searle S.M.J., Smith E., Shu S., Smutniak F., Whitfield E.,
 RA Ashburner M., Gelbart W.M., Rubin G.M., Mungall C.J., Lewis S.E.;
 RT "Annotation of *Drosophila melanogaster* genome.";
 RL Submitted (MAR-2000) to the EMBL/GenBank/DDBJ databases.
 RN [4]
 RP SEQUENCE FROM N.A.
 RA Adams M.D., Celniker S.E., Gibbs R.A., Rubin G.M., Venter C.J.;
 RL Submitted (MAR-2000) to the EMBL/GenBank/DDBJ databases.
 RN [5]
 RP SEQUENCE FROM N.A.
 RA FlyBase;
 RL Submitted (SEP-2002) to the EMBL/GenBank/DDBJ databases.
 DR EMBL; AE003608; AAN10513.1; -.
 DR FlyBase; FBgn0051652; CG31652.
 DR InterPro; IPR001680; WD40.
 DR Pfam; PF00400; WD40; 4.
 DR PROSITE; PS50082; WD_REPEATS_2; 1.
 DR PROSITE; PS50294; WD_REPEATS_REGION; 1.
 SQ SEQUENCE 2148 AA; 247689 MW; E3EF2CF71BF3A632 CRC64;

Query Match 87.5%; Score 7; DB 5; Length 2148;
 Best Local Similarity 100.0%; Pred. No. 8.2;
 Matches 7; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 2 VKMDAEF 8
| | | | |
Db 1272 VKMDAEF 1278

RESULT 14

Q8IK90

ID Q8IK90 PRELIMINARY; PRT; 254 AA.
AC Q8IK90;
DT 01-MAR-2003 (TrEMBLrel. 23, Created)
DT 01-MAR-2003 (TrEMBLrel. 23, Last sequence update)
DT 01-OCT-2003 (TrEMBLrel. 25, Last annotation update)
DE Proteosome subunit alpha type 1, putative.
GN PF14_0716.
OS Plasmodium falciparum (isolate 3D7).
OC Eukaryota; Alveolata; Apicomplexa; Haemosporida; Plasmodium.
OX NCBI_TaxID=36329;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=3D7;
RX MEDLINE=22255705; PubMed=12368864;
RA Gardner M.J., Hall N., Fung E., White O., Berriman M., Hyman R.W.,
RA Carlton J.M., Pain A., Nelson K.E., Bowman S., Paulsen I.T., James K.,
RA Eisen J.A., Rutherford K., Salzberg S.L., Craig A., Kyes S.,
RA Chan M.-S., Nene V., Shallom S.J., Suh B., Peterson J., Angiuoli S.,
RA Pertea M., Allen J., Selengut J., Haft D., Mather M.W., Vaidya A.B.,
RA Martin D.M.A., Fairlamb A.H., Fraunholz M.J., Roos D.S., Ralph S.A.,
RA McFadden G.I., Cummings L.M., Subramanian G.M., Mungall C.,
RA Venter J.C., Carucci D.J., Hoffman S.L., Newbold C., Davis R.W.,
RA Fraser C.M., Barrell B.;
RT "Genome sequence of the human malaria parasite Plasmodium
RT falciparum.";
RL Nature 419:498-511(2002).
DR EMBL; AE014828; AAN37329.1; -.
DR GO; GO:0005839; C:proteasome core complex (sensu Eukarya); IEA.
DR GO; GO:0004175; F:endorpeptidase activity; IEA.
DR GO; GO:0006511; P:ubiquitin-dependent protein catabolism; IEA.
DR InterPro; IPR001353; Peptidase_T1.
DR Pfam; PF00227; proteasome; 1.
SQ SEQUENCE 254 AA; 28837 MW; 0FCD6C429DDDBB4B CRC64;

Query Match 75.0%; Score 6; DB 5; Length 254;
Best Local Similarity 100.0%; Pred. No. 22;
Matches 6; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 2 VKMDAE 7
| | | | |
Db 235 VKMDAE 240

RESULT 15

Q8A7J6

ID Q8A7J6 PRELIMINARY; PRT; 430 AA.
AC Q8A7J6;
DT 01-JUN-2003 (TrEMBLrel. 24, Created)
DT 01-JUN-2003 (TrEMBLrel. 24, Last sequence update)
DT 01-OCT-2003 (TrEMBLrel. 25, Last annotation update)

DE Two-component system sensor histidine kinase.
 GN BT1528.
 OS Bacteroides thetaiotaomicron.
 OC Bacteria; Bacteroidetes; Bacteroides (class); Bacteroidales;
 OC Bacteroidaceae; Bacteroides.
 OX NCBI_TaxID=818;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=VPI-5482 / ATCC 29148;
 RX MEDLINE=22550858; PubMed=12663928;
 RA Xu J., Bjursell M.K., Himrod J., Deng S., Carmichael L.K.,
 RA Chiang H.C., Hooper L.V., Gordon J.I.;
 RT "A genomic view of the human-Bacteroides thetaiotaomicron symbiosis.";
 RL Science 299:2074-2076(2003).
 DR EMBL; AE016932; AA076635.1; -.
 DR GO; GO:0016020; C:membrane; IEA.
 DR GO; GO:0005524; F:ATP binding; IEA.
 DR GO; GO:0016301; F:kinase activity; IEA.
 DR GO; GO:0000155; F:two-component sensor molecule activity; IEA.
 DR GO; GO:0007165; P:signal transduction; IEA.
 DR InterPro; IPR003594; ATPbind_ATPase.
 DR InterPro; IPR004358; Bact_sens_pr_C.
 DR InterPro; IPR003660; HAMP.
 DR InterPro; IPR005467; His_kinase.
 DR InterPro; IPR000014; PAS_domain.
 DR Pfam; PF00672; HAMP; 1.
 DR Pfam; PF02518; HATPase_c; 1.
 DR Pfam; PF00989; PAS; 1.
 DR PRINTS; PR00344; BCTRLSENSOR.
 DR SMART; SM00304; HAMP; 1.
 DR SMART; SM00387; HATPase_c; 1.
 DR SMART; SM00091; PAS; 1.
 DR PROSITE; PS50885; HAMP; 1.
 DR PROSITE; PS50109; HIS_KIN; 1.
 DR PROSITE; PS50112; PAS; 1.
 KW Kinase; Complete proteome.
 SQ SEQUENCE 430 AA; 48738 MW; 68AC5C1A298C72EF CRC64;

Query Match 75.0%; Score 6; DB 16; Length 430;
 Best Local Similarity 100.0%; Pred. No. 33;
 Matches 6; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMDA 6
 |||||
 Db 327 EVKMDA 332

RESULT 16

Q8N1L0

ID Q8N1L0 PRELIMINARY; PRT; 482 AA.
 AC Q8N1L0;
 DT 01-OCT-2002 (TrEMBLrel. 22, Created)
 DT 01-OCT-2002 (TrEMBLrel. 22, Last sequence update)
 DT 01-OCT-2003 (TrEMBLrel. 25, Last annotation update)
 DE cAMP-dependent protein kinase regulatory subunit.
 GN PKR1.
 OS Cryptococcus neoformans var. neoformans.

OC Eukaryota; Fungi; Basidiomycota; Hymenomycetes; Heterobasidiomycetes;
 OC Tremellomycetidae; Tremellales; Tremellaceae; Filobasidiella.
 OX NCBI_TaxID=40410;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=JEC21;
 RA D'Souza C.A., Cox G.M., Heitman J.;
 RT "cAMP-dependent protein kinase catalytic subunits have divergent
 RT functions in different varieties of *Cryptococcus neoformans*.";
 RL Submitted (FEB-2002) to the EMBL/GenBank/DDBJ databases.
 DR EMBL; AF481771; AAM74046.1; -.
 DR GO; GO:0005952; C:cAMP-dependent protein kinase complex; IEA.
 DR GO; GO:0008603; F:cAMP-dependent protein kinase, intrinsic re. . .; IEA.
 DR GO; GO:0016301; F:kinase activity; IEA.
 DR GO; GO:0006468; P:protein amino acid phosphorylation; IEA.
 DR GO; GO:0007165; P:signal transduction; IEA.
 DR InterPro; IPR002373; cAMP_kin.
 DR InterPro; IPR000595; cNMP_binding.
 DR InterPro; IPR003117; RIIa.
 DR Pfam; PF00027; cNMP_binding; 2.
 DR Pfam; PF02197; RIIa; 1.
 DR PRINTS; PR00103; CAMPKINASE.
 DR SMART; SM00100; cNMP; 2.
 DR SMART; SM00394; RIIa; 1.
 DR PROSITE; PS00888; CNMP_BINDING_1; 2.
 DR PROSITE; PS00889; CNMP_BINDING_2; 2.
 DR PROSITE; PS50042; CNMP_BINDING_3; 2.
 KW Kinase.
 SQ SEQUENCE 482 AA; 52749 MW; 0F2C20850BA6F044 CRC64;

Query Match 75.0%; Score 6; DB 3; Length 482;
 Best Local Similarity 100.0%; Pred. No. 36;
 Matches 6; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMDA 6
 |||||
 Db 237 EVKMDA 242

RESULT 17

Q7WP80

ID Q7WP80 PRELIMINARY; PRT; 637 AA.
 AC Q7WP80;
 DT 01-OCT-2003 (TrEMBLrel. 25, Created)
 DT 01-OCT-2003 (TrEMBLrel. 25, Last sequence update)
 DT 01-OCT-2003 (TrEMBLrel. 25, Last annotation update)
 DE Hypothetical protein.
 GN BB0805.
 OS *Bordetella bronchiseptica* (*Alcaligenes bronchisepticus*).
 OC Bacteria; Proteobacteria; Betaproteobacteria; Burkholderiales;
 OC Alcaligenaceae; *Bordetella*.
 OX NCBI_TaxID=518;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=RB50 / ATCC BAA-588;
 RX MEDLINE=22827954; PubMed=12910271;
 RA Parkhill J., Sebahia M., Preston A., Murphy L.D., Thomson N.,

RA Harris D.E., Holden M.T.G., Churcher C.M., Bentley S.D., Mungall K.L.,
 RA Cerdeno-Tarraga A.M., Temple L., James K., Harris B., Quail M.A.,
 RA Achtman M., Atkin R., Baker S., Basham D., Bason N., Cherevach I.,
 RA Chillingworth T., Collins M., Cronin A., Davis P., Doggett J.,
 RA Feltwell T., Goble A., Hamlin N., Hauser H., Holroyd S., Jagels K.,
 RA Leather S., Moule S., Norberczak H., O'Neil S., Ormond D., Price C.,
 RA Rabbino-witsch E., Rutter S., Sanders M., Saunders D., Seeger K.,
 RA Sharp S., Simmonds M., Skelton J., Squares R., Squares S., Stevens K.,
 RA Unwin L., Whitehead S., Barrell B.G., Maskell D.J.;
 RT "Comparative analysis of the genome sequences of *Bordetella pertussis*,
 RT *Bordetella parapertussis* and *Bordetella bronchiseptica*.";
 RL Nat. Genet. 35:32-40(2003).
 DR EMBL; BX640439; CAE31304.1; -.
 KW Hypothetical protein; Complete proteome.
 SQ SEQUENCE 637 AA; 70348 MW; EF313925B09803CA CRC64;

Query Match 75.0%; Score 6; DB 16; Length 637;
 Best Local Similarity 100.0%; Pred. No. 45;
 Matches 6; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 3 KMDAEF 8
 |||||
 Db 63 KMDAEF 68

RESULT 18

Q7W1H0

ID Q7W1H0 PRELIMINARY; PRT; 637 AA.
 AC Q7W1H0;
 DT 01-OCT-2003 (TrEMBLrel. 25, Created)
 DT 01-OCT-2003 (TrEMBLrel. 25, Last sequence update)
 DT 01-OCT-2003 (TrEMBLrel. 25, Last annotation update)
 DE Hypothetical protein.
 GN BPP0719.
 OS *Bordetella parapertussis*.
 OC Bacteria; Proteobacteria; Betaproteobacteria; Burkholderiales;
 OC Alcaligenaceae; *Bordetella*.
 OX NCBI_TaxID=519;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=12822 / ATCC BAA-587;
 RX MEDLINE=22827954; PubMed=12910271;
 RA Parkhill J., Sebaihia M., Preston A., Murphy L.D., Thomson N.,
 RA Harris D.E., Holden M.T.G., Churcher C.M., Bentley S.D., Mungall K.L.,
 RA Cerdeno-Tarraga A.M., Temple L., James K., Harris B., Quail M.A.,
 RA Achtman M., Atkin R., Baker S., Basham D., Bason N., Cherevach I.,
 RA Chillingworth T., Collins M., Cronin A., Davis P., Doggett J.,
 RA Feltwell T., Goble A., Hamlin N., Hauser H., Holroyd S., Jagels K.,
 RA Leather S., Moule S., Norberczak H., O'Neil S., Ormond D., Price C.,
 RA Rabbino-witsch E., Rutter S., Sanders M., Saunders D., Seeger K.,
 RA Sharp S., Simmonds M., Skelton J., Squares R., Squares S., Stevens K.,
 RA Unwin L., Whitehead S., Barrell B.G., Maskell D.J.;
 RT "Comparative analysis of the genome sequences of *Bordetella pertussis*,
 RT *Bordetella parapertussis* and *Bordetella bronchiseptica*.";
 RL Nat. Genet. 35:32-40(2003).
 DR EMBL; BX640425; CAE40128.1; -.
 KW Hypothetical protein; Complete proteome.

SQ SEQUENCE 637 AA; 70294 MW; 6C0315AE6A19DAA7 CRC64;

Query Match 75.0%; Score 6; DB 16; Length 637;
Best Local Similarity 100.0%; Pred. No. 45;
Matches 6; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 3 KMDAEF 8
|||||
Db 63 KMDAEF 68

RESULT 19

Q898I7

ID Q898I7 PRELIMINARY; PRT; 1080 AA.
AC Q898I7;
DT 01-JUN-2003 (TrEMBLrel. 24, Created)
DT 01-JUN-2003 (TrEMBLrel. 24, Last sequence update)
DT 01-OCT-2003 (TrEMBLrel. 25, Last annotation update)
DE Putative S-layer protein/N-acetylmuramoyl-L-alanine amidase.
GN CTC00462.
OS Clostridium tetani.
OC Bacteria; Firmicutes; Clostridia; Clostridiales; Clostridiaceae;
OC Clostridium.
OX NCBI_TaxID=1513;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=Massachusetts / E88;
RX MEDLINE=22457253; PubMed=12552129;
RA Brueggemann H., Baeumer S., Fricke W.F., Wiezer A., Liesegang H.,
RA Decker I., Herzberg C., Martinez-Arias R., Merkl R., Henne A.,
RA Gottschalk G.;
RT "The genome sequence of Clostridium tetani, the causative agent of
RT tetanus disease.";
RL Proc. Natl. Acad. Sci. U.S.A. 100:1316-1321(2003).
DR EMBL; AE015937; AAO35094.1; -.
DR InterPro; IPR007253; CW_binding_2.
DR Pfam; PF04122; CW_binding_2; 2.
KW Complete proteome.
SQ SEQUENCE 1080 AA; 118694 MW; C399B0EEC1C91D4E CRC64;

Query Match 75.0%; Score 6; DB 16; Length 1080;
Best Local Similarity 100.0%; Pred. No. 69;
Matches 6; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 2 VKMDAE 7
|||||
Db 771 VKMDAE 776

RESULT 20

Q80LR6

ID Q80LR6 PRELIMINARY; PRT; 84 AA.
AC Q80LR6;
DT 01-JUN-2003 (TrEMBLrel. 24, Created)
DT 01-JUN-2003 (TrEMBLrel. 24, Last sequence update)
DT 01-JUN-2003 (TrEMBLrel. 24, Last annotation update)
DE Hypothetical protein.

OS Adoxophyes honmai nucleopolyhedrovirus.
 OC Viruses; dsDNA viruses, no RNA stage; Baculoviridae;
 OC Nucleopolyhedrovirus.
 OX NCBI_TaxID=224399;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=ADN001;
 RA Nakai M., Goto C., Kang W., Shikata M., Kunimi Y.;
 RT "Sequence and genome organization of a nucleopolyhedrovirus isolated
 RT from the smaller tea tortrix, Adoxophyes honmai."
 RL Submitted (MAR-2003) to the EMBL/GenBank/DDBJ databases.
 DR EMBL; AP006270; BAC67281.1; -.
 KW Hypothetical protein.
 SQ SEQUENCE 84 AA; 9958 MW; A3487529F7F8F3CF CRC64;

Query Match 62.5%; Score 5; DB 12; Length 84;
 Best Local Similarity 100.0%; Pred. No. 1.3e+02;
 Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 3 KMDAE 7
 |||||
 Db 68 KMDAE 72

RESULT 21

Q9X9L6

ID Q9X9L6 PRELIMINARY; PRT; 98 AA.
 AC Q9X9L6;
 DT 01-NOV-1999 (TrEMBLrel. 12, Created)
 DT 01-NOV-1999 (TrEMBLrel. 12, Last sequence update)
 DT 01-OCT-2003 (TrEMBLrel. 25, Last annotation update)
 DE Hypothetical protein (Putative cytoplasmic protein).
 GN PSLT025.
 OS Salmonella typhimurium.
 OG Plasmid pIP1350, and Plasmid pSLT.
 OC Bacteria; Proteobacteria; Gammaproteobacteria; Enterobacteriales;
 OC Enterobacteriaceae; Salmonella.
 OX NCBI_TaxID=602;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=C52; PLASMID=pIP1350;
 RA Norel F.;
 RL Submitted (NOV-1998) to the EMBL/GenBank/DDBJ databases.
 RN [2]
 RP SEQUENCE FROM N.A.
 RC STRAIN=LT2 / SGSC1412 / ATCC 700720; PLASMID=pSLT;
 RX MEDLINE=21534948; PubMed=11677609;
 RA McClelland M., Sanderson K.E., Spieth J., Clifton S.W., Latreille P.,
 RA Courtney L., Porwollik S., Ali J., Dante M., Du F., Hou S., Layman D.,
 RA Leonard S., Nguyen C., Scott K., Holmes A., Grewal N., Mulvaney E.,
 RA Ryan E., Sun H., Florea L., Miller W., Stoneking T., Nhan M.,
 RA Waterston R., Wilson R.K.;
 RT "Complete genome sequence of Salmonella enterica serovar Typhimurium
 RT LT2."
 RL Nature 413:852-856(2001).
 DR EMBL; Y18434; CAB46353.1; -.
 DR EMBL; AE006471; AAL23525.1; -.

DR GO; GO:0046821; C:extrachromosomal DNA; IEA.
KW Hypothetical protein; Plasmid; Complete proteome.
SQ SEQUENCE 98 AA; 11311 MW; 5E4E024B0F4B9E94 CRC64;

Query Match 62.5%; Score 5; DB 16; Length 98;
Best Local Similarity 100.0%; Pred. No. 1.5e+02;
Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 4 MDAEF 8
|||||
Db 1 MDAEF 5

RESULT 22

Q8RFK9

ID Q8RFK9 PRELIMINARY; PRT; 104 AA.
AC Q8RFK9;
DT 01-JUN-2002 (TrEMBLrel. 21, Created)
DT 01-JUN-2002 (TrEMBLrel. 21, Last sequence update)
DT 01-JUN-2003 (TrEMBLrel. 24, Last annotation update)
DE Integral membrane protein.
GN FN0686.
OS Fusobacterium nucleatum (subsp. nucleatum).
OC Bacteria; Fusobacteria; Fusobacteriales; Fusobacteriaceae;
OC Fusobacterium.
OX NCBI_TaxID=76856;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=ATCC 25586;
RX MEDLINE=21886394; PubMed=11889109;
RA Kapatral V., Anderson I., Ivanova N., Reznik G., Los T., Lykidis A.,
RA Bhattacharyya A., Bartman A., Gardner W., Grechkin G., Zhu L.,
RA Vasieva O., Chu L., Kogan Y., Chaga O., Goltsman E., Bernal A.,
RA Larsen N., D'Souza M., Walunas T., Pusch G., Haselkorn R.,
RA Fonstein M., Kyrpides N., Overbeek R.;
RT "Genome sequence and analysis of the oral bacterium Fusobacterium
RT nucleatum strain ATCC 25586.";
RL J. Bacteriol. 184:2005-2018(2002).
DR EMBL; AE010579; AAL94882.1; -.
DR GO; GO:0016020; C:membrane; IEA.
DR GO; GO:0016491; F:oxidoreductase activity; IEA.
DR GO; GO:0006118; P:electron transport; IEA.
DR InterPro; IPR005798; Cytb_b6_C.
DR PROSITE; PS00193; CYTOCHROME_B_Q0; 1.
KW Complete proteome.
SQ SEQUENCE 104 AA; 12765 MW; 31F5886974E15881 CRC64;

Query Match 62.5%; Score 5; DB 16; Length 104;
Best Local Similarity 100.0%; Pred. No. 1.5e+02;
Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMD 5
|||||
Db 5 EVKMD 9

RESULT 23

Q97XY5

ID Q97XY5 PRELIMINARY; PRT; 127 AA.
AC Q97XY5;
DT 01-OCT-2001 (TrEMBLrel. 18, Created)
DT 01-OCT-2001 (TrEMBLrel. 18, Last sequence update)
DT 01-JUN-2003 (TrEMBLrel. 24, Last annotation update)
DE Hypothetical protein SS01570.
GN SS01570.
OS Sulfolobus solfataricus.
OC Archaea; Crenarchaeota; Thermoprotei; Sulfolobales; Sulfolobaceae;
OC Sulfolobus.
OX NCBI_TaxID=2287;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=ATCC 35092 / DSM 1617 / P2;
RX MEDLINE=21332296; PubMed=11427726;
RA She Q., Singh R.K., Confalonieri F., Zivanovic Y., Allard G.,
RA Awayez M.J., Chan-Weiher C.C.-Y., Clausen I.G., Curtis B.A.,
RA De Moors A., Erauso G., Fletcher C., Gordon P.M.K.,
RA Heikamp-de Jong I., Jeffries A.C., Kozera C.J., Medina N., Peng X.,
RA Thi-Ngoc H.P., Redder P., Schenk M.E., Theriault C., Tolstrup N.,
RA Charlebois R.L., Doolittle W.F., Duguet M., Gaasterland T.,
RA Garrett R.A., Ragan M.A., Sensen C.W., Van der Oost J.;
RT "The complete genome of the crenarchaeon Sulfolobus solfataricus P2.";
RL Proc. Natl. Acad. Sci. U.S.A. 98:7835-7840(2001).
DR EMBL; AE006770; AAK41783.1; -.
DR PIR; H90315; H90315.
DR InterPro; IPR007113; Cupin_sup.
KW Hypothetical protein; Complete proteome.
SQ SEQUENCE 127 AA; 14710 MW; C358B210A953262F CRC64;

Query Match 62.5%; Score 5; DB 17; Length 127;
Best Local Similarity 100.0%; Pred. No. 1.8e+02;
Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMD 5
| | | | |
Db 11 EVKMD 15

RESULT 24

O45467

ID O45467 PRELIMINARY; PRT; 140 AA.
AC O45467;
DT 01-JUN-1998 (TrEMBLrel. 06, Created)
DT 01-JUN-1998 (TrEMBLrel. 06, Last sequence update)
DT 01-OCT-2003 (TrEMBLrel. 25, Last annotation update)
DE F36D3.10 protein.
GN F36D3.10.
OS Caenorhabditis elegans.
OC Eukaryota; Metazoa; Nematoda; Chromadorea; Rhabditida; Rhabditoidea;
OC Rhabditidae; Peloderinae; Caenorhabditis.
OX NCBI_TaxID=6239;
RN [1]
RP SEQUENCE FROM N.A.
RA McMurray A.A.;
RL Submitted (NOV-1996) to the EMBL/GenBank/DDBJ databases.

RN [2]
 RP SEQUENCE FROM N.A.
 RX MEDLINE=99069613; PubMed=9851916;
 RA none;
 RT "Genome sequence of the nematode C.elegans: A platform for
 RT investigating biology.";
 RL Science 282:2012-2018(1998).
 DR EMBL; Z81531; CAB04323.1; -.
 DR PIR; T21857; T21857.
 DR HSSP; P05140; 2AFP.
 DR WormPep; F36D3.10; CE15974.
 DR GO; GO:0005529; F:sugar binding; IEA.
 DR InterPro; IPR001304; Lectin_C.
 DR SMART; SM00034; CLECT; 1.
 DR PROSITE; PS50041; C_TYPE_LLECTIN_2; 1.
 SQ SEQUENCE 140 AA; 15190 MW; 4465EE7064E24934 CRC64;

Query Match 62.5%; Score 5; DB 5; Length 140;
 Best Local Similarity 100.0%; Pred. No. 2e+02;
 Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 3 KMDAE 7
 |||||
 Db 55 KMDAE 59

RESULT 25
 O26386

ID O26386 PRELIMINARY; PRT; 146 AA.
 AC O26386;
 DT 01-JAN-1998 (TrEMBLrel. 05, Created)
 DT 01-JAN-1998 (TrEMBLrel. 05, Last sequence update)
 DT 01-JUN-2003 (TrEMBLrel. 24, Last annotation update)
 DE Hypothetical protein MTH286.
 GN MTH286.
 OS Methanobacterium thermoautotrophicum.
 OC Archaea; Euryarchaeota; Methanobacteria; Methanobacteriales;
 OC Methanobacteriaceae; Methanothermobacter.
 OX NCBI_TaxID=187420;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=Delta H;
 RX MEDLINE=98037514; PubMed=9371463;
 RA Smith D.R., Doucette-Stamm L.A., DeLoughery C., Lee H.-M., Dubois J.,
 RA Aldredge T., Bashirzadeh R., Blakely D., Cook R., Gilbert K.,
 RA Harrison D., Hoang L., Keagle P., Lumm W., Pothier B., Qiu D.,
 RA Spadafora R., Vicare R., Wang Y., Wierzbowski J., Gibson R.,
 RA Jiwani N., Caruso A., Bush D., Safer H., Patwell D., Prabhakar S.,
 RA McDougall S., Shimer G., Goyal A., Pietrovski S., Church G.M.,
 RA Daniels C.J., Mao J.-I., Rice P., Noelling J., Reeve J.N.;
 RT "Complete genome sequence of Methanobacterium thermoautotrophicum
 RT deltaH: functional analysis and comparative genomics.";
 RL J. Bacteriol. 179:7135-7155(1997).
 DR EMBL; AE000814; AAB84792.1; -.
 DR PIR; C69136; C69136.
 KW Hypothetical protein; Complete proteome.
 SQ SEQUENCE 146 AA; 16406 MW; B3F64C92CB941926 CRC64;

Query Match 62.5%; Score 5; DB 17; Length 146;
Best Local Similarity 100.0%; Pred. No. 2e+02;
Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMD 5
|||||
Db 129 EVKMD 133

RESULT 26

Q8SU54

ID Q8SU54 PRELIMINARY; PRT; 147 AA.
AC Q8SU54;
DT 01-JUN-2002 (TrEMBLrel. 21, Created)
DT 01-JUN-2002 (TrEMBLrel. 21, Last sequence update)
DT 01-JUN-2002 (TrEMBLrel. 21, Last annotation update)
DE Hypothetical protein ECU11_0740.
GN ECU11_0740.
OS Encephalitozoon cuniculi.
OC Eukaryota; Fungi; Microsporidia; Unikaryonidae; Encephalitozoon.
OX NCBI_TaxID=6035;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=GB-M1;
RA Genoscope;
RL Submitted (APR-2001) to the EMBL/GenBank/DDBJ databases.
RN [2]
RP SEQUENCE FROM N.A.
RC STRAIN=GB-M1;
RX MEDLINE=21576510; PubMed=11719806;
RA Katinka M.D., Duprat S., Cornillot E., Metenier G., Thomarat F.,
RA Prensier G., Barbe V., Peyretailade E., Brottier P., Wincker P.,
RA Delbac F., El Alaoui H., Peyret P., Saurin W., Gouy M.,
RA Weissenbach J., Vivares C.P.;
RT "Genome sequence and gene compaction of the eukaryote parasite
RT Encephalitozoon cuniculi.";
RL Nature 414:450-453(2001).
DR EMBL; AL590450; CAD25984.1; -.
KW Hypothetical protein.
SQ SEQUENCE 147 AA; 16314 MW; 503951D6AC1C26EA CRC64;

Query Match 62.5%; Score 5; DB 5; Length 147;
Best Local Similarity 100.0%; Pred. No. 2e+02;
Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 4 MDAEF 8
|||||
Db 4 MDAEF 8

RESULT 27

Q9AU03

ID Q9AU03 PRELIMINARY; PRT; 149 AA.
AC Q9AU03;
DT 01-JUN-2001 (TrEMBLrel. 17, Created)
DT 01-JUN-2001 (TrEMBLrel. 17, Last sequence update)

DT 01-OCT-2003 (TrEMBLrel. 25, Last annotation update)
 DE Cytochrome c oxidase subunit II (EC 1.9.3.1) (Cytochrome c oxidase
 DE polypeptide II) (Fragment).
 GN COX2B.
 OS Chlamydomonas reinhardtii.
 OC Eukaryota; Viridiplantae; Chlorophyta; Chlorophyceae; Volvocales;
 OC Chlamydomonadaceae; Chlamydomonas.
 OX NCBI_TaxID=3055;
 RN [1]
 RP SEQUENCE FROM N.A.
 RX MEDLINE=21179187; PubMed=11094061;
 RA Perez-Martinez X., Antaramian A., Vazquez-Acevedo M., Funes S.,
 RA Tolkunova E., d'Alayer J., Claros M.G., Davidson E., King M.P.,
 RA Gonzalez-Halphen D.;
 RT "Subunit II of Cytochrome C Oxidase in Chlamydomonad Algae Is a
 RT Heterodimer Encoded by Two Independent Nuclear Genes."
 RL J. Biol. Chem. 276:11302-11309(2001).
 CC -!- FUNCTION: CYTOCHROME C OXIDASE IS THE COMPONENT OF THE RESPIRATORY
 CC CHAIN THAT CATALYZES THE REDUCTION OF OXYGEN TO WATER. SUBUNITS 1-
 CC 3 FORM THE FUNCTIONAL CORE OF THE ENZYME COMPLEX. SUBUNIT 2
 CC TRANSFERS THE ELECTRONS FROM CYTOCHROME C VIA ITS BINUCLEAR COPPER
 CC A CENTER TO THE BIMETALLIC CENTER OF THE CATALYTIC SUBUNIT 1 (BY
 CC SIMILARITY).
 CC -!- CATALYTIC ACTIVITY: 4 FERROCYTOCHROME C + O(2) = 4 FERRICYTOCHROME
 CC C + 2 H(2)O.
 CC -!- COFACTOR: COPPER A (BY SIMILARITY).
 CC -!- SUBCELLULAR LOCATION: INTEGRAL MEMBRANE PROTEIN. MITOCHONDRIAL
 CC INNER MEMBRANE (BY SIMILARITY).
 CC -!- SIMILARITY: BELONGS TO THE CYTOCHROME C OXIDASE SUBUNIT 2 FAMILY.
 DR EMBL; AF305540; AAK32114.1; -.
 DR GO; GO:0019866; C:inner membrane; IEA.
 DR GO; GO:0016021; C:integral to membrane; IEA.
 DR GO; GO:0005746; C:mitochondrial electron transport chain; IEA.
 DR GO; GO:0005739; C:mitochondrion; IEA.
 DR GO; GO:0009481; F:aa3-type cytochrome c oxidase; IEA.
 DR GO; GO:0009482; F:ba3-type cytochrome c oxidase; IEA.
 DR GO; GO:0009483; F:caa3-type cytochrome c oxidase; IEA.
 DR GO; GO:0009485; F:cbb3-type cytochrome c oxidase; IEA.
 DR GO; GO:0005507; F:copper ion binding; IEA.
 DR GO; GO:0004129; F:cytochrome-c oxidase activity; IEA.
 DR GO; GO:0016491; F:oxidoreductase activity; IEA.
 DR GO; GO:0006118; P:electron transport; IEA.
 DR GO; GO:0006810; P:transport; IEA.
 DR InterPro; IPR001505; Copper_CuA.
 DR InterPro; IPR008972; Cupredoxin.
 DR InterPro; IPR002429; Cyt_c_ox_2.
 DR Pfam; PF00116; COX2; 1.
 DR PRINTS; PR01166; CYCOXIDASEII.
 DR ProDom; PD000131; Copper_CuA; 1.
 DR PROSITE; PS00078; COX2; 1.
 KW Copper; Electron transport; Inner membrane; Membrane; Oxidoreductase;
 KW Respiratory chain; Transmembrane; Transport; Mitochondrion.
 FT NON_TER 1 1
 SQ SEQUENCE 149 AA; 16815 MW; 038CE0375B3415E4 CRC64;

Query Match 62.5%; Score 5; DB 10; Length 149;
 Best Local Similarity 100.0%; Pred. No. 2.1e+02;

Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 2 VKMDA 6
|||||
Db 90 VKMDA 94

RESULT 28

Q9PSV2

ID Q9PSV2 PRELIMINARY; PRT; 150 AA.
AC Q9PSV2;
DT 01-MAY-2000 (TrEMBLrel. 13, Created)
DT 01-MAY-2000 (TrEMBLrel. 13, Last sequence update)
DT 01-JUN-2003 (TrEMBLrel. 24, Last annotation update)
DE Ventricular natriuretic peptide.
OS *Anguilla japonica* (Japanese eel).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Actinopterygii; Neopterygii; Teleostei; Anguilliformes; Anguillidae;
OC *Anguilla*.
OX NCBI_TaxID=7937;
RN [1]
RP SEQUENCE FROM N.A.
RA Takei Y.;
RL Submitted (OCT-1998) to the EMBL/GenBank/DDBJ databases.
RN [2]
RP SEQUENCE FROM N.A.
RX MEDLINE=95200478; PubMed=7893352;
RA Takei Y., Ueki M., Nishizawa T.;
RT "Eel ventricular natriuretic peptide: cDNA cloning and mRNA
RT expression.";
RL J. Mol. Endocrinol. 13:339-345(1994).
DR EMBL; AB019371; BAA34121.1; -.
DR GO; GO:0005576; C:extracellular; IEA.
DR GO; GO:0005179; F:hormone activity; IEA.
DR InterPro; IPR000663; Natr_peptide.
DR Pfam; PF00212; ANP; 1.
DR PRINTS; PR00710; NATPEPTIDES.
DR SMART; SM00183; NAT_PEP; 1.
DR PROSITE; PS00263; NATRIURETIC_PEPTIDE; 1.
SQ SEQUENCE 150 AA; 16735 MW; 919A097362C42519 CRC64;

Query Match 62.5%; Score 5; DB 13; Length 150;

Best Local Similarity 100.0%; Pred. No. 2.1e+02;

Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 3 KMDAE 7
|||||
Db 64 KMDAE 68

RESULT 29

Q9AYR9

ID Q9AYR9 PRELIMINARY; PRT; 153 AA.
AC Q9AYR9;
DT 01-JUN-2001 (TrEMBLrel. 17, Created)
DT 01-JUN-2001 (TrEMBLrel. 17, Last sequence update)
DT 01-OCT-2003 (TrEMBLrel. 25, Last annotation update)

DE Cytochrome c oxidase subunit 2 (EC 1.9.3.1) (Cytochrome c oxidase
 DE polypeptide II) (Fragment).
 GN COX2.
 OS Chlamydomonas reinhardtii.
 OC Eukaryota; Viridiplantae; Chlorophyta; Chlorophyceae; Volvocales;
 OC Chlamydomonadaceae; Chlamydomonas.
 OX NCBI_TaxID=3055;
 RN [1]
 RP SEQUENCE FROM N.A.
 RA Watanabe K.I., Megumi E., Ohama T.;
 RT "Evidence of invasive spliceosomal introns in Chlamydomonas
 RT reinhardtii: introns in recently translocated cox2 and cox3 genes from
 RT mitochondria to nuclear genome."
 RL Submitted (JUL-2000) to the EMBL/GenBank/DDBJ databases.
 CC -!- FUNCTION: CYTOCHROME C OXIDASE IS THE COMPONENT OF THE RESPIRATORY
 CC CHAIN THAT CATALYZES THE REDUCTION OF OXYGEN TO WATER. SUBUNITS 1-
 CC 3 FORM THE FUNCTIONAL CORE OF THE ENZYME COMPLEX. SUBUNIT 2
 CC TRANSFERS THE ELECTRONS FROM CYTOCHROME C VIA ITS BINUCLEAR COPPER
 CC A CENTER TO THE BIMETALLIC CENTER OF THE CATALYTIC SUBUNIT 1 (BY
 CC SIMILARITY).
 CC -!- CATALYTIC ACTIVITY: 4 FERROCYTOCHROME C + O(2) = 4 FERRICYTOCHROME
 CC C + 2 H(2)O.
 CC -!- COFACTOR: COPPER A (BY SIMILARITY).
 CC -!- SUBCELLULAR LOCATION: INTEGRAL MEMBRANE PROTEIN. MITOCHONDRIAL
 CC INNER MEMBRANE (BY SIMILARITY).
 CC -!- SIMILARITY: BELONGS TO THE CYTOCHROME C OXIDASE SUBUNIT 2 FAMILY.
 DR EMBL; AB046572; BAB21507.1; -.
 DR GO; GO:0019866; C:inner membrane; IEA.
 DR GO; GO:0016021; C:integral to membrane; IEA.
 DR GO; GO:0005746; C:mitochondrial electron transport chain; IEA.
 DR GO; GO:0005739; C:mitochondrion; IEA.
 DR GO; GO:0009481; F:aa3-type cytochrome c oxidase; IEA.
 DR GO; GO:0009482; F:ba3-type cytochrome c oxidase; IEA.
 DR GO; GO:0009483; F:caa3-type cytochrome c oxidase; IEA.
 DR GO; GO:0009485; F:cbb3-type cytochrome c oxidase; IEA.
 DR GO; GO:0005507; F:copper ion binding; IEA.
 DR GO; GO:0004129; F:cytochrome-c oxidase activity; IEA.
 DR GO; GO:0016491; F:oxidoreductase activity; IEA.
 DR GO; GO:0006118; P:electron transport; IEA.
 DR GO; GO:0006810; P:transport; IEA.
 DR InterPro; IPR001505; Copper_CuA.
 DR InterPro; IPR008972; Cupredoxin.
 DR InterPro; IPR002429; Cyt_c_ox_2.
 DR Pfam; PF00116; COX2; 1.
 DR PRINTS; PR01166; CYCOXIDASEII.
 DR ProDom; PD000131; Copper_CuA; 1.
 DR PROSITE; PS00078; COX2; 1.
 KW Copper; Electron transport; Inner membrane; Membrane; Oxidoreductase;
 KW Respiratory chain; Transmembrane; Transport; Mitochondrion.
 FT NON_TER 1 1
 SQ SEQUENCE 153 AA; 17318 MW; F1551FDA60975119 CRC64;

Query Match 62.5%; Score 5; DB 10; Length 153;
 Best Local Similarity 100.0%; Pred. No. 2.1e+02;
 Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

RESULT 30

Q9AU02

ID Q9AU02 PRELIMINARY; PRT; 153 AA.
AC Q9AU02;
DT 01-JUN-2001 (TrEMBLrel. 17, Created)
DT 01-JUN-2001 (TrEMBLrel. 17, Last sequence update)
DT 01-OCT-2003 (TrEMBLrel. 25, Last annotation update)
DE Cytochrome c oxidase subunit II (EC 1.9.3.1) (Cytochrome c oxidase
DE polypeptide II).
GN COX2B.
OS Chlamydomonas reinhardtii.
OC Eukaryota; Viridiplantae; Chlorophyta; Chlorophyceae; Volvocales;
OC Chlamydomonadaceae; Chlamydomonas.
OX NCBI_TaxID=3055;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=21179187; PubMed=11094061;
RA Perez-Martinez X., Antaramian A., Vazquez-Acevedo M., Funes S.,
RA Tolkunova E., d'Alayer J., Claros M.G., Davidson E., King M.P.,
RA Gonzalez-Halphen D.;
RT "Subunit II of Cytochrome C Oxidase in Chlamydomonad Algae Is a
RT Heterodimer Encoded by Two Independent Nuclear Genes.";
RL J. Biol. Chem. 276:11302-11309(2001).
CC -!- FUNCTION: CYTOCHROME C OXIDASE IS THE COMPONENT OF THE RESPIRATORY
CC CHAIN THAT CATALYZES THE REDUCTION OF OXYGEN TO WATER. SUBUNITS 1-
CC 3 FORM THE FUNCTIONAL CORE OF THE ENZYME COMPLEX. SUBUNIT 2
CC TRANSFERS THE ELECTRONS FROM CYTOCHROME C VIA ITS BINUCLEAR COPPER
CC A CENTER TO THE BIMETALLIC CENTER OF THE CATALYTIC SUBUNIT 1 (BY
CC SIMILARITY).
CC -!- CATALYTIC ACTIVITY: 4 FERROCYTOCHROME C + O(2) = 4 FERRICYTOCHROME
CC C + 2 H(2)O.
CC -!- COFACTOR: COPPER A (BY SIMILARITY).
CC -!- SUBCELLULAR LOCATION: INTEGRAL MEMBRANE PROTEIN. MITOCHONDRIAL
CC INNER MEMBRANE (BY SIMILARITY).
CC -!- SIMILARITY: BELONGS TO THE CYTOCHROME C OXIDASE SUBUNIT 2 FAMILY.
DR EMBL; AF305543; AAK32117.1; -.
DR GO; GO:0019866; C:inner membrane; IEA.
DR GO; GO:0016021; C:integral to membrane; IEA.
DR GO; GO:0005746; C:mitochondrial electron transport chain; IEA.
DR GO; GO:0005739; C:mitochondrion; IEA.
DR GO; GO:0009481; F:aa3-type cytochrome c oxidase; IEA.
DR GO; GO:0009482; F:ba3-type cytochrome c oxidase; IEA.
DR GO; GO:0009483; F:caa3-type cytochrome c oxidase; IEA.
DR GO; GO:0009485; F:cbb3-type cytochrome c oxidase; IEA.
DR GO; GO:0005507; F:copper ion binding; IEA.
DR GO; GO:0004129; F:cytochrome-c oxidase activity; IEA.
DR GO; GO:0016491; F:oxidoreductase activity; IEA.
DR GO; GO:0006118; P:electron transport; IEA.
DR GO; GO:0006810; P:transport; IEA.
DR InterPro; IPR001505; Copper_CuA.
DR InterPro; IPR008972; Cupredoxin.
DR InterPro; IPR002429; Cyt_c_ox_2.
DR Pfam; PF00116; COX2; 1.

DR PRINTS; PR01166; CYCOXIDASEII.
 DR ProDom; PD000131; Copper_CuA; 1.
 DR PROSITE; PS00078; COX2; 1.
 KW Copper; Electron transport; Inner membrane; Membrane; Oxidoreductase;
 KW Respiratory chain; Transmembrane; Transport; Mitochondrion.
 SQ SEQUENCE 153 AA; 17250 MW; 616BCD26B26A7EC8 CRC64;

Query Match 62.5%; Score 5; DB 10; Length 153;
 Best Local Similarity 100.0%; Pred. No. 2.1e+02;
 Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 2 VKMDA 6
 |||||
 Db 94 VKMDA 98

RESULT 31

Q92VL2

ID Q92VL2 PRELIMINARY; PRT; 153 AA.
 AC Q92VL2;
 DT 01-DEC-2001 (TrEMBLrel. 19, Created)
 DT 01-DEC-2001 (TrEMBLrel. 19, Last sequence update)
 DT 01-JUN-2003 (TrEMBLrel. 24, Last annotation update)
 DE Putative MaoC-like (Monoamine oxidase-like) protein, similar to NodN
 DE (EC 1.4.3.4).
 GN RB0689 OR SMB21110.
 OS Rhizobium meliloti (Sinorhizobium meliloti).
 OG Plasmid pSymB (megaplasmid 2).
 OC Bacteria; Proteobacteria; Alphaproteobacteria; Rhizobiales;
 OC Rhizobiaceae; Sinorhizobium/Ensifer group; Sinorhizobium.
 OX NCBI_TaxID=382;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=1021;
 RX MEDLINE=21396508; PubMed=11481431;
 RA Finan T.M., Weidner S., Wong K., Buhrmester J., Chain P.,
 RA Vorhoelter F.J., Hernandez-Lucas I., Becker A., Cowie A., Gouzy J.,
 RA Golding B., Puehler A.;
 RT "The complete sequence of the 1,683-kb pSymB megaplasmid from the N2-
 RT fixing endosymbiont Sinorhizobium meliloti."
 RL Proc. Natl. Acad. Sci. U.S.A. 98:9889-9894(2001).
 DR EMBL; AL603644; CAC49089.1; -.
 DR PIR; A95928; A95928.
 DR GO; GO:0046821; C:extrachromosomal DNA; IEA.
 DR GO; GO:0004041; F:amine oxidase (flavin-containing) activity; IEA.
 DR GO; GO:0016491; F:oxidoreductase activity; IEA.
 DR GO; GO:0008152; P:metabolism; IEA.
 DR InterPro; IPR002539; MaoC_dehydratas.
 DR Pfam; PF01575; MaoC_dehydratas; 1.
 KW Oxidoreductase; Plasmid; Hypothetical protein; Complete proteome.
 SQ SEQUENCE 153 AA; 17044 MW; 85741F8CE696D405 CRC64;

Query Match 62.5%; Score 5; DB 16; Length 153;
 Best Local Similarity 100.0%; Pred. No. 2.1e+02;
 Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 4 MDAEF 8

Db |||||
 44 MDAEF 48

RESULT 32

Q8H004

ID Q8H004 PRELIMINARY; PRT; 155 AA.
AC Q8H004;
DT 01-MAR-2003 (TrEMBLrel. 23, Created)
DT 01-MAR-2003 (TrEMBLrel. 23, Last sequence update)
DT 01-OCT-2003 (TrEMBLrel. 25, Last annotation update)
DE Hypothetical protein.
GN OJ1081D05.12.
OS Oryza sativa (japonica cultivar-group).
OC Eukaryota; Viridiplantae; Streptophyta; Embryophyta; Tracheophyta;
OC Spermatophyta; Magnoliophyta; Liliopsida; Poales; Poaceae;
OC Ehrhartoideae; Oryzeae; Oryza.
OX NCBI_TaxID=39947;
RN [1]
RP SEQUENCE FROM N.A.
RA Wing R.A., Yu Y., Soderlund C., Kim H.-R., Rambo T., Currie J.,
RA Collura K.;
RT "Rice Genomic Sequence.";
RL Submitted (DEC-2002) to the EMBL/GenBank/DDBJ databases.
DR EMBL; AC134229; AAO06978.1; -.
KW Hypothetical protein.
SQ SEQUENCE 155 AA; 16921 MW; 6602CA80E32B5006 CRC64;

Query Match 62.5%; Score 5; DB 10; Length 155;
Best Local Similarity 100.0%; Pred. No. 2.1e+02;
Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 4 MDAEF 8
 |||||
Db 141 MDAEF 145

RESULT 33

Q896C5

ID Q896C5 PRELIMINARY; PRT; 155 AA.
AC Q896C5;
DT 01-JUN-2003 (TrEMBLrel. 24, Created)
DT 01-JUN-2003 (TrEMBLrel. 24, Last sequence update)
DT 01-JUN-2003 (TrEMBLrel. 24, Last annotation update)
DE Hypothetical protein.
GN CTC01083.
OS Clostridium tetani.
OC Bacteria; Firmicutes; Clostridia; Clostridiales; Clostridiaceae;
OC Clostridium.
OX NCBI_TaxID=1513;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=Massachusetts / E88;
RX MEDLINE=22457253; PubMed=12552129;
RA Brueggemann H., Baeumer S., Fricke W.F., Wiezer A., Liesegang H.,
RA Decker I., Herzberg C., Martinez-Arias R., Merkl R., Henne A.,
RA Gottschalk G.;

RT "The genome sequence of Clostridium tetani, the causative agent of
 RT tetanus disease.";
 RL Proc. Natl. Acad. Sci. U.S.A. 100:1316-1321(2003).
 DR EMBL; AE015939; AAO35665.1; -.
 KW Hypothetical protein; Complete proteome.
 SQ SEQUENCE 155 AA; 18503 MW; 34198AA82700080F CRC64;

Query Match 62.5%; Score 5; DB 16; Length 155;
 Best Local Similarity 100.0%; Pred. No. 2.1e+02;
 Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMD 5
 |||||
 Db 128 EVKMD 132

RESULT 34

Q8TX53

ID Q8TX53 PRELIMINARY; PRT; 163 AA.
 AC Q8TX53;
 DT 01-JUN-2002 (TrEMBLrel. 21, Created)
 DT 01-JUN-2002 (TrEMBLrel. 21, Last sequence update)
 DT 01-OCT-2003 (TrEMBLrel. 25, Last annotation update)
 DE Transcription antiterminator NusG.
 GN NUSG OR MK0823.
 OS Methanopyrus kandleri.
 OC Archaea; Euryarchaeota; Methanopyri; Methanopyrales; Methanopyraceae;
 OC Methanopyrus.
 OX NCBI_TaxID=2320;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=AV19 / DSM 6324 / JCM 9639;
 RX MEDLINE=21927647; PubMed=11930014;
 RA Slesarev A.I., Mezhevaya K.V., Makarova K.S., Polushin N.N.,
 RA Shcherbinina O.V., Shakhova V.V., Belova G.I., Aravind L.,
 RA Natale D.A., Rogozin I.B., Tatusov R.L., Wolf Y.I., Stetter K.O.,
 RA Malykh A.G., Koonin E.V., Kozyavkin S.A.;
 RT "The complete genome of hyperthermophile Methanopyrus kandleri AV19
 RT and monophyly of archaeal methanogens.";
 RL Proc. Natl. Acad. Sci. U.S.A. 99:4644-4649(2002).
 DR EMBL; AE010373; AAM02036.1; -.
 DR GO; GO:0005622; C:intracellular; IEA.
 DR GO; GO:0005840; C:ribosome; IEA.
 DR GO; GO:0003735; F:structural constituent of ribosome; IEA.
 DR GO; GO:0003711; F:transcriptional elongation regulator activity; IEA.
 DR GO; GO:0006412; P:protein biosynthesis; IEA.
 DR GO; GO:0006355; P:regulation of transcription, DNA-dependent; IEA.
 DR InterPro; IPR003257; Bac_NusG.
 DR InterPro; IPR005824; KOW.
 DR InterPro; IPR006646; KOW_sub.
 DR InterPro; IPR006645; NgN.
 DR InterPro; IPR005825; Ribosomal_L24_26.
 DR InterPro; IPR008991; Transl_SH3_like.
 DR Pfam; PF00467; KOW; 1.
 DR ProDom; PD005267; Bac_NusG; 1.
 DR SMART; SM00739; KOW; 1.
 DR SMART; SM00738; NGN; 1.

DR TIGRFAMs; TIGR00405; L26e_arch; 1.
DR PROSITE; PS01108; RIBOSOMAL_L24; 1.
KW Complete proteome.
SQ SEQUENCE 163 AA; 18419 MW; D22FF483F7EB9DB7 CRC64;

Query Match 62.5%; Score 5; DB 17; Length 163;
Best Local Similarity 100.0%; Pred. No. 2.2e+02;
Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 2 VKMDA 6
|||||
Db 148 VKMDA 152

RESULT 35

Q9B2F3

ID Q9B2F3 PRELIMINARY; PRT; 174 AA.
AC Q9B2F3;
DT 01-JUN-2001 (TrEMBLrel. 17, Created)
DT 01-JUN-2001 (TrEMBLrel. 17, Last sequence update)
DT 01-OCT-2003 (TrEMBLrel. 25, Last annotation update)
DE Cytochrome c oxidase subunit II (EC 1.9.3.1) (Cytochrome c oxidase
DE polypeptide II) (Fragment).
GN COII.
OS Beroe ovata.
OG Mitochondrion.
OC Eukaryota; Metazoa; Ctenophora; Cyclocoela; Beroida; Beroidae; Beroe.
OX NCBI_TaxID=10201;
RN [1]
RP SEQUENCE FROM N.A.
RA Watkins R.F., Beckenbach A.T.;
RT "The rate of sequence evolution in mitochondrial genes of the
RT Demospongiae, Calcispongiae, and Anthozoa is very low relative to the
RT bilateral animals."
RL Submitted (MAR-2001) to the EMBL/GenBank/DDBJ databases.
CC -!- FUNCTION: CYTOCHROME C OXIDASE IS THE COMPONENT OF THE RESPIRATORY
CC CHAIN THAT CATALYZES THE REDUCTION OF OXYGEN TO WATER. SUBUNITS 1-
CC 3 FORM THE FUNCTIONAL CORE OF THE ENZYME COMPLEX. SUBUNIT 2
CC TRANSFERS THE ELECTRONS FROM CYTOCHROME C VIA ITS BINUCLEAR COPPER
CC A CENTER TO THE BIMETALLIC CENTER OF THE CATALYTIC SUBUNIT 1 (BY
CC SIMILARITY).
CC -!- CATALYTIC ACTIVITY: 4 FERROCYTOCHROME C + O(2) = 4 FERRICYTOCHROME
CC C + 2 H(2)O.
CC -!- COFACTOR: COPPER A (BY SIMILARITY).
CC -!- SUBCELLULAR LOCATION: INTEGRAL MEMBRANE PROTEIN. MITOCHONDRIAL
CC INNER MEMBRANE (BY SIMILARITY).
CC -!- SIMILARITY: BELONGS TO THE CYTOCHROME C OXIDASE SUBUNIT 2 FAMILY.
DR EMBL; AF362019; AAK27370.1; -.
DR GO; GO:0019866; C:inner membrane; IEA.
DR GO; GO:0016021; C:integral to membrane; IEA.
DR GO; GO:0005746; C:mitochondrial electron transport chain; IEA.
DR GO; GO:0005739; C:mitochondrion; IEA.
DR GO; GO:0009481; F:aa3-type cytochrome c oxidase; IEA.
DR GO; GO:0009482; F:ba3-type cytochrome c oxidase; IEA.
DR GO; GO:0009483; F:caa3-type cytochrome c oxidase; IEA.
DR GO; GO:0009485; F:cbb3-type cytochrome c oxidase; IEA.
DR GO; GO:0005507; F:copper ion binding; IEA.

DR GO; GO:0004129; F:cytochrome-c oxidase activity; IEA.
 DR GO; GO:0016491; F:oxidoreductase activity; IEA.
 DR GO; GO:0006118; P:electron transport; IEA.
 DR GO; GO:0006810; P:transport; IEA.
 DR InterPro; IPR001505; Copper_CuA.
 DR InterPro; IPR008972; Cupredoxin.
 DR InterPro; IPR002429; Cyt_c_ox_2.
 DR Pfam; PF00116; COX2; 1.
 DR Pfam; PF02790; COX2_TM; 1.
 DR PRINTS; PR01166; CYCOXIDASEII.
 DR ProDom; PD000131; Copper_CuA; 1.
 KW Copper; Electron transport; Inner membrane; Membrane; Oxidoreductase;
 KW Respiratory chain; Transmembrane; Transport; Mitochondrion.
 FT NON_TER 1 1
 FT NON_TER 174 174
 SQ SEQUENCE 174 AA; 19753 MW; 1748A52F36E39938 CRC64;

Query Match 62.5%; Score 5; DB 8; Length 174;
 Best Local Similarity 100.0%; Pred. No. 2.3e+02;
 Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 2 VKMDA 6
 |||||
 Db 162 VKMDA 166

RESULT 36

Q847P4

ID Q847P4 PRELIMINARY; PRT; 175 AA.
 AC Q847P4;
 DT 01-JUN-2003 (TrEMBLrel. 24, Created)
 DT 01-JUN-2003 (TrEMBLrel. 24, Last sequence update)
 DT 01-OCT-2003 (TrEMBLrel. 25, Last annotation update)
 DE Rp L6 (Fragment).
 OS Aster yellows phytoplasma.
 OC Bacteria; Firmicutes; Mollicutes; Acholeplasmatales;
 OC Acholeplasmataceae; Phytoplasma.
 OX NCBI_TaxID=35779;
 RN [1]
 RP SEQUENCE FROM N.A.
 RA Melamed S., Tanne E., Ben-Haim R., Edelbaum O., Yogev D., Sela I.;
 RT "A Novel Approach to the Study of the Phytoplasma Genome and the
 RT Characterization of Sixty Phytoplasmal Genes."
 RL Submitted (DEC-2002) to the EMBL/GenBank/DDBJ databases.
 DR EMBL; AY191298; AAO61992.1; -.
 DR GO; GO:0005622; C:intracellular; IEA.
 DR GO; GO:0005840; C:ribosome; IEA.
 DR GO; GO:0003735; F:structural constituent of ribosome; IEA.
 DR GO; GO:0006412; P:protein biosynthesis; IEA.
 DR InterPro; IPR000702; Ribosomal_L6.
 DR InterPro; IPR002358; Ribosomal_L6_1.
 DR Pfam; PF00347; Ribosomal_L6; 2.
 DR PRINTS; PR00059; RIBOSOMALL6.
 DR ProDom; PD002236; Ribosomal_L6; 1.
 DR PROSITE; PS00525; RIBOSOMAL_L6_1; 1.
 FT NON_TER 175 175
 SQ SEQUENCE 175 AA; 20012 MW; 5B3BB77EF6735CFF CRC64;

Query Match 62.5%; Score 5; DB 2; Length 175;
 Best Local Similarity 100.0%; Pred. No. 2.3e+02;
 Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMD 5
 |||||
 Db 135 EVKMD 139

RESULT 37

Q97NQ1

ID Q97NQ1 PRELIMINARY; PRT; 179 AA.
 AC Q97NQ1;
 DT 01-OCT-2001 (TrEMBLrel. 18, Created)
 DT 01-OCT-2001 (TrEMBLrel. 18, Last sequence update)
 DT 01-OCT-2003 (TrEMBLrel. 25, Last annotation update)
 DE Type II DNA modification methyltransferase, putative.
 GN SP1969.
 OS Streptococcus pneumoniae.
 OC Bacteria; Firmicutes; Lactobacillales; Streptococcaceae;
 OC Streptococcus.
 OX NCBI_TaxID=1313;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=ATCC BAA-334 / TIGR4;
 RX MEDLINE=21357209; PubMed=11463916;
 RA Tettelin H., Nelson K.E., Paulsen I.T., Eisen J.A., Read T.D.,
 RA Peterson S., Heidelberg J., DeBoy R.T., Haft D.H., Dodson R.J.,
 RA Durkin A.S., Gwinn M., Kolonay J.F., Nelson W.C., Peterson J.D.,
 RA Umayam L.A., White O., Salzberg S.L., Lewis M.R., Radune D.,
 RA Holtzapple E., Khouri H., Wolf A.M., Utterback T.R., Hansen C.L.,
 RA McDonald L.A., Feldblyum T.V., Angiuoli S., Dickinson T., Hickey E.K.,
 RA Holt I.E., Loftus B.J., Yang F., Smith H.O., Venter J.C.,
 RA Dougherty B.A., Morrison D.A., Hollingshead S.K., Fraser C.M.;
 RT "Complete genome sequence of a virulent isolate of Streptococcus
 RT pneumoniae.";
 RL Science 293:498-506(2001).
 DR EMBL; AE007487; AAK76036.1; -.
 DR PIR; C95230; C95230.
 DR TIGR; SP1969; -.
 DR GO; GO:0003677; F:DNA binding; IEA.
 DR GO; GO:0008170; F:N-methyltransferase activity; IEA.
 DR GO; GO:0008757; F:S-adenosylmethionine-dependent methyltransf. . .; IEA.
 DR GO; GO:0016740; F:transferase activity; IEA.
 DR GO; GO:0006306; P:DNA methylation; IEA.
 DR InterPro; IPR004398; Cons_hypoth95.
 DR InterPro; IPR002052; N6_Mtase.
 DR InterPro; IPR000051; SAM_bind.
 DR Pfam; PF03602; Cons_hypoth95; 1.
 DR TIGRFAMs; TIGR00095; TIGR00095; 1.
 DR PROSITE; PS00092; N6_MTASE; 1.
 KW Transferase; Methyltransferase; Complete proteome.
 SQ SEQUENCE 179 AA; 19886 MW; 06DD5874D839A349 CRC64;

Query Match 62.5%; Score 5; DB 16; Length 179;
 Best Local Similarity 100.0%; Pred. No. 2.4e+02;

Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 3 KMDAE 7
|||||
Db 97 KMDAE 101

RESULT 38

Q8DNE5

ID Q8DNE5 PRELIMINARY; PRT; 179 AA.
AC Q8DNE5;
DT 01-MAR-2003 (TrEMBLrel. 23, Created)
DT 01-MAR-2003 (TrEMBLrel. 23, Last sequence update)
DT 01-OCT-2003 (TrEMBLrel. 25, Last annotation update)
DE Conserved hypothetical protein.
GN SPR1784.
OS Streptococcus pneumoniae (strain ATCC BAA-255 / R6).
OC Bacteria; Firmicutes; Lactobacillales; Streptococcaceae;
OC Streptococcus.
OX NCBI_TaxID=171101;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=21429245; PubMed=11544234;
RA Hoskins J., Alborn W.E. Jr., Arnold J., Blaszczyk L.C., Burgett S.,
RA DeHoff B.S., Estrem S.T., Fritz L., Fu D.-J., Fuller W., Geringer C.,
RA Gilmour R., Glass J.S., Khoja H., Kraft A.R., Lagace R.E.,
RA LeBlanc D.J., Lee L.N., Lefkowitz E.J., Lu J., Matsushima P.,
RA McAhren S.M., McHenney M., McLeaster K., Mundy C.W., Nicas T.I.,
RA Norris F.H., O'Gara M., Peery R.B., Robertson G.T., Rockey P.,
RA Sun P.-M., Winkler M.E., Yang Y., Young-Bellido M., Zhao G.,
RA Zook C.A., Baltz R.H., Jaskunas S.R., Rosteck P.R. Jr., Skatrud P.L.,
RA Glass J.I.;
RT "Genome of the bacterium Streptococcus pneumoniae strain R6."
RL J. Bacteriol. 183:5709-5717(2001).
DR EMBL; AE008543; AAL00587.1; -.
DR PIR; F98094; F98094.
DR GO; GO:0003677; F:DNA binding; IEA.
DR GO; GO:0008170; F:N-methyltransferase activity; IEA.
DR GO; GO:0008757; F:S-adenosylmethionine-dependent methyltransf. . .; IEA.
DR GO; GO:0006306; P:DNA methylation; IEA.
DR InterPro; IPR004398; Cons_hypoth95.
DR InterPro; IPR002052; N6_Mtase.
DR InterPro; IPR000051; SAM_bind.
DR Pfam; PF03602; Cons_hypoth95; 1.
DR TIGRFAMs; TIGR00095; TIGR00095; 1.
DR PROSITE; PS00092; N6_MTASE; 1.
KW Hypothetical protein; Complete proteome.
SQ SEQUENCE 179 AA; 19843 MW; B0042111CD34CEEA CRC64;

Query Match 62.5%; Score 5; DB 16; Length 179;

Best Local Similarity 100.0%; Pred. No. 2.4e+02;

Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 3 KMDAE 7
|||||
Db 97 KMDAE 101

RESULT 39

Q9B2F6

ID Q9B2F6 PRELIMINARY; PRT; 184 AA.
AC Q9B2F6;
DT 01-JUN-2001 (TrEMBLrel. 17, Created)
DT 01-JUN-2001 (TrEMBLrel. 17, Last sequence update)
DT 01-OCT-2003 (TrEMBLrel. 25, Last annotation update)
DE Cytochrome c oxidase subunit II (EC 1.9.3.1) (Cytochrome c oxidase
DE polypeptide II) (Fragment).
GN COII.
OS Halichondria sp. RFW-2001.
OG Mitochondrion.
OC Eukaryota; Metazoa; Porifera; Demospongiae; Ceractinomorpha;
OC Halichondrida; Halichondriidae; Halichondria.
OX NCBI_TaxID=155678;
RN [1]
RP SEQUENCE FROM N.A.
RA Watkins R.F., Beckenbach A.T.;
RT "The rate of sequence evolution in mitochondrial genes of the
RT Demospongiae, Calcispongiae, and Anthozoa is very low relative to the
RT bilateral animals.";
RL Submitted (MAR-2001) to the EMBL/GenBank/DBJ databases.
CC -!- FUNCTION: CYTOCHROME C OXIDASE IS THE COMPONENT OF THE RESPIRATORY
CC CHAIN THAT CATALYZES THE REDUCTION OF OXYGEN TO WATER. SUBUNITS 1-
CC 3 FORM THE FUNCTIONAL CORE OF THE ENZYME COMPLEX. SUBUNIT 2
CC TRANSFERS THE ELECTRONS FROM CYTOCHROME C VIA ITS BINUCLEAR COPPER
CC A CENTER TO THE BIMETALLIC CENTER OF THE CATALYTIC SUBUNIT 1 (BY
CC SIMILARITY).
CC -!- CATALYTIC ACTIVITY: 4 FERROCYTOCHROME C + O(2) = 4 FERRICYTOCHROME
CC C + 2 H(2)O.
CC -!- COFACTOR: COPPER A (BY SIMILARITY).
CC -!- SUBCELLULAR LOCATION: INTEGRAL MEMBRANE PROTEIN. MITOCHONDRIAL
CC INNER MEMBRANE (BY SIMILARITY).
CC -!- SIMILARITY: BELONGS TO THE CYTOCHROME C OXIDASE SUBUNIT 2 FAMILY.
DR EMBL; AF362016; AAK27367.1; -.
DR GO; GO:0019866; C:inner membrane; IEA.
DR GO; GO:0016021; C:integral to membrane; IEA.
DR GO; GO:0005746; C:mitochondrial electron transport chain; IEA.
DR GO; GO:0005739; C:mitochondrion; IEA.
DR GO; GO:0009481; F:aa3-type cytochrome c oxidase; IEA.
DR GO; GO:0009482; F:ba3-type cytochrome c oxidase; IEA.
DR GO; GO:0009483; F:caa3-type cytochrome c oxidase; IEA.
DR GO; GO:0009485; F:cbb3-type cytochrome c oxidase; IEA.
DR GO; GO:0005507; F:copper ion binding; IEA.
DR GO; GO:0004129; F:cytochrome-c oxidase activity; IEA.
DR GO; GO:0016491; F:oxidoreductase activity; IEA.
DR GO; GO:0006118; P:electron transport; IEA.
DR GO; GO:0006810; P:transport; IEA.
DR InterPro; IPR001505; Copper_CuA.
DR InterPro; IPR008972; Cupredoxin.
DR InterPro; IPR002429; Cyt_c_ox_2.
DR Pfam; PF00116; COX2; 1.
DR Pfam; PF02790; COX2_TM; 1.
DR PRINTS; PR01166; CYCOXIDASEII.
DR ProDom; PD000131; Copper_CuA; 1.
KW Copper; Electron transport; Inner membrane; Membrane; Oxidoreductase;

KW Respiratory chain; Transmembrane; Transport; Mitochondrion.
FT NON_TER 1 1
FT NON_TER 184 184
SQ SEQUENCE 184 AA; 21292 MW; 03257B258FB8AA4F CRC64;

Query Match 62.5%; Score 5; DB 8; Length 184;
Best Local Similarity 100.0%; Pred. No. 2.4e+02;
Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 2 VKMDA 6
|
Db 156 VKMDA 160

RESULT 40

Q82W02

ID Q82W02 PRELIMINARY; PRT; 185 AA.
AC Q82W02;
DT 01-JUN-2003 (TrEMBLrel. 24, Created)
DT 01-JUN-2003 (TrEMBLrel. 24, Last sequence update)
DT 01-OCT-2003 (TrEMBLrel. 25, Last annotation update)
DE Elongation factor P (EF-P).
GN EFP OR NE0897.
OS Nitrosomonas europaea.
OC Bacteria; Proteobacteria; Betaproteobacteria; Nitrosomonadales;
OC Nitrosomonadaceae; Nitrosomonas.
OX NCBI_TaxID=915;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=ATCC 19718 / IFO 14298;
RX MEDLINE=22586410; PubMed=12700255;
RA Chain P., Lamerdin J.E., Larimer F.W., Regala W., Lao V., Land M.,
RA Hauser L., Hooper A.B., Klotz M.G., Norton J., Sayavedra-Soto L.A.,
RA Arciero D.M., Hommes N.G., Whittaker M.M., Arp D.J.;
RT "Complete genome sequence of the ammonia-oxidizing bacterium and
RT obligate chemolithoautotroph Nitrosomonas europaea."
RL J. Bacteriol. 185:2759-2773(2003).
DR EMBL; BX321859; CAD84808.1; -.
DR GO; GO:0003746; F:translation elongation factor activity; IEA.
DR GO; GO:0006414; P:translational elongation; IEA.
DR InterPro; IPR001059; EF-P.
DR Pfam; PF01132; EFP; 1.
DR TIGRFAMs; TIGR00038; efp; 1.
KW Elongation factor; Complete proteome.
SQ SEQUENCE 185 AA; 21071 MW; A023AF94E252A375 CRC64;

Query Match 62.5%; Score 5; DB 16; Length 185;
Best Local Similarity 100.0%; Pred. No. 2.4e+02;
Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 4 MDAEF 8
|
Db 83 MDAEF 87

Search completed: March 26, 2004, 15:35:00
Job time : 70 secs

GenCore version 5.1.6
Copyright (c) 1993 - 2004 Compugen Ltd.

OM protein - protein search, using sw model

Run on: March 26, 2004, 15:30:32 ; Search time 10.5 Seconds
(without alignments)
39.672 Million cell updates/sec

Title: US-09-668-314C-70
Perfect score: 8
Sequence: 1 EVKMDAEF 8

Scoring table: OLIGO
Gapop 60.0 , Gapext 60.0

Searched: 141681 seqs, 52070155 residues

Word size : 0

Total number of hits satisfying chosen parameters: 141681

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Listing first 1000 summaries

Database : SwissProt_42:*

Pred. No. is the number of results predicted by chance to have a
score greater than or equal to the score of the result being printed,
and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	% Query		DB	ID	Description
		Match	Length			
1	8	100.0	57	1	A4_URSMA	Q29149 ursus marit
2	8	100.0	58	1	A4_CANFA	Q28280 canis famil
3	8	100.0	58	1	A4_RABIT	Q28748 oryctolagus
4	8	100.0	58	1	A4_SHEEP	Q28757 ovis aries
5	8	100.0	59	1	A4_BOVIN	Q28053 bos taurus
6	8	100.0	751	1	A4_SAI5C	Q95241 s amyloid b
7	8	100.0	770	1	A4_CAVPO	Q60495 c amyloid b
8	8	100.0	770	1	A4_HUMAN	P05067 h amyloid b
9	8	100.0	770	1	A4_MACFA	P53601 m amyloid b
10	8	100.0	770	1	A4_MOUSE	P12023 m amyloid b
11	8	100.0	770	1	A4_PIG	P79307 s amyloid b
12	8	100.0	770	1	A4_RAT	P08592 r amyloid b
13	6	75.0	656	1	V091_FOWPV	O72896 fowlpox vir
14	5	62.5	82	1	U222_DROME	Q8mqi6 drosophila
15	5	62.5	82	1	U222_MANSE	Q9u501 manduca sex
16	5	62.5	84	1	U222_CAEEL	Q9xvz8 caenorhabdi
17	5	62.5	168	1	YF24_MYCPN	P75254 mycoplasma

18	5	62.5	196	1	YF01_MYCPN	P75286	mycoplasma
19	5	62.5	217	1	BIOS_RHIME	O08250	rhizobium m
20	5	62.5	218	1	HRE1_NPVLD	Q90165	lymantria d
21	5	62.5	224	1	COX2_ALBCO	P48889	albinaria c
22	5	62.5	224	1	COX2_ALBTU	Q09334	albinaria t
23	5	62.5	229	1	COX2_PARLI	P12701	paracentrot
24	5	62.5	230	1	COX2_CARAU	O78682	carassius a
25	5	62.5	230	1	COX2_CROLA	P34189	crossostoma
26	5	62.5	230	1	COX2_CYPCA	P24987	cyprinus ca
27	5	62.5	230	1	COX2_ONCMY	P48171	oncorhynchu
28	5	62.5	230	1	COX2_SALSA	Q37677	salmo salar
29	5	62.5	230	1	COX2_SCYCA	O79404	scyliorhinu
30	5	62.5	230	1	COX2_SQUAC	Q9zz51	squalus aca
31	5	62.5	231	1	COX2_LATCH	O03848	latimeria c
32	5	62.5	233	1	RSUA_VIBVU	Q8d8x2	vibrio vuln
33	5	62.5	247	1	CD8A_MOUSE	P01731	mus musculu
34	5	62.5	248	1	COX2_METSE	O47496	metridium s
35	5	62.5	269	1	T2S1_STRFI	O52512	streptomyce
36	5	62.5	276	1	SACT_BACSU	P26212	bacillus su
37	5	62.5	284	1	FLAL_VIBPA	Q03473	vibrio para
38	5	62.5	371	1	VINT_BPML5	P22884	mycobacteri
39	5	62.5	414	1	K193_HUMAN	Q12765	homo sapien
40	5	62.5	419	1	DCDA_ARCFU	O29458	archaeoglob
41	5	62.5	452	1	F26_YEAST	P32604	saccharomyc
42	5	62.5	457	1	CD4_RAT	P05540	rattus norv
43	5	62.5	461	1	MYH_SCHPO	Q10159	schizosacch
44	5	62.5	461	1	NCB1_HUMAN	Q02818	homo sapien
45	5	62.5	464	1	SPN5_SCHPO	P48010	schizosacch
46	5	62.5	465	1	SELA_DESBA	P56372	desulfovibr
47	5	62.5	477	1	DLD2_PSEPU	P31052	pseudomonas
48	5	62.5	534	1	VL1_HPV41	P27557	human papil
49	5	62.5	606	1	GAB_DROME	P25123	drosophila
50	5	62.5	627	1	NDT8_YEAST	P38830	saccharomyc
51	5	62.5	640	1	SEN1_MOUSE	P59110	mus musculu
52	5	62.5	708	1	TRAB_HUMAN	Q9ugi0	homo sapien
53	5	62.5	905	1	CHO2_SCHPO	O74787	schizosacch
54	5	62.5	927	1	CC15_SCHPO	Q09822	schizosacch
55	5	62.5	1795	1	ESP1_HUMAN	Q14674	homo sapien
56	5	62.5	2245	1	MYSJ_DICDI	P54697	dictyosteli
57	5	62.5	2960	1	AHNK_HUMAN	Q09666	homo sapien
58	5	62.5	4451	1	GRSB_BACBR	P14688	b gramicidi
59	4	50.0	52	1	RUBR_MEGEL	P00271	megasphaera
60	4	50.0	61	1	TBA4_MAIZE	P33626	zea mays (m
61	4	50.0	67	1	ATPE_SCHPO	P87316	schizosacch
62	4	50.0	72	1	YA94_ARCFU	O29171	archaeoglob
63	4	50.0	73	1	PHD_BPP1	Q06253	bacterioph
64	4	50.0	75	1	ATPL_RHORU	P15014	rhodospiril
65	4	50.0	75	1	Y14E_BPT4	P39508	bacterioph
66	4	50.0	75	1	Y14E_BPT6	Q38168	bacterioph
67	4	50.0	76	1	TATA_PASMU	Q9ckd3	pasteurella
68	4	50.0	77	1	VG68_BPMD2	O64260	mycobacteri
69	4	50.0	83	1	U222_HUMAN	P60002	homo sapien
70	4	50.0	83	1	U222_MOUSE	P60003	mus musculu
71	4	50.0	86	1	MINE_AGR5	Q8uax0	agrobacteri
72	4	50.0	87	1	DBI5_BOVIN	Q9mzg3	bos taurus
73	4	50.0	87	1	DBI5_MOUSE	O09035	mus musculu
74	4	50.0	87	1	DBI5_RAT	P56702	rattus norv

75	4	50.0	89	1	TATA_HAEIN	P57046	haemophilus
76	4	50.0	90	1	MINE_BRUME	Q8ybh5	brucella me
77	4	50.0	92	1	KM11_TRYBB	Q26773	trypanosoma
78	4	50.0	92	1	KM11_TRYCR	Q9u6z1	trypanosoma
79	4	50.0	92	1	Y082_METMA	Q8q0q4	methanosarc
80	4	50.0	92	1	YW35_METAC	Q8tl08	methanosarc
81	4	50.0	94	1	CH10_CLOTM	P48223	clostridium
82	4	50.0	94	1	CH10_LACLA	P37283	lactococcus
83	4	50.0	94	1	CH10_LACLC	Q9aep8	lactococcus
84	4	50.0	95	1	PRVA_CAVPO	P51434	cavia porce
85	4	50.0	96	1	CTC2_ACILW	O33951	acinetobact
86	4	50.0	100	1	CBIN_ANASP	Q8yq90	anabaena sp
87	4	50.0	103	1	THIO_LISMO	Q9s386	listeria mo
88	4	50.0	104	1	RS10_AQUAE	O66430	aquifex aeo
89	4	50.0	104	1	RS10_AQUPY	Q9zi51	aquifex pyr
90	4	50.0	107	1	T2AH_DROME	Q9w5b9	drosophila
91	4	50.0	107	1	YAC2_METSO	P27097	methanothri
92	4	50.0	109	1	THI2_SYNY3	P73263	synechocyst
93	4	50.0	110	1	THI2_ANASP	P20857	anabaena sp
94	4	50.0	114	1	Y364_METJA	Q57810	methanococc
95	4	50.0	119	1	YDAY_ECOLI	P76069	escherichia
96	4	50.0	120	1	YACL_SHIFL	P59396	shigella fl
97	4	50.0	123	1	AZUP_PARDE	P80649	paracoccus
98	4	50.0	131	1	CAIF_ECOLI	Q47081	escherichia
99	4	50.0	134	1	FUR_PSEAE	Q03456	pseudomonas
100	4	50.0	134	1	FUR_PSEPU	Q52083	pseudomonas
101	4	50.0	134	1	YF60_ARCFU	O28712	archaeoglob
102	4	50.0	136	1	RL27_CANAL	Q9p843	candida alb
103	4	50.0	138	1	GCSH_PYRAB	Q9v0g1	pyrococcus
104	4	50.0	138	1	GCSH_PYRHO	O59049	pyrococcus
105	4	50.0	140	1	FLGN_SALTY	P37406	salmonella
106	4	50.0	140	1	YF62_ARCFU	O28710	archaeoglob
107	4	50.0	145	1	AZUP_PARPEN	P80401	paracoccus
108	4	50.0	145	1	DUT_CLOTE	Q895r1	clostridium
109	4	50.0	145	1	YAF4_SCHPO	Q09858	schizosacch
110	4	50.0	148	1	REGQ_BPAPS	Q9tlu3	bacterioph
111	4	50.0	149	1	RECX_AMYMD	Q9rev5	amycolatops
112	4	50.0	150	1	VGD_BPAL3	P08765	bacterioph
113	4	50.0	150	1	Y168_SYNP6	P05675	synechococc
114	4	50.0	153	1	HIS3_RHILO	Q981q5	rhizobium l
115	4	50.0	154	1	FABZ_SHEON	Q8egg4	shewanella
116	4	50.0	156	1	YF60_HAEIN	P44253	haemophilus
117	4	50.0	157	1	RISB_HAEIN	P45149	haemophilus
118	4	50.0	160	1	GPH_PSESS	P42510	pseudomonas
119	4	50.0	161	1	COAD_AQUAE	O66614	aquifex aeo
120	4	50.0	162	1	YPU1_RHOCA	P26157	rhodobacter
121	4	50.0	164	1	YQHA_ECOL6	Q8fdl6	escherichia
122	4	50.0	164	1	YQHA_ECOLI	P52082	escherichia
123	4	50.0	164	1	YQHA_SALTI	Q8z3q8	salmonella
124	4	50.0	164	1	YQHA_SALTY	Q8zml3	salmonella
125	4	50.0	164	1	YT83_RHIME	P29953	rhizobium m
126	4	50.0	165	1	YREP_BUCBP	Q89b48	buchnera ap
127	4	50.0	167	1	DYR_ENTFC	P00380	enterococcu
128	4	50.0	170	1	BMAE_ECOLI	P05818	escherichia
129	4	50.0	172	1	LECA_PLEWA	Q02988	pleurodeles
130	4	50.0	172	1	Y074_NPVOP	O10327	orgyia pseu
131	4	50.0	173	1	TOXS_VIBCH	P24003	vibrio chol

132	4	50.0	173	1	Y150_METJA	Q57614	methanococc
133	4	50.0	174	1	HUPJ_RHILV	P28152	rhizobium l
134	4	50.0	176	1	ARAI_ARAHY	P20780	arachis hyp
135	4	50.0	176	1	FRIM_SALSA	P49947	salmo salar
136	4	50.0	176	1	ISPF_CHLCV	Q824f7	chlamydophi
137	4	50.0	177	1	IF3_ANASP	Q8yne3	anabaena sp
138	4	50.0	177	1	IF3_RHIME	Q92st3	rhizobium m
139	4	50.0	177	1	IF3_SYNY3	P72874	synechocyst
140	4	50.0	177	1	PYRR_FUSNN	Q8rg90	fusobacteri
141	4	50.0	177	1	VP22_ASFB7	P23169	african swi
142	4	50.0	178	1	IF3_BRUME	Q8ye68	brucella me
143	4	50.0	178	1	TRSF_DROER	Q23935	drosophila
144	4	50.0	178	1	YB18_ARCFU	O29147	archaeoglob
145	4	50.0	179	1	YAF4_CAEEL	P52882	caenorhabdi
146	4	50.0	181	1	YG34_MYCPN	P75163	mycoplasma
147	4	50.0	182	1	IF3C_PORPU	P51231	porphyra pu
148	4	50.0	182	1	IF3_SYNEL	Q8dig8	synechococc
149	4	50.0	184	1	TRSF_DROSI	Q24669	drosophila
150	4	50.0	185	1	IF3C_CYACA	Q9tlx8	cyanidium c
151	4	50.0	186	1	EFF_SHEON	Q8eep9	shewanella
152	4	50.0	186	1	RRF_RHOBA	Q7uth0	rhodopirell
153	4	50.0	188	1	KTHY_METJA	Q57741	methanococc
154	4	50.0	189	1	DYR_CAEEL	Q93341	caenorhabdi
155	4	50.0	190	1	GP38_BPSP1	O48394	bacteriopha
156	4	50.0	190	1	IF3_PROMP	Q7tu24	prochloroco
157	4	50.0	193	1	RPSH_PSEAE	Q06198	pseudomonas
158	4	50.0	194	1	GRPE_BACHD	Q9kd73	bacillus ha
159	4	50.0	194	1	RS7_FUGRU	P50894	fugu rubrip
160	4	50.0	195	1	Y061_CAUCR	Q9ac08	caulobacter
161	4	50.0	196	1	ELI_PEA	P11432	pisum sativ
162	4	50.0	197	1	OM26_HAEIN	Q57483	haemophilus
163	4	50.0	197	1	TRSF_DROME	P11596	drosophila
164	4	50.0	199	1	IF3_GLOVI	Q7njs6	gloeobacter
165	4	50.0	199	1	PHB1_HUMAN	P31941	homo sapien
166	4	50.0	199	1	UREG_HELPJ	Q9zmz7	helicobacte
167	4	50.0	199	1	UREG_HELPY	Q09066	helicobacte
168	4	50.0	201	1	IF3_PROMA	Q7v9n2	prochloroco
169	4	50.0	202	1	YJ69_ARCFU	O28310	archaeoglob
170	4	50.0	203	1	YBM4_YEAST	P38068	saccharomyc
171	4	50.0	206	1	T2D8_YEAST	Q12030	saccharomyc
172	4	50.0	207	1	KPTA_METAC	Q8th84	methanosarc
173	4	50.0	207	1	KPTA_METMA	Q8pxc3	methanosarc
174	4	50.0	209	1	HOXY_ALCEU	P22319	alcaligenes
175	4	50.0	210	1	RL13 ICTPU	Q90yv5	ictalurus p
176	4	50.0	210	1	TRAW_ECOLI	P18472	escherichia
177	4	50.0	211	1	UREG_ACTPL	O54424	actinobacil
178	4	50.0	217	1	IF3_SYNPX	Q7ua08	synechococc
179	4	50.0	217	1	NFNB_ECOLI	P38489	escherichia
180	4	50.0	217	1	NFNB_SALTY	P15888	salmonella
181	4	50.0	217	1	R10A_SPOFR	Q963b6	spodoptera
182	4	50.0	219	1	IF3_PROMM	Q7tv76	prochloroco
183	4	50.0	222	1	CCG1_HUMAN	Q06432	homo sapien
184	4	50.0	222	1	CCG1_RABIT	P19518	oryctolagus
185	4	50.0	223	1	CCG1_MOUSE	O70578	mus musculu
186	4	50.0	225	1	COX2_RHISA	O99819	rhhipicephal
187	4	50.0	225	1	MINC_PASMU	P57845	pasteurella
188	4	50.0	225	1	UREG_HAEIN	P44396	haemophilus

189	4	50.0	226	1	GPX3_BOVIN	P37141	bos taurus
190	4	50.0	226	1	GPX3_HUMAN	P22352	homo sapien
191	4	50.0	226	1	GPX3_MOUSE	P46412	mus musculu
192	4	50.0	226	1	GPX3_RAT	P23764	rattus norv
193	4	50.0	227	1	FA3C_HUMAN	Q92520	homo sapien
194	4	50.0	227	1	FA3C_MOUSE	Q91vu0	mus musculu
195	4	50.0	228	1	COX2_ARTSF	Q37706	artemia san
196	4	50.0	228	1	THA2_HUMAN	Q9h0w7	homo sapien
197	4	50.0	229	1	COX2_ALLMI	O47870	alligator m
198	4	50.0	229	1	COX2_ASTPE	Q37411	asterina pe
199	4	50.0	229	1	COX2_PISOC	P25002	pisaster oc
200	4	50.0	229	1	COX2_STRPU	P15545	strongyloce
201	4	50.0	230	1	COX2_BRAFL	O47428	branchiosto
202	4	50.0	230	1	COX2_BRARE	Q9miy7	brachydanio
203	4	50.0	230	1	COX2_GADMO	Q37741	gadus morhu
204	4	50.0	230	1	COX2_POLOR	Q96183	polypterus
205	4	50.0	230	1	T2E7_ECOLI	P50194	escherichia
206	4	50.0	230	1	VNS1_IACKG	P30909	influenza a
207	4	50.0	230	1	VNS1_IADA2	P03501	influenza a
208	4	50.0	230	1	VNS1_IAMA6	P13137	influenza a
209	4	50.0	230	1	VNS1_IAPI1	P13141	influenza a
210	4	50.0	230	1	VNS1_IAPI3	P13143	influenza a
211	4	50.0	230	1	VNS1_IATKB	P30910	influenza a
212	4	50.0	230	1	VNS1_IATKC	P30911	influenza a
213	4	50.0	230	1	VNS1_IATRT	P30912	influenza a
214	4	50.0	231	1	PSD_RICPR	Q9zdt4	rickettsia
215	4	50.0	231	1	PYRH_THEMA	Q9xlu0	thermotoga
216	4	50.0	232	1	Y4IK_RHISN	P55494	rhizobium s
217	4	50.0	233	1	ATE_VIBPA	Q87qy2	vibrio para
218	4	50.0	234	1	NPD_BACTN	Q8a3h9	bacteroides
219	4	50.0	234	1	YAJ8_YEAST	P39548	saccharomyc
220	4	50.0	235	1	RL1_FUSNN	Q8rhi3	fusobacteri
221	4	50.0	238	1	FNR_BACSU	P46908	bacillus su
222	4	50.0	238	1	HS2C_WHEAT	Q00445	triticum ae
223	4	50.0	239	1	COX2_BRALA	O79417	branchiosto
224	4	50.0	239	1	SFSA_AGR5	P58429	agrobacteri
225	4	50.0	240	1	SRV_SHEEP	Q03257	ovis aries
226	4	50.0	241	1	HFB1_HAEIN	P35757	haemophilus
227	4	50.0	243	1	LEF1_NPVOP	Q65362	orgyia pseu
228	4	50.0	243	1	TONB_ENTAE	P46383	enterobacte
229	4	50.0	243	1	YB35_THETN	Q8rar7	thermoanaer
230	4	50.0	244	1	BID1_PASMU	Q9cn08	pasteurella
231	4	50.0	244	1	MYH7_PAPHA	P11778	papio hamad
232	4	50.0	245	1	YJ54_CLOPE	Q9xdu4	clostridium
233	4	50.0	246	1	YEBC_ECOL6	Q8fgr1	escherichia
234	4	50.0	246	1	YEBC_ECOLI	P24237	escherichia
235	4	50.0	246	1	YEBC_SALTY	Q8xfd4	salmonella
236	4	50.0	246	1	YM15_CLOTE	Q891z5	clostridium
237	4	50.0	247	1	GRAB_HUMAN	P10144	h granzyme
238	4	50.0	247	1	MCT2_MERUN	P50341	meriones un
239	4	50.0	247	1	MCT3_RAT	P50339	rattus norv
240	4	50.0	247	1	MCT5_MOUSE	P21844	mus musculu
241	4	50.0	248	1	YEGW_ECOLI	P76420	escherichia
242	4	50.0	250	1	YFCS_ECOLI	P77599	escherichia
243	4	50.0	251	1	CRB1_HUMAN	P53674	homo sapien
244	4	50.0	251	1	YAT8_SCHPO	Q10153	schizosacch
245	4	50.0	251	1	YQ33_VIBPA	Q87lh9	vibrio para

246	4	50.0	252	1	CRB1_BOVIN	P07318	bos taurus
247	4	50.0	254	1	RECO_BACHD	Q9kd50	bacillus ha
248	4	50.0	259	1	ABCX_CYAPA	P48255	cyanophora
249	4	50.0	259	1	CYAA_BACTY	Q04470	bacillus th
250	4	50.0	259	1	ETFB_CLOAB	P52040	clostridium
251	4	50.0	259	1	PGH1_BOVIN	O62664	bos taurus
252	4	50.0	259	1	PSD_BACHD	Q9kda3	bacillus ha
253	4	50.0	260	1	YG38_METJA	Q59032	methanococc
254	4	50.0	263	1	CYBA_BACTI	Q45723	bacillus th
255	4	50.0	263	1	CYBB_BACTJ	O32322	bacillus th
256	4	50.0	263	1	DIVB_BACSU	P16655	bacillus su
257	4	50.0	265	1	THYX_BORBU	O50965	borrelia bu
258	4	50.0	268	1	YIAJ_HAEIN	P44996	haemophilus
259	4	50.0	269	1	THID_HELPJ	Q9zl00	helicobacte
260	4	50.0	270	1	THID_HELPY	O25515	helicobacte
261	4	50.0	270	1	YA73_METJA	Q58473	methanococc
262	4	50.0	271	1	Y4YP_RHISN	P55724	rhizobium s
263	4	50.0	273	1	Y001_RHIME	Q92tf2	rhizobium m
264	4	50.0	274	1	YKV2_CAEEL	P34324	caenorhabdi
265	4	50.0	275	1	CCG5_MOUSE	Q8vhw4	mus musculu
266	4	50.0	275	1	CCG5_RAT	Q8vhw8	rattus norv
267	4	50.0	275	1	CCG7_HUMAN	Q9bxt1	homo sapien
268	4	50.0	275	1	IF2A_PYRAB	Q9v0e4	pyrococcus
269	4	50.0	275	1	IF2A_PYRFU	Q8ulr5	pyrococcus
270	4	50.0	275	1	IF2A_PYRHO	O58655	pyrococcus
271	4	50.0	276	1	SEGN_HUMAN	O76038	homo sapien
272	4	50.0	276	1	SEGN_MOUSE	Q91wd9	mus musculu
273	4	50.0	279	1	MURI_SYNY3	P73737	synechocyst
274	4	50.0	279	1	RFA2_SCHPO	Q92373	schizosacch
275	4	50.0	279	1	TRPA_BRUME	Q8ye59	brucella me
276	4	50.0	279	1	TRPA_BRUSU	Q8fxy6	brucella su
277	4	50.0	282	1	AQP6_HUMAN	Q13520	homo sapien
278	4	50.0	282	1	MTD_METKA	P94951	methanopyru
279	4	50.0	283	1	GSPK_XANCP	P34026	xanthomonas
280	4	50.0	284	1	SFAS_SPESI	P55925	spermatozop
281	4	50.0	284	1	YRO5_CAEEL	Q09422	caenorhabdi
282	4	50.0	287	1	FRHB_METJA	Q60341	methanococc
283	4	50.0	287	1	KPRS_PYRHO	O59586	pyrococcus
284	4	50.0	288	1	PE12_YEAST	P32854	saccharomyc
285	4	50.0	288	1	YG53_YEAST	P50091	saccharomyc
286	4	50.0	289	1	FMT_MYCPU	Q98rg4	mycoplasma
287	4	50.0	289	1	ISPE_BACAA	Q8lvz6	bacillus an
288	4	50.0	289	1	ISPE_BACCR	Q81ja2	bacillus ce
289	4	50.0	289	1	PAL_PROVU	P37447	proteus vul
290	4	50.0	290	1	LEP_HELPY	O25300	helicobacte
291	4	50.0	290	1	YA89_FUSNN	Q8rell	fusobacteri
292	4	50.0	292	1	AMYD_THETU	P37730	thermoanaer
293	4	50.0	292	1	PRMA_PSEPK	Q88dk7	pseudomonas
294	4	50.0	292	1	PRMA_PSESM	Q87vs3	pseudomonas
295	4	50.0	293	1	ADH1_ZEALU	Q07264	zea luxuria
296	4	50.0	293	1	ALF1_PORGI	P60053	porphyromon
297	4	50.0	293	1	BLAC_RHOCA	P14171	rhodobacter
298	4	50.0	293	1	MOTY_VIBAN	Q9s3p9	vibrio angu
299	4	50.0	293	1	RPP1_YEAST	P38786	saccharomyc
300	4	50.0	294	1	FLNB_RABIT	Q9mzd2	oryctolagus
301	4	50.0	294	1	PRMA_PSEAE	Q9huw3	pseudomonas
302	4	50.0	295	1	ALF1_STACA	Q07159	staphylococ

303	4	50.0	295	1	BIEA_RAT	P46844	rattus norv
304	4	50.0	297	1	NADC_HUMAN	Q15274	homo sapien
305	4	50.0	298	1	YIHU_ECOLI	P32142	escherichia
306	4	50.0	299	1	YJ52_STRCO	Q9z513	streptomyce
307	4	50.0	300	1	ALF1_SYNY3	P74309	synechocyst
308	4	50.0	301	1	AFSA_STRGR	P18394	streptomyce
309	4	50.0	301	1	RIPX_MAIZE	P28522	zea mays (m
310	4	50.0	303	1	OPCC_BACSU	O32243	bacillus su
311	4	50.0	304	1	PUR7_PICPA	Q9clj4	pichia past
312	4	50.0	305	1	FMT_UREPA	Q9pq27	ureaplasma
313	4	50.0	305	1	THAB_MOUSE	Q9jjd0	mus musculu
314	4	50.0	306	1	YBFH_BACSU	O31448	bacillus su
315	4	50.0	307	1	P2A5_ARATH	O04951	arabidopsis
316	4	50.0	307	1	PLS2_MOUSE	Q9dcw2	mus musculu
317	4	50.0	311	1	CATA_ACICA	P07773	acinetobact
318	4	50.0	311	1	CC23_TRYBB	P54666	trypanosoma
319	4	50.0	311	1	FMT_MYCGE	P47605	mycoplasma
320	4	50.0	311	1	FMT_MYCPN	P75235	mycoplasma
321	4	50.0	311	1	FMT_STRA3	Q8e754	streptococc
322	4	50.0	312	1	IF2B_DROME	P41375	drosophila
323	4	50.0	312	1	PYRB_COREF	Q8ft39	corynebacte
324	4	50.0	312	1	PYRB_CORGL	Q8nq38	corynebacte
325	4	50.0	313	1	FCN2_HUMAN	Q15485	homo sapien
326	4	50.0	313	1	FMT_ENTFA	Q82zd8	enterococcu
327	4	50.0	313	1	META_VIBCH	Q9krm5	vibrio chol
328	4	50.0	313	1	THAB_HUMAN	Q96ek4	homo sapien
329	4	50.0	314	1	FMT_BUCAP	Q8k974	buchnera ap
330	4	50.0	314	1	HCDH_HUMAN	Q16836	homo sapien
331	4	50.0	316	1	GSHB_XANAC	Q8phz5	xanthomonas
332	4	50.0	316	1	GSHB_XANCP	Q8p6p1	xanthomonas
333	4	50.0	316	1	PRMA_STRR6	Q8dnp4	streptococc
334	4	50.0	317	1	FABD_BACSU	P71019	bacillus su
335	4	50.0	317	1	FMT_LACPL	Q88wl3	lactobacill
336	4	50.0	317	1	MURB_SYNY3	P74529	synechocyst
337	4	50.0	317	1	SOPD_SALTY	P40722	salmonella
338	4	50.0	319	1	ACC1_PETHY	Q08506	petunia hyb
339	4	50.0	319	1	FMT_LACLA	Q9cee9	lactococcus
340	4	50.0	322	1	NADA_AQUAE	O67730	aquifex aeo
341	4	50.0	322	1	SUCA_CAEEL	P53596	caenorhabdi
342	4	50.0	323	1	FRZB_MOUSE	P97401	mus musculu
343	4	50.0	325	1	MOCC_RHIME	P49304	rhizobium m
344	4	50.0	325	1	TRUB_ARCFU	O30001	archaeoglob
345	4	50.0	327	1	PLSX_THEMA	Q9wxz6	thermotoga
346	4	50.0	329	1	MKK2_CRILO	P49136	cricetulus
347	4	50.0	330	1	RPOS_ECOLI	P13445	escherichia
348	4	50.0	330	1	RPOS_SALTY	P37400	salmonella
349	4	50.0	330	1	RPOS_SHIFL	P35540	shigella fl
350	4	50.0	330	1	VP19_HSVSA	Q01051	herpesvirus
351	4	50.0	331	1	LEU1_THETH	Q56216	thermus the
352	4	50.0	331	1	MURB_ANASP	Q8ym74	anabaena sp
353	4	50.0	331	1	NAHE_PSEPU	Q51947	pseudomonas
354	4	50.0	332	1	DGAL_CITFR	P23925	citrobacter
355	4	50.0	332	1	DGAL_ECOLI	P02927	escherichia
356	4	50.0	332	1	DGAL_SALTY	P23905	salmonella
357	4	50.0	332	1	FLIM_BACSU	P23453	bacillus su
358	4	50.0	332	1	LPXK_HAEIN	P44491	haemophilus
359	4	50.0	332	1	MDHC_BETVU	Q9sml8	beta vulgar

360	4	50.0	332	1	MDHC_MAIZE	Q08062	zea mays (m
361	4	50.0	332	1	MDHC_MESCR	Q24047	mesembryant
362	4	50.0	333	1	G3P_HOMAM	P00357	homarus ame
363	4	50.0	333	1	GLPX_HAEIN	P44811	haemophilus
364	4	50.0	333	1	VINT_BPMD2	Q38361	mycobacteri
365	4	50.0	333	1	VINT_BPMFR	P25426	mycobacteri
366	4	50.0	334	1	NAHE_PSEAE	Q57444	pseudomonas
367	4	50.0	334	1	PDXA_BACHD	Q9rc88	bacillus ha
368	4	50.0	334	1	RX1_ASTFA	Q9i9d5	astyanax fa
369	4	50.0	335	1	CITC_HAEIN	P44462	haemophilus
370	4	50.0	335	1	YHBW_ECOLI	P45529	escherichia
371	4	50.0	335	1	YJ53_SCHPO	Q9ut68	schizosacch
372	4	50.0	336	1	PTLS_STRSQ	Q55012	streptomyce
373	4	50.0	336	1	VG27_BPML5	Q05234	mycobacteri
374	4	50.0	337	1	MAT2_COCSA	Q9p445	cochliobolu
375	4	50.0	337	1	MENC_PASMU	Q9clv7	pasteurella
376	4	50.0	339	1	PYRD_HAEIN	P45477	haemophilus
377	4	50.0	339	1	PYRD_PASMU	P57858	pasteurella
378	4	50.0	340	1	RPOA_RICCN	Q92gz0	rickettsia
379	4	50.0	340	1	RPOA_RICPR	Q9zcs9	rickettsia
380	4	50.0	341	1	SL22_ARATH	Q9svc2	arabidopsis
381	4	50.0	342	1	YG1L_YEAST	P53219	saccharomyc
382	4	50.0	344	1	CT72_HUMAN	Q9bqp7	homo sapien
383	4	50.0	344	1	PUR5_NEIMA	Q9jua2	neisseria m
384	4	50.0	344	1	PUR5_NEIMB	Q9jz80	neisseria m
385	4	50.0	344	1	RAV1_ARATH	Q9zwm9	arabidopsis
386	4	50.0	344	1	YHJ4_YEAST	P38768	saccharomyc
387	4	50.0	345	1	GPDA_VIBPA	Q87kz2	vibrio para
388	4	50.0	345	1	YL43_SULTO	Q96ym9	sulfolobus
389	4	50.0	346	1	EF1A_EIMBO	Q07051	eimeria bov
390	4	50.0	346	1	PA6A_HUMAN	Q9npb6	homo sapien
391	4	50.0	346	1	PA6A_MOUSE	Q9zl01	mus musculu
392	4	50.0	347	1	GGH_ARATH	O65355	arabidopsis
393	4	50.0	347	1	NTCI_RABIT	Q28727	o ileal sod
394	4	50.0	348	1	AMIE_BACST	Q9rq17	bacillus st
395	4	50.0	348	1	NTCI_RAT	Q62633	r ileal sod
396	4	50.0	350	1	PYRD_FLALU	Q9flu7	flavobacter
397	4	50.0	351	1	HIS8_THETN	Q8r5q4	thermoanaer
398	4	50.0	353	1	CKR8_MOUSE	P56484	mus musculu
399	4	50.0	353	1	PMA1_HUMAN	Q8nd90	homo sapien
400	4	50.0	353	1	PMA1_RAT	Q8vhz4	rattus norv
401	4	50.0	354	1	YCDA_BACSU	O34538	bacillus su
402	4	50.0	357	1	CAD2_ARATH	O49482	arabidopsis
403	4	50.0	357	1	CAD4_TOBAC	P30359	nicotiana t
404	4	50.0	357	1	CAD9_TOBAC	P30360	nicotiana t
405	4	50.0	357	1	CYSA_BACCR	Q81gu1	bacillus ce
406	4	50.0	358	1	CYB_RHISA	O99828	rhhipicephal
407	4	50.0	360	1	CAD1_ARACO	P42495	aralia cord
408	4	50.0	360	1	FLHB_BACSU	P35538	bacillus su
409	4	50.0	360	1	VIS_AGRVI	Q04554	agrobacteri
410	4	50.0	361	1	CADH_LOLPR	O22380	lolium pere
411	4	50.0	361	1	RM45_DROME	Q9vcx3	drosophila
412	4	50.0	361	1	RTCl_DROME	O77264	drosophila
413	4	50.0	361	1	Y101_NPVAC	P25695	autographa
414	4	50.0	363	1	AROB_VIBVU	Q8dcm0	vibrio vuln
415	4	50.0	364	1	ARAR_BACST	Q9s470	bacillus st
416	4	50.0	365	1	RF2_LACLA	Q9cgx1	lactococcus

417	4	50.0	366	1	DP3B_BUCRP	Q9eve4	buchnera ap
418	4	50.0	366	1	YHK0_YEAST	P38772	saccharomyc
419	4	50.0	367	1	VE2_HPVS4	Q81021	human papil
420	4	50.0	368	1	AROB_VIBVY	Q7mh84	vibrio vuln
421	4	50.0	368	1	RF2_STRCO	Q53915	streptomyce
422	4	50.0	368	1	YIU5_YEAST	P40577	saccharomyc
423	4	50.0	369	1	DHYS_HUMAN	P49366	homo sapien
424	4	50.0	369	1	YF00_SYNY3	P73003	synechocyst
425	4	50.0	371	1	DHA_MYCTU	P30234	mycobacteri
426	4	50.0	372	1	GPDA_CUPLA	P52425	cuphea lanc
427	4	50.0	374	1	YQK7_CAEEL	Q09289	caenorhabdi
428	4	50.0	375	1	AROB_RHOBA	Q7uwn8	rhodopirell
429	4	50.0	376	1	ADH1_ORYSA	P20306	oryza sativ
430	4	50.0	377	1	TGT_VIBPA	Q87s36	vibrio para
431	4	50.0	378	1	TGT_VIBVU	Q8dey0	vibrio vuln
432	4	50.0	379	1	ADH1_HORVU	P05336	hordeum vul
433	4	50.0	379	1	ADH1_MAIZE	P00333	zea mays (m
434	4	50.0	379	1	ADH1_PENAM	P14219	pennisetum
435	4	50.0	379	1	LPXB_VIBCH	Q9kpw5	vibrio chol
436	4	50.0	379	1	TGT_VIBCH	Q9kty9	vibrio chol
437	4	50.0	380	1	LPXB_VIBVU	Q8dbe8	vibrio vuln
438	4	50.0	380	1	LPXB_VIBVY	Q7mih2	vibrio vuln
439	4	50.0	381	1	KCRB_RABIT	P00567	oryctolagus
440	4	50.0	382	1	FTSZ_BACSU	P17865	bacillus su
441	4	50.0	383	1	FUCO_ECOLI	P11549	escherichia
442	4	50.0	384	1	CARA_RHOGE	Q9jp87	rhodocyclus
443	4	50.0	384	1	ERD1_KLULA	P41771	kluveromyc
444	4	50.0	384	1	Y297_ANASP	Q8z006	anabaena sp
445	4	50.0	385	1	ALGJ_PSEPK	Q88nd3	pseudomonas
446	4	50.0	385	1	MKK2_MOUSE	P49138	mus musculu
447	4	50.0	385	1	TP6A_AERPE	Q9ye67	aeropyrum p
448	4	50.0	385	1	Y439_PROMP	P59920	prochloroco
449	4	50.0	386	1	CD63_SULTO	Q96yk7	sulfolobus
450	4	50.0	386	1	SUCC_RICCN	Q92i21	rickettsia
451	4	50.0	386	1	SUCC_RICPR	O05966	rickettsia
452	4	50.0	387	1	QIN_AVIS3	P56260	avian sarco
453	4	50.0	387	1	RT05_SCHPO	Q10234	schizosacch
454	4	50.0	388	1	FLHF_BORBU	Q44758	borrelia bu
455	4	50.0	388	1	TRPB_BUCAI	Q44685	buchnera ap
456	4	50.0	389	1	TP6A_SULSH	O05208	sulfolobus
457	4	50.0	393	1	YIP3_YEAST	P40454	saccharomyc
458	4	50.0	395	1	PELO_DROME	P48612	drosophila
459	4	50.0	395	1	PORA_PYRAB	Q9uyz4	pyrococcus
460	4	50.0	395	1	PORA_PYRHO	O73986	pyrococcus
461	4	50.0	396	1	ASSY_HALN1	Q9hmq2	halobacteri
462	4	50.0	396	1	CATE_HUMAN	P14091	homo sapien
463	4	50.0	396	1	DXR_BIFLO	Q8g7y7	bifidobacte
464	4	50.0	396	1	PGK_CAUCR	Q9a3f5	caulobacter
465	4	50.0	396	1	PORA_PYRFU	Q51804	pyrococcus
466	4	50.0	396	1	RF1M_SCHPO	Q09691	schizosacch
467	4	50.0	397	1	DP3B_MYCSM	P52851	mycobacteri
468	4	50.0	397	1	TRPB_NITEU	Q82wi2	nitrosomona
469	4	50.0	397	1	Y435_PROMA	P59918	prochloroco
470	4	50.0	398	1	LPXB_XANCP	Q8paw6	xanthomonas
471	4	50.0	399	1	DP3B_MYCLE	P46387	mycobacteri
472	4	50.0	399	1	DP3B_MYCPA	Q91716	mycobacteri
473	4	50.0	399	1	OYE1_SACPS	Q02899	saccharomyc

474	4	50.0	400	1	MKK2_HUMAN	P49137	homo sapien
475	4	50.0	401	1	PGK_SYNY3	P74421	synechocyst
476	4	50.0	402	1	CN7B_SCHPO	Q09722	schizosacch
477	4	50.0	402	1	DP3B_MYCBO	O33914	mycobacteri
478	4	50.0	402	1	DP3B_MYCTU	Q50790	mycobacteri
479	4	50.0	402	1	RDS1_SCHPO	P53693	schizosacch
480	4	50.0	402	1	SHBG_HUMAN	P04278	homo sapien
481	4	50.0	404	1	NEED_PINRA	O04407	pinus radia
482	4	50.0	405	1	ASSY_THEAC	Q9hkf1	thermoplasm
483	4	50.0	406	1	CG16_HUMAN	Q9y305	homo sapien
484	4	50.0	406	1	IDH_SPHYA	P50215	sphingomona
485	4	50.0	407	1	YEAD_SCHPO	O14078	schizosacch
486	4	50.0	409	1	PGK_METBR	P20972	methanobact
487	4	50.0	410	1	SAHH_THEAC	Q9hxx4	thermoplasm
488	4	50.0	411	1	PROA_WOLSU	Q7m8z4	wolinella s
489	4	50.0	412	1	FABF_ECOLI	P39435	escherichia
490	4	50.0	412	1	PROA_HELHP	Q7vi05	helicobacte
491	4	50.0	413	1	ARJ1_ANASP	Q8yva8	a arginine
492	4	50.0	415	1	KCCS_MALDO	Q07250	malus domes
493	4	50.0	415	1	RHLB_HAEIN	P44922	haemophilus
494	4	50.0	417	1	GLA1_PSEAE	Q9hte9	pseudomonas
495	4	50.0	418	1	GLA2_PSEAE	Q9i138	pseudomonas
496	4	50.0	418	1	LE21_ARCFU	O28316	archaeoglob
497	4	50.0	419	1	DNLI_ASFB7	P35970	african swi
498	4	50.0	419	1	DNLI_ASFM2	P26813	african swi
499	4	50.0	419	1	MUA2_STRPN	Q97qw6	streptococc
500	4	50.0	420	1	PSD4_SCHMA	O17453	schistosoma
501	4	50.0	421	1	DHE2_CLODI	P27346	clostridium
502	4	50.0	421	1	DHE2_PEPAS	P28997	peptostrept
503	4	50.0	422	1	BCHN_ACIRU	Q9wxb4	acidiphiliu
504	4	50.0	422	1	EF1A_METAC	Q8trc4	methanosarc
505	4	50.0	422	1	EF1A_METMA	Q8pur8	methanosarc
506	4	50.0	422	1	TRB1_SULTO	Q971z5	sulfolobus
507	4	50.0	423	1	PHS2_PHALU	Q43617	phaseolus l
508	4	50.0	424	1	DHE2_BACSU	P39633	bacillus su
509	4	50.0	424	1	EF1A_THEAC	P19486	thermoplasm
510	4	50.0	424	1	EF1A_THEVO	Q979t1	thermoplasm
511	4	50.0	424	1	LE22_METJA	P81291	methanococc
512	4	50.0	425	1	ENO_BRUME	Q8yhf0	brucella me
513	4	50.0	425	1	ENO_BRUSU	Q8g0g3	brucella su
514	4	50.0	426	1	CISY_HELPJ	Q9zn37	helicobacte
515	4	50.0	426	1	CISY_HELPY	P56062	helicobacte
516	4	50.0	426	1	G6PI_HALN1	Q9hng6	halobacteri
517	4	50.0	426	1	GSA_ECO57	Q8x4v5	escherichia
518	4	50.0	426	1	GSA_ECOLI	P23893	escherichia
519	4	50.0	426	1	GSA_SALTI	Q8z9b4	salmonella
520	4	50.0	426	1	GSA_SALTY	P21267	salmonella
521	4	50.0	426	1	GSA_YERPE	Q8zbl9	yersinia pe
522	4	50.0	426	1	RAD9_SCHPO	P26306	schizosacch
523	4	50.0	426	1	SYH_LACPL	Q88vq7	lactobacill
524	4	50.0	428	1	GPRX_ORYLA	Q91178	oryzias lat
525	4	50.0	428	1	HEMY_HAEIN	P44772	haemophilus
526	4	50.0	428	1	PHS1_PHALU	P80463	phaseolus l
527	4	50.0	430	1	EF1A_ENTHI	P31018	entamoeba h
528	4	50.0	430	1	SYS_SYNEL	Q8din0	synechococc
529	4	50.0	431	1	HISX_XANCP	Q8p9p2	xanthomonas
530	4	50.0	431	1	SC65_RAT	Q64375	rattus norv

531	4	50.0	432	1	RAD9_SCHOT	P48013	schizosacch
532	4	50.0	433	1	AFLR_EMENI	P52957	emericella
533	4	50.0	434	1	CTPA_BARBA	Q44879	bartonella
534	4	50.0	434	1	GLYA_COREF	Q8fqrl	corynebacte
535	4	50.0	434	1	VG05_VACCC	P21026	vaccinia vi
536	4	50.0	434	1	VG05_VARV	P32995	variola vir
537	4	50.0	437	1	EF1A_AERPE	Q9yav0	aeropyrum p
538	4	50.0	437	1	NO55_HUMAN	Q92791	homo sapien
539	4	50.0	438	1	EF1A_DESMO	P41203	desulfuroco
540	4	50.0	439	1	AC48_MOUSE	Q9r0x4	mus musculu
541	4	50.0	439	1	G6PD_CHLTR	O84188	chlamydia t
542	4	50.0	439	1	IF5Y_ARATH	Q9c8f1	arabidopsis
543	4	50.0	439	1	NH97_CAEEL	Q9bjk5	caenorhabdi
544	4	50.0	439	1	VIT1_DROME	P02843	drosophila
545	4	50.0	439	1	XYLA_CLOTS	P29441	clostridium
546	4	50.0	440	1	ODP2_ZYMMO	O66119	zymomonas m
547	4	50.0	440	1	V117_FOWPV	Q9j5a5	fowlpox vir
548	4	50.0	443	1	FUTB_DROME	Q9v1c1	drosophila
549	4	50.0	444	1	ADRL_DROME	Q9vcy8	drosophila
550	4	50.0	444	1	GLPT_BACSU	P37948	bacillus su
551	4	50.0	444	1	TIG_CAMJE	Q46108	campylobact
552	4	50.0	445	1	NRH3_MOUSE	Q9z0y9	mus musculu
553	4	50.0	445	1	NRH3_RAT	Q62685	rattus norv
554	4	50.0	446	1	HYIN_PSESY	P52831	pseudomonas
555	4	50.0	447	1	EF11_HORVU	P34824	hordeum vul
556	4	50.0	447	1	EF12_DAUCA	P34823	daucus caro
557	4	50.0	447	1	EF12_HORVU	Q40034	hordeum vul
558	4	50.0	447	1	EF1A_MAIZE	Q41803	zea mays (m
559	4	50.0	447	1	EF1A_ORYSA	O64937	oryza sativ
560	4	50.0	447	1	EF1A_PEA	Q41011	pisum sativ
561	4	50.0	447	1	EF1A_SOYBN	P25698	glycine max
562	4	50.0	447	1	EF1A_TOBAC	P43643	nicotiana t
563	4	50.0	447	1	EF1A_VICFA	O24534	vicia faba
564	4	50.0	447	1	EF1A_WHEAT	Q03033	triticum ae
565	4	50.0	447	1	NRH3_HUMAN	Q13133	homo sapien
566	4	50.0	447	1	SYN_LACLA	Q9cek9	lactococcus
567	4	50.0	447	1	SYN_STRPN	Q97pr0	streptococc
568	4	50.0	447	1	SYN_STRR6	Q8cwq4	streptococc
569	4	50.0	447	1	TBB1_DROME	Q24560	drosophila
570	4	50.0	447	1	TBB1_MANSE	O17449	manduca sex
571	4	50.0	448	1	EF1A_LYCES	P17786	lycopersico
572	4	50.0	448	1	HISX_PSESM	Q87wv5	pseudomonas
573	4	50.0	448	1	MURD_PSEAE	Q9hvv9	pseudomonas
574	4	50.0	448	1	SYN_STRA3	Q8e6j1	streptococc
575	4	50.0	448	1	SYN_STRMU	Q8dtm2	streptococc
576	4	50.0	448	1	SYN_STRPY	Q9a0r9	streptococc
577	4	50.0	449	1	EF11_DAUCA	P29521	daucus caro
578	4	50.0	449	1	EF1A_ARATH	P13905	arabidopsis
579	4	50.0	449	1	EF1A_MANES	O49169	manihot esc
580	4	50.0	449	1	MANB_METJA	Q57842	methanococc
581	4	50.0	449	1	TBB_EIMTE	Q27380	eimeria ten
582	4	50.0	450	1	CSK_HUMAN	P41240	homo sapien
583	4	50.0	450	1	CSK_MOUSE	P41241	mus musculu
584	4	50.0	450	1	CSK_RAT	P32577	rattus norv
585	4	50.0	450	1	ENVZ_ECOLI	P02933	escherichia
586	4	50.0	451	1	FXGB_CHICK	Q90964	gallus gall
587	4	50.0	451	1	Y996_METJA	Q58403	methanococc

588	4	50.0	452	1	HOS2_YEAST	P53096	saccharomyc
589	4	50.0	452	1	TIG_CAUCR	O87705	caulobacter
590	4	50.0	453	1	O83A_DROME	Q9vnb3	drosophila
591	4	50.0	454	1	DLDH_RHOCA	P95596	rhodobacter
592	4	50.0	455	1	GUDH_BACSU	P42238	bacillus su
593	4	50.0	455	1	ZPR1_CAEEL	O16999	caenorhabdi
594	4	50.0	456	1	SR54_THEAC	Q9hkt0	thermoplasm
595	4	50.0	457	1	CD4_MOUSE	P06332	mus musculu
596	4	50.0	457	1	VIPR_HUMAN	P32241	homo sapien
597	4	50.0	458	1	GATD_METKA	Q8tv84	methanopyru
598	4	50.0	458	1	VIPR_PIG	Q28992	sus scrofa
599	4	50.0	459	1	NCB1_MOUSE	Q02819	mus musculu
600	4	50.0	459	1	NCB1_RAT	Q63083	rattus norv
601	4	50.0	459	1	ZPR1_SCHPO	O13724	schizosacch
602	4	50.0	460	1	PYRD_ARATH	P32746	arabidopsis
603	4	50.0	461	1	TM15_PIG	Q9tsw0	sus scrofa
604	4	50.0	462	1	LEU2_LISMO	Q8y5r7	listeria mo
605	4	50.0	465	1	FUMC_YERPE	Q8zeb6	yersinia pe
606	4	50.0	465	1	TM15_HUMAN	Q9c019	homo sapien
607	4	50.0	465	1	TM15_PANTR	Q7yr33	pan troglod
608	4	50.0	466	1	FUMC_MYXXA	P95331	myxococcus
609	4	50.0	466	1	SYC_CLOPE	Q8xhq5	clostridium
610	4	50.0	467	1	FUMC_SALTI	Q8z6r6	salmonella
611	4	50.0	468	1	CAC2_YEAST	Q04199	saccharomyc
612	4	50.0	469	1	FXGA_HUMAN	P55316	homo sapien
613	4	50.0	469	1	TRIP_HUMAN	Q9bwf2	homo sapien
614	4	50.0	470	1	PUR1_METJA	Q57657	methanococc
615	4	50.0	470	1	TRIP_MOUSE	Q8vig6	mus musculu
616	4	50.0	471	1	ATPB_HERAU	P42466	herpetosiph
617	4	50.0	471	1	LEU2_VIBPA	Q87ss9	vibrio para
618	4	50.0	471	1	SYC_LISIN	Q92f36	listeria in
619	4	50.0	471	1	SYC_LISMO	Q8yabl	listeria mo
620	4	50.0	472	1	SX14_DROME	P40656	drosophila
621	4	50.0	473	1	FUMC_COREF	Q8fqp8	corynebacte
622	4	50.0	473	1	FUMC_CORGL	Q8nrn8	corynebacte
623	4	50.0	473	1	RGRP_HUMAN	Q8izj4	homo sapien
624	4	50.0	474	1	TRPE_METJA	Q58475	methanococc
625	4	50.0	476	1	3BP5_DROME	Q9v785	drosophila
626	4	50.0	476	1	LEU2_STRCO	O86534	streptomyce
627	4	50.0	477	1	FXGB_HUMAN	P55315	homo sapien
628	4	50.0	477	1	LEU2_STRAW	Q82jr8	streptomyce
629	4	50.0	477	1	SYC_PYRFU	Q8u227	pyrococcus
630	4	50.0	477	1	TIG_BRUME	Q8ygt8	brucella me
631	4	50.0	477	1	TIG_BRUSU	Q8g129	brucella su
632	4	50.0	480	1	EXON_HSV7J	P52346	human herpe
633	4	50.0	480	1	FXGB_RAT	Q00939	rattus norv
634	4	50.0	481	1	FXGB_MOUSE	Q60987	mus musculu
635	4	50.0	481	1	THRC_CORGL	P23669	corynebacte
636	4	50.0	481	1	Y209_ARCFU	O30030	archaeoglob
637	4	50.0	483	1	ARLY_ARCFU	O29379	archaeoglob
638	4	50.0	483	1	ATPB_PRODI	P50003	prochloron
639	4	50.0	483	1	CIMA_METAC	Q8tjj1	methanosarc
640	4	50.0	484	1	SYE_MYCPN	P75114	mycoplasma
641	4	50.0	489	1	ZDS_SYNY3	P74306	synechocyst
642	4	50.0	490	1	YIHF_ECOLI	P32128	escherichia
643	4	50.0	491	1	G6PD_RHIME	Q9z3s2	rhizobium m
644	4	50.0	491	1	GCSB_COXBU	Q83b09	coxiella bu

645	4	50.0	491	1	K2M2_SHEEP	P15241	ovis aries
646	4	50.0	491	1	RNG_HAEIN	P45175	haemophilus
647	4	50.0	491	1	TIG_RHIME	Q92q12	rhizobium m
648	4	50.0	492	1	TIG_AGRT5	Q8ueu0	agrobacteri
649	4	50.0	492	1	TIG_RHILO	Q981e8	rhizobium l
650	4	50.0	492	1	YD48_SCHPO	Q10301	schizosacch
651	4	50.0	494	1	CLS2_STAEP	Q8cnk3	staphylococ
652	4	50.0	494	1	PEA3_BRARE	Q9puq1	brachydanio
653	4	50.0	494	1	PSD3_DROME	P25161	drosophila
654	4	50.0	495	1	ALAT_RAT	P25409	rattus norv
655	4	50.0	495	1	ENG_YERPE	Q8zct9	yersinia pe
656	4	50.0	496	1	POLG_LIV31	P35764	louping ill
657	4	50.0	496	1	POLG_LIVK	P35765	louping ill
658	4	50.0	496	1	POLG_LIVN1	Q02478	louping ill
659	4	50.0	496	1	POLG_LIVNO	P35766	louping ill
660	4	50.0	496	1	POLG_LIVSB	Q02012	louping ill
661	4	50.0	496	1	PSD3_ANOGA	O61470	anopheles g
662	4	50.0	498	1	VGLY_LYCVA	P09991	lymphocytic
663	4	50.0	499	1	BCHE_SYNY3	Q55373	synechocyst
664	4	50.0	499	1	C771_SOLME	P37123	solanum mel
665	4	50.0	499	1	MURD_RALSO	Q8xvi5	ralstonia s
666	4	50.0	500	1	PSD3_ANOST	Q9u5z8	anopheles s
667	4	50.0	500	1	SYK_BUCBP	Q89ac5	buchnera ap
668	4	50.0	501	1	DLDH_PEA	P31023	pisum sativ
669	4	50.0	502	1	GAG_SIVGB	P22381	simian immu
670	4	50.0	502	1	K2M3_SHEEP	P25691	ovis aries
671	4	50.0	504	1	C6AL_DROME	Q9v774	drosophila
672	4	50.0	504	1	PDA3_MOUSE	P27773	mus musculu
673	4	50.0	505	1	PDA3_BOVIN	P38657	bos taurus
674	4	50.0	505	1	PDA3_HUMAN	P30101	homo sapien
675	4	50.0	505	1	PDA3_RAT	P11598	rattus norv
676	4	50.0	507	1	ATPA_CHLRE	P26526	chlamydomon
677	4	50.0	507	1	CP5G_CANTR	P30609	candida tro
678	4	50.0	507	1	G6PD_CHLMU	Q9pkk8	chlamydia m
679	4	50.0	508	1	2ABA_CANTR	P53031	candida tro
680	4	50.0	511	1	SYK2_METAC	Q8tsn5	methanosarc
681	4	50.0	512	1	G6PD_CHLPN	Q9z8u6	chlamydia p
682	4	50.0	513	1	PDI_HORVU	P80284	hordeum vul
683	4	50.0	513	1	PDI_MAIZE	P52588	zea mays (m
684	4	50.0	518	1	SAP_CHICK	O13035	gallus gall
685	4	50.0	519	1	CPT7_RANDY	O57525	rana dybows
686	4	50.0	520	1	HPAB_KLEOX	Q48440	klebsiella
687	4	50.0	520	1	YM23_MYCTU	Q10508	mycobacteri
688	4	50.0	521	1	REP2_MOUSE	Q80xa6	mus musculu
689	4	50.0	522	1	CEA1_ECOLI	P02978	escherichia
690	4	50.0	522	1	STA_RICCO	Q10710	ricinus com
691	4	50.0	523	1	CP78_SOYBN	O48927	glycine max
692	4	50.0	523	1	TRPE_HALVO	P33975	halobacteri
693	4	50.0	525	1	AGSA_APLCA	P15287	aplysia cal
694	4	50.0	526	1	2ABA_YEAST	Q00362	saccharomyc
695	4	50.0	529	1	VL1_HPVS2	Q05138	human papil
696	4	50.0	530	1	AIP2_YEAST	P46681	saccharomyc
697	4	50.0	530	1	PSD3_MOUSE	P14685	mus musculu
698	4	50.0	533	1	LEU1_MICAE	P94907	microcystis
699	4	50.0	533	1	LEU1_SYNY3	P48576	synechocyst
700	4	50.0	533	1	PRI2_DROME	Q9vph2	drosophila
701	4	50.0	534	1	HUP1_CHLKE	P15686	chlorella k

702	4	50.0	534	1	PSD3_HUMAN	O43242	homo sapien
703	4	50.0	534	1	YH39_STRPN	Q97pa2	streptococc
704	4	50.0	535	1	Y475_STRMU	Q8dvk7	streptococc
705	4	50.0	537	1	IR18_MOUSE	Q61098	mus musculu
706	4	50.0	538	1	LEU1_GLOVI	Q7ni93	gloeobacter
707	4	50.0	540	1	SYT_SULTO	Q973c8	sulfolobus
708	4	50.0	543	1	CP1B_MOUSE	Q64429	mus musculu
709	4	50.0	543	1	CP1B_RAT	Q64678	rattus norv
710	4	50.0	543	1	P69_MYCGE	P47533	mycoplasma
711	4	50.0	545	1	LGI2_HUMAN	Q8n0v4	homo sapien
712	4	50.0	546	1	CHK2_MOUSE	Q9z265	mus musculu
713	4	50.0	548	1	CU12_SCHPO	O59755	schizosacch
714	4	50.0	548	1	TRM1_SCHPO	Q9p804	schizosacch
715	4	50.0	550	1	LGI2_MOUSE	Q8k4z0	mus musculu
716	4	50.0	551	1	SYR_MYCGA	Q7nc67	mycoplasma
717	4	50.0	553	1	MCRA_METJA	Q58256	methanococc
718	4	50.0	553	1	SYR_STAAM	Q932f6	staphylococ
719	4	50.0	553	1	SYR_STAAN	Q99w05	staphylococ
720	4	50.0	553	1	SYR_STAAW	Q8nxt8	staphylococ
721	4	50.0	553	1	SYR_STAEP	Q8ctn9	staphylococ
722	4	50.0	554	1	PRP4_ARATH	O22212	arabidopsis
723	4	50.0	555	1	GLPD_BACSU	P18158	bacillus su
724	4	50.0	555	1	MASY_PICAN	P21360	pichia angu
725	4	50.0	555	1	YG62_METJA	Q59056	methanococc
726	4	50.0	557	1	TCPA_DROME	P12613	drosophila
727	4	50.0	558	1	TIMH_METJA	Q60297	methanococc
728	4	50.0	558	1	YNT3_YEAST	P53870	saccharomyc
729	4	50.0	559	1	DNLI_PYRAB	Q9v185	pyrococcus
730	4	50.0	559	1	DNLI_PYRHO	O59288	pyrococcus
731	4	50.0	559	1	DNLI_PYRKO	Q9hhc4	pyrococcus
732	4	50.0	560	1	JI60_HORVU	Q00531	hordeum vul
733	4	50.0	561	1	DNLI_PYRFU	P56709	pyrococcus
734	4	50.0	561	1	IRL2_RAT	Q62929	rattus norv
735	4	50.0	563	1	DEAD_MYCTU	Q11039	mycobacteri
736	4	50.0	563	1	SYR_CLOTE	Q896n5	clostridium
737	4	50.0	563	1	SYR_STRPN	Q54869	streptococc
738	4	50.0	563	1	SYR_STRR6	Q8dn69	streptococc
739	4	50.0	564	1	MASY_SOYBN	P45458	glycine max
740	4	50.0	564	1	SYR_CHLCV	Q824h4	chlamydophi
741	4	50.0	564	1	SYR_LACLA	Q9cel2	lactococcus
742	4	50.0	565	1	DSBD_ECO57	P58162	escherichia
743	4	50.0	565	1	DSBD_ECOLI	P36655	escherichia
744	4	50.0	566	1	XYLR_PSEPU	P06519	pseudomonas
745	4	50.0	567	1	TRA3_MOUSE	Q60803	mus musculu
746	4	50.0	568	1	ERB1_CARAU	Q9w669	carassius a
747	4	50.0	568	1	ESR2_ONCMY	P57782	oncorhynchu
748	4	50.0	571	1	CAN1_CANAL	P43059	candida alb
749	4	50.0	572	1	MOES_LYTVA	P52962	lytechinus
750	4	50.0	575	1	IRL2_HUMAN	Q9hb29	homo sapien
751	4	50.0	576	1	MOES_HUMAN	P26038	homo sapien
752	4	50.0	576	1	MOES_MOUSE	P26041	mus musculu
753	4	50.0	576	1	MOES_PIG	P26042	sus scrofa
754	4	50.0	576	1	MOES_RAT	O35763	rattus norv
755	4	50.0	578	1	MOEH_DROME	P46150	drosophila
756	4	50.0	579	1	Y359_CHLMU	Q9pkv2	chlamydia m
757	4	50.0	580	1	EZRI_BOVIN	P31976	bos taurus
758	4	50.0	583	1	CFAI_HUMAN	P05156	homo sapien

759	4	50.0	583	1	RADI_CHICK	Q9pu45	gallus gall
760	4	50.0	583	1	RADI_HUMAN	P35241	homo sapien
761	4	50.0	583	1	RADI_MOUSE	P26043	mus musculu
762	4	50.0	583	1	RADI_PIG	P26044	sus scrofa
763	4	50.0	583	1	SYR_AQUAE	O67068	aquifex aeo
764	4	50.0	584	1	Y328_CHLPN	Q9z810	chlamydia p
765	4	50.0	585	1	EZRI_HUMAN	P15311	homo sapien
766	4	50.0	585	1	EZRI_MOUSE	P26040	mus musculu
767	4	50.0	585	1	EZRI_RABIT	Q8hzbq5	oryctolagus
768	4	50.0	585	1	RSD1_LEPIN	P59117	leptospira
769	4	50.0	586	1	KPYK_BACPY	P51182	bacillus ps
770	4	50.0	586	1	MERL_RAT	Q63648	rattus norv
771	4	50.0	587	1	RECN_MYCLE	Q49896	mycobacteri
772	4	50.0	587	1	RECN_MYCTU	O33197	mycobacteri
773	4	50.0	587	1	THIC_CORGL	Q8nqw7	corynebacte
774	4	50.0	591	1	DAK2_SCHPO	O74215	schizosacch
775	4	50.0	591	1	DAK2_YEAST	P43550	saccharomyc
776	4	50.0	591	1	OXAA_HELHP	Q7vjy0	helicobacte
777	4	50.0	593	1	UB22_HUMAN	Q9upt9	homo sapien
778	4	50.0	593	1	VATA_PYRAE	Q8zyr1	pyrobaculum
779	4	50.0	595	1	MERL_HUMAN	P35240	homo sapien
780	4	50.0	595	1	MERL_PAPAN	P59750	papio anubi
781	4	50.0	596	1	APH4_DROME	Q24238	drosophila
782	4	50.0	596	1	MERL_MOUSE	P46662	mus musculu
783	4	50.0	597	1	CHIX_STROI	Q05638	streptomyce
784	4	50.0	598	1	CYL1_HUMAN	P35663	homo sapien
785	4	50.0	598	1	FBL1_CERAE	Q8mjj9	cercopithec
786	4	50.0	598	1	KE04_MOUSE	Q8rl51	mus musculu
787	4	50.0	598	1	LEPA_CAMJE	Q9pnrl	campylobact
788	4	50.0	600	1	DNAK_ERYRH	Q05647	erysipeloth
789	4	50.0	600	1	KU70_RHIAP	Q26228	rhhipicephal
790	4	50.0	600	1	LEPA_LEPIN	Q8f500	leptospira
791	4	50.0	600	1	PGH1_SHEEP	P05979	ovis aries
792	4	50.0	602	1	LEPA_OCEIH	Q8cxd0	oceanobacil
793	4	50.0	604	1	DNAK_BACME	P05646	bacillus me
794	4	50.0	606	1	DNAK_BACTR	Q9kws7	bacillus th
795	4	50.0	607	1	DNAK_BACST	Q45551	bacillus st
796	4	50.0	607	1	LEPA_BACAA	Q81lr7	bacillus an
797	4	50.0	607	1	LEPA_BACCR	Q818e4	bacillus ce
798	4	50.0	607	1	LEPA_LACLA	Q9cqi8	lactococcus
799	4	50.0	607	1	LEPA_STAAM	Q99tr4	staphylococ
800	4	50.0	607	1	LEPA_STAAW	Q8nwa7	staphylococ
801	4	50.0	607	1	LEPA_STAEP	Q8cp13	staphylococ
802	4	50.0	607	1	LEPA_STRPN	Q97qk5	streptococc
803	4	50.0	607	1	LEPA_STRR6	Q8dpn5	streptococc
804	4	50.0	608	1	GLMS_SHEON	Q8cx33	s glucosami
805	4	50.0	608	1	LEPA_LISIN	Q92bn4	listeria in
806	4	50.0	608	1	LEPA_LISMO	Q8y742	listeria mo
807	4	50.0	608	1	WDR1_XENLA	Q9w7f2	xenopus lae
808	4	50.0	609	1	FRI_ARATH	Q9fdw0	arabidopsis
809	4	50.0	609	1	LEPA_BACHD	Q9kd76	bacillus ha
810	4	50.0	609	1	WDR1_CHICK	O93277	gallus gall
811	4	50.0	609	1	YKD6_CAEEL	Q03564	caenorhabdi
812	4	50.0	610	1	CHIT_STRPL	P11220	streptomyce
813	4	50.0	610	1	DNAK_STAAM	Q99tr7	staphylococ
814	4	50.0	610	1	DNAK_STAAU	P45554	staphylococ
815	4	50.0	610	1	LEPA_STRA3	Q8e5r3	streptococc

816	4	50.0	610	1	LEPA_STRP3	Q8k7m8	streptococc
817	4	50.0	610	1	LEPA_STRPY	Q99zv8	streptococc
818	4	50.0	611	1	DNAK_BACAA	Q81ls2	bacillus an
819	4	50.0	611	1	DNAK_BACCR	Q818e9	bacillus ce
820	4	50.0	611	1	LEPA_ENTFA	Q831z0	enterococcu
821	4	50.0	611	1	LEPA_STRMU	Q8dtf3	streptococc
822	4	50.0	612	1	DNAK_LISIN	Q92bn8	listeria in
823	4	50.0	612	1	DNAK_LISMO	Q9s5a4	listeria mo
824	4	50.0	612	1	LEPA_BACSU	P37949	bacillus su
825	4	50.0	614	1	PPS2_HUMAN	O95340	h bifunctio
826	4	50.0	616	1	MS2_ARATH	Q08891	arabidopsis
827	4	50.0	617	1	THRB_RAT	P18292	rattus norv
828	4	50.0	618	1	PDA4_CAEEL	P34329	caenorhabdi
829	4	50.0	618	1	THRB_MOUSE	P19221	mus musculu
830	4	50.0	619	1	CHIT_STRLI	P36909	streptomyce
831	4	50.0	619	1	LAC1_NEUCR	P06811	neurospora
832	4	50.0	619	1	LAC2_NEUCR	P10574	neurospora
833	4	50.0	620	1	HSCA_PSESM	Q886z7	pseudomonas
834	4	50.0	622	1	SR68_CANFA	Q00004	canis famil
835	4	50.0	624	1	SCC4_YEAST	P40090	saccharomyc
836	4	50.0	625	1	GPD4_ARATH	Q93zw0	arabidopsis
837	4	50.0	625	1	SR68_MOUSE	Q8bma6	mus musculu
838	4	50.0	627	1	SR68_HUMAN	Q9uhb9	homo sapien
839	4	50.0	630	1	COG6_DROME	Q9v564	drosophila
840	4	50.0	631	1	DHM1_PARDE	P12293	paracoccus
841	4	50.0	631	1	DNAK_CAUCR	P20442	caulobacter
842	4	50.0	631	1	DNAK_PASHA	O52064	pasteurella
843	4	50.0	631	1	DNAK_RHOSP	O05700	rhodopseudo
844	4	50.0	632	1	ARPB_ECOLI	P76205	escherichia
845	4	50.0	632	1	DNAK_ACTAC	P71331	actinobacil
846	4	50.0	633	1	DNAK_BRAJA	P94317	bradyrhizob
847	4	50.0	633	1	DNAK_HAEDU	P48209	haemophilus
848	4	50.0	633	1	DNK2_PROMA	Q7v9g2	prochloroco
849	4	50.0	633	1	DNK2_STRAW	Q826f6	streptomyce
850	4	50.0	633	1	DXS_BACSU	P54523	bacillus su
851	4	50.0	634	1	DNAK_HAEIN	P43736	haemophilus
852	4	50.0	634	1	DNAK_PASMU	P57870	pasteurella
853	4	50.0	634	1	DNK2_PROMM	Q7v3t5	prochloroco
854	4	50.0	634	1	DNK2_SYNP7	P50021	synechococc
855	4	50.0	634	1	KPC3_DROME	P13678	drosophila
856	4	50.0	634	1	SYT_XANAC	Q8pje1	xanthomonas
857	4	50.0	635	1	DNAK_VIBCH	O34241	vibrio chol
858	4	50.0	636	1	CA13_RAT	P13941	rattus norv
859	4	50.0	636	1	DNAK_PHOLL	Q7n8y4	photorhabdu
860	4	50.0	636	1	DNAK_VIBVU	Q8df66	vibrio vuln
861	4	50.0	636	1	DNAK_VIBVY	Q7mn85	vibrio vuln
862	4	50.0	636	1	DNAK_YERPE	Q8zim7	yersinia pe
863	4	50.0	636	1	DNK2_SYNY3	P22358	synechocyst
864	4	50.0	637	1	CLI6_RABIT	Q9n2g5	oryctolagus
865	4	50.0	637	1	DNAK_BUCAI	O32464	buchnera ap
866	4	50.0	637	1	DNAK_ECOLI	P04475	escherichia
867	4	50.0	637	1	DNAK_PSEAE	Q9hv43	pseudomonas
868	4	50.0	637	1	DNAK_SALTI	Q8z9r1	salmonella
869	4	50.0	637	1	DNAK_SALTY	Q56073	salmonella
870	4	50.0	637	1	DNAK_VIBPA	Q87rx3	vibrio para
871	4	50.0	637	1	DNAK_VIBPR	Q917z1	vibrio prot
872	4	50.0	637	1	DNK2_SYNPX	Q7u3c4	synechococc

873	4	50.0	638	1	DNAK_BUCAP	Q8k9y8	buchnera ap
874	4	50.0	638	1	DNAK_BUCBP	P59565	buchnera ap
875	4	50.0	638	1	DNAK_GLOVI	Q7ndh1	gloeobacter
876	4	50.0	638	1	DNAK_PSESG	Q9wwg9	pseudomonas
877	4	50.0	638	1	DNAK_PSESM	Q87wp0	pseudomonas
878	4	50.0	638	1	DNAK_SHIFL	Q83mh5	shigella fl
879	4	50.0	638	1	DNAK_XYLFA	Q9pb05	xylella fas
880	4	50.0	638	1	DNAK_XYLFT	Q87bs8	xylella fas
881	4	50.0	638	1	PDA4_MOUSE	P08003	mus musculu
882	4	50.0	639	1	DNAK_SHEON	Q8eht7	shewanella
883	4	50.0	640	1	DNAK_VIBHA	O87384	vibrio harv
884	4	50.0	640	1	DNK2_SYNEL	Q8di58	synechococc
885	4	50.0	641	1	DNAK_METSS	Q9zfc6	methylovoru
886	4	50.0	641	1	DNAK_PSEPK	Q88du2	pseudomonas
887	4	50.0	641	1	DNAK_XANAC	Q8pmb0	xanthomonas
888	4	50.0	641	1	YPVA_BACSU	P50831	bacillus su
889	4	50.0	642	1	DNAK_CHRVO	Q7nxi3	chromobacte
890	4	50.0	642	1	DNAK_XANCP	Q8pak9	xanthomonas
891	4	50.0	643	1	DNAK_CANBF	Q7vql4	candidatus
892	4	50.0	643	1	PDA4_RAT	P38659	rattus norv
893	4	50.0	644	1	DNAK_LEGPN	O32482	legionella
894	4	50.0	644	1	DNAK_NITEU	O06430	nitrosomona
895	4	50.0	645	1	ACS2_PSEAE	Q9hv66	pseudomonas
896	4	50.0	645	1	DNAK_RHOBA	Q7um31	rhodopirell
897	4	50.0	645	1	DNAK_WIGBR	Q8d2q5	wiggleswort
898	4	50.0	645	1	PDA4_HUMAN	P13667	homo sapien
899	4	50.0	647	1	SKO1_YEAST	Q02100	saccharomyc
900	4	50.0	647	1	YC46_HAEIN	P44135	haemophilus
901	4	50.0	648	1	VP3_BPPH6	P11129	bacteriopha
902	4	50.0	649	1	HS70_BLAEM	P48720	blastocladi
903	4	50.0	650	1	DNAK_BURCE	P42373	burkholderi
904	4	50.0	652	1	DNAK_RALSO	Q8xw40	ralstonia s
905	4	50.0	654	1	GSH1_CAEEL	Q20117	caenorhabdi
906	4	50.0	655	1	RFA1_CAEEL	Q19537	caenorhabdi
907	4	50.0	656	1	DNAK_COXBU	O87712	coxiella bu
908	4	50.0	656	1	FEM1_CAEEL	P17221	caenorhabdi
909	4	50.0	656	1	SLY1_DROVI	O18637	drosophila
910	4	50.0	658	1	UVRB_HELPJ	Q9zka0	helicobacte
911	4	50.0	658	1	UVRB_HELPY	P94846	helicobacte
912	4	50.0	660	1	TP6B_METJA	Q58434	methanococc
913	4	50.0	661	1	ACSA_LEPIN	Q8eyg2	leptospira
914	4	50.0	663	1	RGP1_YEAST	P16664	saccharomyc
915	4	50.0	663	1	SEP1_SCHPO	O43058	schizosacch
916	4	50.0	664	1	CNG2_RABIT	Q28718	oryctolagus
917	4	50.0	664	1	NU5M_PHYIN	P50366	phytophthor
918	4	50.0	669	1	SELO_HUMAN	Q9bvl4	homo sapien
919	4	50.0	670	1	ACSA_DROME	Q9vp61	drosophila
920	4	50.0	670	1	CU13_HUMAN	O95447	homo sapien
921	4	50.0	673	1	ESR2_MICUN	P57781	micropogoni
922	4	50.0	673	1	SYGB_LACLA	Q9cgk0	lactococcus
923	4	50.0	675	1	BMX_HUMAN	P51813	homo sapien
924	4	50.0	676	1	VATI_ARCFU	O29106	archaeoglob
925	4	50.0	679	1	DNLJ_HAEIN	P43813	haemophilus
926	4	50.0	683	1	SYM_LACPL	Q88z97	lactobacill
927	4	50.0	684	1	NTP2_MCV1	Q98218	molluscum c
928	4	50.0	684	1	SKIL_HUMAN	P12757	homo sapien
929	4	50.0	684	1	SYGB_PSEAE	Q9i7b8	pseudomonas

930	4	50.0	684	1	SYGB_PSEPK	Q88rr9	pseudomonas
931	4	50.0	684	1	SYGB_PSESM	Q88b35	pseudomonas
932	4	50.0	687	1	SYGB_NEIMA	Q9jw67	neisseria m
933	4	50.0	687	1	SYGB_NEIMB	Q9jxq5	neisseria m
934	4	50.0	688	1	CACM_YEAST	P80235	saccharomyc
935	4	50.0	688	1	EFG_CLOPE	Q8xhs1	clostridium
936	4	50.0	688	1	SYGB_ECOL6	Q8xdn7	escherichia
937	4	50.0	688	1	SYGB_ECOLI	P00961	escherichia
938	4	50.0	688	1	SYGB_HAEIN	P43822	haemophilus
939	4	50.0	688	1	SYGB_SALTI	Q8z2b3	salmonella
940	4	50.0	688	1	SYGB_SALTY	Q8zl96	salmonella
941	4	50.0	688	1	SYGB_VIBCH	Q9kvw8	vibrio chol
942	4	50.0	688	1	SYGB_VIBPA	Q87tp8	vibrio para
943	4	50.0	688	1	THIB_XENLA	Q91641	xenopus lae
944	4	50.0	689	1	SYGB_PASMU	P57905	pasteurella
945	4	50.0	689	1	SYGB_YERPE	Q8z9w7	yersinia pe
946	4	50.0	689	1	YUXG_BACSU	P40747	bacillus su
947	4	50.0	690	1	SYGB_BUCAI	P57235	buchnera ap
948	4	50.0	691	1	DNLJ_MYCTU	O53261	mycobacteri
949	4	50.0	693	1	LYS4_YEAST	P49367	saccharomyc
950	4	50.0	693	1	SYGB_VIBVU	Q8ddj7	vibrio vuln
951	4	50.0	693	1	THPA_HUMAN	P42166	homo sapien
952	4	50.0	694	1	DNLJ_MYCLE	O33102	mycobacteri
953	4	50.0	697	1	SYGB_BUCBP	P59573	buchnera ap
954	4	50.0	699	1	KI22_STRPU	P46872	strongyloce
955	4	50.0	700	1	GPK1_DROME	P32865	drosophila
956	4	50.0	702	1	GLGB_HUMAN	Q04446	homo sapien
957	4	50.0	704	1	CLI6_HUMAN	Q96ny7	homo sapien
958	4	50.0	704	1	ICA_PIG	Q29545	sus scrofa
959	4	50.0	711	1	ORC3_HUMAN	Q9ubd5	homo sapien
960	4	50.0	714	1	YFE7_YEAST	P43556	saccharomyc
961	4	50.0	715	1	GELS_HALRO	O61270	halocynthia
962	4	50.0	715	1	ORC3_MOUSE	Q9jk30	mus musculu
963	4	50.0	719	1	FRE4_YEAST	P53746	saccharomyc
964	4	50.0	723	1	YHJ1_YEAST	P38766	saccharomyc
965	4	50.0	726	1	YB1D_SCHPO	P87178	schizosacch
966	4	50.0	727	1	RBT2_HUMAN	Q9byz6	homo sapien
967	4	50.0	728	1	RBT2_MOUSE	Q91v93	mus musculu
968	4	50.0	730	1	GELS_HORSE	Q28372	equus cabal
969	4	50.0	730	1	ROM_HUMAN	P52272	homo sapien
970	4	50.0	731	1	GLGB_CORGL	Q8nr40	corynebacte
971	4	50.0	735	1	DNLJ_STRCO	Q9z585	streptomyce
972	4	50.0	735	1	FCT_ERWCH	Q47162	erwinia chr
973	4	50.0	739	1	CPSB_ARATH	Q91kf9	arabidopsis
974	4	50.0	743	1	RELA_HAEIN	P44644	haemophilus
975	4	50.0	744	1	NSF_CRIGR	P18708	cricetulus
976	4	50.0	744	1	NSF_HUMAN	P46459	homo sapien
977	4	50.0	744	1	NSF_MOUSE	P46460	mus musculu
978	4	50.0	745	1	CUL2_HUMAN	Q13617	homo sapien
979	4	50.0	745	1	CUL2_MOUSE	Q9d4h8	mus musculu
980	4	50.0	749	1	NEP_HUMAN	P08473	homo sapien
981	4	50.0	749	1	NEP_MOUSE	Q61391	mus musculu
982	4	50.0	749	1	NEP_RABIT	P08049	oryctolagus
983	4	50.0	749	1	NEP_RAT	P07861	rattus norv
984	4	50.0	749	1	PELX_ERWCH	P22751	erwinia chr
985	4	50.0	749	1	SWAP_CAEEL	Q10580	caenorhabdi
986	4	50.0	755	1	NAPA_DESDE	P81186	desulfovibr

987	4	50.0	757	1	FTSK_LISMO	Q8y7a3 listeria mo
988	4	50.0	760	1	EZ_DROME	P42124 drosophila
989	4	50.0	761	1	FIXI_RHILV	O33533 rhizobium l
990	4	50.0	762	1	FTSK_LISIN	Q92bw9 listeria in
991	4	50.0	762	1	Y961_METJA	Q58371 methanococc
992	4	50.0	767	1	PUB1_SCHPO	Q92462 schizosacch
993	4	50.0	767	1	SYC_YEAST	P53852 saccharomyc
994	4	50.0	769	1	HCRA_THAAR	O33819 thauera aro
995	4	50.0	772	1	GELS_PIG	P20305 sus scrofa
996	4	50.0	775	1	ECEL_HUMAN	O95672 homo sapien
997	4	50.0	775	1	SM3E_HUMAN	O15041 homo sapien
998	4	50.0	775	1	SM3E_MOUSE	P70275 mus musculu
999	4	50.0	775	1	VP4_ROTFl	P39034 feline rota
1000	4	50.0	775	1	VP4_ROTH3	P39033 human rotav

ALIGNMENTS

RESULT 1

A4_URSMA

ID A4_URSMA STANDARD; PRT; 57 AA.

AC Q29149;

DT 01-NOV-1997 (Rel. 35, Created)

DT 01-NOV-1997 (Rel. 35, Last sequence update)

DT 30-MAY-2000 (Rel. 39, Last annotation update)

DE Alzheimer's disease amyloid A4 protein homolog [Contains: Beta-amyloid protein (Beta-APP) (A-beta)] (Fragment).

GN APP.

OS Ursus maritimus (Polar bear) (Thalarctos maritimus).

OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;

OC Mammalia; Eutheria; Carnivora; Fissipedia; Ursidae; Ursus.

OX NCBI_TaxID=29073;

RN [1]

RP SEQUENCE FROM N.A.

RC TISSUE=Brain;

RX MEDLINE=92017079; PubMed=1656157;

RA Johnstone E.M., Chaney M.O., Norris F.H., Pascual R., Little S.P.;

RT "Conservation of the sequence of the Alzheimer's disease amyloid peptide in dog, polar bear and five other mammals by cross-species polymerase chain reaction analysis.";

RL Brain Res. Mol. Brain Res. 10:299-305(1991).

CC -!- FUNCTION: Functional neuronal receptor which couples to intracellular signaling pathway through the GTP-binding protein G(O) (By similarity).

CC -!- SUBCELLULAR LOCATION: Type I membrane protein.

CC -!- SIMILARITY: Belongs to the APP family.

CC -----

CC This SWISS-PROT entry is copyright. It is produced through a collaboration between the Swiss Institute of Bioinformatics and the EMBL outstation - the European Bioinformatics Institute. There are no restrictions on its use by non-profit institutions as long as its content is in no way modified and this statement is not removed. Usage by and for commercial entities requires a license agreement (See <http://www.isb-sib.ch/announce/> or send an email to license@isb-sib.ch).

CC -----

DR EMBL; X56128; CAA39593.1; -.

DR PIR; B60045; B60045.
 DR HSSP; P05067; 1BA4.
 DR InterPro; IPR008155; A4_APP.
 DR InterPro; IPR001255; Beta-APP.
 DR Pfam; PF03494; Beta-APP; 1.
 DR PROSITE; PS00319; A4_EXTRA; PARTIAL.
 DR PROSITE; PS00320; A4_INTRA; PARTIAL.
 KW Glycoprotein; Amyloid; Neurone; Transmembrane.
 FT NON_TER 1 1
 FT CHAIN 6 48 BETA-AMYLOID PROTEIN (POTENTIAL).
 FT DOMAIN <1 33 EXTRACELLULAR (POTENTIAL).
 FT TRANSMEM 34 57 POTENTIAL.
 FT NON_TER 57 57
 SQ SEQUENCE 57 AA; 6172 MW; 84209D88EBA82DFA CRC64;

Query Match 100.0%; Score 8; DB 1; Length 57;
 Best Local Similarity 100.0%; Pred. No. 0.0091;
 Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMDAEF 8
 |||||
 Db 2 EVKMDAEF 9

RESULT 2

A4_CANFA

ID A4_CANFA STANDARD; PRT; 58 AA.
 AC Q28280;
 DT 01-NOV-1997 (Rel. 35, Created)
 DT 01-NOV-1997 (Rel. 35, Last sequence update)
 DT 30-MAY-2000 (Rel. 39, Last annotation update)
 DE Alzheimer's disease amyloid A4 protein homolog [Contains: Beta-amyloid
 DE protein (Beta-APP) (A-beta)] (Fragment).
 GN APP.
 OS Canis familiaris (Dog).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Carnivora; Fissipedia; Canidae; Canis.
 OX NCBI_TaxID=9615;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC TISSUE=Kidney;
 RX MEDLINE=92017079; PubMed=1656157;
 RA Johnstone E.M., Chaney M.O., Norris F.H., Pascual R., Little S.P.;
 RT "Conservation of the sequence of the Alzheimer's disease amyloid
 RT peptide in dog, polar bear and five other mammals by cross-species
 RT polymerase chain reaction analysis."
 RL Brain Res. Mol. Brain Res. 10:299-305(1991).
 CC -!- FUNCTION: Functional neuronal receptor which couples to
 CC intracellular signaling pathway through the GTP-binding protein
 CC G(O) (By similarity).
 CC -!- SUBCELLULAR LOCATION: Type I membrane protein.
 CC -!- SIMILARITY: Belongs to the APP family.

 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way

CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
CC or send an email to license@isb-sib.ch).
CC -----

DR EMBL; X56125; CAA39590.1; -.
DR HSSP; P05067; 1BA4.
DR InterPro; IPR008155; A4_APP.
DR InterPro; IPR001255; Beta-APP.
DR Pfam; PF03494; Beta-APP; 1.
DR PROSITE; PS00319; A4_EXTRA; PARTIAL.
DR PROSITE; PS00320; A4_INTRA; PARTIAL.
KW Glycoprotein; Amyloid; Neurone; Transmembrane.
FT NON_TER 1 1
FT CHAIN 7 49 BETA-AMYLOID PROTEIN (POTENTIAL).
FT DOMAIN <1 34 EXTRACELLULAR (POTENTIAL).
FT TRANSMEM 35 58 POTENTIAL.
FT NON_TER 58 58
SQ SEQUENCE 58 AA; 6285 MW; 8469D488A2E12DFA CRC64;

Query Match 100.0%; Score 8; DB 1; Length 58;
Best Local Similarity 100.0%; Pred. No. 0.0092;
Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 EVKMDAEF 8
|||
Db 3 EVKMDAEF 10

RESULT 3

A4_RABIT

ID A4_RABIT STANDARD; PRT; 58 AA.
AC Q28748;
DT 01-NOV-1997 (Rel. 35, Created)
DT 01-NOV-1997 (Rel. 35, Last sequence update)
DT 16-OCT-2001 (Rel. 40, Last annotation update)
DE Alzheimer's disease amyloid A4 protein homolog [Contains: Beta-amyloid
DE protein (Beta-APP) (A-beta)] (Fragment).
GN APP.
OS Oryctolagus cuniculus (Rabbit).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Lagomorpha; Leporidae; Oryctolagus.
OX NCBI_TaxID=9986;
RN [1]
RP SEQUENCE FROM N.A.
RC TISSUE=Brain;
RX MEDLINE=92017079; PubMed=1656157;
RA Johnstone E.M., Chaney M.O., Norris F.H., Pascual R., Little S.P.;
RT "Conservation of the sequence of the Alzheimer's disease amyloid
RT peptide in dog, polar bear and five other mammals by cross-species
RT polymerase chain reaction analysis."
RL Brain Res. Mol. Brain Res. 10:299-305(1991).
CC -!- FUNCTION: Functional neuronal receptor which couples to
CC intracellular signaling pathway through the GTP-binding protein
CC G(O) (By similarity).
CC -!- SUBCELLULAR LOCATION: Type I membrane protein.
CC -!- SIMILARITY: Belongs to the APP family.
CC -----

CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
CC or send an email to license@isb-sib.ch).
CC -----

DR EMBL; X56129; CAA39594.1; -.
DR HSSP; P05067; 1BA4.
DR InterPro; IPR008155; A4_APP.
DR InterPro; IPR001255; Beta-APP.
DR Pfam; PF03494; Beta-APP; 1.
DR PROSITE; PS00319; A4_EXTRA; PARTIAL.
DR PROSITE; PS00320; A4_INTRA; PARTIAL.
KW Glycoprotein; Amyloid; Neurone; Transmembrane.
FT NON_TER 1 1
FT CHAIN 6 48 BETA-AMYLOID PROTEIN (POTENTIAL).
FT DOMAIN <1 33 EXTRACELLULAR (POTENTIAL).
FT TRANSMEM 34 57 POTENTIAL.
FT DOMAIN 58 >58 CYTOPLASMIC (POTENTIAL).
FT NON_TER 58 58
SQ SEQUENCE 58 AA; 6300 MW; F434209D88EBA82D CRC64;

Query Match 100.0%; Score 8; DB 1; Length 58;
Best Local Similarity 100.0%; Pred. No. 0.0092;
Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMDAEF 8
|||
Db 2 EVKMDAEF 9

RESULT 4

A4_SHEEP

ID A4_SHEEP STANDARD; PRT; 58 AA.
AC Q28757;
DT 01-NOV-1997 (Rel. 35, Created)
DT 01-NOV-1997 (Rel. 35, Last sequence update)
DT 30-MAY-2000 (Rel. 39, Last annotation update)
DE Alzheimer's disease amyloid A4 protein homolog [Contains: Beta-amyloid
DE protein (Beta-APP) (A-beta)] (Fragment).
GN APP.
OS Ovis aries (Sheep).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Cetartiodactyla; Ruminantia; Pecora; Bovidae;
OC Bovidae; Caprinae; Ovis.
OX NCBI_TaxID=9940;
RN [1]
RP SEQUENCE FROM N.A.
RC TISSUE=Heart;
RX MEDLINE=92017079; PubMed=1656157;
RA Johnstone E.M., Chaney M.O., Norris F.H., Pascual R., Little S.P.;
RT "Conservation of the sequence of the Alzheimer's disease amyloid
RT peptide in dog, polar bear and five other mammals by cross-species
RT polymerase chain reaction analysis."
RL Brain Res. Mol. Brain Res. 10:299-305(1991).

CC -!- FUNCTION: Functional neuronal receptor which couples to
 CC intracellular signaling pathway through the GTP-binding protein
 CC G(O) (By similarity).
 CC -!- SUBCELLULAR LOCATION: Type I membrane protein.
 CC -!- SIMILARITY: Belongs to the APP family.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 DR EMBL; X56130; CAA39595.1; -.
 DR HSSP; P05067; 1BA4.
 DR InterPro; IPR008155; A4_APP.
 DR InterPro; IPR001255; Beta-APP.
 DR Pfam; PF03494; Beta-APP; 1.
 DR PROSITE; PS00319; A4_EXTRA; PARTIAL.
 DR PROSITE; PS00320; A4_INTRA; PARTIAL.
 KW Glycoprotein; Amyloid; Neurone; Transmembrane.
 FT NON_TER 1 1
 FT CHAIN 6 48 BETA-AMYLOID PROTEIN (POTENTIAL).
 FT DOMAIN <1 33 EXTRACELLULAR (POTENTIAL).
 FT TRANSMEM 34 57 POTENTIAL.
 FT DOMAIN 58 >58 CYTOPLASMIC (POTENTIAL).
 FT NON_TER 58 58
 SQ SEQUENCE 58 AA; 6300 MW; F434209D88EBA82D CRC64;

Query Match 100.0%; Score 8; DB 1; Length 58;
 Best Local Similarity 100.0%; Pred. No. 0.0092;
 Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMDAEF 8
 |||||
 Db 2 EVKMDAEF 9

RESULT 5
 A4_BOVIN
 ID A4_BOVIN STANDARD; PRT; 59 AA.
 AC Q28053;
 DT 01-NOV-1997 (Rel. 35, Created)
 DT 01-NOV-1997 (Rel. 35, Last sequence update)
 DT 30-MAY-2000 (Rel. 39, Last annotation update)
 DE Alzheimer's disease amyloid A4 protein homolog [Contains: Beta-amyloid
 DE protein (Beta-APP) (A-beta)] (Fragment).
 GN APP.
 OS Bos taurus (Bovine).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Cetartiodactyla; Ruminantia; Pecora; Bovoidea;
 OC Bovidae; Bovinae; Bos.
 OX NCBI_TaxID=9913;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC TISSUE=Brain;

RX MEDLINE=92017079; PubMed=1656157;
 RA Johnstone E.M., Chaney M.O., Norris F.H., Pascual R., Little S.P.;
 RT "Conservation of the sequence of the Alzheimer's disease amyloid
 RT peptide in dog, polar bear and five other mammals by cross-species
 RT polymerase chain reaction analysis."
 RL Brain Res. Mol. Brain Res. 10:299-305(1991).
 CC -!- FUNCTION: Functional neuronal receptor which couples to
 CC intracellular signaling pathway through the GTP-binding protein
 CC G(O) (By similarity).
 CC -!- SUBCELLULAR LOCATION: Type I membrane protein.
 CC -!- SIMILARITY: Belongs to the APP family.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 DR EMBL; X56124; CAA39589.1; -.
 DR EMBL; X56126; CAA39591.1; -.
 DR HSSP; P05067; 1BA4.
 DR InterPro; IPR008155; A4_APP.
 DR InterPro; IPR001255; Beta-APP.
 DR Pfam; PF03494; Beta-APP; 1.
 DR PROSITE; PS00319; A4_EXTRA; PARTIAL.
 DR PROSITE; PS00320; A4_INTRA; PARTIAL.
 KW Glycoprotein; Amyloid; Neurone; Transmembrane.
 FT NON_TER 1 1
 FT CHAIN 7 49 BETA-AMYLOID PROTEIN (POTENTIAL).
 FT DOMAIN <1 34 EXTRACELLULAR (POTENTIAL).
 FT TRANSMEM 35 58 POTENTIAL.
 FT DOMAIN 59 >59 CYTOPLASMIC (POTENTIAL).
 FT NON_TER 59 59
 SQ SEQUENCE 59 AA; 6414 MW; F43469D488A2E12D CRC64;

Query Match 100.0%; Score 8; DB 1; Length 59;
 Best Local Similarity 100.0%; Pred. No. 0.0093;
 Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMDAEF 8
 |||||
 Db 3 EVKMDAEF 10

RESULT 6

A4_SAISC

ID A4_SAISC STANDARD; PRT; 751 AA.
 AC Q95241;
 DT 15-DEC-1998 (Rel. 37, Created)
 DT 15-DEC-1998 (Rel. 37, Last sequence update)
 DT 10-OCT-2003 (Rel. 42, Last annotation update)
 DE Amyloid beta A4 protein precursor (APP) (Alzheimer's disease amyloid
 DE protein homolog) [Contains: Soluble APP-alpha (S-APP-alpha); Soluble
 DE APP-beta (S-APP-beta); C99; Beta-amyloid protein 42 (Beta-APP42);
 DE Beta-amyloid protein 40 (Beta-APP40); C83; P3(42); P3(40); Gamma-

DE CTF(59) (Gamma-secretase C-terminal fragment 59); Gamma-CTF(57)
 DE (Gamma-secretase C-terminal fragment 57); Gamma-CTF(50) (Gamma-
 DE secretase C-terminal fragment 50); C31].
 GN APP.
 OS Saimiri sciureus (Common squirrel monkey).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Primates; Platyrrhini; Cebidae; Cebinae; Saimiri.
 OX NCBI_TaxID=9521;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC TISSUE=Kidney, and Liver;
 RX MEDLINE=96108492; PubMed=8532114;
 RA Levy E., Amorim A., Frangione B., Walker L.C.;
 RT "Beta-amyloid precursor protein gene in squirrel monkeys with
 RT cerebral amyloid angiopathy."
 RL Neurobiol. Aging 16:805-808(1995).
 CC -!- FUNCTION: Functions as a cell surface receptor and performs
 CC physiological functions on the surface of neurons relevant to
 CC neurite growth, neuronal adhesion and axonogenesis. Involved in
 CC cell mobility and transcription regulation through protein-protein
 CC interactions (By similarity). Can promote transcription activation
 CC through binding to APBB1/Tip60 and inhibit Notch signaling through
 CC interaction with Numb (By similarity). Couples to apoptosis-
 CC inducing pathways such as those mediated by G(0) and JIP (By
 CC similarity). Inhibits G(0) alpha ATPase activity (By similarity).
 CC Acts as a kinesin I membrane receptor, mediating the axonal
 CC transport of beta-secretase and presenilin 1 (By similarity). May
 CC be involved in copper homeostasis/oxidative stress through copper
 CC ion reduction. In vitro, copper-metallated APP induces neuronal
 CC death directly or is potentiated through Cu(II)-mediated low-
 CC density lipoprotein oxidation (By similarity). Can regulate
 CC neurite outgrowth through binding to components of the
 CC extracellular matrix such as heparin and collagen I and IV (By
 CC similarity). The splice isoforms that contain the BPTI domain
 CC possess protease inhibitor activity (By similarity).
 CC -!- FUNCTION: Beta-amyloid peptides are lipophilic metal chelators
 CC with metal-reducing activity. Bind transient metals such as
 CC copper, zinc and iron (By similarity).
 CC -!- FUNCTION: The gamma-CTF peptides as well as the caspase-cleaved
 CC peptides, including C31, are potent enhancers of neuronal
 CC apoptosis (By similarity).
 CC -!- SUBUNIT: Binds, via its C-terminal, to the PID domain of several
 CC cytoplasmic proteins, including APBB family members, the APBA
 CC family, MAPK8IP1, and SHC1, Numb and Dab1 (By similarity). Binding
 CC to Dab1 inhibits its serine phosphorylation (By similarity). Also
 CC interacts with GPCR-like protein BPP, FPRL1, APPBP1, IB1, KNS2
 CC (via its TPR domains) (By similarity), APPBP2 (via BaSS) and DDB1.
 CC In vitro, it binds MAPT via the MT-binding domains (By
 CC similarity). Associates with microtubules in the presence of ATP
 CC and in a kinesin-dependent manner (By similarity).
 CC -!- SUBCELLULAR LOCATION: Type I membrane protein. Cell surface
 CC protein that rapidly becomes internalized via clathrin-coated
 CC pits. During maturation, the immature APP (N-glycosylated in the
 CC endoplasmic reticulum) moves to the Golgi complex where complete
 CC maturation occurs (O-glycosylated and sulfated). After alpha-
 CC secretase cleavage, soluble APP is released into the extracellular
 CC space and the C-terminal is internalized to endosomes and

lysosomes. Some APP accumulates in secretory transport vesicles leaving the late Golgi compartment and returns to the cell surface. Gamma-CTF(59) peptide is located to both the cytoplasm and nuclei of neurons (By similarity).

-!- ALTERNATIVE PRODUCTS:
 Event=Alternative splicing; Named isoforms=2;
 Comment=Additional isoforms seem to exist;
 Name=APP770;
 IsoId=Q95241-1; Sequence=Displayed;
 Name=APP695;
 IsoId=Q95241-2; Sequence=Not described;

-!- DOMAIN: The basolateral sorting signal (BaSS) is required for sorting of membrane proteins to the basolateral surface of epithelial cells (By similarity).

-!- DOMAIN: The NPXY sequence motif found in many tyrosine-phosphorylated proteins is required for the specific binding of the PID domain. However additional amino acids either N- or C-terminal to the NPXY motif are often required for complete interaction. The PID domain-containing proteins which bind APP require the YENPTY motif for full interaction. These interactions are independent of phosphorylation on the terminal tyrosine residue. The NPXY site is also involved in clathrin-mediated endocytosis (By similarity).

-!- PTM: Proteolytically processed under normal cellular conditions. Cleavage by alpha-secretase or alternatively by beta-secretase leads to generation and extracellular release of soluble APP peptides, S-APP-alpha and S-APP-beta, respectively, and the retention of corresponding membrane-anchored C-terminal fragments, C83 and C99. Subsequent processing of C83 by gamma-secretase yields P3 peptides. This is the major secretory pathway and is nonamyloidogenic. Alternatively, presenilin/nicastrin-mediated gamma-secretase processing of C99 releases the amyloid beta proteins, amyloid-beta 40 (Abeta40) and amyloid-beta 42 (Abeta42), major components of amyloid plaques, and the cytotoxic C-terminal fragments, gamma-CTF(50), gamma-CTF(57) and gamma-CTF(59) (By similarity).

-!- PTM: Proteolytically cleaved by caspases during neuronal apoptosis (By similarity). Cleavage at Asp-720 by either caspase-3, -8 or -9 results in the production of the neurotoxic C31 peptide and the increased production of beta-amyloid peptides (By similarity).

-!- PTM: N- and O-glycosylated (By similarity).

-!- PTM: Phosphorylation in the C-terminal on tyrosine, threonine and serine residues is neuron-specific. Phosphorylation can affect APP processing, neuronal differentiation and interaction with other proteins (By similarity).

-!- MISCELLANEOUS: Chelation of metal ions, notably copper, iron and zinc, can induce histidine-bridging between beta-amyloid molecules resulting in beta-amyloid-metal aggregates (By similarity). Extracellular zinc-binding increases binding of heparin to APP and inhibits collagen-binding (By similarity).

-!- SIMILARITY: Belongs to the APP family.

-!- SIMILARITY: Contains 1 BPTI/Kunitz inhibitor domain.

This SWISS-PROT entry is copyright. It is produced through a collaboration between the Swiss Institute of Bioinformatics and the EMBL outstation - the European Bioinformatics Institute. There are no restrictions on its use by non-profit institutions as long as its content is in no way

CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).

CC -----

DR EMBL; S81024; AAD14347.1; -.
 DR HSSP; P05067; 1AAP.
 DR InterPro; IPR008155; A4_APP.
 DR InterPro; IPR008154; A4_extra.
 DR InterPro; IPR001255; Beta-APP.
 DR InterPro; IPR002223; Kunitz_BPTI.
 DR Pfam; PF02177; A4_EXTRA; 1.
 DR Pfam; PF03494; Beta-APP; 1.
 DR Pfam; PF00014; Kunitz_BPTI; 1.
 DR PRINTS; PR00203; AMYLOIDA4.
 DR PRINTS; PR00759; BASICPTASE.
 DR ProDom; PD000222; Kunitz_BPTI; 1.
 DR SMART; SM00006; A4_EXTRA; 1.
 DR SMART; SM00131; KU; 1.
 DR PROSITE; PS00319; A4_EXTRA; 1.
 DR PROSITE; PS00320; A4_INTRA; 1.
 DR PROSITE; PS00280; BPTI_KUNITZ_1; 1.
 DR PROSITE; PS50279; BPTI_KUNITZ_2; 1.
 KW Apoptosis; Endocytosis; Cell adhesion; Serine protease inhibitor;
 KW Coated pits; Neurone; Heparin-binding; Metal-binding; Copper; Iron;
 KW Zinc; Signal; Transmembrane; Glycoprotein; Phosphorylation;
 KW Proteoglycan; Amyloid; Alternative splicing.
 FT SIGNAL 1 17 BY SIMILARITY.
 FT CHAIN 18 751 A4 PROTEIN.
 FT CHAIN 18 668 SOLUBLE APP-ALPHA (POTENTIAL).
 FT CHAIN 18 652 SOLUBLE APP-BETA (POTENTIAL).
 FT CHAIN 653 751 C99 (POTENTIAL).
 FT CHAIN 653 694 BETA-AMYLOID PROTEIN 42 (POTENTIAL).
 FT CHAIN 653 692 BETA-AMYLOID PROTEIN 40 (POTENTIAL).
 FT CHAIN 669 751 C83 (POTENTIAL).
 FT CHAIN 669 694 P3(42) (POTENTIAL).
 FT CHAIN 669 692 P3(40) (POTENTIAL).
 FT CHAIN 693 751 GAMMA-CTF(59) (POTENTIAL).
 FT CHAIN 695 751 GAMMA-CTF(57) (POTENTIAL).
 FT CHAIN 702 751 GAMMA-CTF(50) (POTENTIAL).
 FT CHAIN 721 751 C31 (POTENTIAL).
 FT DOMAIN 18 680 EXTRACELLULAR (POTENTIAL).
 FT TRANSMEM 681 704 POTENTIAL.
 FT DOMAIN 705 751 CYTOPLASMIC (POTENTIAL).
 FT DOMAIN 96 110 HEPARIN-BINDING (BY SIMILARITY).
 FT DOMAIN 181 188 ZINC-BINDING (BY SIMILARITY).
 FT DOMAIN 291 341 BPTI/KUNITZ INHIBITOR.
 FT DOMAIN 316 344 HEPARIN-BINDING (BY SIMILARITY).
 FT DOMAIN 363 428 HEPARIN-BINDING (BY SIMILARITY).
 FT DOMAIN 504 521 COLLAGEN-BINDING (BY SIMILARITY).
 FT DOMAIN 713 732 INTERACTION WITH G(O)-ALPHA
 FT (BY SIMILARITY).
 FT DOMAIN 230 260 ASP/GLU-RICH (ACIDIC).
 FT DOMAIN 274 280 POLY-THR.
 FT SITE 144 144 REQUIRED FOR COPPER(II) REDUCTION
 FT (BY SIMILARITY).
 FT ACT_SITE 301 302 REACTIVE BOND.
 FT SITE 652 653 CLEAVAGE (BY BETA-SECRETASE)

FT				(BY SIMILARITY).
FT	SITE	653	654	CLEAVAGE (BY CASPASE-6) (BY SIMILARITY).
FT	SITE	668	669	CLEAVAGE (BY ALPHA-SECRETASE)
FT				(BY SIMILARITY).
FT	SITE	685	685	INVOLVED IN FREE RADICAL PROPAGATION
FT				(BY SIMILARITY).
FT	SITE	687	687	INVOLVED IN OXIDATIVE REACTIONS
FT				(BY SIMILARITY).
FT	SITE	692	693	CLEAVAGE (BY GAMMA-SECRETASE; SITE 1)
FT				(BY SIMILARITY).
FT	SITE	694	695	CLEAVAGE (BY GAMMA-SECRETASE; SITE 2)
FT				(BY SIMILARITY).
FT	SITE	701	702	CLEAVAGE (BY GAMMA-SECRETASE; SITE 3)
FT				(BY SIMILARITY).
FT	SITE	705	715	BASOLATERAL SORTING SIGNAL
FT				(BY SIMILARITY).
FT	SITE	720	721	CLEAVAGE (BY CASPASES-3,-6,-8 OR -9)
FT				(BY SIMILARITY).
FT	SITE	738	741	ENDOCYTOSIS SIGNAL.
FT	SITE	740	743	NPXY MOTIF.

Query Match 100.0%; Score 8; DB 1; Length 751;
 Best Local Similarity 100.0%; Pred. No. 0.057;
 Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMDAEF 8
 |||||
 Db 649 EVKMDAEF 656

RESULT 7

A4_CAVPO

ID A4_CAVPO STANDARD; PRT; 770 AA.
 AC Q60495; Q60496;
 DT 10-OCT-2003 (Rel. 42, Created)
 DT 10-OCT-2003 (Rel. 42, Last sequence update)
 DT 10-OCT-2003 (Rel. 42, Last annotation update)
 DE Amyloid beta A4 protein precursor (APP) (ABPP) (Alzheimer's disease
 DE amyloid protein homolog) [Contains: Soluble APP-alpha (S-APP-alpha);
 DE Soluble APP-beta (S-APP-beta); CTF-alpha; CTF-beta; Beta-amyloid
 DE protein 42 (Beta-APP42); Beta-amyloid protein 40 (Beta-APP40); P3(42);
 DE P3(40); CTF(59) (Gamma-secretase C-terminal fragment 59); Gamma-
 DE CTF(57) (Gamma-secretase C-terminal fragment 57); C31].
 GN APP.
 OS Cavia porcellus (Guinea pig).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Rodentia; Hystricognathi; Caviidae; Cavia.
 OX NCBI_TaxID=10141;
 RN [1]
 RP SEQUENCE FROM N.A., AND ALTERNATIVE SPLICING.
 RC TISSUE=Brain, and Liver;
 RX MEDLINE=97236426; PubMed=9116031;
 RA Beck M., Mueller D., Bigl V.;
 RT "Amyloid precursor protein in Guinea pigs - complete cDNA sequence and
 RT alternative splicing."
 RL Biochim. Biophys. Acta 1351:17-21(1997).
 RN [2]

RP INTERACTION OF BETA-APP40 WITH APOE.
RX MEDLINE=98007700; PubMed=9349544;
RA Martel C.L., Mackic J.B., Matsubara E., Governale S., Miguel C.,
RA Miao W., McComb J.G., Frangione B., Ghiso J., Zlokovic B.V.;
RT "Isoform-specific effects of apolipoproteins E2, E3, and E4 on
RT cerebral capillary sequestration and blood-brain barrier transport of
RT circulating Alzheimer's amyloid beta.";
RL J. Neurochem. 69:1995-2004(1997).
RN [3]
RP PROCESSING.
RX MEDLINE=20084499; PubMed=10619481;
RA Beck M., Brueckner M.K., Holzer M., Kaap S., Pannicke T., Arendt T.,
RA Bigl V.;
RT "Guinea-pig primary cell cultures provide a model to study expression
RT and amyloidogenic processing of endogenous amyloid precursor
RT protein.";
RL Neuroscience 95:243-254(2000).
RN [4]
RP GAMMA-SECRETASE PROCESSING.
RX MEDLINE=20576391; PubMed=11035007;
RA Pinnix I., Musunuru U., Tun H., Sridharan A., Golde T., Eckman C.,
RA Ziani-Cherif C., Onstead L., Sambamurti K.;
RT "A novel gamma -secretase assay based on detection of the putative
RT C-terminal fragment-gamma of amyloid beta protein precursor.";
RL J. Biol. Chem. 276:481-487(2001).
CC -!- FUNCTION: Functions as a cell surface receptor and performs
CC physiological functions on the surface of neurons relevant to
CC neurite growth, neuronal adhesion and axonogenesis. Involved in
CC cell mobility and transcription regulation through protein-protein
CC interactions (By similarity). Can promote transcription activation
CC through binding to APBB1/Tip60 and inhibit Notch signaling through
CC interaction with Numb (By similarity). Couples to apoptosis-
CC inducing pathways such as those mediated by G(O) and JIP (By
CC similarity). Inhibits G(O) alpha ATPase activity (By similarity).
CC Acts as a kinesin I membrane receptor, mediating the axonal
CC transport of beta-secretase and presenilin 1 (By similarity). May
CC be involved in copper homeostasis/oxidative stress through copper
CC ion reduction (By similarity). In vitro, copper-metallated APP
CC induces neuronal death directly or is potentiated through Cu(II)-
CC mediated low-density lipoprotein oxidation (By similarity). Can
CC regulate neurite outgrowth through binding to components of the
CC extracellular matrix such as heparin and collagen I and IV (By
CC similarity). The splice isoforms that contain the BPTI domain
CC possess protease inhibitor activity (By similarity).
CC -!- FUNCTION: Beta-amyloid peptides are lipophilic metal chelators
CC with metal-reducing activity. Bind transient metals such as
CC copper, zinc and iron. Beta-amyloid peptides bind to lipoproteins
CC and apolipoproteins E and J in the CSF and to HDL particles in
CC plasma, inhibiting metal-catalyzed oxidation of lipoproteins.
CC -!- FUNCTION: Appicans elicit adhesion of neural cells to the
CC extracellular matrix and may regulate neurite outgrowth in the
CC brain (By similarity).
CC -!- FUNCTION: The gamma-CTF peptides as well as the caspase-cleaved
CC peptides, including C31, are potent enhancers of neuronal
CC apoptosis (By similarity).
CC -!- SUBUNIT: Binds, via its C-terminal, to the PID domain of several
CC cytoplasmic proteins, including APBB family members, the APBA

CC family, MAPK8IP1, SHC1 and Numb and Dab1 (By similarity). Also
 CC interacts with GPCR-like protein BPP, FPRL1, APPBP1, IB1, KNS2
 CC (via its TPR domains), APPBP2 (via BaSS) and DDB1 (By similarity).
 CC Associates with microtubules in the presence of ATP and in a
 CC kinesin-dependent manner (By similarity). Soluble Abeta40 binds
 CC all three isoforms of APOE, in vitro and in vivo. When lipidated,
 CC ApoE3 appears to be the preferred amyloid binding isoform, while
 CC the apoE4 isoform-beta-APP40 complex is capable of being
 CC transported across the blood-brain barrier.

CC -!- SUBCELLULAR LOCATION: Type I membrane protein. Cell surface
 CC protein that rapidly becomes internalized via clathrin-coated pits
 CC (By similarity). During maturation, the immature APP (N-
 CC glycosylated in the endoplasmic reticulum) moves to the Golgi
 CC complex where complete maturation occurs (O-glycosylated and
 CC sulfated) (By similarity). After alpha-secretase cleavage, soluble
 CC APP is released into the extracellular space and the C-terminal is
 CC internalized to endosomes and lysosomes (By similarity). Some APP
 CC accumulates in secretory transport vesicles leaving the late Golgi
 CC compartment and returns to the cell surface (By similarity). APP
 CC sorts to the basolateral surface in epithelial cells (By
 CC similatity).

CC -!- ALTERNATIVE PRODUCTS:
 CC Event=Alternative splicing; Named isoforms=2;
 CC Comment=Additional isoforms, missing exons 7,8 and 15, seem to
 CC exist. The L-isoforms, missing exon 15, are referred to as
 CC appicans;
 CC Name=APP770;
 CC IsoId=Q60495-1; Sequence=Displayed;
 CC Name=APP695;
 CC IsoId=Q60495-2; Sequence=VSP_007221, VSP_007222;

CC -!- TISSUE SPECIFICITY: Isoform APP695 is the major isoform found in
 CC brain. The longer isoforms containing the BPTI domain are
 CC predominantly expressed in peripheral organs such as muscle and
 CC liver.

CC -!- INDUCTION: Increased levels during neuronal differentiation.

CC -!- DOMAIN: The basolateral sorting signal (BaSS) is required for
 CC sorting of membrane proteins to the basolateral surface of
 CC epithelial cells.

CC -!- DOMAIN: The NPXY sequence motif found in many tyrosine-
 CC phosphorylated proteins is required for the specific binding of
 CC the PID domain. However additional amino acids either N- or C-
 CC terminal to the NPXY motif are often required for complete
 CC interaction. The PID domain-containing proteins which bind APP
 CC require the YENPTY motif for full interaction. These interactions
 CC are independent of phosphorylation on the terminal tyrosine
 CC residue (By similarity). The NPXY site is also involved in
 CC clathrin-mediated endocytosis.

CC -!- PTM: Proteolytically processed under normal cellular conditions.
 CC Cleavage by alpha-secretase or alternatively by beta-secretase
 CC leads to generation and extracellular release of soluble APP
 CC peptides, S-APP-alpha and S-APP-beta, respectively, and the
 CC retention of corresponding membrane-anchored C-terminal fragments,
 CC CTF-alpha and CTF-beta. Subsequent processing of CTF-alpha by
 CC gamma-secretase yields P3 peptides. This is the major secretory
 CC pathway and is nonamyloidogenic. Alternatively,
 CC presenilin/nicastrin-mediated gamma-secretase processing of CTF-
 CC beta releases the amyloid beta proteins, amyloid-beta 40 (Abeta40)

CC and amyloid-beta 42 (Abeta42), major components of amyloid
 CC plaques, and the corresponding cytotoxic C-terminal fragments
 CC (CTFs).
 CC -!- PTM: Proteolytically cleaved by caspase-3 during neuronal
 CC apoptosis (By similarity).
 CC -!- PTM: N- and O-glycosylated. O-linkage of chondroitin sulfate to
 CC the L-APP isoforms produces the APP proteoglycan core proteins,
 CC the appicans (By similarity).
 CC -!- PTM: Phosphorylation in the C-terminal on tyrosine, threonine and
 CC serine residues is neuron-specific (By similarity).
 CC Phosphorylation can affect APP processing, neuronal
 CC differentiation and interaction with other proteins.
 CC -!- PTM: Extracellular binding and reduction of copper, results in a
 CC corresponding oxidation of Cys-144 and Cys-158, and the formation
 CC of a disulfide bond (By similarity).
 CC -!- MISCELLANEOUS: Chelation of metal ions, notably copper, iron and
 CC zinc, can induce histidine-bridging between beta-amyloid molecules
 CC resulting in beta-amyloid-metal aggregates.
 CC -!- SIMILARITY: Belongs to the APP family.
 CC -!- SIMILARITY: Contains 1 BPTI/Kunitz inhibitor domain.

CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----

DR EMBL; X97631; CAA66230.1; -.
 DR EMBL; X99198; CAA67589.1; -.
 DR HSSP; P05067; 1BA4.
 DR InterPro; IPR008155; A4_APP.
 DR InterPro; IPR008154; A4_extra.
 DR InterPro; IPR002223; Kunitz_BPTI.
 DR Pfam; PF00014; Kunitz_BPTI; 1.
 DR PRINTS; PR00203; AMYLOIDA4.
 DR PRINTS; PR00759; BASICPTASE.
 DR ProDom; PD000222; Kunitz_BPTI; 1.
 DR SMART; SM00006; A4_EXTRA; 1.
 DR SMART; SM00131; KU; 1.
 DR PROSITE; PS00319; A4_EXTRA; 1.
 DR PROSITE; PS00320; A4_INTRA; 1.
 DR PROSITE; PS00280; BPTI_KUNITZ_1; 1.
 DR PROSITE; PS50279; BPTI_KUNITZ_2; 1.
 KW Apoptosis; Endocytosis; Cell adhesion; Serine protease inhibitor;
 KW Coated pits; Neurone; Heparin-binding; Metal-binding; Copper; Iron;
 KW Zinc; Signal; Transmembrane; Glycoprotein; Phosphorylation;
 KW Proteoglycan; Alternative splicing; Amyloid.
 FT SIGNAL 1 17 BY SIMILARITY.
 FT CHAIN 18 770 AMYLOID BETA A4 PROTEIN.
 FT CHAIN 18 687 SOLUBLE APP-ALPHA (BY SIMILARITY).
 FT CHAIN 18 671 SOLUBLE APP-BETA (BY SIMILARITY).
 FT CHAIN 672 770 CTF-ALPHA (BY SIMILARITY).
 FT CHAIN 672 713 BETA-AMYLOID PROTEIN 42 (BY SIMILARITY).
 FT CHAIN 672 711 BETA-AMYLOID PROTEIN 40 (BY SIMILARITY).
 FT CHAIN 688 770 CTF-BETA (BY SIMILARITY).

FT	CHAIN	688	713	P3(42) (BY SIMILARITY).
FT	CHAIN	688	711	P3(40) (BY SIMILARITY).
FT	CHAIN	712	770	GAMMA-CTF(59) (BY SIMILARITY).
FT	CHAIN	714	770	GAMMA-CTF(57) (BY SIMILARITY).

Query Match 100.0%; Score 8; DB 1; Length 770;
 Best Local Similarity 100.0%; Pred. No. 0.058;
 Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMDAEF 8
 |||||
 Db 668 EVKMDAEF 675

RESULT 8

A4_HUMAN

ID A4_HUMAN STANDARD; PRT; 770 AA.
 AC P05067; P09000; P78438; Q13764; Q13778; Q13793; Q16011; Q16014;
 AC Q16019; Q16020; Q9BT38; Q9UCA9; Q9UCB6; Q9UCC8; Q9UCD1; Q9UQ58;
 DT 13-AUG-1987 (Rel. 05, Created)
 DT 01-NOV-1991 (Rel. 20, Last sequence update)
 DT 15-MAR-2004 (Rel. 43, Last annotation update)
 DE Amyloid beta A4 protein precursor (APP) (ABPP) (Alzheimer's disease
 DE amyloid protein) (Cerebral vascular amyloid peptide) (CVAP) (Protease
 DE nexin-II) (PN-II) (APPI) (PreA4) [Contains: Soluble APP-alpha (S-APP-
 DE alpha); Soluble APP-beta (S-APP-beta); C99; Beta-amyloid protein 42
 DE (Beta-APP42); Beta-amyloid protein 40 (Beta-APP40); C83; P3(42);
 DE P3(40); Gamma-CTF(59) (Gamma-secretase C-terminal fragment 59)
 DE (Amyloid intracellular domain 59) (AID(59)); Gamma-CTF(57) (Gamma-
 DE secretase C-terminal fragment 57) (Amyloid intracellular domain 57)
 DE (AID(57)); Gamma-CTF(50) (Gamma-secretase C-terminal fragment 50)
 DE (Amyloid intracellular domain 50) (AID(50)); C31].
 GN APP OR A4 OR AD1.
 OS Homo sapiens (Human).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
 OX NCBI_TaxID=9606;
 RN [1]
 RP SEQUENCE FROM N.A. (ISOFORM APP695).
 RC TISSUE=Brain;
 RX MEDLINE=87144572; PubMed=2881207;
 RA Kang J., Lemaire H.-G., Unterbeck A., Salbaum J.M., Masters C.L.,
 RA Grzeschik K.-H., Multhaup G., Beyreuther K., Mueller-Hill B.;
 RT "The precursor of Alzheimer's disease amyloid A4 protein resembles a
 RT cell-surface receptor."
 RL Nature 325:733-736(1987).
 RN [2]
 RP SEQUENCE FROM N.A. (ISOFORM APP751).
 RC TISSUE=Brain;
 RX MEDLINE=88122639; PubMed=2893289;
 RA Ponte P., Gonzalez-Dewhitt P., Schilling J., Miller J., Hsu D.,
 RA Greenberg B., Davis K., Wallace W., Lieberburg I., Fuller F.,
 RA Cordell B.;
 RT "A new A4 amyloid mRNA contains a domain homologous to serine
 RT proteinase inhibitors."
 RL Nature 331:525-527(1988).
 RN [3]

RP SEQUENCE FROM N.A. (ISOFORM APP695).
 RX MEDLINE=89128427; PubMed=2783775;
 RA Lemaire H.-G., Salbaum J.M., Multhaup G., Kang J., Bayney R.M.,
 RA Unterbeck A., Beyreuther K., Mueller-Hill B.;
 RT "The PreA4(695) precursor protein of Alzheimer's disease A4 amyloid
 RT is encoded by 16 exons.";
 RL Nucleic Acids Res. 17:517-522(1989).
 RN [4]
 RP SEQUENCE FROM N.A. (ISOFORM APP770).
 RX MEDLINE=90236318; PubMed=2110105;
 RA Yoshikai S.-I., Sasaki H., Doh-Ura K., Furuya H., Sakaki Y.;
 RT "Genomic organization of the human amyloid beta-protein precursor
 RT gene.";
 RL Gene 87:257-263(1990).
 RN [5]
 RP ERRATUM, AND REVISIONS.
 RA Yoshikai S.-I., Sasaki H., Doh-ura K., Furuya H., Sakaki Y.;
 RL Gene 102:291-292(1991).
 RN [6]
 RP SEQUENCE FROM N.A. (ISOFORM L-APP733).
 RC TISSUE=Leukocyte;
 RX MEDLINE=92268136; PubMed=1587857;
 RA Koenig G., Moenning U., Czech C., Prior R., Banati R.,
 RA Schreiter-Gasser U., Bauer J., Masters C.L., Beyreuther K.;
 RT "Identification and differential expression of a novel alternative
 RT splice isoform of the beta A4 amyloid precursor protein (APP) mRNA in
 RT leukocytes and brain microglial cells.";
 RL J. Biol. Chem. 267:10804-10809(1992).
 RN [7]
 RP SEQUENCE FROM N.A. (ISOFORM APP770).
 RX MEDLINE=97263807; PubMed=9108164;
 RA Hattori M., Tsukahara F., Furuhashi Y., Tanahashi H., Hirose M.,
 RA Saito M., Tsukuni S., Sakaki Y.;
 RT "A novel method for making nested deletions and its application for
 RT sequencing of a 300 kb region of human APP locus.";
 RL Nucleic Acids Res. 25:1802-1808(1997).
 RN [8]
 RP SEQUENCE FROM N.A. (ISOFORM APP639).
 RC TISSUE=Brain;
 RX MEDLINE=22744650; PubMed=12859342;
 RA Tang K., Wang C., Shen C., Sheng S., Ravid R., Jing N.;
 RT "Identification of a novel alternative splicing isoform of human
 RT amyloid precursor protein gene, APP639.";
 RL Eur. J. Neurosci. 18:102-108(2003).
 RN [9]
 RP SEQUENCE FROM N.A. (ISOFORM APP305).
 RC TISSUE=Pancreas;
 RX MEDLINE=22388257; PubMed=12477932;
 RA Strausberg R.L., Feingold E.A., Grouse L.H., Derge J.G.,
 RA Klausner R.D., Collins F.S., Wagner L., Shenmen C.M., Schuler G.D.,
 RA Altschul S.F., Zeeberg B., Buetow K.H., Schaefer C.F., Bhat N.K.,
 RA Hopkins R.F., Jordan H., Moore T., Max S.I., Wang J., Hsieh F.,
 RA Diatchenko L., Marusina K., Farmer A.A., Rubin G.M., Hong L.,
 RA Stapleton M., Soares M.B., Bonaldo M.F., Casavant T.L., Scheetz T.E.,
 RA Brownstein M.J., Usdin T.B., Toshiyuki S., Carninci P., Prange C.,
 RA Raha S.S., Loquellano N.A., Peters G.J., Abramson R.D., Mullahy S.J.,
 RA Bosak S.A., McEwan P.J., McKernan K.J., Malek J.A., Gunaratne P.H.,

RA Richards S., Worley K.C., Hale S., Garcia A.M., Gay L.J., Hulyk S.W.,
 RA Villalon D.K., Muzny D.M., Sodergren E.J., Lu X., Gibbs R.A.,
 RA Fahey J., Helton E., Kettelman M., Madan A., Rodrigues S., Sanchez A.,
 RA Whiting M., Madan A., Young A.C., Shevchenko Y., Bouffard G.G.,
 RA Blakesley R.W., Touchman J.W., Green E.D., Dickson M.C.,
 RA Rodriguez A.C., Grimwood J., Schmutz J., Myers R.M.,
 RA Butterfield Y.S.N., Krzywinski M.I., Skalska U., Smailus D.E.,
 RA Schnerch A., Schein J.E., Jones S.J.M., Marra M.A.;
 RT "Generation and initial analysis of more than 15,000 full-length
 RT human and mouse cDNA sequences.";
 RL Proc. Natl. Acad. Sci. U.S.A. 99:16899-16903(2002).
 RN [10]
 RP SEQUENCE OF 1-10 FROM N.A.
 RC TISSUE=Liver;
 RX MEDLINE=89016647; PubMed=3140222;
 RA Schon E.A., Mita S., Sadlock J., Herbert J.;
 RT "A cDNA specifying the human amyloid beta precursor protein (ABPP)
 RT encodes a 95-kDa polypeptide.";
 RL Nucleic Acids Res. 16:9351-9351(1988).
 RN [11]
 RP ERRATUM, AND REVISIONS.
 RA Mita S., Sadlock J., Herbert J., Schon E.A.;
 RL Nucleic Acids Res. 16:11402-11402(1988).
 RN [12]
 RP SEQUENCE OF 1-75 FROM N.A.
 RX MEDLINE=89165870; PubMed=2538123;
 RA Ia Fauci G., Lahiri D.K., Salton S.R., Robakis N.K.;
 RT "Characterization of the 5'-end region and the first two exons of the
 RT beta-protein precursor gene.";
 RL Biochem. Biophys. Res. Commun. 159:297-304(1989).
 RN [13]
 RP SEQUENCE OF 18-50.
 RC TISSUE=Fibroblast;
 RX MEDLINE=87250462; PubMed=3597385;
 RA van Nostrand W.E., Cunningham D.D.;
 RT "Purification of protease nexin II from human fibroblasts.";
 RL J. Biol. Chem. 262:8508-8514(1987).
 RN [14]
 RP PARTIAL SEQUENCE FROM N.A. (ISOFORM APP751).
 RC TISSUE=Brain;
 RX MEDLINE=89346754; PubMed=2569763;
 RA de Sauvage F., Octave J.N.;
 RT "A novel mRNA of the A4 amyloid precursor gene coding for a possibly
 RT secreted protein.";
 RL Science 245:651-653(1989).
 RN [15]
 RP PARTIAL SEQUENCE FROM N.A. (ISOFORM APP695).
 RC TISSUE=Brain;
 RX MEDLINE=87231971; PubMed=3035574;
 RA Robakis N.K., Ramakrishna N., Wolfe G., Wisniewski H.M.;
 RT "Molecular cloning and characterization of a cDNA encoding the
 RT cerebrovascular and the neuritic plaque amyloid peptides.";
 RL Proc. Natl. Acad. Sci. U.S.A. 84:4190-4194(1987).
 RN [16]
 RP SEQUENCE OF 286-366 FROM N.A.
 RX MEDLINE=88122640; PubMed=2893290;
 RA Tanzi R.E., McClatchey A.I., Lamperti E.D., Villa-Komaroff L.,

RA Gusella J.F., Neve R.L.;
 RT "Protease inhibitor domain encoded by an amyloid protein precursor
 RT mRNA associated with Alzheimer's disease.";
 RL Nature 331:528-530(1988).
 RN [17]
 RP SEQUENCE OF 287-367 FROM N.A.
 RX MEDLINE=88122641; PubMed=2893291;
 RA Kitaguchi N., Takahashi Y., Tokushima Y., Shiojiri S., Ito H.;
 RT "Novel precursor of Alzheimer's disease amyloid protein shows
 RT protease inhibitory activity.";
 RL Nature 331:530-532(1988).
 RN [18]
 RP SEQUENCE OF 507-770 FROM N.A.
 RC TISSUE=Brain cortex;
 RX MEDLINE=88124954; PubMed=2893379;
 RA Zain S.B., Salim M., Chou W.G., Sajdel-Sulkowska E.M., Majocha R.E.,
 RA Marotta C.A.;
 RT "Molecular cloning of amyloid cDNA derived from mRNA of the Alzheimer
 RT disease brain: coding and noncoding regions of the fetal precursor
 RT mRNA are expressed in the cortex.";
 RL Proc. Natl. Acad. Sci. U.S.A. 85:929-933(1988).
 RN [19]
 RP SEQUENCE OF 523-555, AND COLLAGEN-BINDING DOMAIN.
 RX MEDLINE=96139497; PubMed=8576160;
 RA Beher D., Hesse L., Masters C.L., Multhaup G.;
 RT "Regulation of amyloid protein precursor (APP) binding to collagen and
 RT mapping of the binding sites on APP and collagen type I.";
 RL J. Biol. Chem. 271:1613-1620(1996).
 RN [20]
 RP SEQUENCE OF 655-737 FROM N.A., AND VARIANTS AD PHE-717; AD ILE-717
 RP AND AD GLY-717.
 RX MEDLINE=93236601; PubMed=8476439;
 RA Denman R.B., Rosenzwaig R., Miller D.L.;
 RT "A system for studying the effect(s) of familial Alzheimer disease
 RT mutations on the processing of the beta-amyloid peptide precursor.";
 RL Biochem. Biophys. Res. Commun. 192:96-103(1993).
 RN [21]
 RP SEQUENCE OF 656-737 FROM N.A.
 RX MEDLINE=89392030; PubMed=2675837;
 RA Johnstone E.M., Chaney M.O., Moore R.E., Ward K.E., Norris F.H.,
 RA Little S.P.;
 RT "Alzheimer's disease amyloid peptide is encoded by two exons and shows
 RT similarity to soybean trypsin inhibitor.";
 RL Biochem. Biophys. Res. Commun. 163:1248-1255(1989).
 RN [22]

Query Match 100.0%; Score 8; DB 1; Length 770;
 Best Local Similarity 100.0%; Pred. No. 0.058;
 Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 EVKMDAEF 8
 |||||
 Db 668 EVKMDAEF 675

RESULT 9
 A4_MACFA

ID A4_MACFA STANDARD; PRT; 770 AA.
AC P53601; Q95KN7;
DT 01-OCT-1996 (Rel. 34, Created)
DT 28-FEB-2003 (Rel. 41, Last sequence update)
DT 28-FEB-2003 (Rel. 41, Last annotation update)
DE Amyloid beta A4 protein precursor (APP) (ABPP) (Alzheimer's disease
DE amyloid protein homolog) [Contains: Soluble APP-alpha (S-APP-alpha);
DE Soluble APP-beta (S-APP-beta); C99; Beta-amyloid protein 42 (Beta-
DE APP42); Beta-amyloid protein 40 (Beta-APP40); C83; P3(42); P3(40);
DE Gamma-CTF(59) (Gamma-secretase C-terminal fragment 59); Gamma-CTF(57)
DE (Gamma-secretase C-terminal fragment 57); Gamma-CTF(50) (Gamma-
DE secretase C-terminal fragment 50); C31].
GN APP.
OS Macaca fascicularis (Crab eating macaque) (Cynomolgus monkey).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Primates; Catarrhini; Cercopithecidae;
OC Cercopithecinae; Macaca.
OX NCBI_TaxID=9541;
RN [1]
RP SEQUENCE FROM N.A. (ISOFORMS APP695 AND APP770).
RC TISSUE=Cerebellum;
RX MEDLINE=91273117; PubMed=1905108;
RA Podlisny M.B., Tolan D.R., Selkoe D.J.;
RT "Homology of the amyloid beta protein precursor in monkey and human
RT supports a primate model for beta amyloidosis in Alzheimer's
RT disease.";
RL Am. J. Pathol. 138:1423-1435(1991).
CC -!- FUNCTION: Functions as a cell surface receptor and performs
CC physiological functions on the surface of neurons relevant to
CC neurite growth, neuronal adhesion and axonogenesis. Involved in
CC cell mobility and transcription regulation through protein-protein
CC interactions (By similarity). Can promote transcription activation
CC through binding to APBB1/Tip60 and inhibit Notch signaling through
CC interaction with Numb (By similarity). Couples to apoptosis-
CC inducing pathways such as those mediated by G(O) and JIP (By
CC similarity). Inhibits G(O) alpha ATPase activity (By similarity).
CC Acts as a kinesin I membrane receptor, mediating the axonal
CC transport of beta-secretase and presenilin 1 (By similarity). May
CC be involved in copper homeostasis/oxidative stress through copper
CC ion reduction. In vitro, copper-metallated APP induces neuronal
CC death directly or is potentiated through Cu(II)-mediated low-
CC density lipoprotein oxidation (By similarity). Can regulate
CC neurite outgrowth through binding to components of the
CC extracellular matrix such as heparin and collagen I and IV (By
CC similarity). The splice isoforms that contain the BPTI domain
CC possess protease inhibitor activity (By similarity).
CC -!- FUNCTION: Beta-amyloid peptides are lipophilic metal chelators
CC with metal-reducing activity. Bind transient metals such as
CC copper, zinc and iron (By similarity).
CC -!- FUNCTION: The gamma-CTF peptides as well as the caspase-cleaved
CC peptides, including C31, are potent enhancers of neuronal
CC apoptosis (By similarity).
CC -!- SUBUNIT: Binds, via its C-terminal, to the PID domain of several
CC cytoplasmic proteins, including APBB family members, the APBA
CC family, MAPK8IP1, and SHC1, Numb and Dab1 (By similarity). Binding
CC to Dab1 inhibits its serine phosphorylation (By similarity). Also
CC interacts with GPCR-like protein BPP, FPRL1, APPBP1, IB1, KNS2

CC (via its TPR domains) (By similarity), APPBP2 (via BaSS) and DDB1.
 CC In vitro, it binds MAPT via the MT-binding domains (By
 CC similarity). Associates with microtubules in the presence of ATP
 CC and in a kinesin-dependent manner (By similarity).
 CC -!- SUBCELLULAR LOCATION: Type I membrane protein. Cell surface
 CC protein that rapidly becomes internalized via clathrin-coated
 CC pits. During maturation, the immature APP (N-glycosylated in the
 CC endoplasmic reticulum) moves to the Golgi complex where complete
 CC maturation occurs (O-glycosylated and sulfated). After alpha-
 CC secretase cleavage, soluble APP is released into the extracellular
 CC space and the C-terminal is internalized to endosomes and
 CC lysosomes. Some APP accumulates in secretory transport vesicles
 CC leaving the late Golgi compartment and returns to the cell
 CC surface. Gamma-CTF(59) peptide is located to both the cytoplasm
 CC and nuclei of neurons (By similarity).
 CC -!- ALTERNATIVE PRODUCTS:
 CC Event=Alternative splicing; Named isoforms=2;
 CC Comment=Additional isoforms seem to exist;
 CC Name=APP770;
 CC IsoId=P53601-1; Sequence=Displayed;
 CC Name=APP695;
 CC IsoId=P53601-2; Sequence=VSP_000010, VSP_000011;
 CC -!- DOMAIN: The basolateral sorting signal (BaSS) is required for
 CC sorting of membrane proteins to the basolateral surface of
 CC epithelial cells (By similarity).
 CC -!- DOMAIN: The NPXY sequence motif found in many tyrosine-
 CC phosphorylated proteins is required for the specific binding of
 CC the PID domain. However additional amino acids either N- or C-
 CC terminal to the NPXY motif are often required for complete
 CC interaction. The PID domain-containing proteins which bind APP
 CC require the YENPTY motif for full interaction. These interactions
 CC are independent of phosphorylation on the terminal tyrosine
 CC residue. The NPXY site is also involved in clathrin-mediated
 CC endocytosis (By similarity).
 CC -!- PTM: Proteolytically processed under normal cellular conditions.
 CC Cleavage by alpha-secretase or alternatively by beta-secretase
 CC leads to generation and extracellular release of soluble APP
 CC peptides, S-APP-alpha and S-APP-beta, respectively, and the
 CC retention of corresponding membrane-anchored C-terminal fragments,
 CC C83 and C99. Subsequent processing of C83 by gamma-secretase
 CC yields P3 peptides. This is the major secretory pathway and is
 CC nonamyloidogenic. Alternatively, presenilin/nicastrin-mediated
 CC gamma-secretase processing of C99 releases the amyloid beta
 CC proteins, amyloid-beta 40 (Abeta40) and amyloid-beta 42 (Abeta42),
 CC major components of amyloid plaques, and the cytotoxic C-terminal
 CC fragments, gamma-CTF(50), gamma-CTF(57) and gamma-CTF(59) (By
 CC similarity).
 CC -!- PTM: Proteolytically cleaved by caspases during neuronal apoptosis
 CC (By similarity). Cleavage at Asp-739 by either caspase-3, -8 or -9
 CC results in the production of the neurotoxic C31 peptide and the
 CC increased production of beta-amyloid peptides (By similarity).
 CC -!- PTM: N- and O-glycosylated (By similarity).
 CC -!- PTM: Phosphorylation in the C-terminal on tyrosine, threonine and
 CC serine residues is neuron-specific. Phosphorylation can affect APP
 CC processing, neuronal differentiation and interaction with other
 CC proteins (By similarity).
 CC -!- MISCELLANEOUS: Chelation of metal ions, notably copper, iron and

CC zinc, can induce histidine-bridging between beta-amyloid molecules
 CC resulting in beta-amyloid-metal aggregates (By similarity).
 CC Extracellular zinc-binding increases binding of heparin to APP and
 CC inhibits collagen-binding (By similarity).
 CC -!- SIMILARITY: Belongs to the APP family.
 CC -!- SIMILARITY: Contains 1 BPTI/Kunitz inhibitor domain.

CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----

DR EMBL; M58727; AAA36829.1; -.
 DR EMBL; M58726; AAA36828.1; -.
 DR HSSP; P05067; 1AAP.
 DR InterPro; IPR008155; A4_APP.
 DR InterPro; IPR008154; A4_extra.
 DR InterPro; IPR001255; Beta-APP.
 DR InterPro; IPR002223; Kunitz_BPTI.
 DR Pfam; PF02177; A4_EXTRA; 1.
 DR Pfam; PF03494; Beta-APP; 1.
 DR Pfam; PF00014; Kunitz_BPTI; 1.
 DR PRINTS; PR00203; AMYLOIDA4.
 DR PRINTS; PR00759; BASICPTASE.
 DR ProDom; PD000222; Kunitz_BPTI; 1.
 DR SMART; SM00006; A4_EXTRA; 1.
 DR SMART; SM00131; KU; 1.
 DR PROSITE; PS00319; A4_EXTRA; 1.
 DR PROSITE; PS00320; A4_INTRA; 1.
 DR PROSITE; PS00280; BPTI_KUNITZ_1; 1.
 DR PROSITE; PS50279; BPTI_KUNITZ_2; 1.
 KW Apoptosis; Endocytosis; Cell adhesion; Serine protease inhibitor;
 KW Coated pits; Neurone; Heparin-binding; Metal-binding; Copper; Iron;
 KW Zinc; Signal; Transmembrane; Glycoprotein; Phosphorylation;
 KW Proteoglycan; Alternative splicing; Amyloid.
 FT SIGNAL 1 17 BY SIMILARITY.
 FT CHAIN 18 770 AMYLOID BETA A4 PROTEIN.
 FT CHAIN 18 687 SOLUBLE APP-ALPHA (POTENTIAL).
 FT CHAIN 18 671 SOLUBLE APP-BETA (POTENTIAL).
 FT CHAIN 672 770 C99 (POTENTIAL).
 FT CHAIN 672 713 BETA-AMYLOID PROTEIN 42 (POTENTIAL).
 FT CHAIN 672 711 BETA-AMYLOID PROTEIN 40 (POTENTIAL).
 FT CHAIN 688 770 C83 (POTENTIAL).
 FT CHAIN 688 713 P3(42) (POTENTIAL).
 FT CHAIN 688 711 P3(40) (POTENTIAL).
 FT CHAIN 712 770 GAMMA-CTF(59) (POTENTIAL).
 FT CHAIN 714 770 GAMMA-CTF(57) (POTENTIAL).
 FT CHAIN 721 770 GAMMA-CTF(50) (POTENTIAL).
 FT CHAIN 740 770 C31 (POTENTIAL).
 FT DOMAIN 18 699 EXTRACELLULAR (POTENTIAL).
 FT TRANSMEM 700 723 POTENTIAL.
 FT DOMAIN 724 770 CYTOPLASMIC (POTENTIAL).
 FT DOMAIN 96 110 HEPARIN-BINDING (BY SIMILARITY).
 FT DOMAIN 181 188 ZINC-BINDING (BY SIMILARITY).

FT	DOMAIN	291	341	BPTI/KUNITZ INHIBITOR.
FT	DOMAIN	391	423	HEPARIN-BINDING (BY SIMILARITY).
FT	DOMAIN	491	522	HEPARIN-BINDING (BY SIMILARITY).
FT	DOMAIN	523	540	COLLAGEN-BINDING (BY SIMILARITY).
FT	DOMAIN	732	751	INTERACTION WITH G(O)-ALPHA
FT				(BY SIMILARITY).
FT	DOMAIN	230	260	ASP/GLU-RICH (ACIDIC).
FT	DOMAIN	274	280	POLY-THR.
FT	SITE	144	144	REQUIRED FOR COPPER(II) REDUCTION
FT				(BY SIMILARITY).
FT	ACT_SITE	301	302	REACTIVE BOND (BY SIMILARITY).
FT	SITE	671	672	CLEAVAGE (BY BETA-SECRETASE)
FT				(BY SIMILARITY).
FT	SITE	672	673	CLEAVAGE (BY CASPASE-6) (BY SIMILARITY).
FT	SITE	687	688	CLEAVAGE (BY ALPHA-SECRETASE)
FT				(BY SIMILARITY).
FT	SITE	704	704	IMPLICATED IN FREE RADICAL PROPAGATION
FT				(BY SIMILARITY).
FT	SITE	706	706	INVOLVED IN OXIDATIVE REACTIONS
FT				(BY SIMILARITY).
FT	SITE	711	712	CLEAVAGE (BY GAMMA-SECRETASE; SITE 1)
FT				(BY SIMILARITY).
FT	SITE	713	714	CLEAVAGE (BY GAMMA-SECRETASE; SITE 2)
FT				(BY SIMILARITY).
FT	SITE	720	721	CLEAVAGE (BY GAMMA-SECRETASE; SITE 3)
FT				(BY SIMILARITY).
FT	SITE	724	734	BASOLATERAL SORTING SIGNAL
FT				(BY SIMILARITY).
FT	SITE	739	740	CLEAVAGE (BY CASPASES-3,-6,-8 OR -9)

Query Match 100.0%; Score 8; DB 1; Length 770;
 Best Local Similarity 100.0%; Pred. No. 0.058;
 Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMDAEF 8
 |||||
 Db 668 EVKMDAEF 675

RESULT 10

A4_MOUSE

ID A4_MOUSE STANDARD; PRT; 770 AA.
 AC P12023; P97487; P97942; Q99K32;
 DT 01-OCT-1989 (Rel. 12, Created)
 DT 10-OCT-2003 (Rel. 42, Last sequence update)
 DT 10-OCT-2003 (Rel. 42, Last annotation update)
 DE Amyloid beta A4 protein precursor (APP) (ABPP) (Alzheimer's disease
 DE amyloid protein homolog) (Amyloidogenic glycoprotein) (AG) [Contains:
 DE Soluble APP-alpha (S-APP-alpha); Soluble APP-beta (S-APP-beta); C99
 DE (APP-C99); Beta-amyloid protein 42 (Beta-APP42); Beta-amyloid protein
 DE 40 (Beta-APP40); C83; P3(42); P3(40); Gamma-CTF(59) (Gamma-secretase
 DE C-terminal fragment 59) (Amyloid intracellular domain 59) (AID(59))
 DE (APP-C59); Gamma-CTF(57) (Gamma-secretase C-terminal fragment 57)
 DE (Amyloid intracellular domain 57) (AID(57)) (APP-C57); Gamma-CTF(50)
 DE (Gamma-secretase C-terminal fragment 50) (Amyloid intracellular domain
 DE 50) (AID(50)); C31].
 GN APP.

OS Mus musculus (Mouse).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
 OX NCBI_TaxID=10090;
 RN [1]
 RP SEQUENCE FROM N.A. (ISOFORM APP695).
 RC TISSUE=Brain;
 RX MEDLINE=88106489; PubMed=3322280;
 RA Yamada T., Sasaki H., Furuya H., Miyata T., Goto I., Sakaki Y.;
 RT "Complementary DNA for the mouse homolog of the human amyloid beta
 RT protein precursor."
 RL Biochem. Biophys. Res. Commun. 149:665-671(1987).
 RN [2]
 RP REVISIONS.
 RA Yamada T.;
 RL Submitted (MAR-1988) to the EMBL/GenBank/DDBJ databases.
 RN [3]
 RP SEQUENCE FROM N.A. (ISOFORM APP695).
 RC STRAIN=BALB/c; TISSUE=Brain;
 RX MEDLINE=92096458; PubMed=1756177;
 RA de Strooper B., van Leuven F., van den Berghe H.;
 RT "The amyloid beta protein precursor or proteinase nexin II from mouse
 RT is closer related to its human homolog than previously reported."
 RL Biochim. Biophys. Acta 1129:141-143(1991).
 RN [4]
 RP SEQUENCE FROM N.A. (ISOFORM APP695).
 RC STRAIN=SAMP8; TISSUE=Hippocampus;
 RX MEDLINE=21130647; PubMed=11235921;
 RA Kumar V.B., Vyas K., Franko M., Choudhary V., Buddhiraju C.,
 RA Alvarez J., Morley J.E.;
 RT "Molecular cloning, expression, and regulation of hippocampal amyloid
 RT precursor protein of senescence accelerated mouse (SAMP8)."
 RL Biochem. Cell Biol. 79:57-67(2001).
 RN [5]
 RP SEQUENCE OF 1-19 FROM N.A.
 RX MEDLINE=92209998; PubMed=1555768;
 RA Izumi R., Yamada T., Yoshikai S.I., Sasaki H., Hattori M.,
 RA Sakai Y.;
 RT "Positive and negative regulatory elements for the expression of the
 RT Alzheimer's disease amyloid precursor-encoding gene in mouse."
 RL Gene 112:189-195(1992).
 RN [6]
 RP PARTIAL SEQUENCE FROM N.A. (ISOFORM APP770).
 RC TISSUE=Breast tumor;
 RX MEDLINE=22388257; PubMed=12477932;
 RA Strausberg R.L., Feingold E.A., Grouse L.H., Derge J.G.,
 RA Klausner R.D., Collins F.S., Wagner L., Shenmen C.M., Schuler G.D.,
 RA Altschul S.F., Zeeberg B., Buetow K.H., Schaefer C.F., Bhat N.K.,
 RA Hopkins R.F., Jordan H., Moore T., Max S.I., Wang J., Hsieh F.,
 RA Diatchenko L., Marusina K., Farmer A.A., Rubin G.M., Hong L.,
 RA Stapleton M., Soares M.B., Bonaldo M.F., Casavant T.L., Scheetz T.E.,
 RA Brownstein M.J., Usdin T.B., Toshiyuki S., Carninci P., Prange C.,
 RA Raha S.S., Loquellano N.A., Peters G.J., Abramson R.D., Mullahy S.J.,
 RA Bosak S.A., McEwan P.J., McKernan K.J., Malek J.A., Gunaratne P.H.,
 RA Richards S., Worley K.C., Hale S., Garcia A.M., Gay L.J., Hulyk S.W.,
 RA Villalón D.K., Muzny D.M., Sodergren E.J., Lu X., Gibbs R.A.,
 RA Fahey J., Helton E., Kettelman M., Madan A., Rodrigues S., Sanchez A.,

RA Whiting M., Madan A., Young A.C., Shevchenko Y., Bouffard G.G.,
 RA Blakesley R.W., Touchman J.W., Green E.D., Dickson M.C.,
 RA Rodriguez A.C., Grimwood J., Schmutz J., Myers R.M.,
 RA Butterfield Y.S.N., Krzywinski M.I., Skalska U., Smailus D.E.,
 RA Schnierch A., Schein J.E., Jones S.J.M., Marra M.A.;
 RT "Generation and initial analysis of more than 15,000 full-length human
 RT and mouse cDNA sequences.";
 RL Proc. Natl. Acad. Sci. U.S.A. 99:16899-16903(2002).
 RN [7]
 RP SEQUENCE OF 281-380 FROM N.A., AND ALTERNATIVE SPLICING.
 RC TISSUE=Brain, and Kidney;
 RX MEDLINE=89149813; PubMed=2493250;
 RA Yamada T., Sasaki H., Dohura K., Goto I., Sakaki Y.;
 RT "Structure and expression of the alternatively-spliced forms of mRNA
 RT for the mouse homolog of Alzheimer's disease amyloid beta protein
 RT precursor.";
 RL Biochem. Biophys. Res. Commun. 158:906-912(1989).
 RN [8]
 RP SEQUENCE OF 289-364 FROM N.A.
 RC STRAIN=CD-1; TISSUE=Placenta;
 RX MEDLINE=89345111; PubMed=2569710;
 RA Fukuchi K., Martin G.M., Deeb S.S.;
 RT "Sequence of the protease inhibitor domain of the A4 amyloid protein
 RT precursor of Mus domesticus.";
 RL Nucleic Acids Res. 17:5396-5396(1989).
 RN [9]
 RP SEQUENCE OF 656-737 FROM N.A.
 RC STRAIN=129/Sv;
 RA Wragg M.A., Busfield F., Duff K., Korenblat K., Capecchi M.,
 RA Loring J.F., Goate A.M.;
 RT "Introduction of six mutations into the mouse genome using 'Hit and
 RT Run' gene-targeting: introduction of familial Alzheimer's disease
 RT mutations into the mouse amyloid precursor protein gene and
 RT humanization of the A-beta fragment.";
 RL Submitted (DEC-1996) to the EMBL/GenBank/DDBJ databases.
 RN [10]
 RP TISSUE SPECIFICITY OF ALTERNATIVE SPLICED FORMS.
 RX MEDLINE=93287808; PubMed=8510506;
 RA Sola C., Mengod G., Ghetti B., Palacios J.M., Triarhou L.C.;
 RT "Regional distribution of the alternatively spliced isoforms of beta
 RT APP RNA transcript in the brain of normal, heterozygous and
 RT homozygous weaver mutant mice as revealed by in situ hybridization
 RT histochemistry.";
 RL Brain Res. Mol. Brain Res. 17:340-346(1993).
 RN [11]
 RP INTERACTION WITH KNS2.
 RX MEDLINE=21010507; PubMed=11144355;
 RA Kamal A., Stokin G.B., Yang Z., Xia C.-H., Goldstein L.S.;
 RT "Axonal transport of amyloid precursor protein is mediated by direct
 RT binding to the kinesin light chain subunit of kinesin-I.";
 RL Neuron 28:449-459(2000).
 RN [12]
 RP C-TERMINAL PROTEIN-PROTEIN INTERACTIONS, AND MUTAGENESIS OF TYR-728;
 RP THR-743; TYR-757; ASN-759 AND TYR-762.
 RX MEDLINE=21408156; PubMed=11517249;
 RA Matsuda S., Yasukawa T., Homma Y., Ito Y., Niikura T., Hiraki T.,
 RA Hirai S., Ohno S., Kita Y., Kawasumi M., Kouyama K., Yamamoto T.,

RA Kyriakis J.M., Nishimoto I.;
 RT "C-jun N-terminal kinase (JNK)-interacting protein-1b/islet-brain-1
 RT scaffolds Alzheimer's amyloid precursor protein with JNK.";
 RL J. Neurosci. 21:6597-6607(2001).
 RN [13]
 RP INTERACTION WITH MAPK8IP1, AND PHOSPHORYLATION.
 RX MEDLINE=22028091; PubMed=11912189;
 RA Taru H., Iijima K.-I., Hase M., Kirino Y., Yagi Y., Suzuki T.;
 RT "Interaction of Alzheimer's beta-amyloid precursor family proteins
 RT with scaffold proteins of the JNK signaling cascade.";
 RL J. Biol. Chem. 277:20070-20078(2002).
 RN [14]
 RP INTERACTION OF CTF PEPTIDES WITH NUMB.
 RX MEDLINE=22008109; PubMed=12011466;
 RA Roncarati R., Sestan N., Scheinfeld M.H., Berechid B.E., Lopez P.A.,
 RA Meucci O., McGlade J.C., Rakic P., D'Adamio L.;
 RT "The gamma-secretase-generated intracellular domain of beta-amyloid
 RT precursor protein binds Numb and inhibits Notch signaling.";
 RL Proc. Natl. Acad. Sci. U.S.A. 99:7102-7107(2002).
 RN [15]
 RP GAMMA-SECRETASE PROCESSING, AND INTERACTION WITH APBB1.
 RX MEDLINE=21437805; PubMed=11553691;
 RA Cupers P., Orlans I., Craessaerts K., Annaert W., De Strooper B.;
 RT "The amyloid precursor protein (APP)-cytoplasmic fragment generated by
 RT gamma-secretase is rapidly degraded but distributes partially in a
 RT nuclear fraction of neurones in culture.";
 RL J. Neurochem. 78:1168-1178(2001).
 CC -!- FUNCTION: Functions as a cell surface receptor and performs
 CC physiological functions on the surface of neurons relevant to
 CC neurite growth, neuronal adhesion and axonogenesis. Involved in
 CC cell mobility and transcription regulation through protein-protein
 CC interactions. Can promote transcription activation through binding
 CC to APBB1/Tip60 and inhibit Notch signaling through interaction
 CC with Numb. Couples to apoptosis-inducing pathways such as those
 CC mediated by G(O) and JIP. Inhibits G(O) alpha ATPase activity (By
 CC similarity). Acts as a kinesin I membrane receptor, mediating the
 CC axonal transport of beta-secretase and presenilin 1. May be
 CC involved in copper homeostasis/oxidative stress through copper ion
 CC reduction. Can regulate neurite outgrowth through binding to
 CC components of the extracellular matrix such as heparin and
 CC collagen I and IV (By similarity). The splice isoforms that
 CC contain the BPTI domain possess protease inhibitor activity (By
 CC similarity).
 CC -!- FUNCTION: Beta-amyloid peptides are lipophilic metal chelators
 CC with metal-reducing activity. Bind transient metals such as
 CC copper, zinc and iron. Rat and mouse beta-amyloid peptides bind
 CC only weakly transient metals and have little reducing activity due
 CC to substitutions of transient metal chelating residues. Beta-APP42
 CC may activate mononuclear phagocytes in the brain and elicit
 CC inflammatory responses. Promotes both tau aggregation and TPK II-
 CC mediated phosphorylation (By similarity).
 CC -!- FUNCTION: The gamma-CTF peptides as well as the caspase-cleaved
 CC peptides, including C31, are potent enhancers of neuronal
 CC apoptosis.
 CC -!- SUBUNIT: Binds, via its C-terminal, to the PID domain of several
 CC cytoplasmic proteins, including APBB family members, the APBA
 CC family, MAPK8IP1, SHC1, Numb and Dab1. Binding to Dab1 inhibits

CC its serine phosphorylation. Also interacts with GPCR-like protein
 CC BPP, FPRL1, APPBP1, IB1, KNS2 (via its TPR domains), APPBP2 (via
 CC BaSS) and DDB1 (By similarity). In vitro, it binds MAPT via the
 CC MT-binding domains (By similarity). Associates with microtubules
 CC in the presence of ATP and in a kinesin-dependent manner (By
 CC similarity). Interacts, through a C-terminal domain, with GNAO1
 CC (By similarity). Amyloid beta-42 binds CHRNA7 in hippocampal
 CC neurons (By similarity). Beta-amyloid associates with HADH2 (By
 CC similarity).
 CC -!- SUBCELLULAR LOCATION: Type I membrane protein. Cell surface
 CC protein that rapidly becomes internalized via clathrin-coated
 CC pits. During maturation, the immature APP (N-glycosylated in the
 CC endoplasmic reticulum) moves to the Golgi complex where complete

Query Match 100.0%; Score 8; DB 1; Length 770;
 Best Local Similarity 100.0%; Pred. No. 0.058;
 Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMDAEF 8
 |||||
 Db 668 EVKMDAEF 675

RESULT 11

A4_PIG

ID A4_PIG STANDARD; PRT; 770 AA.
 AC P79307; Q29023; Q9TUI0;
 DT 01-NOV-1997 (Rel. 35, Created)
 DT 10-OCT-2003 (Rel. 42, Last sequence update)
 DT 10-OCT-2003 (Rel. 42, Last annotation update)
 DE Amyloid beta A4 protein precursor (APP) (ABPP) (Alzheimer's disease
 DE amyloid protein homolog) [Contains: Soluble APP-alpha (S-APP-alpha);
 DE Soluble APP-beta (S-APP-beta); C99; Beta-amyloid protein 42 (Beta-
 DE APP42); Beta-amyloid protein 40 (Beta-APP40); C83; P3(42); P3(40);
 DE Gamma-CTF(59) (Gamma-secretase C-terminal fragment 59); Gamma-CTF(57)
 DE (Gamma-secretase C-terminal fragment 57); Gamma-CTF(50) (Gamma-
 DE secretase C-terminal fragment 50); C31].
 OS Sus scrofa (Pig).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Cetartiodactyla; Suina; Suidae; Sus.
 OX NCBI_TaxID=9823;
 RN [1]
 RP SEQUENCE FROM N.A.
 RA Kimura A., Takahashi T.;
 RT "Amyloid precursor protein 770."
 RL Submitted (SEP-1999) to the EMBL/GenBank/DDBJ databases.
 RN [2]
 RP SEQUENCE OF 1-136 FROM N.A.
 RC TISSUE=Small intestine;
 RA Winteroe A.K., Fredholm M.;
 RT "Evaluation and characterization of a porcine small intestine cDNA
 RT library."
 RL Submitted (JAN-1997) to the EMBL/GenBank/DDBJ databases.
 RN [3]
 RP SEQUENCE OF 667-723 FROM N.A.
 RC TISSUE=Brain;
 RX MEDLINE=92017079; PubMed=1656157;

RA Johnstone E.M., Chaney M.O., Norris F.H., Pascual R., Little S.P.;
RT "Conservation of the sequence of the Alzheimer's disease amyloid
RT peptide in dog, polar bear and five other mammals by cross-species
RT polymerase chain reaction analysis.";
RL Brain Res. Mol. Brain Res. 10:299-305(1991).

CC -!- FUNCTION: Functions as a cell surface receptor and performs
CC physiological functions on the surface of neurons relevant to
CC neurite growth, neuronal adhesion and axonogenesis. Involved in
CC cell mobility and transcription regulation through protein-protein
CC interactions (By similarity). Can promote transcription activation
CC through binding to APBB1/Tip60 and inhibit Notch signaling through
CC interaction with Numb (By similarity). Couples to apoptosis-
CC inducing pathways such as those mediated by G(0) and JIP (By
CC similarity). Inhibits G(0) alpha ATPase activity (By similarity).
CC Acts as a kinesin I membrane receptor, mediating the axonal
CC transport of beta-secretase and presenilin 1 (By similarity). May
CC be involved in copper homeostasis/oxidative stress through copper
CC ion reduction (By similarity). In vitro, copper-metallated APP
CC induces neuronal death directly or is potentiated through Cu(II)-
CC mediated low-density lipoprotein oxidation (By similarity). Can
CC regulate neurite outgrowth through binding to components of the
CC extracellular matrix such as heparin and collagen I and IV (By
CC similarity).

CC -!- FUNCTION: Beta-amyloid peptides are lipophilic metal chelators
CC with metal-reducing activity. Bind transient metals such as
CC copper, zinc and iron (By similarity).

CC -!- FUNCTION: The gamma-CTF peptides as well as the caspase-cleaved
CC peptides, including C31, are potent enhancers of neuronal
CC apoptosis (By similarity).

CC -!- SUBUNIT: Binds, via its C-terminal, to the PID domain of several
CC cytoplasmic proteins, including APBB family members, the APBA
CC family, MAPK8IP1, and SHC1, Numb and Dab1 (By similarity). Binding
CC to Dab1 inhibits its serine phosphorylation (By similarity). Also
CC interacts with GPCR-like protein BPP, FPRL1, APPBP1, IBL, KNS2
CC (via its TPR domains) (By similarity), APPBP2 (via BaSS) and DDB1.
CC In vitro, it binds MAPT via the MT-binding domains (By
CC similarity). Associates with microtubules in the presence of ATP
CC and in a kinesin-dependent manner (By similarity).

CC -!- SUBCELLULAR LOCATION: Type I membrane protein. Cell surface
CC protein that rapidly becomes internalized via clathrin-coated
CC pits. During maturation, the immature APP (N-glycosylated in the
CC endoplasmic reticulum) moves to the Golgi complex where complete
CC maturation occurs (O-glycosylated and sulfated). After alpha-
CC secretase cleavage, soluble APP is released into the extracellular
CC space and the C-terminal is internalized to endosomes and
CC lysosomes. Some APP accumulates in secretory transport vesicles
CC leaving the late Golgi compartment and returns to the cell
CC surface. Gamma-CTF(59) peptide is located to both the cytoplasm
CC and nuclei of neurons (By similarity).

CC -!- DOMAIN: The basolateral sorting signal (BaSS) is required for
CC sorting of membrane proteins to the basolateral surface of
CC epithelial cells (By similarity).

CC -!- DOMAIN: The NPXY sequence motif found in many tyrosine-
CC phosphorylated proteins is required for the specific binding of
CC the PID domain. However additional amino acids either N- or C-
CC terminal to the NPXY motif are often required for complete
CC interaction. The PID domain-containing proteins which bind APP

CC require the YENPTY motif for full interaction. These interactions
 CC are independent of phosphorylation on the terminal tyrosine
 CC residue. The NPXY site is also involved in clathrin-mediated
 CC endocytosis (By similarity).
 CC -!- PTM: Proteolytically processed under normal cellular conditions.
 CC Cleavage by alpha-secretase or alternatively by beta-secretase
 CC leads to generation and extracellular release of soluble APP
 CC peptides, S-APP-alpha and S-APP-beta, respectively, and the
 CC retention of corresponding membrane-anchored C-terminal fragments,
 CC C83 and C99. Subsequent processing of C83 by gamma-secretase
 CC yields P3 peptides. This is the major secretory pathway and is
 CC nonamyloidogenic. Alternatively, presenilin/nicastrin-mediated
 CC gamma-secretase processing of C99 releases the amyloid beta
 CC proteins, amyloid-beta 40 (Abeta40) and amyloid-beta 42 (Abeta42),
 CC major components of amyloid plaques, and the cytotoxic C-terminal
 CC fragments, gamma-CTF(50), gamma-CTF(57) and gamma-CTF(59) (By
 CC similarity).
 CC -!- PTM: Proteolytically cleaved by caspases during neuronal apoptosis
 CC (By similarity). Cleavage at Asp-739 by either caspase-3, -8 or -9
 CC results in the production of the neurotoxic C31 peptide and the
 CC increased production of beta-amyloid peptides (By similarity).
 CC -!- PTM: N- and O-glycosylated (By similarity).
 CC -!- PTM: Phosphorylation in the C-terminal on tyrosine, threonine and
 CC serine residues is neuron-specific. Phosphorylation can affect APP
 CC processing, neuronal differentiation and interaction with other
 CC proteins (By similarity).
 CC -!- PTM: Extracellular binding and reduction of copper, results in a
 CC corresponding oxidation of Cys-144 and Cys-158, and the formation
 CC of a disulfide bond (By similarity).
 CC -!- MISCELLANEOUS: Chelation of metal ions, notably copper, iron and
 CC zinc, can induce histidine-bridging between beta-amyloid molecules
 CC resulting in beta-amyloid-metal aggregates (By similarity).
 CC Extracellular zinc-binding increases binding of heparin to APP and
 CC inhibits collagen-binding (By similarity).
 CC -!- SIMILARITY: Belongs to the APP family.
 CC -!- SIMILARITY: Contains 1 BPTI/Kunitz inhibitor domain.

CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----

DR EMBL; AB032550; BAA84580.1; -.
 DR EMBL; Z84022; CAB06313.1; -.
 DR EMBL; X56127; CAA39592.1; -.
 DR HSSP; P05067; 1AAP.
 DR InterPro; IPR008155; A4_APP.
 DR InterPro; IPR008154; A4_extra.
 DR InterPro; IPR002223; Kunitz_BPTI.
 DR Pfam; PF02177; A4_EXTRA; 1.
 DR PRINTS; PR00203; AMYLOIDA4.
 DR PRINTS; PR00759; BASICPTASE.
 DR ProDom; PD000222; Kunitz_BPTI; 1.
 DR SMART; SM00006; A4_EXTRA; 1.

DR	SMART; SM00131; KU; 1.			
DR	PROSITE; PS00319; A4_EXTRA; 1.			
DR	PROSITE; PS00320; A4_INTRA; 1.			
DR	PROSITE; PS00280; BPTI_KUNITZ_1; 1.			
DR	PROSITE; PS50279; BPTI_KUNITZ_2; 1.			
KW	Apoptosis; Endocytosis; Cell adhesion; Serine protease inhibitor;			
KW	Coated pits; Neurone; Heparin-binding; Metal-binding; Copper; Iron;			
KW	Zinc; Signal; Transmembrane; Glycoprotein; Phosphorylation;			
KW	Amyloid.			
FT	SIGNAL	1	17	BY SIMILARITY.
FT	CHAIN	18	770	AMYLOID BETA A4 PROTEIN.
FT	CHAIN	18	687	SOLUBLE APP-ALPHA (POTENTIAL).
FT	CHAIN	18	671	SOLUBLE APP-BETA (POTENTIAL).
FT	CHAIN	672	770	C99 (BY SIMILARITY).
FT	CHAIN	672	713	BETA-AMYLOID PROTEIN 42 (BY SIMILARITY).
FT	CHAIN	672	711	BETA-AMYLOID PROTEIN 40 (BY SIMILARITY).
FT	CHAIN	688	770	C83 (BY SIMILARITY).
FT	CHAIN	688	713	P3(42) (BY SIMILARITY).
FT	CHAIN	688	711	P3(40) (BY SIMILARITY).
FT	CHAIN	712	770	GAMMA-CTF(59).
FT	CHAIN	714	770	GAMMA-CTF(57).
FT	CHAIN	721	770	GAMMA-CTF(50) (BY SIMILARITY).
FT	CHAIN	740	770	C31 (DURING APOPTOSIS) (BY SIMILARITY).
FT	DOMAIN	18	699	EXTRACELLULAR (POTENTIAL).
FT	TRANSMEM	700	723	POTENTIAL.
FT	DOMAIN	724	770	CYTOPLASMIC (POTENTIAL).
FT	DOMAIN	96	110	HEPARIN-BINDING (BY SIMILARITY).
FT	DOMAIN	135	155	COPPER-BINDING (BY SIMILARITY).
FT	DOMAIN	181	188	ZINC-BINDING (BY SIMILARITY).
FT	DOMAIN	291	341	BPTI/KUNITZ INHIBITOR.
FT	DOMAIN	391	423	HEPARIN-BINDING (BY SIMILARITY).
FT	DOMAIN	491	522	HEPARIN-BINDING (BY SIMILARITY).
FT	DOMAIN	523	540	COLLAGEN-BINDING (BY SIMILARITY).
FT	DOMAIN	732	751	INTERACTION WITH G(O)-ALPHA (BY SIMILARITY).
FT	DOMAIN	230	260	ASP/GLU-RICH (ACIDIC).
FT	DOMAIN	274	280	POLY-THR.
FT	SITE	144	144	REQUIRED FOR COPPER(II) REDUCTION (BY SIMILARITY).
FT	ACT_SITE	301	302	REACTIVE BOND (BY SIMILARITY).
FT	SITE	671	672	CLEAVAGE (BY BETA-SECRETASE) (BY SIMILARITY).
FT	SITE	672	673	CLEAVAGE (BY CASPASE-6) (BY SIMILARITY).
FT	SITE	687	688	CLEAVAGE (BY ALPHA-SECRETASE) (BY SIMILARITY).
FT	SITE	704	704	IMPLICATED IN FREE RADICAL PROPAGATION (BY SIMILARITY).
FT	SITE	706	706	INVOLVED IN OXIDATIVE REACTIONS (BY SIMILARITY).
FT	SITE	711	712	CLEAVAGE (BY GAMMA-SECRETASE; SITE 1) (BY SIMILARITY).
FT	SITE	713	714	CLEAVAGE (BY GAMMA-SECRETASE; SITE 2) (BY SIMILARITY).
FT	SITE	720	721	CLEAVAGE (BY GAMMA-SECRETASE; SITE 3)

Query Match 100.0%; Score 8; DB 1; Length 770;
 Best Local Similarity 100.0%; Pred. No. 0.058;

Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 EVKMDAEF 8
| | | | | | | |
Db 668 EVKMDAEF 675

RESULT 12

A4_RAT

ID A4_RAT STANDARD; PRT; 770 AA.
AC P08592;
DT 01-AUG-1988 (Rel. 08, Created)
DT 01-DEC-1992 (Rel. 24, Last sequence update)
DT 10-OCT-2003 (Rel. 42, Last annotation update)
DE Amyloid beta A4 protein precursor (APP) (Alzheimer's disease amyloid
DE protein homolog) (Amyloidogenic glycoprotein) (AG) [Contains: Soluble
DE APP-alpha (S-APP-alpha); Soluble APP-beta (S-APP-beta); C99; Beta-
DE amyloid protein 42 (Beta-APP42); Beta-amyloid protein 40 (Beta-APP40);
DE C83; P3(42); P3(40); Gamma-CTF(59) (Gamma-secretase C-terminal
DE fragment 59); Gamma-CTF(57) (Gamma-secretase C-terminal fragment 57);
DE Gamma-CTF(50) (Gamma-secretase C-terminal fragment 50); C31].
GN APP.
OS Rattus norvegicus (Rat).
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Rattus.
OX NCBI_TaxID=10116;
RN [1]
RP SEQUENCE FROM N.A. (ISOFORM APP695).
RC TISSUE=Brain;
RX MEDLINE=88312583; PubMed=2900758;
RA Shivers B.D., Hilbich C., Multhaup G., Salbaum J.M., Beyreuther K.,
RA Seeburg P.H.;
RT "Alzheimer's disease amyloidogenic glycoprotein: expression pattern
RT in rat brain suggests a role in cell contact.";
RL EMBO J. 7:1365-1370(1988).
RN [2]
RP SEQUENCE OF 289-364 FROM N.A.
RC TISSUE=Liver;
RX MEDLINE=89183625; PubMed=2648331;
RA Kang J., Mueller-Hill B.;
RT "The sequence of the two extra exons in rat preA4.";
RL Nucleic Acids Res. 17:2130-2130(1989).
RN [3]
RP SEQUENCE OF 720-730, AND MASS SPECTROMETRY.
RX MEDLINE=21443797; PubMed=11483588;
RA Gu Y., Misonou H., Sato T., Dohmae N., Takio K., Ihara Y.;
RT "Distinct intramembrane cleavage of the beta-amyloid precursor protein
RT family resembling gamma-secretase-like cleavage of Notch.";
RL J. Biol. Chem. 276:35235-35238(2001).
RN [4]
RP ALTERNATIVE SPLICING.
RX MEDLINE=96187032; PubMed=8624099;
RA Sandbrink R., Masters C.L., Beyreuther K.;
RT "APP gene family. Alternative splicing generates functionally related
RT isoforms.";
RL Ann. N.Y. Acad. Sci. 777:281-287(1996).
RN [5]

RP TISSUE SPECIFICITY OF APPICAN.
RX MEDLINE=95263526; PubMed=7744833;
RA Shioi J., Pangalos M.N., Ripellino J.A., Vassilacopoulou D.,
RA Mytilineou C., Margolis R.U., Robakis N.K.;
RT "The Alzheimer amyloid precursor proteoglycan (appican) is present in
RT brain and is produced by astrocytes but not by neurons in primary
RT neural cultures.";
RL J. Biol. Chem. 270:11839-11844(1995).
RN [6]

RP TISSUE SPECIFICITY OF ISOFORMS.
RX MEDLINE=97150061; PubMed=8996834;
RA Sandbrink R., Monning U., Masters C.L., Beyreuther K.;
RT "Expression of the APP gene family in brain cells, brain development
RT and aging.";
RL Gerontology 43:119-131(1997).
RN [7]

RP INTERACTION WITH DDB1, AND MUTAGENESIS OF TYR-757; ASN-759 AND
RP TYR-762.
RX MEDLINE=99127916; PubMed=9930726;
RA Watanabe T., Sukegawa J., Tomita S., Iijima K.-I., Oguchi S.,
RA Suzuki T., Nairn A.C., Greengard P.;
RT "A 127-kDa protein (UV-DDB) binds to the cytoplasmic domain of the
RT Alzheimer's amyloid precursor protein.";
RL J. Neurochem. 72:549-556(1999).
RN [8]

RP INTERACTION WITH GNAO1, AND MUTAGENESIS OF 732-HIS-HIS-733.
RX MEDLINE=99162676; PubMed=10024358;
RA Brouillet E., Trembleau A., Galanaud D., Volovitch M., Bouilliot C.,
RA Valenza C., Prochiantz A., Allinquant B.;
RT "The amyloid precursor protein interacts with Go heterotrimeric
RT protein within a cell compartment specialized in signal
RT transduction.";
RL J. Neurosci. 19:1717-1727(1999).
RN [9]

RP CHARACTERISTICS OF APPICAN, AND MUTAGENESIS OF SER-656.
RX MEDLINE=95256193; PubMed=7737970;
RA Pangalos M.N., Efthimiopoulos S., Shioi J., Robakis N.K.;
RT "The chondroitin sulfate attachment site of appican is formed by
RT splicing out exon 15 of the amyloid precursor gene.";
RL J. Biol. Chem. 270:10388-10391(1995).
RN [10]

RP BETA-AMYLOID METAL-BINDING.
RX MEDLINE=99316162; PubMed=10386999;
RA Huang X., Atwood C.S., Hartshorn M.A., Multhaup G., Goldstein L.E.,
RA Scarpa R.C., Cuajungco M.P., Gray D.N., Lim J., Moir R.D., Tanzi R.E.,
RA Bush A.I.;
RT "The A beta peptide of Alzheimer's disease directly produces hydrogen
RT peroxide through metal ion reduction.";
RL Biochemistry 38:7609-7616(1999).
RN [11]

RP BETA-AMYLOID ZINC BINDING.
RX MEDLINE=99343552; PubMed=10413512;
RA Liu S.T., Howlett G., Barrow C.J.;
RT "Histidine-13 is a crucial residue in the zinc ion-induced aggregation
RT of the A beta peptide of Alzheimer's disease.";
RL Biochemistry 38:9373-9378(1999).
RN [12]

RP IMPORTANCE OF GLY-704 IN FREE RADICAL PROPAGATION, AND MUTAGENESIS OF
 RP GLY-704.
 RX MEDLINE=21956095; PubMed=11959460;
 RA Kanski J., Varadarajan S., Aksenova M., Butterfield D.A.;
 RT "Role of glycine-33 and methionine-35 in Alzheimer's amyloid beta-
 RT peptide 1-42-associated oxidative stress and neurotoxicity.";
 RL Biochim. Biophys. Acta 1586:190-198(2001).
 RN [13]
 RP PHOSPHORYLATION.
 RX MEDLINE=97239592; PubMed=9085254;
 RA Oishi M., Nairn A.C., Czernik A.J., Lim G.S., Isohara T., Gandy S.E.,
 RA Greengard P., Suzuki T.;
 RT "The cytoplasmic domain of Alzheimer's amyloid precursor protein is
 RT phosphorylated at Thr654, Ser655, and Thr668 in adult rat brain and
 RT cultured cells.";
 RL Mol. Med. 3:111-123(1997).
 RN [14]
 RP PHOSPHORYLATION ON SER-730.
 RX MEDLINE=99262094; PubMed=10329382;
 RA Isohara T., Horiuchi A., Watanabe T., Ando K., Czernik A.J., Uno I.,
 RA Greengard P., Nairn A.C., Suzuki T.;
 RT "Phosphorylation of the cytoplasmic domain of Alzheimer's beta-amyloid
 RT precursor protein at Ser655 by a novel protein kinase.";
 RL Biochem. Biophys. Res. Commun. 258:300-305(1999).
 RN [15]
 RP PHOSPHORYLATION, INDUCTION, SUBCELLULAR LOCATION, AND MUTAGENESIS OF
 RP THR-743.
 RX MEDLINE=99274744; PubMed=10341243;
 RA Ando K., Oishi M., Takeda S., Iijima K.-I., Isohara T., Nairn A.C.,
 RA Kirino Y., Greengard P., Suzuki T.;
 RT "Role of phosphorylation of Alzheimer's amyloid precursor protein
 RT during neuronal differentiation.";
 RL J. Neurosci. 19:4421-4427(1999).
 RN [16]
 RP PHOSPHORYLATION ON THR-743.
 RX MEDLINE=20396183; PubMed=10936190;
 RA Iijima K.-I., Ando K., Takeda S., Satoh Y., Seki T., Itohara S.,
 RA Greengard P., Kirino Y., Nairn A.C., Suzuki T.;
 RT "Neuron-specific phosphorylation of Alzheimer's beta-amyloid precursor
 RT protein by cyclin-dependent kinase 5.";
 RL J. Neurochem. 75:1085-1091(2000).
 RN [17]
 RP CARBOHYDRATE STRUCTURE OF APPICAN.
 RX MEDLINE=21463085; PubMed=11479316;
 RA Tsuchida K., Shioi J., Yamada S., Boghosian G., Wu A., Cai H.,
 RA Sugahara K., Robakis N.K.;
 RT "Appican, the proteoglycan form of the amyloid precursor protein,
 RT contains chondroitin sulfate E in the repeating disaccharide region
 RT and 4-O-sulfated galactose in the linkage region.";
 RL J. Biol. Chem. 276:37155-37160(2001).
 CC -!- FUNCTION: Functions as a cell surface receptor and performs
 CC physiological functions on the surface of neurons relevant to
 CC neurite growth, neuronal adhesion and axonogenesis. Involved in
 CC cell mobility and transcription regulation through protein-protein
 CC interactions (By similarity). Can promote transcription activation
 CC through binding to APBB1/Tip60 and inhibit Notch signaling through
 CC interaction with Numb (By similarity). Couples to apoptosis-

CC inducing pathways such as those mediated by G(0) and JIP. Inhibits
 CC G(0) alpha ATPase activity. Acts as a kinesin I membrane receptor,
 CC mediating the axonal transport of beta-secretase and presenilin 1
 CC (By similarity). May be involved in copper homeostasis/oxidative
 CC stress through copper ion reduction. Can regulate neurite
 CC outgrowth through binding to components of the extracellular
 CC matrix such as heparin and collagen I and IV (By similarity). The
 CC splice isoforms that contain the BPTI domain possess protease
 CC inhibitor activity (By similarity).
 CC -!- FUNCTION: Beta-amyloid peptides are lipophilic metal chelators
 CC with metal-reducing activity. Bind transient metals such as
 CC copper, zinc and iron. Rat and mouse beta-amyloid peptides bind
 CC only weakly transient metals and have little reducing activity due
 CC to substitutions of transient metal chelating residues. Beta-APP42
 CC may activate mononuclear phagocytes in the brain and elicit
 CC inflammatory responses. Promotes both tau aggregation and TPK II-
 CC mediated phosphorylation (By similarity).
 CC -!- FUNCTION: Appicans elicit adhesion of neural cells to the
 CC extracellular matrix and may regulate neurite outgrowth in the
 CC brain.
 CC -!- FUNCTION: The gamma-CTF peptides as well as the caspase-cleaved
 CC peptides, including C31, are potent enhancers of neuronal
 CC apoptosis (By similarity).
 CC -!- SUBUNIT: Binds, via its C-terminal, to the PID domain of several
 CC cytoplasmic proteins, including APBB family members, the APBA
 CC family, MAPK8IP1, SHC1 and Numb and Dab1 (By similarity). Binding
 CC to Dab1 inhibits its serine phosphorylation (By similarity). Also
 CC interacts with GPCR-like protein BPP, FPRL1, APPBP1, IB1, KNS2
 CC (via its TPR domains), APPBP2 (via BaSS) (By similarity) and DDB1.
 CC In vitro, it binds MAPT via the MT-binding domains (By
 CC similarity). Associates with microtubules in the presence of ATP
 CC and in a kinesin-dependent manner (By similarity). Interacts,
 CC through a C-terminal domain, with GNAO1. Amyloid beta-42 binds
 CC CHRNA7 in hippocampal neurons (By similarity). Beta-amyloid
 CC associates with HADH2 (By similarity).
 CC -!- SUBCELLULAR LOCATION: Type I membrane protein. Cell surface
 CC protein that rapidly becomes internalized via clathrin-coated
 CC pits. During maturation, the immature APP (N-glycosylated in the

Query Match 100.0%; Score 8; DB 1; Length 770;
 Best Local Similarity 100.0%; Pred. No. 0.058;
 Matches 8; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 EVKMDAEF 8
 |||||
 Db 668 EVKMDAEF 675

RESULT 13

V091_FOWPV

ID V091_FOWPV STANDARD; PRT; 656 AA.
 AC O72896;
 DT 16-OCT-2001 (Rel. 40, Created)
 DT 16-OCT-2001 (Rel. 40, Last sequence update)
 DT 16-OCT-2001 (Rel. 40, Last annotation update)
 DE Protein FPV091.
 GN FPV091 OR FP01L.

OS Fowlpox virus (FPV).
 OC Viruses; dsDNA viruses, no RNA stage; Poxviridae; Chordopoxvirinae;
 OC Avipoxvirus.
 OX NCBI_TaxID=10261;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=FP-9 / Isolate HP-440;
 RX MEDLINE=98451804; PubMed=9778782;
 RA Pollitt E., Skinner M.A., Heaphy S.;
 RT "Nucleotide sequence of the 4.3 kbp BamHI-N fragment of fowlpox virus
 RT FP9.";
 RL Virus Genes 17:5-9(1998).
 RN [2]
 RP SEQUENCE FROM N.A.
 RX MEDLINE=20193820; PubMed=10729156;
 RA Afonso C.L., Tulman E.R., Lu Z., Zsak L., Kutish G.F., Rock D.L.;
 RT "The genome of fowlpox virus.";
 RL J. Virol. 74:3815-3831(2000).
 CC -!- SIMILARITY: Belongs to the poxviruses O1 family.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 DR EMBL; AJ223385; CAA11289.1; -.
 DR EMBL; AF198100; AAF44435.1; -.
 DR InterPro; IPR006732; Pox_O1.
 DR Pfam; PF04638; Pox_O1; 1.
 DR PIRSF; PIRSF015980; VAC_O1L; 1.
 SQ SEQUENCE 656 AA; 77177 MW; 274E70D4E26A6456 CRC64;

Query Match 75.0%; Score 6; DB 1; Length 656;
 Best Local Similarity 100.0%; Pred. No. 8.7;
 Matches 6; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 EVKMDA 6
 |||||
 Db 384 EVKMDA 389

RESULT 14

U222_DROME

ID U222_DROME STANDARD; PRT; 82 AA.
 AC Q8MQI6;
 DT 28-FEB-2003 (Rel. 41, Created)
 DT 28-FEB-2003 (Rel. 41, Last sequence update)
 DT 15-MAR-2004 (Rel. 43, Last annotation update)
 DE Hypothetical UPF0222 protein CG6244.
 GN CG6244/CG40228 OR BCDNA:RE67573.
 OS Drosophila melanogaster (Fruit fly).
 OC Eukaryota; Metazoa; Arthropoda; Hexapoda; Insecta; Pterygota;
 OC Neoptera; Endopterygota; Diptera; Brachycera; Muscomorpha;
 OC Ephydroidea; Drosophilidae; Drosophila.

OX NCBI_TaxID=7227;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=Berkeley;
 RX MEDLINE=20196006; PubMed=10731132;
 RA Adams M.D., Celniker S.E., Holt R.A., Evans C.A., Gocayne J.D.,
 RA Amanatides P.G., Scherer S.E., Li P.W., Hoskins R.A., Galle R.F.,
 RA George R.A., Lewis S.E., Richards S., Ashburner M., Henderson S.N.,
 RA Sutton G.G., Wortman J.R., Yandell M.D., Zhang Q., Chen L.X.,
 RA Brandon R.C., Rogers Y.-H.C., Blazej R.G., Champe M., Pfeiffer B.D.,
 RA Wan K.H., Doyle C., Baxter E.G., Helt G., Nelson C.R., Miklos G.L.G.,
 RA Abril J.F., Agbayani A., An H.-J., Andrews-Pfannkoch C., Baldwin D.,
 RA Ballew R.M., Basu A., Baxendale J., Bayraktaroglu L., Beasley E.M.,
 RA Beeson K.Y., Benos P.V., Berman B.P., Bhandari D., Bolshakov S.,
 RA Borkova D., Botchan M.R., Bouck J., Brokstein P., Brottier P.,
 RA Burtis K.C., Busam D.A., Butler H., Cadieu E., Center A., Chandra I.,
 RA Cherry J.M., Cawley S., Dahlke C., Davenport L.B., Davies P.,
 RA de Pablos B., Delcher A., Deng Z., Mays A.D., Dew I., Dietz S.M.,
 RA Dodson K., Doup L.E., Downes M., Dugan-Rocha S., Dunkov B.C., Dunn P.,
 RA Durbin K.J., Evangelista C.C., Ferraz C., Ferriera S., Fleischmann W.,
 RA Fosler C., Gabrielian A.E., Garg N.S., Gelbart W.M., Glasser K.,
 RA Glodek A., Gong F., Gorrell J.H., Gu Z., Guan P., Harris M.,
 RA Harris N.L., Harvey D.A., Heiman T.J., Hernandez J.R., Houck J.,
 RA Hostin D., Houston K.A., Howland T.J., Wei M.-H., Ibegwam C.,
 RA Jalali M., Kalush F., Karpen G.H., Ke Z., Kennison J.A., Ketchum K.A.,
 RA Kimmel B.E., Kodira C.D., Kraft C., Kravitz S., Kulp D., Lai Z.,
 RA Lasko P., Lei Y., Levitsky A.A., Li J.H., Li Z., Liang Y., Lin X.,
 RA Liu X., Mattei B., McIntosh T.C., McLeod M.P., McPherson D.,
 RA Merkulov G., Milshina N.V., Mobarry C., Morris J., Moshrefi A.,
 RA Mount S.M., Moy M., Murphy B., Murphy L., Muzny D.M., Nelson D.L.,
 RA Nelson D.R., Nelson K.A., Nixon K., Nusskern D.R., Pacleb J.M.,
 RA Palazzolo M., Pittman G.S., Pan S., Pollard J., Puri V., Reese M.G.,
 RA Reinert K., Remington K., Saunders R.D.C., Scheeler F., Shen H.,
 RA Shue B.C., Siden-Kiamos I., Simpson M., Skupski M.P., Smith T.,
 RA Spier E., Spradling A.C., Stapleton M., Strong R., Sun E.,
 RA Svirskas R., Tector C., Turner R., Venter E., Wang A.H., Wang X.,
 RA Wang Z.-Y., Wassarman D.A., Weinstock G.M., Weissenbach J.,
 RA Williams S.M., Woodage T., Worley K.C., Wu D., Yang S., Yao Q.A.,
 RA Ye J., Yeh R.-F., Zaveri J.S., Zhan M., Zhang G., Zhao Q., Zheng L.,
 RA Zheng X.H., Zhong F.N., Zhong W., Zhou X., Zhu S., Zhu X., Smith H.O.,
 RA Gibbs R.A., Myers E.W., Rubin G.M., Venter J.C.;
 RT "The genome sequence of *Drosophila melanogaster*.";
 RL Science 287:2185-2195(2000).
 RN [2]
 RP SEQUENCE FROM N.A.
 RC STRAIN=Berkeley;
 RX MEDLINE=22426071; PubMed=12537574;
 RA Hoskins R.A., Smith C.D., Carlson J.W., Carvalho A.B., Halpern A.,
 RA Kaminker J.S., Kennedy C., Mungall C.J., Sullivan B.A., Sutton G.G.,
 RA Yasuhara J.C., Wakimoto B.T., Myers E.W., Celniker S.E., Rubin G.M.,
 RA Karpen G.H.;
 RT "Heterochromatic sequences in a *Drosophila* whole-genome shotgun
 RT assembly.";
 RL Genome Biol. 3:RESEARCH0085.1-RESEARCH0085.16(2002).
 RN [3]
 RP SEQUENCE FROM N.A.
 RC STRAIN=Berkeley; TISSUE=Embryo;

RX MEDLINE=22426066; PubMed=12537569;
 RA Stapleton M., Carlson J.W., Brokstein P., Yu C., Champe M.,
 RA George R.A., Guarin H., Kronmiller B., Pacleb J.M., Park S., Wan K.H.,
 RA Rubin G.M., Celniker S.E.;
 RT "A Drosophila full-length cDNA resource."
 RL Genome Biol. 3:RESEARCH0080.1-RESEARCH0080.8(2002).
 CC -!- SIMILARITY: Belongs to the UPF0222 family.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 DR EMBL; AY129458; AAM76200.1; -.
 DR FlyBase; FBgn0036531; CG6244.
 DR InterPro; IPR007808; DUF701.
 DR Pfam; PF05129; DUF701; 1.
 KW Hypothetical protein.
 SQ SEQUENCE 82 AA; 9565 MW; 52D5464763E8B236 CRC64;

Query Match 62.5%; Score 5; DB 1; Length 82;
 Best Local Similarity 100.0%; Pred. No. 26;
 Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMD 5
 |||||
 Db 36 EVKMD 40

RESULT 15

U222_MANSE

ID U222_MANSE STANDARD; PRT; 82 AA.
 AC Q9U501;
 DT 28-FEB-2003 (Rel. 41, Created)
 DT 28-FEB-2003 (Rel. 41, Last sequence update)
 DT 15-MAR-2004 (Rel. 43, Last annotation update)
 DE Hypothetical UPF0222 protein.
 OS Manduca sexta (Tobacco hawkmoth) (Tobacco hornworm).
 OC Eukaryota; Metazoa; Arthropoda; Hexapoda; Insecta; Pterygota;
 OC Neoptera; Endopterygota; Lepidoptera; Glossata; Ditrysia; Sphingioidea;
 OC Sphingidae; Sphinginae; Manduca.
 OX NCBI_TaxID=7130;
 RN [1]
 RP SEQUENCE FROM N.A.
 RX MEDLINE=20099029; PubMed=10620045;
 RA Robertson H.M., Martos R., Sears C., Todres E.Z., Walden K.O.,
 RA Nardi J.B.;
 RT "Diversity of odourant binding proteins revealed by an expressed
 RT sequence tag project on male Manduca sexta moth antennae."
 RL Insect Mol. Biol. 8:501-518(1999).
 CC -!- SIMILARITY: Belongs to the UPF0222 family.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -

CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
CC or send an email to license@isb-sib.ch).
CC -----

DR EMBL; AF117587; AAF16709.1; -.
DR InterPro; IPR007808; DUF701.
DR Pfam; PF05129; DUF701; 1.
KW Hypothetical protein.
SQ SEQUENCE 82 AA; 9460 MW; AB889CE023AB4E5C CRC64;

Query Match 62.5%; Score 5; DB 1; Length 82;
Best Local Similarity 100.0%; Pred. No. 26;
Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMD 5
| | | | |
Db 36 EVKMD 40

RESULT 16

U222_CAEEL

ID U222_CAEEL STANDARD; PRT; 84 AA.
AC Q9XVZ8;
DT 28-FEB-2003 (Rel. 41, Created)
DT 28-FEB-2003 (Rel. 41, Last sequence update)
DT 15-MAR-2004 (Rel. 43, Last annotation update)
DE Hypothetical UPF0222 protein Y54G11A.11 in chromosome II.
GN Y54G11A.11.
OS Caenorhabditis elegans.
OC Eukaryota; Metazoa; Nematoda; Chromadorea; Rhabditida; Rhabditoidea;
OC Rhabditidae; Peloderinae; Caenorhabditis.
OX NCBI_TaxID=6239;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=Bristol N2;
RA Wallis J.M.;
RL Submitted (DEC-1998) to the EMBL/GenBank/DDBJ databases.
CC -!- SIMILARITY: Belongs to the UPF0222 family.
CC -----

CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
CC or send an email to license@isb-sib.ch).
CC -----

DR EMBL; AL034488; CAA22454.1; -.
DR PIR; T27174; T27174.
DR WormPep; Y54G11A.11; CE22483.
DR InterPro; IPR007808; DUF701.
DR Pfam; PF05129; DUF701; 1.
KW Hypothetical protein.
SQ SEQUENCE 84 AA; 9667 MW; E996ECFC218D227C CRC64;

Query Match 62.5%; Score 5; DB 1; Length 84;
Best Local Similarity 100.0%; Pred. No. 26;
Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMD 5
|||||
Db 36 EVKMD 40

RESULT 17

YF24_MYCPN

ID YF24_MYCPN STANDARD; PRT; 168 AA.
AC P75254;
DT 16-OCT-2001 (Rel. 40, Created)
DT 16-OCT-2001 (Rel. 40, Last sequence update)
DT 10-OCT-2003 (Rel. 42, Last annotation update)
DE Hypothetical UPF0134 protein MPN524 (G12_orf168).
GN MPN524 OR MP318.
OS Mycoplasma pneumoniae.
OC Bacteria; Firmicutes; Mollicutes; Mycoplasmataceae; Mycoplasma.
OX NCBI_TaxID=2104;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=ATCC 29342 / M129;
RX MEDLINE=97105885; PubMed=8948633;
RA Himmelreich R., Hilbert H., Plagens H., Pirkel E., Li B.-C.,
RA Herrmann R.;
RT "Complete sequence analysis of the genome of the bacterium Mycoplasma
RT pneumoniae.";
RL Nucleic Acids Res. 24:4420-4449(1996).
CC -!- SIMILARITY: Belongs to the UPF0134 family.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
CC or send an email to license@isb-sib.ch).
CC -----
DR EMBL; AE000029; AAB95966.1; -.
DR PIR; S73644; S73644.
DR InterPro; IPR002862; DUF16.
DR Pfam; PF01519; DUF16; 1.
KW Hypothetical protein; Complete proteome.
SQ SEQUENCE 168 AA; 20110 MW; 0878B81DEB019170 CRC64;

Query Match 62.5%; Score 5; DB 1; Length 168;
Best Local Similarity 100.0%; Pred. No. 43;
Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMD 5
|||||
Db 124 EVKMD 128

RESULT 18

YF01_MYCPN

ID YF01_MYCPN STANDARD; PRT; 196 AA.
AC P75286;
DT 16-OCT-2001 (Rel. 40, Created)
DT 16-OCT-2001 (Rel. 40, Last sequence update)
DT 10-OCT-2003 (Rel. 42, Last annotation update)
DE Hypothetical UPF0134 protein MPN501 (P02_orf196).
GN MPN501 OR MP342.
OS Mycoplasma pneumoniae.
OC Bacteria; Firmicutes; Mollicutes; Mycoplasmataceae; Mycoplasma.
OX NCBI_TaxID=2104;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=ATCC 29342 / M129;
RX MEDLINE=97105885; PubMed=8948633;
RA Himmelreich R., Hilbert H., Plagens H., Pirkel E., Li B.-C.,
RA Herrmann R.;
RT "Complete sequence analysis of the genome of the bacterium Mycoplasma
RT pneumoniae.";
RL Nucleic Acids Res. 24:4420-4449(1996).
CC -!- SIMILARITY: Belongs to the UPF0134 family.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
CC or send an email to license@isb-sib.ch).
CC -----
DR EMBL; AE000032; AAB95989.1; -.
DR PIR; S73668; S73668.
DR InterPro; IPR002862; DUF16.
DR Pfam; PF01519; DUF16; 1.
KW Hypothetical protein; Complete proteome.
SQ SEQUENCE 196 AA; 23165 MW; 165C0E960D1EFF48 CRC64;

Query Match 62.5%; Score 5; DB 1; Length 196;
Best Local Similarity 100.0%; Pred. No. 48;
Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 EVKMD 5
| | | | |
Db 166 EVKMD 170

RESULT 19

BIOS_RHIME

ID BIOS_RHIME STANDARD; PRT; 217 AA.
AC O08250;
DT 30-MAY-2000 (Rel. 39, Created)
DT 28-FEB-2003 (Rel. 41, Last sequence update)
DT 28-FEB-2003 (Rel. 41, Last annotation update)
DE Biotin transport regulator.
GN BIOS OR R01535 OR SMC02061.
OS Rhizobium meliloti (Sinorhizobium meliloti).
OC Bacteria; Proteobacteria; Alphaproteobacteria; Rhizobiales;

OC Rhizobiaceae; Sinorhizobium/Ensifer group; Sinorhizobium.
 OX NCBI_TaxID=382;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=1021;
 RX MEDLINE=97449848; PubMed=9304864;
 RA Streit W.R., Phillips D.A.;
 RT "A biotin-regulated locus, bioS, in a possible survival operon of
 RT Rhizobium meliloti.";
 RL Mol. Plant Microbe Interact. 10:933-937(1997).
 RN [2]
 RP SEQUENCE FROM N.A.
 RC STRAIN=1021;
 RX MEDLINE=21396507; PubMed=11481430;
 RA Capela D., Barloy-Hubler F., Gouzy J., Bothe G., Ampe F., Batut J.,
 RA Boistard P., Becker A., Boutry M., Cadieu E., Dreano S., Gloux S.,
 RA Godrie T., Goffeau A., Kahn D., Kiss E., Lelaure V., Masuy D.,
 RA Pohl T., Portetelle D., Puehler A., Purnelle B., Ramsperger U.,
 RA Renard C., Thebault P., Vandenbol M., Weidner S., Galibert F.;
 RT "Analysis of the chromosome sequence of the legume symbiont
 RT Sinorhizobium meliloti strain 1021.";
 RL Proc. Natl. Acad. Sci. U.S.A. 98:9877-9882(2001).
 RN [3]
 RP CHARACTERIZATION.
 RX MEDLINE=99424419; PubMed=10494632;
 RA Heinz E.B., Phillips D.A., Streit W.R.;
 RT "BioS, a biotin-induced, stationary-phase, and possible LysR-type
 RT regulator in Sinorhizobium meliloti.";
 RL Mol. Plant Microbe Interact. 12:803-812(1999).
 CC -!- FUNCTION: MAY BE PART OF A SYSTEM THAT R.MELILOTI USES TO RESPOND
 CC TO PLANT (ALFALFA) BIOTIN SIGNALS.
 CC -!- CAUTION: Ref.1 sequence differs from that shown due to frameshifts
 CC in positions 123, 135, and 152.
 CC -!- CAUTION: When this protein is expressed in E.coli it migrates as a
 CC 36 kDa protein; thus the sequence may be incorrect in the C-
 CC terminal section.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 DR EMBL; U81296; AAB88076.1; ALT_FRAME.
 DR EMBL; AL591787; CAC46114.1; -.
 KW Transcription regulation; Complete proteome.
 SQ SEQUENCE 217 AA; 23827 MW; AEA5E029C076DD80 CRC64;

Query Match 62.5%; Score 5; DB 1; Length 217;
 Best Local Similarity 100.0%; Pred. No. 52;
 Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 4 MDAEF 8
 |||||
 Db 153 MDAEF 157

RESULT 20

HRF1_NPVLD

ID HRF1_NPVLD STANDARD; PRT; 218 AA.
 AC Q90165;
 DT 01-NOV-1997 (Rel. 35, Created)
 DT 01-NOV-1997 (Rel. 35, Last sequence update)
 DT 15-JUL-1999 (Rel. 38, Last annotation update)
 DE Host range factor 1.
 GN HRF-1.
 OS Lymantria dispar multicapsid nuclear polyhedrosis virus (LdMNPV).
 OC Viruses; dsDNA viruses, no RNA stage; Baculoviridae;
 OC Nucleopolyhedrovirus.
 OX NCBI_TaxID=10449;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=Hamden;
 RX MEDLINE=98139158; PubMed=9499118;
 RA Chen C.J., Quentin M.E., Brennan L.A., Kukel C., Thiem S.M.;
 RT "Lymantria dispar nucleopolyhedrovirus hrf-1 expands the larval host
 RT range of Autographa californica nucleopolyhedrovirus."
 RL J. Virol. 72:2526-2531(1998).
 CC -!- FUNCTION: Facilitates AcMNPV replication in two non-permissive
 CC cell lines, IPLB-Ld652Y and IPLB-LdFB.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 DR EMBL; U38895; AAB07701.1; -.
 DR PIR; T30415; T30415.
 SQ SEQUENCE 218 AA; 25675 MW; 5DD2BB0E16802001 CRC64;

Query Match 62.5%; Score 5; DB 1; Length 218;
 Best Local Similarity 100.0%; Pred. No. 52;
 Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 4 MDAEF 8
 |||||
 Db 3 MDAEF 7

RESULT 21

COX2_ALBCO

ID COX2_ALBCO STANDARD; PRT; 224 AA.
 AC P48889;
 DT 01-FEB-1996 (Rel. 33, Created)
 DT 01-FEB-1996 (Rel. 33, Last sequence update)
 DT 28-FEB-2003 (Rel. 41, Last annotation update)
 DE Cytochrome c oxidase polypeptide II (EC 1.9.3.1).
 GN COII.
 OS Albinaria coerulea (Land snail).

OG Mitochondrion.
 OC Eukaryota; Metazoa; Mollusca; Gastropoda; Pulmonata; Stylommatophora;
 OC Sigmurethra; Clausilioidea; Clausiliidae; Alopinae; Albinaria.
 OX NCBI_TaxID=42349;
 RN [1]
 RP SEQUENCE FROM N.A.
 RX MEDLINE=96120351; PubMed=7498775;
 RA Hatzoglou E., Rodakis G.C., Lecanidou R.;
 RT "Complete sequence and gene organization of the mitochondrial genome
 RT of the land snail *Albinaria coerulea*.";
 RL Genetics 140:1353-1366(1995).
 CC -!- FUNCTION: Cytochrome c oxidase is the component of the respiratory
 CC chain that catalyzes the reduction of oxygen to water. Subunits 1-
 CC 3 form the functional core of the enzyme complex. Subunit 2
 CC transfers the electrons from cytochrome c via its binuclear copper
 CC A center to the bimetallic center of the catalytic subunit 1.
 CC -!- CATALYTIC ACTIVITY: 4 ferrocytochrome c + O(2) = 4 ferricytochrome
 CC c + 2 H(2)O.
 CC -!- COFACTOR: Copper A.
 CC -!- SUBCELLULAR LOCATION: Integral membrane protein. Mitochondrial
 CC inner membrane.
 CC -!- SIMILARITY: Belongs to the cytochrome c oxidase subunit 2 family.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 DR EMBL; X83390; CAA58300.1; -.
 DR PIR; S59147; S59147.
 DR InterPro; IPR001505; Copper_CuA.
 DR InterPro; IPR008972; Cupredoxin.
 DR InterPro; IPR002429; Cyt_c_ox_2.
 DR Pfam; PF00116; COX2; 1.
 DR Pfam; PF02790; COX2_TM; 1.
 DR PRINTS; PR01166; CYCOXIDASEII.
 DR ProDom; PD000131; Copper_CuA; 1.
 DR PROSITE; PS00078; COX2; 1.
 KW Oxidoreductase; Copper; Mitochondrion; Transmembrane; Inner membrane;
 KW Electron transport; Respiratory chain.
 FT DOMAIN 1 26 MITOCHONDRIAL INTERMEMBRANE (POTENTIAL).
 FT TRANSMEM 27 48 PROBABLE.
 FT DOMAIN 49 62 MITOCHONDRIAL MATRIX (POTENTIAL).
 FT TRANSMEM 63 82 PROBABLE.
 FT DOMAIN 83 224 MITOCHONDRIAL INTERMEMBRANE (POTENTIAL).
 FT METAL 161 161 COPPER A (PROBABLE).
 FT METAL 196 196 COPPER A (PROBABLE).
 FT METAL 200 200 COPPER A (PROBABLE).
 FT METAL 204 204 COPPER A (PROBABLE).
 SQ SEQUENCE 224 AA; 25246 MW; BD1BC99250F2429A CRC64;

 Query Match 62.5%; Score 5; DB 1; Length 224;
 Best Local Similarity 100.0%; Pred. No. 53;
 Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 2 VKMDA 6
|||||
Db 170 VKMDA 174

RESULT 22

COX2_ALBTU

ID COX2_ALBTU STANDARD; PRT; 224 AA.
AC Q09334;
DT 01-NOV-1995 (Rel. 32, Created)
DT 01-NOV-1995 (Rel. 32, Last sequence update)
DT 28-FEB-2003 (Rel. 41, Last annotation update)
DE Cytochrome c oxidase polypeptide II (EC 1.9.3.1).
GN COII.
OS Albinaria turrita (Door snail).
OG Mitochondrion.
OC Eukaryota; Metazoa; Mollusca; Gastropoda; Pulmonata; Stylommatophora;
OC Sigmurethra; Clausilioidea; Clausiliidae; Alopinae; Albinaria.
OX NCBI_TaxID=27820;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=94275881; PubMed=8007005;
RA Lecanidou R., Douris V., Rodakis G.C.;
RT "Novel features of metazoan mtDNA revealed from sequence analysis of
RT three mitochondrial DNA segments of the land snail Albinaria turrita
RT (Gastropoda: Clausiliidae).";
RL J. Mol. Evol. 38:369-382(1994).
CC -!- FUNCTION: Cytochrome c oxidase is the component of the respiratory
CC chain that catalyzes the reduction of oxygen to water. Subunits 1-
CC 3 form the functional core of the enzyme complex. Subunit 2
CC transfers the electrons from cytochrome c via its binuclear copper
CC A center to the bimetallic center of the catalytic subunit 1.
CC -!- CATALYTIC ACTIVITY: 4 ferrocytochrome c + O(2) = 4 ferricytochrome
CC c + 2 H(2)O.
CC -!- COFACTOR: Copper A.
CC -!- SUBCELLULAR LOCATION: Integral membrane protein. Mitochondrial
CC inner membrane.
CC -!- SIMILARITY: Belongs to the cytochrome c oxidase subunit 2 family.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
CC or send an email to license@isb-sib.ch).
CC -----
DR EMBL; X71395; CAA50517.1; -.
DR InterPro; IPR001505; Copper_CuA.
DR InterPro; IPR008972; Cupredoxin.
DR InterPro; IPR002429; Cyt_c_ox_2.
DR Pfam; PF00116; COX2; 1.
DR Pfam; PF02790; COX2_TM; 1.
DR PRINTS; PR01166; CYCOXIDASEII.
DR ProDom; PD000131; Copper_CuA; 1.
DR PROSITE; PS00078; COX2; 1.

KW Oxidoreductase; Copper; Mitochondrion; Transmembrane; Inner membrane;
 KW Electron transport; Respiratory chain.
 FT DOMAIN 1 26 MITOCHONDRIAL INTERMEMBRANE (POTENTIAL).
 FT TRANSMEM 27 48 PROBABLE.
 FT DOMAIN 49 62 MITOCHONDRIAL MATRIX (POTENTIAL).
 FT TRANSMEM 63 82 PROBABLE.
 FT DOMAIN 83 224 MITOCHONDRIAL INTERMEMBRANE (POTENTIAL).
 FT METAL 161 161 COPPER A (PROBABLE).
 FT METAL 196 196 COPPER A (PROBABLE).
 FT METAL 200 200 COPPER A (PROBABLE).
 FT METAL 204 204 COPPER A (PROBABLE).
 SQ SEQUENCE 224 AA; 25091 MW; 5D44CC670932075A CRC64;

Query Match 62.5%; Score 5; DB 1; Length 224;
 Best Local Similarity 100.0%; Pred. No. 53;
 Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 2 VKMDA 6
 |||||
 Db 170 VKMDA 174

RESULT 23

COX2_PARLI

ID COX2_PARLI STANDARD; PRT; 229 AA.
 AC P12701;
 DT 01-OCT-1989 (Rel. 12, Created)
 DT 01-OCT-1989 (Rel. 12, Last sequence update)
 DT 28-FEB-2003 (Rel. 41, Last annotation update)
 DE Cytochrome c oxidase polypeptide II (EC 1.9.3.1).
 GN COII.
 OS Paracentrotus lividus (Common sea urchin).
 OG Mitochondrion.
 OC Eukaryota; Metazoa; Echinodermata; Eleutherozoa; Echinozoa;
 OC Echinoidea; Euechinoidea; Echinacea; Echinoida; Echinidae;
 OC Paracentrotus.
 OX NCBI_TaxID=7656;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC TISSUE=Egg;
 RX MEDLINE=89291831; PubMed=2544576;
 RA Cantatore P., Roberti M., Rainaldi G., Gadaleta M.N., Saccone C.;
 RT "The complete nucleotide sequence, gene organization, and genetic
 code of the mitochondrial genome of Paracentrotus lividus.";
 RL J. Biol. Chem. 264:10965-10975(1989).
 RN [2]
 RP SEQUENCE OF 1-11 FROM N.A.
 RC TISSUE=Egg;
 RX MEDLINE=87248108; PubMed=3596250;
 RA Cantatore P., Roberti M., Morisco P., Rainaldi G., Gadaleta M.N.,
 RA Saccone C.;
 RT "A novel gene order in the Paracentrotus lividus mitochondrial
 genome.";
 RL Gene 53:41-54(1987).
 CC -!- FUNCTION: Cytochrome c oxidase is the component of the respiratory
 CC chain that catalyzes the reduction of oxygen to water. Subunits 1-
 CC 3 form the functional core of the enzyme complex. Subunit 2

CC transfers the electrons from cytochrome c via its binuclear copper
 CC A center to the bimetallic center of the catalytic subunit 1.
 CC -!- CATALYTIC ACTIVITY: 4 ferrocycytochrome c + O(2) = 4 ferricytochrome
 CC c + 2 H(2)O.
 CC -!- COFACTOR: Copper A.
 CC -!- SUBCELLULAR LOCATION: Integral membrane protein. Mitochondrial
 CC inner membrane.
 CC -!- SIMILARITY: Belongs to the cytochrome c oxidase subunit 2 family.

CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----

DR EMBL; J04815; AAA68137.1; -.
 DR EMBL; M16520; AAA31991.1; -.
 DR PIR; E34284; E34284.
 DR InterPro; IPR001505; Copper_CuA.
 DR InterPro; IPR008972; Cupredoxin.
 DR InterPro; IPR002429; Cyt_c_ox_2.
 DR Pfam; PF00116; COX2; 1.
 DR Pfam; PF02790; COX2_TM; 1.
 DR PRINTS; PR01166; CYCOXIDASEII.
 DR ProDom; PD000131; Copper_CuA; 1.
 DR PROSITE; PS00078; COX2; 1.
 KW Oxidoreductase; Copper; Mitochondrion; Transmembrane; Inner membrane;
 KW Electron transport; Respiratory chain.
 FT DOMAIN 1 26 MITOCHONDRIAL INTERMEMBRANE (POTENTIAL).
 FT TRANSMEM 27 48 POTENTIAL.
 FT DOMAIN 49 62 MITOCHONDRIAL MATRIX (POTENTIAL).
 FT TRANSMEM 63 82 POTENTIAL.
 FT DOMAIN 83 229 MITOCHONDRIAL INTERMEMBRANE (POTENTIAL).
 FT METAL 161 161 COPPER A (PROBABLE).
 FT METAL 196 196 COPPER A (PROBABLE).
 FT METAL 200 200 COPPER A (PROBABLE).
 FT METAL 204 204 COPPER A (PROBABLE).
 FT CONFLICT 9 9 L -> P (IN REF. 2).
 FT CONFLICT 11 11 D -> H (IN REF. 2).
 SQ SEQUENCE 229 AA; 26045 MW; 9FEC52A0EDDB48A0 CRC64;

Query Match 62.5%; Score 5; DB 1; Length 229;
 Best Local Similarity 100.0%; Pred. No. 54;
 Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 2 VKMDA 6
 |||||
 Db 170 VKMDA 174

RESULT 24
 COX2_CARAU
 ID COX2_CARAU STANDARD; PRT; 230 AA.
 AC 078682;
 DT 30-MAY-2000 (Rel. 39, Created)

DT 30-MAY-2000 (Rel. 39, Last sequence update)
 DT 28-FEB-2003 (Rel. 41, Last annotation update)
 DE Cytochrome c oxidase polypeptide II (EC 1.9.3.1).
 GN COXII OR COII.
 OS Carassius auratus (Goldfish).
 OG Mitochondrion.
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Actinopterygii; Neopterygii; Teleostei; Ostariophysi; Cypriniformes;
 OC Cyprinidae; Carassius.
 OX NCBI_TaxID=7957;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=AZ3 / Langsdorfi; TISSUE=Oocyte;
 RA Murakami M., Yamashita Y., Fujitani H.;
 RT "The complete sequence of mitochondrial genome from a gynogenetic
 RT triploid 'ginbuna' (Carassius auratus langsdorfi).";
 RL Zool. Sci. 15:335-337(1998).
 CC -!- FUNCTION: Cytochrome c oxidase is the component of the respiratory
 CC chain that catalyzes the reduction of oxygen to water. Subunits 1-
 CC 3 form the functional core of the enzyme complex. Subunit 2
 CC transfers the electrons from cytochrome c via its binuclear copper
 CC A center to the bimetallic center of the catalytic subunit 1.
 CC -!- CATALYTIC ACTIVITY: 4 ferrocytochrome c + O(2) = 4 ferricytochrome
 CC c + 2 H(2)O.
 CC -!- COFACTOR: Copper A.
 CC -!- SUBCELLULAR LOCATION: Integral membrane protein. Mitochondrial
 CC inner membrane.
 CC -!- SIMILARITY: Belongs to the cytochrome c oxidase subunit 2 family.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 DR EMBL; AB006953; BAA31241.1; -.
 DR HSSP; P18400; 1CYX.
 DR InterPro; IPR001505; Copper_CuA.
 DR InterPro; IPR008972; Cupredoxin.
 DR InterPro; IPR002429; Cyt_c_ox_2.
 DR Pfam; PF00116; COX2; 1.
 DR Pfam; PF02790; COX2_TM; 1.
 DR PRINTS; PR01166; CYCOXIDASEII.
 DR ProDom; PD000131; Copper_CuA; 1.
 DR PROSITE; PS00078; COX2; 1.
 KW Oxidoreductase; Copper; Mitochondrion; Transmembrane; Inner membrane;
 KW Electron transport; Respiratory chain.
 FT DOMAIN 1 26 MITOCHONDRIAL INTERMEMBRANE (POTENTIAL).
 FT TRANSMEM 27 48 PROBABLE.
 FT DOMAIN 49 62 MITOCHONDRIAL MATRIX (POTENTIAL).
 FT TRANSMEM 63 82 PROBABLE.
 FT DOMAIN 83 230 MITOCHONDRIAL INTERMEMBRANE (POTENTIAL).
 FT METAL 161 161 COPPER A (PROBABLE).
 FT METAL 196 196 COPPER A (PROBABLE).
 FT METAL 200 200 COPPER A (PROBABLE).

FT METAL 204 204 COPPER A (PROBABLE).
SQ SEQUENCE 230 AA; 26045 MW; 39A0B54FE31B2377 CRC64;

Query Match 62.5%; Score 5; DB 1; Length 230;
Best Local Similarity 100.0%; Pred. No. 54;
Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 2 VKMDA 6
|||||
Db 170 VKMDA 174

RESULT 25

COX2_CROLA

ID COX2_CROLA STANDARD; PRT; 230 AA.

AC P34189;

DT 01-FEB-1994 (Rel. 28, Created)

DT 01-FEB-1994 (Rel. 28, Last sequence update)

DT 28-FEB-2003 (Rel. 41, Last annotation update)

DE Cytochrome c oxidase polypeptide II (EC 1.9.3.1).

GN COXII OR COII.

OS Crossostoma lacustre (Oriental stream loach).

OG Mitochondrion.

OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;

OC Actinopterygii; Neopterygii; Teleostei; Ostariophysi; Cypriniformes;

OC Balitoridae; Crossostoma.

OX NCBI_TaxID=7980;

RN [1]

RP SEQUENCE FROM N.A.

RX MEDLINE=93027205; PubMed=1408800;

RA Tzeng C.-S., Hui C.-F., Shen S.-C., Huang P.C.;

RT "The complete nucleotide sequence of the Crossostoma lacustre

RT mitochondrial genome: conservation and variations among

RT vertebrates.";

RL Nucleic Acids Res. 20:4853-4858(1992).

CC -!- FUNCTION: Cytochrome c oxidase is the component of the respiratory
CC chain that catalyzes the reduction of oxygen to water. Subunits 1-
CC 3 form the functional core of the enzyme complex. Subunit 2
CC transfers the electrons from cytochrome c via its binuclear copper
CC A center to the bimetallic center of the catalytic subunit 1.

CC -!- CATALYTIC ACTIVITY: 4 ferrocytochrome c + O(2) = 4 ferricytochrome
CC c + 2 H(2)O.

CC -!- COFACTOR: Copper A.

CC -!- SUBCELLULAR LOCATION: Integral membrane protein. Mitochondrial
CC inner membrane.

CC -!- SIMILARITY: Belongs to the cytochrome c oxidase subunit 2 family.

CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
CC or send an email to license@isb-sib.ch).
CC -----

DR EMBL; M91245; AAB96814.1; -.

DR PIR; S35465; S35465.

DR HSSP; P18400; 1CYX.
 DR InterPro; IPR001505; Copper_CuA.
 DR InterPro; IPR008972; Cupredoxin.
 DR InterPro; IPR002429; Cyt_c_ox_2.
 DR Pfam; PF00116; COX2; 1.
 DR Pfam; PF02790; COX2_TM; 1.
 DR PRINTS; PR01166; CYCOXIDASEII.
 DR ProDom; PD000131; Copper_CuA; 1.
 DR PROSITE; PS00078; COX2; 1.
 KW Oxidoreductase; Copper; Mitochondrion; Transmembrane; Inner membrane;
 KW Electron transport; Respiratory chain.
 FT DOMAIN 1 26 MITOCHONDRIAL INTERMEMBRANE (POTENTIAL).
 FT TRANSMEM 27 48 POTENTIAL.
 FT DOMAIN 49 62 MITOCHONDRIAL MATRIX (POTENTIAL).
 FT TRANSMEM 63 82 POTENTIAL.
 FT DOMAIN 83 230 MITOCHONDRIAL INTERMEMBRANE (POTENTIAL).
 FT METAL 161 161 COPPER A (PROBABLE).
 FT METAL 196 196 COPPER A (PROBABLE).
 FT METAL 200 200 COPPER A (PROBABLE).
 FT METAL 204 204 COPPER A (PROBABLE).
 SQ SEQUENCE 230 AA; 26093 MW; 73D11DE016194329 CRC64;

 Query Match 62.5%; Score 5; DB 1; Length 230;
 Best Local Similarity 100.0%; Pred. No. 54;
 Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

 Qy 2 VKMDA 6
 |||||
 Db 170 VKMDA 174

RESULT 26

COX2_CYPCA

ID COX2_CYPCA STANDARD; PRT; 230 AA.
 AC P24987;
 DT 01-MAR-1992 (Rel. 21, Created)
 DT 01-MAR-1992 (Rel. 21, Last sequence update)
 DT 28-FEB-2003 (Rel. 41, Last annotation update)
 DE Cytochrome c oxidase polypeptide II (EC 1.9.3.1).
 GN MTCO2 OR COXII OR COII.
 OS Cyprinus carpio (Common carp).
 OG Mitochondrion.
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Actinopterygii; Neopterygii; Teleostei; Ostariophysi; Cypriniformes;
 OC Cyprinidae; Cyprinus.
 OX NCBI_TaxID=7962;
 RN [1]
 RP SEQUENCE FROM N.A.
 RX MEDLINE=94223691; PubMed=8169959;
 RA Chang Y.S., Huang F.L., Lo T.B.;
 RT "The complete nucleotide sequence and gene organization of carp
 (Cyprinus carpio) mitochondrial genome."
 RL J. Mol. Evol. 38:138-155(1994).
 CC -!- FUNCTION: Cytochrome c oxidase is the component of the respiratory
 CC chain that catalyzes the reduction of oxygen to water. Subunits 1-
 CC 3 form the functional core of the enzyme complex. Subunit 2
 CC transfers the electrons from cytochrome c via its binuclear copper

CC A center to the bimetallic center of the catalytic subunit 1.
 CC -!- CATALYTIC ACTIVITY: 4 ferrocycytochrome c + O(2) = 4 ferricytochrome
 CC c + 2 H(2)O.
 CC -!- COFACTOR: Copper A.
 CC -!- SUBCELLULAR LOCATION: Integral membrane protein. Mitochondrial
 CC inner membrane.
 CC -!- SIMILARITY: Belongs to the cytochrome c oxidase subunit 2 family.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 DR EMBL; X61010; CAA43340.1; -.
 DR PIR; S36009; S36009.
 DR HSSP; P18400; 1CYX.
 DR InterPro; IPR001505; Copper_CuA.
 DR InterPro; IPR008972; Cupredoxin.
 DR InterPro; IPR002429; Cyt_c_ox_2.
 DR Pfam; PF00116; COX2; 1.
 DR Pfam; PF02790; COX2_TM; 1.
 DR PRINTS; PR01166; CYCOXIDASEII.
 DR ProDom; PD000131; Copper_CuA; 1.
 DR PROSITE; PS00078; COX2; 1.
 KW Oxidoreductase; Copper; Mitochondrion; Transmembrane; Inner membrane;
 KW Electron transport; Respiratory chain.
 FT DOMAIN 1 26 MITOCHONDRIAL INTERMEMBRANE (POTENTIAL).
 FT TRANSMEM 27 48 POTENTIAL.
 FT DOMAIN 49 62 MITOCHONDRIAL MATRIX (POTENTIAL).
 FT TRANSMEM 63 82 POTENTIAL.
 FT DOMAIN 83 230 MITOCHONDRIAL INTERMEMBRANE (POTENTIAL).
 FT METAL 161 161 COPPER A (PROBABLE).
 FT METAL 196 196 COPPER A (PROBABLE).
 FT METAL 200 200 COPPER A (PROBABLE).
 FT METAL 204 204 COPPER A (PROBABLE).
 SQ SEQUENCE 230 AA; 25999 MW; 237E10E13DBDDFED CRC64;

Query Match 62.5%; Score 5; DB 1; Length 230;
 Best Local Similarity 100.0%; Pred. No. 54;
 Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 2 VKMDA 6
 |||||
 Db 170 VKMDA 174

RESULT 27
 COX2_ONCMY
 ID COX2_ONCMY STANDARD; PRT; 230 AA.
 AC P48171;
 DT 01-FEB-1996 (Rel. 33, Created)
 DT 01-FEB-1996 (Rel. 33, Last sequence update)
 DT 28-FEB-2003 (Rel. 41, Last annotation update)
 DE Cytochrome c oxidase polypeptide II (EC 1.9.3.1).

GN COXII OR COII.
 OS *Oncorhynchus mykiss* (Rainbow trout) (*Salmo gairdneri*).
 OG Mitochondrion.
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Actinopterygii; Neopterygii; Teleostei; Euteleostei;
 OC Protacanthopterygii; Salmoniformes; Salmonidae; *Oncorhynchus*.
 OX NCBI_TaxID=8022;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC TISSUE=Liver;
 RX MEDLINE=96139027; PubMed=8587139;
 RA Zardoya R., Garrido-Pertierra A., Bautista J.M.;
 RT "The complete nucleotide sequence of the mitochondrial DNA genome of
 RT the rainbow trout, *Oncorhynchus mykiss*."
 RL J. Mol. Evol. 41:942-951(1995).
 CC -!- FUNCTION: Cytochrome c oxidase is the component of the respiratory
 CC chain that catalyzes the reduction of oxygen to water. Subunits 1-
 CC 3 form the functional core of the enzyme complex. Subunit 2
 CC transfers the electrons from cytochrome c via its binuclear copper
 CC A center to the bimetallic center of the catalytic subunit 1.
 CC -!- CATALYTIC ACTIVITY: 4 ferrocytochrome c + O(2) = 4 ferricytochrome
 CC c + 2 H(2)O.
 CC -!- COFACTOR: Copper A.
 CC -!- SUBCELLULAR LOCATION: Integral membrane protein. Mitochondrial
 CC inner membrane.
 CC -!- SIMILARITY: Belongs to the cytochrome c oxidase subunit 2 family.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 DR EMBL; L29771; AAB03350.1; -.
 DR PIR; T09860; T09860.
 DR HSSP; P18400; 1CYX.
 DR InterPro; IPR001505; Copper_CuA.
 DR InterPro; IPR008972; Cupredoxin.
 DR InterPro; IPR002429; Cyt_c_ox_2.
 DR Pfam; PF00116; COX2; 1.
 DR Pfam; PF02790; COX2_TM; 1.
 DR PRINTS; PR01166; CYCOXIDASEII.
 DR ProDom; PD000131; Copper_CuA; 1.
 DR PROSITE; PS00078; COX2; 1.
 KW Oxidoreductase; Copper; Mitochondrion; Transmembrane; Inner membrane;
 KW Electron transport; Respiratory chain.
 FT DOMAIN 1 26 MITOCHONDRIAL INTERMEMBRANE (POTENTIAL).
 FT TRANSMEM 27 48 PROBABLE.
 FT DOMAIN 49 62 MITOCHONDRIAL MATRIX (POTENTIAL).
 FT TRANSMEM 63 82 PROBABLE.
 FT DOMAIN 83 230 MITOCHONDRIAL INTERMEMBRANE (POTENTIAL).
 FT METAL 161 161 COPPER A (PROBABLE).
 FT METAL 196 196 COPPER A (PROBABLE).
 FT METAL 200 200 COPPER A (PROBABLE).
 FT METAL 204 204 COPPER A (PROBABLE).

SQ SEQUENCE 230 AA; 26029 MW; 51D42ED68BEF16B5 CRC64;

Query Match 62.5%; Score 5; DB 1; Length 230;
Best Local Similarity 100.0%; Pred. No. 54;
Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 2 VKMDA 6
|||||
Db 170 VKMDA 174

RESULT 28

COX2_SALSA

ID COX2_SALSA STANDARD; PRT; 230 AA.
AC Q37677; Q9MPG8;
DT 01-NOV-1997 (Rel. 35, Created)
DT 16-OCT-2001 (Rel. 40, Last sequence update)
DT 28-FEB-2003 (Rel. 41, Last annotation update)
DE Cytochrome c oxidase polypeptide II (EC 1.9.3.1).
GN COXII OR COII.
OS Salmo salar (Atlantic salmon).
OG Mitochondrion.
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
OC Actinopterygii; Neopterygii; Teleostei; Euteleostei;
OC Protacanthopterygii; Salmoniformes; Salmonidae; Salmo.
OX NCBI_TaxID=8030;
RN [1]
RP SEQUENCE FROM N.A.
RC TISSUE=Liver;
RX MEDLINE=20018174; PubMed=10548724;
RA Hurst C.D., Bartlett S.E., Davidson W.S., Bruce I.J.;
RT "The complete mitochondrial DNA sequence of the Atlantic salmon, Salmo
RT salar.";
RL Gene 239:237-242(1999).
RN [2]
RP SEQUENCE FROM N.A.
RA Arnason U., Johnsson E., Rasmussen A.S.;
RT "The complete mitochondrial genome sequence of a teleost, Salmo salar,
RT and comparisons with other salmoniformes.";
RL Submitted (MAR-1999) to the EMBL/GenBank/DDBJ databases.
RN [3]
RP SEQUENCE OF 85-230 FROM N.A.
RC TISSUE=Kidney;
RA Hardiman G.T., Wolff J., Peden J., Gannon F.;
RT "Isolation of Atlantic Salmon (Salmo salar) cytochrome c oxidase
RT subunit II gene (coxII).";
RL J. Appl. Ichthyol. 10:64-68(1994).
RN [4]
RP REVISIONS.
RA Hardiman G.T.;
RL Submitted (SEP-1996) to the EMBL/GenBank/DDBJ databases.
CC -!- FUNCTION: Cytochrome c oxidase is the component of the respiratory
CC chain that catalyzes the reduction of oxygen to water. Subunits 1-
CC 3 form the functional core of the enzyme complex. Subunit 2
CC transfers the electrons from cytochrome c via its binuclear copper
CC A center to the bimetallic center of the catalytic subunit 1.
CC -!- CATALYTIC ACTIVITY: 4 ferrocytochrome c + O(2) = 4 ferricytochrome

```

CC      c + 2 H(2)O.
CC      -!- COFACTOR: Copper A.
CC      -!- SUBCELLULAR LOCATION: Integral membrane protein. Mitochondrial
CC      inner membrane.
CC      -!- SIMILARITY: Belongs to the cytochrome c oxidase subunit 2 family.
CC      -----
CC      This SWISS-PROT entry is copyright. It is produced through a collaboration
CC      between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC      the European Bioinformatics Institute. There are no restrictions on its
CC      use by non-profit institutions as long as its content is in no way
CC      modified and this statement is not removed. Usage by and for commercial
CC      entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC      or send an email to license@isb-sib.ch).
CC      -----
DR      EMBL; U12143; AAD04736.1; -.
DR      EMBL; AF133701; AAF61381.1; -.
DR      EMBL; L04501; AAB08524.1; -.
DR      PIR; T09950; T09950.
DR      HSSP; P18400; 1CYX.
DR      InterPro; IPR001505; Copper_CuA.
DR      InterPro; IPR008972; Cupredoxin.
DR      InterPro; IPR002429; Cyt_c_ox_2.
DR      Pfam; PF00116; COX2; 1.
DR      Pfam; PF02790; COX2_TM; 1.
DR      PRINTS; PR01166; CYCOXIDASEII.
DR      ProDom; PD000131; Copper_CuA; 1.
DR      PROSITE; PS00078; COX2; 1.
KW      Oxidoreductase; Copper; Mitochondrion; Transmembrane; Inner membrane;
KW      Electron transport; Respiratory chain.
FT      DOMAIN      1      26      MITOCHONDRIAL INTERMEMBRANE (POTENTIAL).
FT      TRANSMEM      27      48      PROBABLE.
FT      DOMAIN      49      62      MITOCHONDRIAL MATRIX (POTENTIAL).
FT      TRANSMEM      63      82      PROBABLE.
FT      DOMAIN      83     230      MITOCHONDRIAL INTERMEMBRANE (POTENTIAL).
FT      METAL      161     161      COPPER A (PROBABLE).
FT      METAL      196     196      COPPER A (PROBABLE).
FT      METAL      200     200      COPPER A (PROBABLE).
FT      METAL      204     204      COPPER A (PROBABLE).
FT      CONFLICT     175     175      S -> V (IN REF. 1).
FT      CONFLICT     209     209      I -> V (IN REF. 3).
FT      CONFLICT     227     230      LEDA -> TW (IN REF. 3).
SQ      SEQUENCE     230 AA; 26016 MW; 405C95AA58112AF4 CRC64;

```

```

Query Match          62.5%; Score 5; DB 1; Length 230;
Best Local Similarity 100.0%; Pred. No. 54;
Matches      5; Conservative      0; Mismatches      0; Indels      0; Gaps      0;

```

```

QY      2 VKMDA 6
        |||||
Db      170 VKMDA 174

```

```

RESULT 29
COX2_SCYCA
ID      COX2_SCYCA      STANDARD;      PRT;      230 AA.
AC      079404;
DT      15-DEC-1998 (Rel. 37, Created)

```


DT 15-DEC-1998 (Rel. 37, Last sequence update)
 DT 28-FEB-2003 (Rel. 41, Last annotation update)
 DE Cytochrome c oxidase polypeptide II (EC 1.9.3.1).
 GN COXII OR COII.
 OS Scyliorhinus canicula (Spotted dogfish) (Spotted catshark).
 OG Mitochondrion.
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Chondrichthyes;
 OC Elasmobranchii; Galeomorphii; Galeoidea; Carcharhiniformes;
 OC Scyliorhinidae; Scyliorhinus.
 OX NCBI_TaxID=7830;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC TISSUE=Muscle;
 RX MEDLINE=98393590; PubMed=9725850;
 RA Delarbre C., Spruyt N., Delmarre C., Gallut C., Barriel V.,
 RA Janvier P., Laudet V., Gachelin G.;
 RT "The complete nucleotide sequence of the mitochondrial DNA of the
 RT dogfish, Scyliorhinus canicula.";
 RL Genetics 150:331-344(1998).
 CC -!- FUNCTION: Cytochrome c oxidase is the component of the respiratory
 CC chain that catalyzes the reduction of oxygen to water. Subunits 1-
 CC 3 form the functional core of the enzyme complex. Subunit 2
 CC transfers the electrons from cytochrome c via its binuclear copper
 CC A center to the bimetallic center of the catalytic subunit 1.
 CC -!- CATALYTIC ACTIVITY: 4 ferrocytochrome c + O(2) = 4 ferricytochrome
 CC c + 2 H(2)O.
 CC -!- COFACTOR: Copper A.
 CC -!- SUBCELLULAR LOCATION: Integral membrane protein. Mitochondrial
 CC inner membrane.
 CC -!- SIMILARITY: Belongs to the cytochrome c oxidase subunit 2 family.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 DR EMBL; Y16067; CAA76022.1; -.
 DR PIR; T11303; T11303.
 DR InterPro; IPR001505; Copper_CuA.
 DR InterPro; IPR008972; Cupredoxin.
 DR InterPro; IPR002429; Cyt_c_ox_2.
 DR Pfam; PF00116; COX2; 1.
 DR Pfam; PF02790; COX2_TM; 1.
 DR PRINTS; PR01166; CYCOXIDASEII.
 DR ProDom; PD000131; Copper_CuA; 1.
 DR PROSITE; PS00078; COX2; 1.
 KW Oxidoreductase; Copper; Mitochondrion; Transmembrane; Inner membrane;
 KW Electron transport; Respiratory chain.
 FT DOMAIN 1 26 MITOCHONDRIAL INTERMEMBRANE (POTENTIAL).
 FT TRANSMEM 27 48 PROBABLE.
 FT DOMAIN 49 62 MITOCHONDRIAL MATRIX (POTENTIAL).
 FT TRANSMEM 63 82 PROBABLE.
 FT DOMAIN 83 230 MITOCHONDRIAL INTERMEMBRANE (POTENTIAL).
 FT METAL 161 161 COPPER A (PROBABLE).

FT METAL 196 196 COPPER A (PROBABLE).
 FT METAL 200 200 COPPER A (PROBABLE).
 FT METAL 204 204 COPPER A (PROBABLE).
 SQ SEQUENCE 230 AA; 26198 MW; 89311D5BD5BF7397 CRC64;

Query Match 62.5%; Score 5; DB 1; Length 230;
 Best Local Similarity 100.0%; Pred. No. 54;
 Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 2 VKMDA 6
 |||||
 Db 170 VKMDA 174

RESULT 30

COX2_SQUAC

ID COX2_SQUAC STANDARD; PRT; 230 AA.
 AC Q9ZZ51;
 DT 30-MAY-2000 (Rel. 39, Created)
 DT 30-MAY-2000 (Rel. 39, Last sequence update)
 DT 28-FEB-2003 (Rel. 41, Last annotation update)
 DE Cytochrome c oxidase polypeptide II (EC 1.9.3.1).
 GN COXII OR COII.
 OS Squalus acanthias (Spiny dogfish).
 OG Mitochondrion.
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Chondrichthyes;
 OC Elasmobranchii; Squalia; Squaloidei; Squalidae; Squalus.
 OX NCBI_TaxID=7797;
 RN [1]
 RP SEQUENCE FROM N.A.
 RX MEDLINE=99091711; PubMed=9873084;
 RA Rasmussen A.S., Arnason U.;
 RT "Phylogenetic studies of complete mitochondrial DNA molecules place
 RT cartilaginous fishes within the tree of bony fishes."
 RL J. Mol. Evol. 48:118-123(1999).
 CC -!- FUNCTION: Cytochrome c oxidase is the component of the respiratory
 CC chain that catalyzes the reduction of oxygen to water. Subunits 1-
 CC 3 form the functional core of the enzyme complex. Subunit 2
 CC transfers the electrons from cytochrome c via its binuclear copper
 CC A center to the bimetallic center of the catalytic subunit 1.
 CC -!- CATALYTIC ACTIVITY: 4 ferrocytochrome c + O(2) = 4 ferricytochrome
 CC c + 2 H(2)O.
 CC -!- COFACTOR: Copper A.
 CC -!- SUBCELLULAR LOCATION: Integral membrane protein. Mitochondrial
 CC inner membrane.
 CC -!- SIMILARITY: Belongs to the cytochrome c oxidase subunit 2 family.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 DR EMBL; Y18134; CAA77052.1; -.
 DR PIR; T11537; T11537.

DR InterPro; IPR001505; Copper_CuA.
 DR InterPro; IPR008972; Cupredoxin.
 DR InterPro; IPR002429; Cyt_c_ox_2.
 DR Pfam; PF00116; COX2; 1.
 DR Pfam; PF02790; COX2_TM; 1.
 DR PRINTS; PR01166; CYCOXIDASEII.
 DR ProDom; PD000131; Copper_CuA; 1.
 DR PROSITE; PS00078; COX2; 1.
 KW Oxidoreductase; Copper; Mitochondrion; Transmembrane; Inner membrane;
 KW Electron transport; Respiratory chain.
 FT DOMAIN 1 26 MITOCHONDRIAL INTERMEMBRANE (POTENTIAL).
 FT TRANSMEM 27 48 POTENTIAL.
 FT DOMAIN 49 62 MITOCHONDRIAL MATRIX (POTENTIAL).
 FT TRANSMEM 63 82 POTENTIAL.
 FT DOMAIN 83 230 MITOCHONDRIAL INTERMEMBRANE (POTENTIAL).
 FT METAL 161 161 COPPER A (PROBABLE).
 FT METAL 196 196 COPPER A (PROBABLE).
 FT METAL 200 200 COPPER A (PROBABLE).
 FT METAL 204 204 COPPER A (PROBABLE).
 SQ SEQUENCE 230 AA; 26246 MW; AC04C362577055A4 CRC64;

 Query Match 62.5%; Score 5; DB 1; Length 230;
 Best Local Similarity 100.0%; Pred. No. 54;
 Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 2 VKMDA 6
 |||||
 Db 170 VKMDA 174

RESULT 31

COX2_LATCH

ID COX2_LATCH STANDARD; PRT; 231 AA.
 AC O03848;
 DT 15-JUL-1998 (Rel. 36, Created)
 DT 15-JUL-1998 (Rel. 36, Last sequence update)
 DT 28-FEB-2003 (Rel. 41, Last annotation update)
 DE Cytochrome c oxidase polypeptide II (EC 1.9.3.1).
 GN COII.
 OS Latimeria chalumnae (Latimeria) (Coelacanth).
 OG Mitochondrion.
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Coelacanthiformes; Coelacanthidae; Latimeria.
 OX NCBI_TaxID=7897;
 RN [1]
 RP SEQUENCE FROM N.A.
 RA Zardoya R., Meyer A.;
 RL Submitted (DEC-1996) to the EMBL/GenBank/DDBJ databases.
 CC -!- FUNCTION: Cytochrome c oxidase is the component of the respiratory
 CC chain that catalyzes the reduction of oxygen to water. Subunits 1-
 CC 3 form the functional core of the enzyme complex. Subunit 2
 CC transfers the electrons from cytochrome c via its binuclear copper
 CC A center to the bimetallic center of the catalytic subunit 1.
 CC -!- CATALYTIC ACTIVITY: 4 ferrocytochrome c + O(2) = 4 ferricytochrome
 CC c + 2 H(2)O.
 CC -!- COFACTOR: Copper A.
 CC -!- SUBCELLULAR LOCATION: Integral membrane protein. Mitochondrial

CC inner membrane.
 CC -!- SIMILARITY: Belongs to the cytochrome c oxidase subunit 2 family.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 DR EMBL; U82228; AAC60321.1; -.
 DR InterPro; IPR001505; Copper_CuA.
 DR InterPro; IPR008972; Cupredoxin.
 DR InterPro; IPR002429; Cyt_c_ox_2.
 DR Pfam; PF00116; COX2; 1.
 DR Pfam; PF02790; COX2_TM; 1.
 DR PRINTS; PR01166; CYCOXIDASEII.
 DR ProDom; PD000131; Copper_CuA; 1.
 DR PROSITE; PS00078; COX2; 1.
 KW Oxidoreductase; Copper; Mitochondrion; Transmembrane; Inner membrane;
 KW Electron transport; Respiratory chain.
 FT DOMAIN 1 26 MITOCHONDRIAL INTERMEMBRANE (POTENTIAL).
 FT TRANSMEM 27 48 POTENTIAL.
 FT DOMAIN 49 62 MITOCHONDRIAL MATRIX (POTENTIAL).
 FT TRANSMEM 63 82 POTENTIAL.
 FT DOMAIN 83 231 MITOCHONDRIAL INTERMEMBRANE (POTENTIAL).
 FT METAL 161 161 COPPER A (PROBABLE).
 FT METAL 196 196 COPPER A (PROBABLE).
 FT METAL 200 200 COPPER A (PROBABLE).
 FT METAL 204 204 COPPER A (PROBABLE).
 SQ SEQUENCE 231 AA; 26398 MW; 70FEE6EC09C47FA7 CRC64;

Query Match 62.5%; Score 5; DB 1; Length 231;
 Best Local Similarity 100.0%; Pred. No. 54;
 Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 2 VKMDA 6
 |||||
 Db 170 VKMDA 174

RESULT 32

RSUA_VIBVU

ID RSUA_VIBVU STANDARD; PRT; 233 AA.
 AC Q8D8X2;
 DT 10-OCT-2003 (Rel. 42, Created)
 DT 10-OCT-2003 (Rel. 42, Last sequence update)
 DT 10-OCT-2003 (Rel. 42, Last annotation update)
 DE Ribosomal small subunit pseudouridine synthase A (EC 4.2.1.70) (16S
 DE pseudouridylate 516 synthase) (16S pseudouridine 516 synthase) (Uracil
 DE hydrolyase).
 GN RSUA OR VV12843.
 OS Vibrio vulnificus.
 OC Bacteria; Proteobacteria; Gammaproteobacteria; Vibrionales;
 OC Vibrionaceae; Vibrio.
 OX NCBI_TaxID=672;

RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=CMCP6;
 RA Rhee J.H., Kim S.Y., Chung S.S., Kim J.J., Moon Y.H., Jeong H.,
 RA Choy H.E.;
 RT "Complete genome sequence of *Vibrio vulnificus* CMCP6.";
 RL Submitted (DEC-2002) to the EMBL/GenBank/DDBJ databases.
 CC -!- FUNCTION: Responsible for synthesis of pseudouridine from
 CC uracil-516 in 16S ribosomal RNA (By similarity).
 CC -!- CATALYTIC ACTIVITY: Uracil + D-ribose 5-phosphate = pseudouridine
 CC 5'-phosphate + H(2)O.
 CC -!- SIMILARITY: Belongs to the pseudouridine synthase rsuA family.
 CC -!- SIMILARITY: Contains 1 S4 RNA-binding domain.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 DR EMBL; AE016806; AAO11180.1; -.
 DR InterPro; IPR006145; PseudoU_synth.
 DR InterPro; IPR000748; Psi__synth_RSU.
 DR InterPro; IPR002942; S4.
 DR Pfam; PF00849; PseudoU_synth_2; 1.
 DR Pfam; PF01479; S4; 1.
 DR SMART; SM00363; S4; 1.
 DR TIGRFAMs; TIGR00093; TIGR00093; 1.
 DR PROSITE; PS01149; PSI_RSU; 1.
 DR PROSITE; PS50889; S4; 1.
 KW rRNA processing; Lyase; RNA-binding; Complete proteome.
 FT DOMAIN 1 67 S4 RNA-BINDING.
 FT ACT_SITE 101 101 BY SIMILARITY.
 SQ SEQUENCE 233 AA; 26592 MW; 9B1A9249A80C8912 CRC64;

Query Match 62.5%; Score 5; DB 1; Length 233;
 Best Local Similarity 100.0%; Pred. No. 55;
 Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 EVKMD 5
 |||||
 Db 88 EVKMD 92

RESULT 33

CD8A_MOUSE

ID CD8A_MOUSE STANDARD; PRT; 247 AA.
 AC P01731;
 DT 21-JUL-1986 (Rel. 01, Created)
 DT 21-JUL-1986 (Rel. 01, Last sequence update)
 DT 10-OCT-2003 (Rel. 42, Last annotation update)
 DE T-cell surface glycoprotein CD8 alpha chain precursor (T-cell surface
 DE glycoprotein LYT-2).
 GN CD8A OR LYT2 OR LYT-2.
 OS Mus musculus (Mouse).

OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
 OX NCBI_TaxID=10090;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=BALB/c;
 RX MEDLINE=85270477; PubMed=3927298;
 RA Nakauchi H., Nolan G.P., Hsu C., Huang H.S., Kavathas P.,
 RA Herzenberg L.A.;
 RT "Molecular cloning of Lyt-2, a membrane glycoprotein marking a subset
 RT of mouse T lymphocytes: molecular homology to its human counterpart,
 RT Leu-2/T8, and to immunoglobulin variable regions.";
 RL Proc. Natl. Acad. Sci. U.S.A. 82:5126-5130(1985).
 RN [2]
 RP SEQUENCE FROM N.A.
 RX MEDLINE=86079485; PubMed=3935316;
 RA Zamoyska R., Vollmer A.C., Sizer K.C., Liaw C.W., Parnes J.R.;
 RT "Two Lyt-2 polypeptides arise from a single gene by alternative
 RT splicing patterns of mRNA.";
 RL Cell 43:153-163(1985).
 RN [3]
 RP SEQUENCE FROM N.A.
 RX MEDLINE=87231009; PubMed=3495785;
 RA Nakauchi H., Tagawa M., Nolan G.P., Herzenberg L.A.;
 RT "Isolation and characterization of the gene for the murine T cell
 RT differentiation antigen and immunoglobulin-related molecule, Lyt-2.";
 RL Nucleic Acids Res. 15:4337-4347(1987).
 RN [4]
 RP SEQUENCE FROM N.A.
 RC STRAIN=C.AKR;
 RX MEDLINE=89006895; PubMed=3267233;
 RA Youn H.J., Harriss J.V., Gottlieb P.D.;
 RT "Nucleotide sequence analysis of the C.AKR Lyt-2a gene: structural
 RT polymorphism in alleles encoding the Lyt-2.1 T-cell surface
 RT alloantigen.";
 RL Immunogenetics 28:345-352(1988).
 RN [5]
 RP SEQUENCE FROM N.A.
 RX MEDLINE=86252252; PubMed=3487583;
 RA Liaw C.W., Zamoyska R., Parnes J.R.;
 RT "Structure, sequence, and polymorphism of the Lyt-2 T cell
 RT differentiation antigen gene.";
 RL J. Immunol. 137:1037-1043(1986).
 RN [6]
 RP X-RAY CRYSTALLOGRAPHY (2.8 ANGSTROMS) OF 28-152 IN COMPLEX WITH H-2KB.
 RX MEDLINE=99021475; PubMed=9806638;
 RA Kern P.S., Teng M.K., Smolyar A., Liu J.H., Liu J., Hussey R.E.,
 RA Spoerl R., Chang H.-C., Reinherz E.L., Wang J.-H.;
 RT "Structural basis of CD8 coreceptor function revealed by
 RT crystallographic analysis of a murine CD8alphaalpha ectodomain
 RT fragment in complex with H-2Kb.";
 RL Immunity 9:519-530(1998).
 CC -!- FUNCTION: Identifies cytotoxic/suppressor T-cells that interact
 CC with MHC class I bearing targets. CD8 is thought to play a role in
 CC the process of T-cell mediated killing. CD8 alpha chains binds to
 CC class I MHC molecules alpha-3 domains.
 CC -!- SUBUNIT: In general heterodimer of an alpha and a beta chain

```

CC      linked by two disulfide bonds. Can also form homodimers.
CC      -!- SUBCELLULAR LOCATION: Type I membrane protein.
CC      -!- ALTERNATIVE PRODUCTS:
CC          Event=Alternative splicing; Named isoforms=1;
CC          Comment=A number of isoforms are produced. Alternative splicing
CC          involves excision of the transmembrane or cytoplasmic domains;
CC          Name=1;
CC          IsoId=P01731-1; Sequence=Displayed;
CC      -!- SIMILARITY: Contains 1 immunoglobulin-like V-type domain.
CC      -----
CC      This SWISS-PROT entry is copyright. It is produced through a collaboration
CC      between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC      the European Bioinformatics Institute. There are no restrictions on its
CC      use by non-profit institutions as long as its content is in no way
CC      modified and this statement is not removed. Usage by and for commercial
CC      entities requires a license agreement (See http://www.isb-sib.ch/announce/
CC      or send an email to license@isb-sib.ch).
CC      -----
DR      EMBL; M12825; AAA39476.1; -.
DR      EMBL; M16981; AAA39477.1; ALT_TERM.
DR      EMBL; M12052; AAA39478.1; -.
DR      EMBL; Y00157; CAA68352.2; -.
DR      EMBL; M22064; AAA39665.1; -.
DR      EMBL; M12977; AAA39475.1; -.
DR      EMBL; M12819; AAA39475.1; JOINED.
DR      EMBL; M12975; AAA39475.1; JOINED.
DR      EMBL; M12976; AAA39475.1; JOINED.
DR      PIR; A01998; RWMST2.
DR      PIR; A29523; A29523.
DR      PDB; 1BQH; 19-AUG-98.
DR      MGD; MGI:88346; Cd8a.
DR      GO; GO:0009986; C:cell surface; IDA.
DR      GO; GO:0042101; C:T-cell receptor complex; ISS.
DR      GO; GO:0015026; F:coreceptor activity; ISS.
DR      GO; GO:0042288; F:MHC class I protein binding; ISS.
DR      GO; GO:0005515; F:protein binding; ISS.
DR      GO; GO:0016066; P:cellular defense response (sensu Vertebrata); IMP.
DR      GO; GO:0045065; P:cytotoxic T-cell differentiation; IMP.
DR      GO; GO:0006955; P:immune response; ISS.
DR      GO; GO:0042110; P:T-cell activation; ISS.
DR      GO; GO:0007169; P:transmembrane receptor protein tyrosine kin. . .; ISS.
DR      InterPro; IPR007110; Ig-like.
DR      InterPro; IPR003599; Ig.
DR      Pfam; PF00047; ig; 1.
DR      SMART; SM00409; IG; 1.
DR      PROSITE; PS50835; IG_LIKE; 1.
KW      Immunoglobulin domain; Transmembrane; T-cell; Antigen; Glycoprotein;
KW      Immune response; Signal; Alternative splicing; 3D-structure.
FT      SIGNAL          1          27
FT      CHAIN           28          247      T-CELL SURFACE GLYCOPROTEIN CD8 ALPHA
FT                                     CHAIN.
FT      DOMAIN          28          196      EXTRACELLULAR (POTENTIAL).
FT      TRANSMEM        197          217      POTENTIAL.
FT      DOMAIN          218          247      CYTOPLASMIC (POTENTIAL).
FT      DOMAIN          28          139      IG-LIKE V-TYPE.
FT      DISULFID        53          129      POTENTIAL.
FT      CARBOHYD        69          69      N-LINKED (GLCNAC. . .).

```

FT CARBOHYD 97 97 N-LINKED (GLCNAC. . .).
 FT CARBOHYD 150 150 N-LINKED (GLCNAC. . .).
 FT VARIANT 105 105 M -> V (IN STRAIN C.AKR).
 FT CONFLICT 81 81 MISSING (IN REF. 3).
 SQ SEQUENCE 247 AA; 27456 MW; 22D0D78ECEC3EA04 CRC64;

Query Match 62.5%; Score 5; DB 1; Length 247;
 Best Local Similarity 100.0%; Pred. No. 57;
 Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 3 KMDAE 7
 |||||
 Db 40 KMDAE 44

RESULT 34

COX2_METSE

ID COX2_METSE STANDARD; PRT; 248 AA.
 AC 047496;
 DT 15-DEC-1998 (Rel. 37, Created)
 DT 15-DEC-1998 (Rel. 37, Last sequence update)
 DT 28-FEB-2003 (Rel. 41, Last annotation update)
 DE Cytochrome c oxidase polypeptide II (EC 1.9.3.1).
 GN COII.
 OS Metridium senile (Brown sea anemone) (Frilled sea anemone).
 OG Mitochondrion.
 OC Eukaryota; Metazoa; Cnidaria; Anthozoa; Zoantharia; Actiniaria;
 OC Nynantheae; Metridiidae; Metridium.
 OX NCBI_TaxID=6116;
 RN [1]
 RP SEQUENCE FROM N.A.
 RX MEDLINE=95055795; PubMed=7966369;
 RA Pont-Kingdon G.A., Beagley C.T., Okimoto R., Wolstenholme D.R.;
 RT "Mitochondrial DNA of the sea anemone, Metridium senile (Cnidaria):
 RT prokaryote-like genes for tRNA(f-Met) and small-subunit ribosomal RNA,
 RT and standard genetic code specificities for AGR and ATA codons."
 RL J. Mol. Evol. 39:387-399(1994).
 RN [2]
 RP SEQUENCE FROM N.A.
 RC STRAIN=White morph;
 RA Beagley C.T., Okimoto R., Wolstenholme D.R.;
 RL Submitted (APR-1997) to the EMBL/GenBank/DDBJ databases.
 CC -!- FUNCTION: Cytochrome c oxidase is the component of the respiratory
 CC chain that catalyzes the reduction of oxygen to water. Subunits 1-
 CC 3 form the functional core of the enzyme complex. Subunit 2
 CC transfers the electrons from cytochrome c via its binuclear copper
 CC A center to the bimetallic center of the catalytic subunit 1.
 CC -!- CATALYTIC ACTIVITY: 4 ferrocytochrome c + O(2) = 4 ferricytochrome
 CC c + 2 H(2)O.
 CC -!- COFACTOR: Copper A.
 CC -!- SUBCELLULAR LOCATION: Integral membrane protein. Mitochondrial
 CC inner membrane.
 CC -!- SIMILARITY: Belongs to the cytochrome c oxidase subunit 2 family.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its

CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
CC or send an email to license@isb-sib.ch).
CC -----

DR EMBL; S75445; AAB32498.1; -.
DR EMBL; AF000023; AAC04639.1; -.
DR PIR; T11893; T11893.
DR InterPro; IPR001505; Copper_CuA.
DR InterPro; IPR008972; Cupredoxin.
DR InterPro; IPR002429; Cyt_c_ox_2.
DR Pfam; PF00116; COX2; 1.
DR Pfam; PF02790; COX2_TM; 1.
DR PRINTS; PR01166; CYCOXIDASEII.
DR ProDom; PD000131; Copper_CuA; 1.
DR PROSITE; PS00078; COX2; 1.
KW Oxidoreductase; Copper; Mitochondrion; Transmembrane; Inner membrane;
KW Electron transport; Respiratory chain.
FT DOMAIN 1 43 MITOCHONDRIAL INTERMEMBRANE (POTENTIAL).
FT TRANSMEM 44 65 POTENTIAL.
FT DOMAIN 66 79 MITOCHONDRIAL MATRIX (POTENTIAL).
FT TRANSMEM 80 99 POTENTIAL.
FT DOMAIN 100 248 MITOCHONDRIAL INTERMEMBRANE (POTENTIAL).
FT METAL 180 180 COPPER A (PROBABLE).
FT METAL 215 215 COPPER A (PROBABLE).
FT METAL 219 219 COPPER A (PROBABLE).
FT METAL 223 223 COPPER A (PROBABLE).
SQ SEQUENCE 248 AA; 28294 MW; A14199E19D383D96 CRC64;

Query Match 62.5%; Score 5; DB 1; Length 248;
Best Local Similarity 100.0%; Pred. No. 57;
Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 2 VKMDA 6
|||||
Db 189 VKMDA 193

RESULT 35

T2S1_STRFI

ID T2S1_STRFI STANDARD; PRT; 269 AA.
AC O52512;
DT 16-OCT-2001 (Rel. 40, Created)
DT 16-OCT-2001 (Rel. 40, Last sequence update)
DT 10-OCT-2003 (Rel. 42, Last annotation update)
DE Type II restriction enzyme SfiI (EC 3.1.21.4) (Endonuclease SfiI)
DE (R.SfiI).
GN SFIIR.
OS Streptomyces fimbriatus.
OC Bacteria; Actinobacteria; Actinobacteridae; Actinomycetales;
OC Streptomycineae; Streptomycetaceae; Streptomyces.
OX NCBI_TaxID=68197;
RN [1]
RP SEQUENCE FROM N.A.
RA van Cott E.M., Moran L.S., Slatko B.E., Wilson G.G.;
RT "Characterization of the SfiI restriction and modification genes."
RL Submitted (DEC-1997) to the EMBL/GenBank/DBJ databases.

CC -!- FUNCTION: Recognizes the double-stranded sequence GGCCNNNNNGGCC
 CC and cleaves before N-9.
 CC -!- CATALYTIC ACTIVITY: Endonucleolytic cleavage of DNA to give
 CC specific double-stranded fragments with terminal 5'-phosphates.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 DR EMBL; AF039750; AAB95365.1; -.
 DR REBASE; 1655; SfiI.
 KW Restriction system; Hydrolase; Nuclease; Endonuclease.
 SQ SEQUENCE 269 AA; 31044 MW; 3C48499BAA5205EA CRC64;

Query Match 62.5%; Score 5; DB 1; Length 269;
 Best Local Similarity 100.0%; Pred. No. 60;
 Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 4 MDAEF 8
 |||||
 Db 119 MDAEF 123

RESULT 36

SACT_BACSU

ID SACT_BACSU STANDARD; PRT; 276 AA.
 AC P26212;
 DT 01-MAY-1992 (Rel. 22, Created)
 DT 01-MAY-1992 (Rel. 22, Last sequence update)
 DT 10-OCT-2003 (Rel. 42, Last annotation update)
 DE SacPA operon antiterminator.
 GN SACT OR IPA-47D OR BSU38070.
 OS Bacillus subtilis.
 OC Bacteria; Firmicutes; Bacillales; Bacillaceae; Bacillus.
 OX NCBI_TaxID=1423;
 RN [1]
 RP SEQUENCE FROM N.A.
 RX MEDLINE=90299824; PubMed=2163394;
 RA Debarbouille M., Arnaud M., Fouet A., Klier A., Rapoport G.;
 RT "The sacT gene regulating the sacPA operon in Bacillus subtilis
 RT shares strong homology with transcriptional antiterminators.";
 RL J. Bacteriol. 172:3966-3973(1990).
 RN [2]
 RP SEQUENCE FROM N.A.
 RC STRAIN=168;
 RX MEDLINE=95020537; PubMed=7934828;
 RA Glaser P., Kunst F., Arnaud M., Coudart M.P., Gonzales W.,
 RA Hullo M.F., Ionescu M., Lubochinsky B., Marcelino L., Moszer I.,
 RA Presecan E., Santana M., Schneider E., Schweizer J., Vertes A.,
 RA Rapoport G., Danchin A.;
 RT "Bacillus subtilis genome project: cloning and sequencing of the 97
 RT kb region from 325 degrees to 333 degrees.";
 RL Mol. Microbiol. 10:371-384(1993).

RN [3]
 RP SEQUENCE FROM N.A.
 RC STRAIN=168;
 RX MEDLINE=98044033; PubMed=9384377;
 RA Kunst F., Ogasawara N., Moszer I., Albertini A.M., Alloni G.,
 RA Azevedo V., Bertero M.G., Bessieres P., Bolotin A., Borchert S.,
 RA Borriss R., Boursier L., Brans A., Braun M., Brignell S.C., Bron S.,
 RA Brouillet S., Bruschi C.V., Caldwell B., Capuano V., Carter N.M.,
 RA Choi S.K., Codani J.J., Connerton I.F., Cummings N.J., Daniel R.A.,
 RA Denizot F., Devine K.M., Dusterhoft A., Ehrlich S.D., Emmerson P.T.,
 RA Entian K.D., Errington J., Fabret C., Ferrari E., Foulger D.,
 RA Fritz C., Fujita M., Fujita Y., Fuma S., Galizzi A., Galleron N.,
 RA Ghim S.Y., Glaser P., Goffeau A., Golightly E.J., Grandi G.,
 RA Guiseppe G., Guy B.J., Haga K., Haiech J., Harwood C.R., Henaut A.,
 RA Hilbert H., Holsappel S., Hosono S., Hullo M.F., Itaya M., Jones L.,
 RA Joris B., Karamata D., Kasahara Y., Klaerr-Blanchard M., Klein C.,
 RA Kobayashi Y., Koetter P., Koningstein G., Krogh S., Kumano M.,
 RA Kurita K., Lapidus A., Lardinois S., Lauber J., Lazarevic V.,
 RA Lee S.M., Levine A., Liu H., Masuda S., Mauel C., Medigue C.,
 RA Medina N., Mellado R.P., Mizuno M., Moestl D., Nakai S., Noback M.,
 RA Noone D., O'Reilly M., Ogawa K., Ogiwara A., Oudega B., Park S.H.,
 RA Parro V., Pohl T.M., Portetelle D., Porwollik S., Prescott A.M.,
 RA Presecan E., Pujic P., Purnelle B., Rapoport G., Rey M., Reynolds S.,
 RA Rieger M., Rivolta C., Rocha E., Roche B., Rose M., Sadaie Y.,
 RA Sato T., Scanlan E., Schleich S., Schroeter R., Scoffone F.,
 RA Sekiguchi J., Sekowska A., Seror S.J., Serror P., Shin B.S., Soldo B.,
 RA Sorokin A., Tacconi E., Takagi T., Takahashi H., Takemaru K.,
 RA Takeuchi M., Tamakoshi A., Tanaka T., Terpstra P., Tognoni A.,
 RA Tosato V., Uchiyama S., Vandenbol M., Vannier F., Vassarotti A.,
 RA Viari A., Wambutt R., Wedler E., Wedler H., Weitzenegger T.,
 RA Winters P., Wipat A., Yamamoto H., Yamane K., Yasumoto K., Yata K.,
 RA Yoshida K., Yoshikawa H.F., Zumstein E., Yoshikawa H., Danchin A.;
 RT "The complete genome sequence of the Gram-positive bacterium *Bacillus*
 RT *subtilis*.";
 RL Nature 390:249-256(1997).
 CC -!- FUNCTION: MEDIATES POSITIVE REGULATION OF THE SACPA OPERON BY
 CC FUNCTIONING AS AN ANTITERMINATOR FACTOR OF TRANSCRIPTION.
 CC -!- PTM: PHOSPHORYLATED AND INACTIVATED BY SACP (EII-SCR) (PROBABLE).
 CC -!- SIMILARITY: Belongs to the transcriptional antiterminator *bglG*
 CC family.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 DR EMBL; J03006; AAA22726.1; ALT_INIT.
 DR EMBL; X73124; CAA51603.1; -.
 DR EMBL; Z99123; CAB15833.1; -.
 DR PIR; S39702; S39702.
 DR HSSP; P15401; 1AUU.
 DR SubtiList; BG10593; sacT.
 DR InterPro; IPR001550; BglG_antitermin.
 DR InterPro; IPR004341; CAT_RBD.

DR Pfam; PF03123; CAT_RBD; 1.
 DR Pfam; PF00874; PRD; 2.
 DR PROSITE; PS00654; ANTITERMINATORS_BGLG; 1.
 KW Transcription regulation; Activator; RNA-binding; Phosphorylation;
 KW Complete proteome.
 FT VARIANT 96 96 D -> Y (IN SACT30 MUTANT).
 SQ SEQUENCE 276 AA; 32074 MW; F1D63E4BC7CFBA03 CRC64;

Query Match 62.5%; Score 5; DB 1; Length 276;
 Best Local Similarity 100.0%; Pred. No. 62;
 Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 3 KMDAE 7
 |||||
 Db 161 KMDAE 165

RESULT 37

FLAL_VIBPA

ID FLAL_VIBPA STANDARD; PRT; 284 AA.
 AC Q03473;
 DT 01-OCT-1993 (Rel. 27, Created)
 DT 10-OCT-2003 (Rel. 42, Last sequence update)
 DT 10-OCT-2003 (Rel. 42, Last annotation update)
 DE Lateral flagellin.
 GN LAFA OR VPA1548.
 OS Vibrio parahaemolyticus.
 OC Bacteria; Proteobacteria; Gammaproteobacteria; Vibrionales;
 OC Vibrionaceae; Vibrio.
 OX NCBI_TaxID=670;
 RN [1]
 RP SEQUENCE FROM N.A.
 RC STRAIN=BB22;
 RX MEDLINE=93273702; PubMed=8501040;
 RA McCarter L.L., Wright M.E.;
 RT "Identification of genes encoding components of the swarmer cell
 RT flagellar motor and propeller and a sigma factor controlling
 RT differentiation of Vibrio parahaemolyticus.";
 RL J. Bacteriol. 175:3361-3371(1993).
 RN [2]
 RP SEQUENCE FROM N.A.
 RC STRAIN=RIMD 2210633 / Serotype O3:K6;
 RX MEDLINE=22508454; PubMed=12620739;
 RA Makino K., Oshima K., Kurokawa K., Yokoyama K., Uda T., Tagomori K.,
 RA Iijima Y., Najima M., Nakano M., Yamashita A., Kubota Y., Kimura S.,
 RA Yasunaga T., Honda T., Shinagawa H., Hattori M., Iida T.;
 RT "Genome sequence of Vibrio parahaemolyticus: a pathogenic mechanism
 RT distinct from that of V. cholerae.";
 RL Lancet 361:743-749(2003).
 CC -!- FUNCTION: FLAGELLIN IS THE SUBUNIT PROTEIN WHICH POLYMERIZES TO
 CC FORM THE FILAMENTS OF BACTERIAL FLAGELLA. ESSENTIAL FOR LATERAL
 CC FLAGELLAR SYNTHESIS AND SWARMING MOTILITY.
 CC -!- SUBUNIT: Homopolymer.
 CC -!- SUBCELLULAR LOCATION: Flagellar.
 CC -!- MISCELLANEOUS: V.PARAHAEVOLYTICUS POSSESSES TWO FLAGELLAR SYSTEMS:
 CC A SINGLE POLAR FLAGELLUM PROPELS THE BACTERIUM IN LIQUID
 CC (SWIMMING), WHILE MULTIPLE LATERAL (PERITRICHOUS) FLAGELLA MOVE

CC THE BACTERIUM OVER SURFACES (SWARMING). THE POLAR FLAGELLUM IS
CC SYNTHESIZED CONSTITUTIVELY BUT LATERAL FLAGELLA ARE PRODUCED ONLY
CC UNDER CONDITIONS IN WHICH THE POLAR FLAGELLUM IS NOT FUNCTIONAL.
CC THE PERITRICHOUS FLAGELLA ARE UNSHEATHED AND POWERED BY THE PROTON
CC MOTIVE FORCE.

CC -!- SIMILARITY: Belongs to the bacterial flagellin family.

CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
CC or send an email to license@isb-sib.ch).
CC -----

DR EMBL; L06176; AAA27529.1; -.
DR EMBL; U52957; AAB07350.1; -.
DR EMBL; AP005089; BAC62891.1; -.
DR PIR; A40590; A40590.
DR InterPro; IPR001029; Flagellin_C.
DR InterPro; IPR001492; FlagellinN.
DR Pfam; PF00700; Flagellin_C; 1.
DR Pfam; PF00669; Flagellin_N; 1.
DR PRINTS; PR00207; FLAGELLIN.
KW Flagellum; Complete proteome.
FT CONFLICT 36 36 F -> Y (IN REF. 1).
FT CONFLICT 38 38 V -> I (IN REF. 1).
FT CONFLICT 245 245 D -> E (IN REF. 1).
SQ SEQUENCE 284 AA; 29702 MW; 5DDE3C09D26E6948 CRC64;

Query Match 62.5%; Score 5; DB 1; Length 284;
Best Local Similarity 100.0%; Pred. No. 63;
Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 4 MDAEF 8
| | | | |
Db 112 MDAEF 116

RESULT 38

VINT_BPML5

ID VINT_BPML5 STANDARD; PRT; 371 AA.
AC P22884;
DT 01-AUG-1991 (Rel. 19, Created)
DT 01-FEB-1994 (Rel. 28, Last sequence update)
DT 16-OCT-2001 (Rel. 40, Last annotation update)
DE Integrase.
GN 33 OR INT.
OS Mycobacteriophage L5.
OC Viruses; dsDNA viruses, no RNA stage; Caudovirales; Siphoviridae;
OC L5-like viruses.
OX NCBI_TaxID=31757;
RN [1]
RP SEQUENCE FROM N.A.
RX MEDLINE=93211282; PubMed=8459766;
RA Hatfull G.F., Sarkis G.J.;
RT "DNA sequence, structure and gene expression of mycobacteriophage L5:

RT a phage system for mycobacterial genetics.";
 RL Mol. Microbiol. 7:395-405(1993).
 RN [2]
 RP SEQUENCE OF 28-371 FROM N.A.
 RX MEDLINE=91195302; PubMed=1901654;
 RA Lee M.H., Pascopella L., Jacobs W.R. Jr., Hatfull G.F.;
 RT "Site-specific integration of mycobacteriophage L5: integration-
 RT proficient vectors for Mycobacterium smegmatis, Mycobacterium
 RT tuberculosis, and bacille Calmette-Guerin.";
 RL Proc. Natl. Acad. Sci. U.S.A. 88:3111-3115(1991).
 CC -!- FUNCTION: INTEGRASE IS NECESSARY FOR INTEGRATION OF THE PHAGE INTO
 CC THE HOST GENOME BY SITE-SPECIFIC RECOMBINATION.
 CC -!- SIMILARITY: Belongs to the "phage" integrase family.
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 DR EMBL; Z18946; CAA79409.1; -.
 DR EMBL; M65194; AAA32256.1; ALT_INIT.
 DR PIR; S30978; S30978.
 DR InterPro; IPR002104; Phage_integrase.
 DR Pfam; PF00589; Phage_integrase; 1.
 KW DNA recombination; DNA integration.
 FT ACT_SITE 349 349 TRANSIENT COVALENT LINKAGE TO DNA DURING
 FT STRAND CLEAVAGE AND REJOINING (BY
 FT SIMILARITY).
 SQ SEQUENCE 371 AA; 41810 MW; D2D449CE83A15A13 CRC64;

Query Match 62.5%; Score 5; DB 1; Length 371;
 Best Local Similarity 100.0%; Pred. No. 76;
 Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 3 KMDAE 7
 |||||
 Db 39 KMDAE 43

RESULT 39

K193_HUMAN

ID K193_HUMAN STANDARD; PRT; 414 AA.
 AC Q12765; Q8IWD1;
 DT 01-NOV-1997 (Rel. 35, Created)
 DT 10-OCT-2003 (Rel. 42, Last sequence update)
 DT 10-OCT-2003 (Rel. 42, Last annotation update)
 DE Protein KIAA0193.
 GN KIAA0193.
 OS Homo sapiens (Human).
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 OC Mammalia; Eutheria; Primates; Catarrhini; Hominidae; Homo.
 OX NCBI_TaxID=9606;
 RN [1]
 RP SEQUENCE FROM N.A.

RC TISSUE=Bone marrow;
 RX MEDLINE=96281124; PubMed=8724849;
 RA Nagase T., Seki N., Ishikawa K.-I., Tanaka A., Nomura N.;
 RT "Prediction of the coding sequences of unidentified human genes. V.
 RT The coding sequences of 40 new genes (KIAA0161-KIAA0200) deduced by
 RT analysis of cDNA clones from human cell line KG-1.";
 RL DNA Res. 3:17-24(1996).
 RN [2]
 RP REVISIONS TO N-TERMINUS.
 RC TISSUE=Brain;
 RX MEDLINE=22158633; PubMed=12168954;
 RA Nakajima D., Okazaki N., Yamakawa H., Kikuno R., Ohara O., Nagase T.;
 RT "Construction of expression-ready cDNA clones for KIAA genes: manual
 RT curation of 330 KIAA cDNA clones.";
 RL DNA Res. 9:99-106(2002).
 RN [3]
 RP SEQUENCE FROM N.A.
 RA Bourne S., Wollam C., Fielder T.;
 RL Submitted (JUN-1998) to the EMBL/GenBank/DDBJ databases.
 RN [4]
 RP SEQUENCE FROM N.A.
 RC TISSUE=Hypothalamus;
 RX MEDLINE=22388257; PubMed=12477932;
 RA Strausberg R.L., Feingold E.A., Grouse L.H., Derge J.G.,
 RA Klausner R.D., Collins F.S., Wagner L., Shenmen C.M., Schuler G.D.,
 RA Altschul S.F., Zeeberg B., Buetow K.H., Schaefer C.F., Bhat N.K.,
 RA Hopkins R.F., Jordan H., Moore T., Max S.I., Wang J., Hsieh F.,
 RA Diatchenko L., Marusina K., Farmer A.A., Rubin G.M., Hong L.,
 RA Stapleton M., Soares M.B., Bonaldo M.F., Casavant T.L., Scheetz T.E.,
 RA Brownstein M.J., Usdin T.B., Toshiyuki S., Carninci P., Prange C.,
 RA Raha S.S., Loquellano N.A., Peters G.J., Abramson R.D., Mullahy S.J.,
 RA Bosak S.A., McEwan P.J., McKernan K.J., Malek J.A., Gunaratne P.H.,
 RA Richards S., Worley K.C., Hale S., Garcia A.M., Gay L.J., Hulyk S.W.,
 RA Villalón D.K., Muzny D.M., Sodergren E.J., Lu X., Gibbs R.A.,
 RA Fahey J., Helton E., Kettelman M., Madan A., Rodrigues S., Sanchez A.,
 RA Whiting M., Madan A., Young A.C., Shevchenko Y., Bouffard G.G.,
 RA Blakesley R.W., Touchman J.W., Green E.D., Dickson M.C.,
 RA Rodriguez A.C., Grimwood J., Schmutz J., Myers R.M.,
 RA Butterfield Y.S.N., Krzywinski M.I., Skalska U., Smailus D.E.,
 RA Schnerch A., Schein J.E., Jones S.J.M., Marra M.A.;
 RT "Generation and initial analysis of more than 15,000 full-length human
 RT and mouse cDNA sequences.";
 RL Proc. Natl. Acad. Sci. U.S.A. 99:16899-16903(2002).
 CC -----
 CC This SWISS-PROT entry is copyright. It is produced through a collaboration
 CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
 CC the European Bioinformatics Institute. There are no restrictions on its
 CC use by non-profit institutions as long as its content is in no way
 CC modified and this statement is not removed. Usage by and for commercial
 CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
 CC or send an email to license@isb-sib.ch).
 CC -----
 DR EMBL; D83777; BAA12106.2; ALT_INIT.
 DR EMBL; AC004912; -; NOT_ANNOTATED_CDS.
 DR EMBL; AC007285; -; NOT_ANNOTATED_CDS.
 DR EMBL; BC040492; AAH40492.1; -.
 FT CONFLICT 298 298 P -> H (IN REF. 4).

SQ SEQUENCE 414 AA; 46382 MW; 1B14D1007AE6BEBE CRC64;

Query Match 62.5%; Score 5; DB 1; Length 414;
Best Local Similarity 100.0%; Pred. No. 82;
Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 3 KMDAE 7
|||||
Db 196 KMDAE 200

RESULT 40

DCDA_ARCFU

ID DCDA_ARCFU STANDARD; PRT; 419 AA.
AC O29458;
DT 30-MAY-2000 (Rel. 39, Created)
DT 30-MAY-2000 (Rel. 39, Last sequence update)
DT 28-FEB-2003 (Rel. 41, Last annotation update)
DE Diaminopimelate decarboxylase (EC 4.1.1.20) (DAP decarboxylase).
GN LYSA OR AF0800.
OS Archaeoglobus fulgidus.
OC Archaea; Euryarchaeota; Archaeoglobi; Archaeoglobales;
OC Archaeoglobaceae; Archaeoglobus.
OX NCBI_TaxID=2234;
RN [1]
RP SEQUENCE FROM N.A.
RC STRAIN=VC-16 / DSM 4304 / ATCC 49558;
RX MEDLINE=98049343; PubMed=9389475;
RA Klenk H.-P., Clayton R.A., Tomb J.-F., White O., Nelson K.E.,
RA Ketchum K.A., Dodson R.J., Gwinn M., Hickey E.K., Peterson J.D.,
RA Richardson D.L., Kerlavage A.R., Graham D.E., Kyrpides N.C.,
RA Fleischmann R.D., Quackenbush J., Lee N.H., Sutton G.G., Gill S.,
RA Kirkness E.F., Dougherty B.A., McKenney K., Adams M.D., Loftus B.,
RA Peterson S., Reich C.I., McNeil L.K., Badger J.H., Glodek A., Zhou L.,
RA Overbeek R., Gocayne J.D., Weidman J.F., McDonald L., Utterback T.,
RA Cotton M.D., Spriggs T., Artiach P., Kaine B.P., Sykes S.M.,
RA Sadow P.W., D'Andrea K.P., Bowman C., Fujii C., Garland S.A.,
RA Mason T.M., Olsen G.J., Fraser C.M., Smith H.O., Woese C.R.,
RA Venter J.C.;
RT "The complete genome sequence of the hyperthermophilic, sulphate-
RT reducing archaeon Archaeoglobus fulgidus.";
RL Nature 390:364-370(1997).
CC -!- CATALYTIC ACTIVITY: Meso-2,6-diaminoheptanedioate = L-lysine +
CC CO(2).
CC -!- COFACTOR: Pyridoxal phosphate.
CC -!- PATHWAY: Lysine biosynthesis; last step.
CC -!- SIMILARITY: BELONGS TO FAMILY 2 OF ORNITHINE, DAP, AND ARGININE
CC DECARBOXYLASES.
CC -----
CC This SWISS-PROT entry is copyright. It is produced through a collaboration
CC between the Swiss Institute of Bioinformatics and the EMBL outstation -
CC the European Bioinformatics Institute. There are no restrictions on its
CC use by non-profit institutions as long as its content is in no way
CC modified and this statement is not removed. Usage by and for commercial
CC entities requires a license agreement (See <http://www.isb-sib.ch/announce/>
CC or send an email to license@isb-sib.ch).
CC -----

DR EMBL; AE001049; AAB90438.1; -.
 DR PIR; H69349; H69349.
 DR TIGR; AF0800; -.
 DR InterPro; IPR002986; DAP_decrbxlase.
 DR InterPro; IPR000183; Decarbxylse2.
 DR InterPro; IPR009006; Racem_decarbox_C.
 DR Pfam; PF02784; Orn_Arg_deC_N; 1.
 DR Pfam; PF00278; Orn_DAP_Arg_deC; 1.
 DR PRINTS; PR01179; ODADCRBXLASE.
 DR TIGRFAMs; TIGR01048; lysA; 1.
 DR PROSITE; PS00878; ODR_DC_2_1; 1.
 DR PROSITE; PS00879; ODR_DC_2_2; 1.
 KW Lysine biosynthesis; Lyase; Decarboxylase; Pyridoxal phosphate;
 KW Complete proteome.
 FT BINDING 56 56 PYRIDOXAL PHOSPHATE (BY SIMILARITY).
 SQ SEQUENCE 419 AA; 45871 MW; 4EB7CB6BEE932047 CRC64;

Query Match 62.5%; Score 5; DB 1; Length 419;
 Best Local Similarity 100.0%; Pred. No. 83;
 Matches 5; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 3 KMDAE 7
 |||||
 Db 327 KMDAE 331

Search completed: March 26, 2004, 15:33:32
 Job time : 41.5 secs